LUMINAIRE 2021 CATALOGUE

Lighting your way for 30 Years

eurolux
Lighting your way

Eurolux - LIGHTING YOUR WAY

Across South Africa and much of Sub-Saharan Africa, the Eurolux brand has become synonymous with quality lighting at affordable pricing.

Our comprehensive product range provides lighting solutions to most sectors and is equally popular in homes, offices, retail spaces, manufacturing and hospitality environments across the continent.

From the outset, our aim has been to source, import and distribute products that both satisfies our customers' needs and complies with the South African Bureau of Standards (SABS) quality and safety requirements. Finding such products remains our constant quest and we regularly attend some of the world's biggest lighting fairs in order to keep abreast of the latest international trends and designs.

Eurolux acts as the exclusive distributor for several outstanding manufacturers from Europe and the Far East, whilst continuing to increase our support base of local manufacturers.

Our project lighting offering has continued on a steady growth curve, with successful supply into numerous commercial, retail, manufacturing, hospitality and sporting applications. These products provide the quality, durability and functionality that lighting specialists and consumers have come to expect from Eurolux.

Apart from selling and distributing products to specialised lighting stores, electrical wholesalers, project lighting specialists and numerous chain stores throughout South Africa, our export into neighbouring countries and across sub-Saharan Africa continues to expand exponentially.

This catalogue is the result of our search for lighting solutions tailored to suit both our customers' needs and the environment, providing you with a comprehensive overview of the Eurolux product range. We have also acknowledged the need for 'greener' products that encompass energy saving light sources, especially those using LED and Solar technology – please look out for the Energy Conscious Choice and Solar Powered Icons, which specifically highlights these products.

For those who would prefer a more interactive and personalised experience, we invite you to visit one of our unique lifestyle showrooms in Cape Town, Johannesburg and Durban, or simply log onto our website: www.eurolux.co.za to view our full complement of cutting edge lighting innovations.

Be spoiled for choice: enter into the gateway of our wonderful world of lighting.

Thank you for partnering with Eurolux to create a unique lighting experience.

The Eurolux Team

***CAPE TOWN** - Head Office*



9 Racecourse Road
Milnerton
Cape Town
7441

Tel: +27 (0)21 528 8400
Fax: +27 (0)21 528 8500

cpt@eurolux.co.za

JOHANNESBURG



72, 5th Street
Wynberg
Sandton
2090

Tel: +27 (0)11 608 2970
Fax: +27 (0)11 608 2975

jhb@eurolux.co.za

DURBAN



Talksure House
62 Umhlanga Ridge Boulevard
Parkside, Umhlanga
Durban

Tel: +27 (0)31 263 0088

info@eurolux.co.za

DESIGN: *Eurolux*
PHOTOS: *Earthworks, Eglo, Fumagalli, Ivela, Lutec, SG Lighting*
REPRODUCTION: *Eurolux*
PRINTED AND BOUND: *ABC Press*

1. The 2021 edition of Eurolux's product catalogue ("the Catalogue") replaces all previous editions.

2. The Eurolux products listed in the Catalogue ("the Products") are supplied to selected wholesalers and retailers only ("the Authorised Merchants"). The Catalogue is made available for information and reference purposes only. It is supplied to, and may be used by, Authorised Merchants only. It is not intended for use or distribution to other persons. Authorised Merchants are bound by Eurolux's standard terms and conditions of trade.

3. Nothing in the Catalogue or any part thereof may be construed as an offer to supply or sell any Product to any person, or as an inducement or offer to any person to enter into a contract with Eurolux in respect of the supply of any Product.

4. Subject to all applicable law, Eurolux:

   4.1 Accepts no responsibility for any loss or damage, of whatsoever nature, arising in any way out of the use of or reliance on information contained in this Catalogue;

   4.2 Makes no representations as to the availability of any Product and reserves the right to modify or discontinue a Product without notice, and to change Product specifications and descriptions without notice;

   4.3 Accepts no responsibility for misprints, errors, omissions or inaccuracies in this Catalogue;

   4.4 Makes no warranties, express or implied, in this Catalogue, save as recorded in clause 5 below.

5. All Products carry a minimum one (1) year warranty against manufacturing defects.

6. As the features and colours of a Product may be reproduced inexactly in the printing and photography process, this Catalogue is merely a guide.

7. All rights reserved. No part of this publication (including the text and images) may be modified, copied, reproduced, stored in a retrieval system, transmitted or distributed in any form or by any means (whether electronic, mechanical, photocopying or otherwise), without the prior, express, written permission of Eurolux.

CONTENT

FANS	1
CEILING LIGHTS	23
WALL LIGHTS	105
SPOTLIGHTS	177
DOWNLIGHTS	217
PENDANTS	247
CHANDELIERS	385
SHADES	403
TABLE LAMPS	407
FLOOR LAMPS	447
NOVELTY LIGHTS	467
RECHARGEABLES	489
SOLAR	505
BULKHEADS	529
OUTDOOR	565
FLOOD AND SECURITY	657
PROJECT LUMINAIRES	683
INDEX	795

ICONS & CLASS

LED (Light Emitting Diode)

BOX QUANTITY

WARRANTY

ENVIRONMENTALLY CONSCIOUS CHOICE

SOLAR POWERED PRODUCTS

ROUND CUT-OUT

SQUARE CUT-OUT

TOUCH SWITCH

CABINET LIGHTING

COLOUR CHANGING

TUNEABLE COLOUR TEMPERATURE

DC MOTOR FAN

EGLO CONNECT

INSECT KILLER

RECHARGEABLE

USB

UNDERCOUNTER LIGHTING

WIRELESS CHARGING

Electrical Class refers to the type of insulation a light fitting requires. Class 0 appliances have no protective-earth connection and feature only a single level of insulation and were intended for use in dry areas. In most countries, the sale of Class 0 mains-voltage appliances is prohibited today, as a single fault could cause an electric shock or fire.

The International Electro Technical Commission is in the process of removing provisions for Class 0 devices from its standards. It can be expected that the Class 0 concept will eventually disappear from the international market, in favour of Class 2 devices.

CLASS 1

Insulation requires that the metal body and other exposed metal parts of the device is connected to earth via a "grounding" wire (usually yellow/green) which is earthed at the main service panel; but only basic insulation of the conductors is needed. This equipment is easily identified by a third pin on the power plug for the grounding connection.

CLASS 2

Insulation means that the device is double insulated. This is used on some appliances such as electric shavers, hair dryers and portable power tools. Double insulation requires that the devices have both basic and supplementary insulation, each of which is sufficient to prevent electric shock.

All internal electrically energised components are totally enclosed within an insulated body that prevents any contact with "live" parts and hence does not require a safety connection to electrical earth. In the EU, double insulated appliances are all marked with a symbol of two squares, one inside the other.

CLASS 3

Appliance is designed to be supplied from a SELV (Separated or Safety Extra-Low Voltage) power source. The voltage from a SELV supply is low enough that under normal conditions a person can safely come into contact with it without risk of electrical shock. The extra safety features built into Class 1 and Class 2 appliances are therefore not required. For medical devices compliance with Class 3 is not considered sufficient protection.

IP RATING *(INGRESS PROTECTION RATING)*

An IP Rating (International Protection Rating or Ingress Protection Rating) is often used when specifying the environmental protection afforded by enclosures around electronic equipment and in particular light fittings.
This rating classifies the degree of protection against the intrusion of solid objects (including body parts like hands and fingers), dust, accidental contact and water.

The standard aims to provide users of fittings in particular with more detailed information than vague marketing terms like 'waterproof'. These ratings refer to specific tests and conditions. The IP number is made up of two components as follows: IPXY. The first number (X) refers to the protection against solid objects and the second (Y) against liquids.
The higher the number the better the protection.

PROTECTION AGAINST FOREIGN OBJECTS

FIRST DIGIT	*DESCRIPTION OF DIGIT*	*DEFINITION*
0	Not protected.	-
1	Protected against solid foreign objects of 50mm Ø and greater.	*The object probe, sphere of 50mm Ø shall not fully penetrate.
2	Protected against solid foreign objects of 12.5mm Ø and greater.	*The object probe, sphere of 12.5mm Ø shall not fully penetrate.
3	Protected against solid foreign objects of 2.5mm Ø and greater.	*The object probe, sphere of 2.5mm Ø shall not fully penetrate.
4	Protected against solid foreign objects of 1.0mm Ø and greater.	*The object probe, sphere of 1.0mm Ø shall not fully penetrate.
5	Dust-protected	Ingress of dust is not totally prevented, but dust shall not penetrate in a quantity to interfere with the satisfactory operation of the apparatus or to impair safety.
6	Dust-tight	No ingress of dust.

PROTECTION AGAINST LIQUIDS

SECOND DIGIT	*DESCRIPTION OF DIGIT*	*DEFINITION*
0	Not protected.	-
1	Protected against vertical falling water drops.	Vertically falling drops shall have no harmful effects.
2	Protected against vertical falling water drops when enclosure is tilted up to 15°.	Vertically falling drops shall have no harmful effects when enclosure is tilted at an angle up to 15° on either side of the vertical.
3	Protected against spraying water.	Water spayed at an angle up to 60° on either side of the vertical shall have no harmful effects.
4	Protected against splashing water.	Water splashed against the enclosure from any direction shall have no harmful effects.
5	Protected against water jets.	Water projected in jets against the enclosure from any direction shall have no harmful effects.
6	Protected against powerful water jets.	Water projected in powerful jets against the enclosure from any direction shall have no harmful effects.
7	Protected against the effects of temporary immersion in water.	Ingress of water in quantities causing harmful effects shall not be possible when the enclosure is temporarily immersed in water under standardised conditions of pressure and time.
8	Protected against the effects of continuous immersion in water.	Ingress of water in quantities causing harmful effects shall not be possible when the enclosure is continuously immersed in water under conditions which shall be agreed between manufacturer and user but which are more severe than for numeral 7.

FEATURED LAMPS

ICON	TYPE	SHAPE	BASES	SUITABLE ALTERNATE TECHNOLOGIES		
				HALOGEN SAVER	CFL	LED
	Globe	Globe	E27; B22	√	X	√
	Golfball	Golfball	E14; E27; B22	√	X	√
	Candle	Candle	E14; E27; B22	√	X	√
	Reflector	R39	E14	X	X	√
	Reflector	R50	E14	√	X	√
	Reflector	R63	E27	√	√	√
	Reflector	R80	E27	√	√	√
	Reflector	PAR38	E27	√	√	√
	QI	Linea QI Premium	R7s	√	X	√
	GU10	PAR16	GU10, E14	√	X	√
	MR16	MR16	GU5.3	√	X	√
	G4	Bi-pin	G4	√	X	√
	G9	Bi-pin	G9	√	X	√
	3U	3U	E27	X	√	X
	PL	1U, 2U	G24d, G24q	X	√	√
	GX53	GX53	GX53	X	X	√
	Linear	T4	G5	X	√	√
	Linear	T5	G5	X	√	√
	Linear	T8	G13	X	X	√
	Circline	T6 Circline	G10q	X	√	X
	Circline	T8 Circline	G10q	X	√	X
	2D	2D	GR10q	X	√	√
HIGH INTENSITY DISCHARGE						
	Linear Metal Halide	RX7s	RX7s			
	Metal Halide	Tubular	E27; E40			
	High Pressure Sodium	Tubular	E27; E40			
	High Pressure Sodium	Elliptic	E27; E40			
	Mercury Vapour	Elliptic	E27; E40			
	Metal Halide	Bi-pin	G8.5; G12			

LAMP TYPE	HALOGEN SAVER	CFL	LED
Globe	28W 42W 70W 105W 140W	9W 11-15W 20W	6W 10W
Golfball	28W	5W	3W
Candle	28W 42W	3W	3W
Flame	40W	3W	4W
Downlight	20W		5W / 3W
R7s	48W 80W		5W 10W
PAR38	80W	18W	14W

STAINLESS STEEL CARE

Stainless Steel is one of the most resilient materials available for a wide range of household and industrial uses. Its chromium film ensures its resistance to rust and tarnish, and with proper care this film can provide protection for many years, however it is not maintenance free.

The integrity of the film can be damaged by dirt and other contaminants, so stainless steel must be kept clean. Follow these guidelines to keep your stainless shining.

HOW TO CLEAN STAINLESS STEEL

THINGS YOU'LL NEED

1. Warm water
2. Soft cloths or sponges
3. Mild detergent or ammonia solution
4. "Handy Andy", "VIM" or similar abrasive cleaners

STEPS

1. Attend to stains as quickly as possible. Stainless steel does not hold stains easily, but it's best to clean up spills and marks as quickly as possible. While it will probably be possible to remove a stain after it sets, it will require more work with potentially damaging or scratching cleaners.

2. Fill a sink or bucket with warm, soapy water or a weak ammonia and water solution. Stainless steel is durable, but can be sensitive to harsh cleaners, so for routine cleaning, use a gentle detergent, such as dish soap. Dilute the detergent with very warm water. It is better to have too little detergent than too much.

3. Soak the object to be cleaned in the soapy water. If you are cleaning something small, such as a stainless pan, you can soak it to help remove burnt-on food or other stains if necessary. For really tough jobs, soak overnight. For larger objects or lightly soiled dishes, skip this step.

4. Wet a soft towel or dish cloth in the soapy water. If you've soaked the stainless steel, you will probably need to change the water now so that it is clean and warm. Whenever possible, avoid using an abrasive cloth on stainless steel.

   Instead, get a soft cloth or nylon sponge, dip it in the water-detergent solution, and wring it out thoroughly. If you prefer to use a cleaning brush, choose one with soft bristles.

5. Scrub the stainless steel. Take your cloth and softly scrub the surface. It is typically not necessary to press very hard. If the stainless steel has a polished finish, scrub with the finish, not against it, and avoid scrubbing with a circular motion. Rinse and wring out your cloth frequently to keep it damp and to avoid smearing potentially abrasive contaminants over the surface of the steel.

6. Rinse thoroughly with warm, clean water. Using a clean cloth or sponge, wet and wipe down the stainless steel. Be sure to remove all the detergent residue - it can leave streaks and a rainbow-coloured discolouration.

7. Repeat if necessary. The gentle cleaning should take care of most dirt and contaminants, but if stains persist, repeat the process.
   Be patient - persistent scrubbing will usually win out over even the toughest stains.

8. Apply a mild abrasive cleaner. Only apply an abrasive product after you've exhausted your patience scrubbing. Start by trying a paste of water and sodium bicarbonate (baking soda). Rub the paste onto the stainless steel with a soft cloth. Again, exercise patience, scrub well and rinse thoroughly.

9. Go all out. If the combination of soaking, detergent and a mild abrasive didn't work, you're going to have to get serious. Apply a more caustic abrasive cleaner such as the commercial brands of "VIM". To do this, wet a cloth or sponge with hot water, put the abrasive on one side and, moving in the direction of the stainless steel grain, apply the abrasive side of the cloth to the stainless steel.

10. Flip the towel over to the side without the abrasive, and remove the cleaner you just applied (again in the direction of the grain). Keep this towel hot and damp, but not dripping wet.

11. Rinse thoroughly and dry. Immediately after wiping off the abrasive cleaner, rinse well using clean, warm water. Dry the stainless steel using a second cloth, again rubbing with the grain.

TIPS

1. Clean often. You probably regularly clean stainless steel dishes, but most people let contaminants build up on larger objects. The more frequently you clean, the easier cleaning will be and the less chance you will have of contaminants damaging the stainless steel's protective film.

2. If you have one, use a dishwasher for stainless steel dishes. Dishwashers are perfect for cleaning small stainless steel objects. They use very warm water, gentle cleaners, and are persistent and gentle in their "scrubbing." For really tough rust stains or heat discolouration, apply a 10% solution of nitric acid (aqua fortis). This is generally only for industrial use.

3. If you just can't get a stain out by soaking and gentle cleaning, you may just want to leave it. An isolated stain or discolouration is preferable to the potential damage to the finish that could result from applying a harsh chemical to the stainless steel. Oven cleaner works fine, spray on and wait 1 hour, then wipe off.

WARNINGS

1. Be careful when mixing any types of cleaners. Don't mix commercial cleaners, such as "Handy Andy", with vinegar or with other brands.

2. Do not apply bleach to stainless steel. Stainless steel is sensitive to chlorine, and contact with bleach will result in staining and damage to the protective film.

3. Nitric acid is a highly corrosive chemical and should not be used if you are not familiar with proper handling and disposal techniques.

FANS

FANS

F78 *pg4*

F75 *pg4*

F77 *pg5*

F74 *pg5*

F76 *pg5*

F4 *pg6*

F7 *pg6*

F36 *pg6*

F37 *pg6*

F14 *pg7*

F3 *pg7*

F38 *pg7*

F42 *pg8*

F40 *pg8*

F12 *pg8*

F13 *pg8*

F11 *pg9*

F39 *pg9*

F21 *pg11*

F25 *pg11*

F27 *pg11*

F26 *pg11*

F22 *pg12*

F17 *pg13*

F24 *pg13*

F34 *pg13*

F28 *pg13*

F23 *pg14*

F33LED *pg15*

F32LED *pg15*

F90 *pg15*

F19 *pg15*

F43 *pg16*

F44 *pg16*

F45 *pg16*

F30 *pg17*

F46 *pg17*

F82 *pg18*

F88 *pg18*

F83 *pg19*

F86 *pg20*

F87 *pg20*

F84 *pg20*

F85 *pg20*

F5 *pg21*

F6 *pg21*

F15 *pg22*

F16/F35 *pg22*



F78

HEIGHT: *335mm*
DIAMETER: *1330mm*

FITTING MATERIAL:
Pressed Steel

MOTOR POWER:
28W DC Motor

PRIMARY VOLTAGE:
220V - 240V (50Hz)

IP : *20* : *1* W : *2 Years*

FITTING COLOUR:
DARK WOOD: 6007328393085

ADDITIONAL INFORMATION:
Number of Blades: 3
Including Remote Control

OPERATING FUNCTIONS:
5 Speed Forward and Reverse



F75

HEIGHT: *335mm*
DIAMETER: *1330mm*

FITTING MATERIAL:
Pressed Steel
LENS:
Dark Wood ABS

MOTOR POWER:
28W DC Motor

PRIMARY VOLTAGE:
220V - 240V (50Hz)

IP : *20* : *1* W : *2 Years*

FITTING COLOUR:
DARK WOOD/SATIN CHROME: 6007328393047

ADDITIONAL INFORMATION:
Number of Blades: 3
Including Remote Control

OPERATING FUNCTIONS:
5 Speed Forward and Reverse



F77 LED **LAMP TYPE:** *Including 1 x 22W Integrated SMD LED*

HEIGHT: *335mm*
DIAMETER: *1320mm*

FITTING MATERIAL:
Pressed Steel & ABS
LENS:
Opal Glass

MOTOR POWER:
28W DC Motor

PRIMARY VOLTAGE:
220V - 240V (50Hz)

IP : *20* : *1* W : *2 Years*

FITTING COLOUR:
DARK WOOD/BLACK: 6007328393078
LIGHT WOOD: 6007328393061

ADDITIONAL INFORMATION:
Number of Blades: 3
Including Remote Control
Dimmable

OPERATING FUNCTIONS:
5 Speed Forward and Reverse



F74 **LAMP TYPE:** *Excluding 2 x E14 max 40W Golfball 230V*

HEIGHT: *370mm*
DIAMETER: *1330mm*

FITTING MATERIAL:
Pressed Steel & ABS
LENS:
Opal Glass

MOTOR POWER:
28W DC Motor

PRIMARY VOLTAGE:
220V - 240V (50Hz)

IP : *20* : *1* W : *2 Years*

FITTING COLOUR:
WHITE: 6007328393054

ADDITIONAL INFORMATION:
Number of Blades: 3
Including Remote Control

OPERATING FUNCTIONS:
5 Speed Forward and Reverse

F76 LED **LAMP TYPE:** *Excluding 1 x 12W Integrated LED*

HEIGHT: *370mm*
DIAMETER: *1330mm*

FITTING MATERIAL:
Pressed Steel
LENS:
Opal Plastic

MOTOR POWER:
28W DC Motor

PRIMARY VOLTAGE:
220V - 240V (50Hz)

IP : *20* : *1* W : *2 Years*

FITTING COLOUR:
DARK WOOD/SATIN CHROME: 6007328393030

ADDITIONAL INFORMATION:
Number of Blades: 3
Including Remote Control

OPERATING FUNCTIONS:
5 Speed Forward and Reverse



F4

LAMP TYPE:
Excluding 2 x E14 max 40W Golfball 230V

HEIGHT: *360mm*
DIAMETER: *1300mm*

FITTING MATERIAL:
Pressed Steel
LENS:
Frosted Glass

MOTOR POWER:
60W

PRIMARY VOLTAGE:
220V - 240V (50Hz)

IP : *20* | : *1* | W : *2 Years*

FAMILY:
Comet
FITTING COLOUR:
ANTIQUE BRASS/CHERRY WOOD: 6007328323471
BLACK: 6007328011088
SATIN CHROME/CHERRY WOOD: 6007328328810
SATIN CHROME/NATURAL WOOD: 6007328010944
WHITE: 6007328010951

ADDITIONAL INFORMATION:
Number of Blades: 5
Spare Glass: X159
Remote Compatible

OPERATING FUNCTIONS:
3 Speed Forward and Reverse
2 Pull String Switches: Speed and Light



F7

LAMP TYPE:
Excluding 1 x E14 max 40W Golfball 230V

HEIGHT: *370mm*
DIAMETER: *800mm*

FITTING MATERIAL:
Pressed Steel
LENS:
Opal Glass

MOTOR POWER:
50W

PRIMARY VOLTAGE:
220V - 240V (50Hz)

IP : *20* | : *1* | W : *2 Years*

FAMILY:
Turbo Swirl
FITTING COLOUR:
BLACK: 6007328023593
SATIN CHROME/NATURAL WOOD: 6007328010975
SATIN CHROME/CHERRY WOOD: 6007328315056
WHITE: 6007328011095

ADDITIONAL INFORMATION:
Number of Blades: 6
Spare Glass: X539
Remote Compatible

OPERATING FUNCTIONS:
3 Speed Forward and Reverse
2 Pull String Switches: Speed and Light



F36

LAMP TYPE:
Excluding 2 x E14 max 40W Golfball 230V

HEIGHT: *350mm*
DIAMETER: *1240mm*

FITTING MATERIAL:
Steel
LENS:
Opal Glass

MOTOR POWER:
60W

PRIMARY VOLTAGE:
220V - 240V (50Hz)

IP : *20* | : *1* | W : *2 Years*

FAMILY:
Swirl
FITTING COLOUR:
ANTIQUE BRASS/NATURAL OR CHERRY WOOD: 6007328314677
SATIN CHROME/NATURAL OR CHERRY WOOD: 6007328314646
SATIN CHROME/SILVER OR BLACK: 6007328314653
WHITE: 6007328314660

ADDITIONAL INFORMATION:
Number of Blades: 3
Spare Glass: X154
Including Remote Control
Spare Receiver: CO24
Spare Remote and Receiver: X1522
Reversible Blades
OPERATING FUNCTIONS:
3 Speed Forward and Reverse



F37

LAMP TYPE:
Excluding 2 x E14 max 40W Golfball 230V

HEIGHT: *350mm*
DIAMETER: *1215mm*

FITTING MATERIAL:
Steel
LENS:
Opal Glass

MOTOR POWER:
60W

PRIMARY VOLTAGE:
220V - 240V (50Hz)

IP : *20* | : *1* | W : *2 Years*

FAMILY:
Twister
FITTING COLOUR:
SATIN CHROME/NATURAL OR CHERRY WOOD: 6007328314691
SATIN CHROME/SILVER OR BLACK: 6007328314684
WHITE: 6007328314707

ADDITIONAL INFORMATION:
Number of Blades: 4
Spare Glass: X154
Including Remote Control
Spare Receiver: CO24
Spare Remote and Receiver: X1522
Reversible Blades

OPERATING FUNCTIONS:
3 Speed Forward and Reverse



F14

LAMP TYPE:
Excluding 3 x E14 max 40W R50 230V

HEIGHT: *440mm*
DIAMETER: *1070mm*

FITTING MATERIAL:
Steel
RING:
Clear Perspex

MOTOR POWER:
50W

PRIMARY VOLTAGE:
220V - 240V (50Hz)

IP : *20* : *1* W : *2 Years*

FAMILY:
Premier
FITTING COLOUR:
SATIN CHROME/NATURAL WOOD: 6007328018810
WHITE: 6007328026327

ADDITIONAL INFORMATION:
Number of Blades: 4
Reversible Blades
Remote Compatible

OPERATING FUNCTIONS:
3 Speed Forward and Reverse
2 Pull String Switches: Speed and Light



F3

LAMP TYPE:
Excluding 4 x E14 max 40W R50 230V

HEIGHT: *530mm*
DIAMETER: *1285mm*

FITTING MATERIAL:
Steel
RING:
Clear Perspex

MOTOR POWER:
60W

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1* W : *2 Years*

FAMILY:
Apollo
FITTING COLOUR:
CHROME/BLACK OR SILVER: 6007328013389

ADDITIONAL INFORMATION:
Number of Blades: 5
Reversible Blades
Remote Compatible

OPERATING FUNCTIONS:
3 Speed Forward and Reverse
2 Pull String Switches: Speed and Light



F38

LAMP TYPE:
Excluding 3 x GU10 max 50W PAR16 230V

HEIGHT: *425mm*
DIAMETER: *1320mm*

FITTING MATERIAL:
Pressed Steel
BLADES:
Clear Acrylic

MOTOR POWER:
60W

PRIMARY VOLTAGE:
220V - 240V (50Hz)

IP : *20* : *1* W : *2 Years*

FAMILY:
Tempo
FITTING COLOUR:
SATIN CHROME/CLEAR ACRYLIC: 6007328315162

ADDITIONAL INFORMATION:
Number of Blades: 5
Including Remote Control
Spare Receiver: CO24
Spare Remote and Receiver: X1522

OPERATING FUNCTIONS:
3 Speed Forward and Reverse
2 Pull String Switches: Speed and Light



F42

LAMP TYPE:
Excluding 1 x E14 max 60W Golfball 230V

HEIGHT: *435mm*
DIAMETER: *1235mm*

FITTING MATERIAL:
Steel
LENS:
Opal Glass

MOTOR POWER:
60W

PRIMARY VOLTAGE:
220V - 240V (50Hz)

IP : *20* | : *1* | W : *2 Years*

FAMILY:
Flow
FITTING COLOUR:
SATIN CHROME: 6007328315155

ADDITIONAL INFORMATION:
Number of Blades: 3
Including Wall Mounted Control

OPERATING FUNCTIONS:
3 Speed Forward and Reverse
Light Switch



F40

HEIGHT: *375mm*
DIAMETER: *1200mm*

FITTING MATERIAL:
Pressed Steel

MOTOR POWER:
60W

PRIMARY VOLTAGE:
220V - 240V (50Hz)

IP : *20* | : *1* | W : *2 Years*

FAMILY:
Colonial
FITTING COLOUR:
BLACK/DARK WOOD: 6007328315186

ADDITIONAL INFORMATION:
Number of Blades: 4
Including Wall Mounted Control

OPERATING FUNCTIONS:
3 Speed Forward and Reverse



F12

HEIGHT: *315mm*
DIAMETER: *1220mm*

FITTING MATERIAL:
Pressed Steel

MOTOR POWER:
60W

PRIMARY VOLTAGE:
220V - 240V (50Hz)

IP : *20* | : *1* | W : *2 Years*

FAMILY:
Industrial
FITTING COLOUR:
BLACK: 6007328023470
CHROME: 6007328023562
WHITE: 6007328023463

ADDITIONAL INFORMATION:
Number of Blades: 3
Including Wall Mounted Control
Spare Wall Mounted Control: F16

OPERATING FUNCTIONS:
3 Speed Forward



F13

HEIGHT: *270mm*
DIAMETER: *1400mm*

FITTING MATERIAL:
Pressed Steel

MOTOR POWER:
60W

PRIMARY VOLTAGE:
220V - 240V (50Hz)

IP : *20* | : *1* | W : *2 Years*

FAMILY:
Industrial
FITTING COLOUR:
SATIN CHROME: 6007328026310
WHITE: 6007328023586

ADDITIONAL INFORMATION:
Number of Blades: 3
Including Wall Mounted Control
Spare Wall Mounted Control: F35

OPERATING FUNCTIONS:
3 Speed Forward



F11

HEIGHT: *380mm*
DIAMETER: *1110mm*

FITTING MATERIAL:
Pressed Steel

MOTOR POWER:
60W

PRIMARY VOLTAGE:
220V - 240V (50Hz)

IP : *20* : *1* W : *2 Years*

FAMILY:
Airplane
FITTING COLOUR:
SILVER: 6007328023579

ADDITIONAL INFORMATION:
Number of Blades: 3
Remote Compatible

OPERATING FUNCTIONS:
3 Speed Forward and Reverse
1 Pull String Switch: Speed



F39

HEIGHT: *275mm*
DIAMETER: *1320mm*

FITTING MATERIAL:
Pressed Steel
Blades:
Clear Acrylic

MOTOR POWER:
60W

PRIMARY VOLTAGE:
220V - 240V (50Hz)

IP : *20* : *1* W : *2 Years*

FAMILY:
Duo
FITTING COLOUR:
SATIN CHROME/CLEAR ACRYLIC: 6007328315179

ADDITIONAL INFORMATION:
Number of Blades: 2
Including Wall Mounted Control

OPERATING FUNCTIONS:
3 Speed Forward and Reverse

eurolux



F21

HEIGHT: *405mm*
WIDTH: *375mm*
DEPTH: *145mm*

FITTING MATERIAL:
Plastic

MOTOR POWER:
40W

PRIMARY VOLTAGE:
220V - 240V (50Hz)

IP : *20* : *1*

FITTING COLOUR:
WHITE: 6007328028369

ADDITIONAL INFORMATION:
Number of Blades: 5
1550mm Cable and Plug Top

OPERATING FUNCTIONS:
3 Speed
Louver Rotation Switch
1 Hour Timer



F25

HEIGHT: *490mm*
WIDTH: *345mm*
DEPTH: *250mm*

FITTING MATERIAL:
Plastic & Steel

MOTOR POWER:
40W

PRIMARY VOLTAGE:
220V - 240V (50Hz)

IP : *20* : *1*

FITTING COLOUR:
WHITE: 6007328028338

ADDITIONAL INFORMATION:
Number of Blades: 3
Adjustable Tilt
1600mm Cable and Plug Top
Spare Blades: X889

OPERATING FUNCTIONS:
3 Speed
Oscillating/Lockable



F27

HEIGHT: *535mm*
WIDTH: *435mm*
DEPTH: *300mm*

FITTING MATERIAL:
Plastic

MOTOR POWER:
40W

PRIMARY VOLTAGE:
220V - 240V (50Hz)

IP : *20* : *1*

FITTING COLOUR:
WHITE: 6007328322511

ADDITIONAL INFORMATION:
Number of Blades: 3
Adjustable Tilt
Spare Blades: X889
1500mm Cable and Plug Top

OPERATING FUNCTIONS:
3 Speed
Oscillating / Lockable
2 Pull String Switches: Speed



F26

HEIGHT: *1290mm*
WIDTH: *435mm*
DEPTH: *605mm*

FITTING MATERIAL:
Pressed Steel & Plastic

MOTOR POWER:
50W

PRIMARY VOLTAGE:
220V - 240V (50Hz)

IP : *20* : *1*

FITTING COLOUR:
WHITE: 6007328028314

ADDITIONAL INFORMATION:
Number of Blades: 3
Adjustable Tilt and Height
1500mm Cable and Plug Top

OPERATING FUNCTIONS:
3 Speed
Oscillating / Lockable

F22

HEIGHT: *1270mm*
WIDTH: *480mm*
DEPTH: *410mm*

FITTING MATERIAL:
Steel

MOTOR POWER:
50W

PRIMARY VOLTAGE:
220V - 240V (50Hz)

IP : *20* : *1*

FITTING COLOUR:
ANTIQUE COPPER: 6007328028376
SATIN CHROME: 6007328028321

ADDITIONAL INFORMATION:
Number of Blades: 4
Adjustable Tilt and Height
1400mm Cable and Plug Top
Rotary Switch

OPERATING FUNCTIONS:
3 Speed
Oscillating / Lockable



F17

HEIGHT: *590mm*
WIDTH: *605mm*
DEPTH: *205mm*

FITTING MATERIAL:
Steel

MOTOR POWER:
120W

PRIMARY VOLTAGE:
220V - 240V (50Hz)

IP : *20* : *1*

FAMILY:
Industrial
FITTING COLOUR:
CHROME: 6007328338239

ADDITIONAL INFORMATION:
Number of Blades: 3
Adjustable Tilt
1600mm Cable and Plug Top
Press Switch

OPERATING FUNCTIONS:
3 Speed



F24

HEIGHT: *415mm*
WIDTH: *350mm*
DEPTH: *240mm*

FITTING MATERIAL:
Steel

MOTOR POWER:
40W

PRIMARY VOLTAGE:
220V - 240V (50Hz)

IP : *20* : *1*

FITTING COLOUR:
ANTIQUE COPPER: 6007328028383
SATIN CHROME: 6007328028345

ADDITIONAL INFORMATION:
Number of Blades: 4
Adjustable Tilt
1540mm Cable and Plug Top

OPERATING FUNCTIONS:
3 Speed
Oscillating / Lockable



F34

HEIGHT: *800mm*
WIDTH: *570mm*
DEPTH: *600mm*

FITTING MATERIAL:
Pressed Steel

MOTOR POWER:
130W
MOTOR SPEED:
1400RPM (Max)

PRIMARY VOLTAGE:
220V - 240V (50Hz)

IP : *20* : *1*

FAMILY:
Hurricane
FITTING COLOUR:
SILVER: 6007328339458

ADDITIONAL INFORMATION:
Number of Blades: 2
Adjustable Tilt and Height
Including Wall Mount Bracket
2.260m Cable and 16A Plug Top
Rotary Switch

OPERATING FUNCTIONS:
3 Speed
Oscillating / Lockable



F28

HEIGHT: *860mm*
WIDTH: *720mm*
DEPTH: *600mm*

FITTING MATERIAL:
Steel

MOTOR POWER:
230W
MOTOR SPEED:
1400RPM (Max)

PRIMARY VOLTAGE:
220V - 240V (50Hz)

IP : *20* : *1*

FAMILY:
Hurricane
FITTING COLOUR:
SILVER: 6007328322504

ADDITIONAL INFORMATION:
Number of Blades: 2
Adjustable Tilt and Height
Including Wall Mount Bracket
2400mm Cable and Plug Top
Rotary Switch

OPERATING FUNCTIONS:
3 speed
Oscillating / Lockable

F23

HEIGHT: *1525mm - 1880mm*
WIDTH: *720mm*
DEPTH: *610mm*

FITTING MATERIAL:
Steel

MOTOR POWER:
230W
MOTOR SPEED:
1400RPM (Max)

PRIMARY VOLTAGE:
220V - 240V (50Hz)

IP : *20* : *1*

FAMILY:
Hurricane
FITTING COLOUR:
SILVER: 6007328028352

ADDITIONAL INFORMATION:
Number of Blades: 2
Adjustable Tilt and Height
2400mm Cable and Plug Top
Rotary Switch

OPERATING FUNCTIONS:
3 Speed
Oscillating / Lockable





F33LED

LED **LAMP TYPE:** *Including 1 x 16W Integrated LED*

DEPTH: *180mm*
DIAMETER: *290mm*
CUT-OUT: *250mm*

FITTING MATERIAL:
Plastic
LENS:
Frosted PMMA

MOTOR POWER:
20W

PRIMARY VOLTAGE:
220V - 240V (50Hz)

IP : *30* : *4*

FITTING COLOUR:
WHITE: 6007328383345
ADDITIONAL INFORMATION:
Air Movement: 150m³/hr

LAMP SPECIFICATION:
Power: 16W
Luminous Flux: 1100lm
Colour Temperature: 4000K
Lifetime: 25 000 Hours

F32LED

LED **LAMP TYPE:** *Including 1 x 16W Integrated LED*

HEIGHT: *280mm*
WIDTH: *280mm*
DEPTH: *170mm*
CUT-OUT: *245mm x 245mm*

FITTING MATERIAL:
Plastic
LENS:
Frosted PMMA

MOTOR POWER:
20W

PRIMARY VOLTAGE:
220V - 240V (50Hz)

IP : *30* : *4*

FITTING COLOUR:
WHITE: 6007328380696

ADDITIONAL INFORMATION:
Air Movement: 150m³/hr

LAMP SPECIFICATION:
Power: 16W
Luminous Flux: 1100lm
Colour Temperature: 4000K
Lifetime: 25 000 Hours





F90

LED **LAMP TYPE:** *Including 1 x 7W Integrated LED*

DIAMETER: *170mm*
DEPTH: *160mm*
CUT-OUT: *Ø105mm*

FITTING MATERIAL:
Plastic
LENS:
Frosted PMMA

MOTOR POWER:
15W

PRIMARY VOLTAGE:
220V - 240V (50Hz)

IP : *30* : *8*

FITTING COLOUR:
WHITE: 6007328380696

ADDITIONAL INFORMATION:
Air Movement: 87m³/hr

LAMP SPECIFICATION:
Power: 7W
Luminous Flux: 420lm
Colour Temperature: 4000K
Lifetime: 25 000 Hours

F19

LED **LAMP TYPE:** *Including 1 x 11W Integrated LED*

DIAMETER: *320mm*
DEPTH: *160mm*
CUT-OUT: *Ø125mm*

FITTING MATERIAL:
Plastic
LENS:
Frosted PMMA

MOTOR POWER:
20W

PRIMARY VOLTAGE:
220V - 240V (50Hz)

IP : *30* : *4*

FITTING COLOUR:
WHITE: 6007328380696

ADDITIONAL INFORMATION:
Air Movement: 130m³/hr

LAMP SPECIFICATION:
Power: 11W
Luminous Flux: 700lm
Colour Temperature: 4000K
Lifetime: 25 000 Hours

F43

HEIGHT: *160mm*
WIDTH: *160mm*
DEPTH: *75mm*
CUT-OUT: *125mm*

FITTING MATERIAL:
Plastic

MOTOR POWER:
15W

PRIMARY VOLTAGE:
220V - 240V (50Hz)

IP : *X4* : *12*

FITTING COLOUR:
WHITE: 6007328360209

ADDITIONAL INFORMATION:
Air Movement: 100m³/hr
Pilot Light



F44

HEIGHT: *172mm*
WIDTH: *172mm*
DEPTH: *85mm*
CUT-OUT: *145mm*

FITTING MATERIAL:
Plastic

MOTOR POWER:
25W

PRIMARY VOLTAGE:
220V - 240V (50Hz)

IP : *X4* : *12*

FITTING COLOUR:
WHITE: 6007328360216

ADDITIONAL INFORMATION:
Air Movement: 162m³/hr
Pilot Light



F45

HEIGHT: *208mm*
WIDTH: *208mm*
DEPTH: *87mm*
CUT-OUT: *184mm*

FITTING MATERIAL:
Plastic

MOTOR POWER:
25W

PRIMARY VOLTAGE:
220V - 240V (50Hz)

IP : *X4* : *12*

FITTING COLOUR:
WHITE: 6007328360223

ADDITIONAL INFORMATION:
Air Movement: 210m³/hr
Pilot Light





F30

DIAMETER: *350mm*
DEPTH: *130mm*
CUT-OUT: *300mm*

FITTING MATERIAL:
Plastic

MOTOR POWER:
40W

PRIMARY VOLTAGE:
220V - 240V (50Hz)

IP : *X4* : *12*

FITTING COLOUR:
WHITE: 6007328335405

ADDITIONAL INFORMATION:
Air Movement: 360m³/hr
3 Blades



F46

DIAMETER: *300mm*
DEPTH: *120mm*
CUT-OUT: *240mm*

FITTING MATERIAL:
Plastic

MOTOR POWER:
30W

PRIMARY VOLTAGE:
220V - 240V (50Hz)

IP : *X4* : *8*

FITTING COLOUR:
WHITE: 6007328361121

ADDITIONAL INFORMATION:
Air Movement: 240m³/hr
3 Blades



RECHARGEABLE MIST FAN

F82 LED **LAMP TYPE:** *Including 10 x 0,06W Integrated LED*

HEIGHT: *1265mm*
WIDTH: *400mm*
DEPTH: *421mm*

FITTING MATERIAL:
Plastic
LENS:
Opal Plastic

PRIMARY VOLTAGE:
220V - 240V (50Hz)

IP : *20* : *1*

DESCRIPTION:
Rechargeable Mist Fan With Night Light
FITTING COLOUR:
WHITE: 6007328397571

ADDITIONAL INFORMATION:
Including Remote Control
Power 70W
Rechargeable 12V 4.5Ah Sealed Lead-Acid Battery
Battery Life: 2 Hours (Fan High),
28 Hours (Fan Low) & 35 Hours (LED Light)
Charge Time: 12 - 15 Hours
2L Water Tank
Including Adjustable Height Steel Pole
Including Recharge Cable: 1900mm

OPERATING FUNCTIONS:
3 Speed / 3 Light settings



RECHARGEABLE MIST FAN

F88 LED **LAMP TYPE:** *Including Integrated LED (Night Light)*

HEIGHT: *770mm*
WIDTH: *260mm*
DEPTH: *250mm*

FITTING MATERIAL:
Plastic
LENS:
Clear Plastic

PRIMARY VOLTAGE:
220V - 240V (50Hz)

IP : *20* : *1*

DESCRIPTION:
Portable Rechargeable Air Cooler
FITTING COLOUR:
WHITE: 6007328397649

ADDITIONAL INFORMATION:
Including Recharge Cable
Rechargeable 12V 4.5Ah Sealed Lead-Acid Battery
Battery Life: 2 Hours (Fan High),
8 Hours (Fan Low) & 25 Hours (LED Night Light)
Charge Time: 12 - 15 Hours
Includes Remote
6L Water Tank

OPERATING FUNCTIONS:
3 Speed Fan
USB & DC Socket

F83

LAMP TYPE:
Including 10 x 0.06W Integrated LED

HEIGHT: *830mm*
WIDTH: *406mm*
DEPTH: *223mm*

FITTING MATERIAL:
Plastic

PRIMARY VOLTAGE:
220V - 240V (50Hz)

IP : *20* : *1*

DESCRIPTION:
Portable Rechargeable Mist Fan With LED Light

FITTING COLOUR:
WHITE: 6007328397588

ADDITIONAL INFORMATION:
Including Recharge Cable
Rechargeable 12V 4.5Ah Sealed Lead-Acid Battery
Battery Life: 4 Hours (Fan High),
26 Hours (Fan Low) & 35 Hours (LED Light)
Charge Time: 12 - 15 Hours
Includes Remote
3.5L Water Tank

OPERATING FUNCTIONS:
3 Speed



F86

HEIGHT: *186mm*
WIDTH: *140mm*
DEPTH: *64mm*

FITTING MATERIAL:
Plastic

PRIMARY VOLTAGE:
220V - 240V (50Hz)

IP : *20* : *40*

DESCRIPTION:
Portable Rechargeable Mini Fan
FITTING COLOUR:
WHITE: 6007328397618

ADDITIONAL INFORMATION:
Including Recharge Cable
Rechargeable 3.7V 1800mAh Lithium-ion Battery
Battery Life: 2 Hours (Fan High),
4.5 Hours (Fan Low)
Charge Time: 6 - 8 Hours

OPERATING FUNCTIONS:
2 Speed



F87

HEIGHT: *200mm*
WIDTH: *153mm*
DEPTH: *113mm*

FITTING MATERIAL:
Plastic

PRIMARY VOLTAGE:
220V - 240V (50Hz)

IP : *20* : *40*

DESCRIPTION:
Portable Rechargeable Mini Clip-on Fan
FITTING COLOUR:
WHITE: 6007328397625

ADDITIONAL INFORMATION:
Including Recharge Cable
Rechargeable 3.7V 1800mAh Lithium-ion Battery
Battery Life: 1.5 Hours (Fan High),
2.5 Hours (Fan Medium) & 4 Hours (Fan Low)
Charge Time: 6 - 8 Hours

OPERATING FUNCTIONS:
3 Speed

F84

LED **LAMP TYPE:**
Including 28 x 0.1W Integrated LED

HEIGHT: *292mm*
WIDTH: *205mm*
DEPTH: *85mm*

FITTING MATERIAL:
Plastic
LENS:
Opal Plastic

PRIMARY VOLTAGE:
220V - 240V (50Hz)

IP : *20* : *12*

DESCRIPTION:
Portable Rechargeable Mini Fan
FITTING COLOUR:
WHITE: 6007328397595

ADDITIONAL INFORMATION:
Including Recharge Cable
Rechargeable 4V 3Ah Sealed Lead-Acid Battery
Battery Life: 2 Hours (Fan High),
6.5 Hours (Fan Low) & 3 Hours (LED Bright)
Charge Time: 12 - 15 Hours

OPERATING FUNCTIONS:
3 Speed
Including USB 5V Input

F85

HEIGHT: *230mm*
WIDTH: *110mm*
DEPTH: *52mm*

FITTING MATERIAL:
Plastic
LENS:
Clear Plastic

PRIMARY VOLTAGE:
220V - 240V (50Hz)

IP : *20* : *40*

DESCRIPTION:
Portable Rechargeable Mini Fan
FITTING COLOUR:
WHITE: 6007328397601

ADDITIONAL INFORMATION:
Including Recharge Cable
Rechargeable 3.7V 1200mAh Lithium-ion Battery
Battery Life: 1.5 Hours (Fan High),
3.5 Hours (Fan Low)
Charge Time: 12 - 15 Hours

OPERATING FUNCTIONS:
2 Speed





F5 LED **LAMP TYPE:**
Including 2 x Integrated LEDs (Night Light)

HEIGHT: *520mm*
WIDTH: *390mm*
DEPTH: *240mm*

FITTING MATERIAL:
Plastic

PRIMARY VOLTAGE:
220V - 240V (50Hz)

IP : *20* : *2*

DESCRIPTION:
Portable Rechargeable Fan With Night Light
FITTING COLOUR:
WHITE: 6007328347569

ADDITIONAL INFORMATION:
Including Recharge Cable
Rechargeable 1 x 6V 7.0mAh Sealed Lead-Acid Battery
Battery Life: 6 Hours (Fan High/1050rpm),
8 Hours (Fan Low/850rpm) & 200 Hours (Night Light)
Charge Time: 20 - 24 Hours

OPERATING FUNCTIONS:
2 Speed
Oscillating / Lockable
On/Off Switch





F6 LED **LAMP TYPE:**
Including 24 x Integrated 0.06W SMD LEDs

HEIGHT: *356mm*
WIDTH: *304mm*
DEPTH: *127mm*

FITTING MATERIAL:
Plastic
LENS:
Clear Plastic

PRIMARY VOLTAGE:
220V - 240V (50Hz)

IP : *20* : *8*

DESCRIPTION:
Portable Rechargeable Fan With LED Lantern
FITTING COLOUR:
WHITE: 6007328347576

ADDITIONAL INFORMATION:
Including Recharge Cable
Rechargeable 1 x 6V 4.0Ah Sealed Lead-Acid Battery
Battery Life: 3 Hours (Fan High),
4.5 Hours (Fan Low) & 24 Hours (LED)
Charge Time: 10 - 12 Hours
Directional Lantern

OPERATING FUNCTIONS:
2 Speed
Louvre Rotation Switch

FAN REMOTE CONTROL AND SENSOR

The Eurolux fan remote control and sensor is suitable for use with Eurolux fan models that include a light source.

Simply connect the sensor receiver in the ceiling cup already provided, exposing the remote receiver through a ventilation hole.

Even though this is an easy installation, please ensure that you consult a qualified electrician.



F15

HEIGHT: *145mm*
WIDTH: *50mm*
DEPTH: *20mm*

FITTING MATERIAL:
Plastic

MOTOR POWER:
Max 100W (1 fan only)
LAMP POWER:
Max 300W

PRIMARY VOLTAGE:
220V - 240V (50Hz)

IP : *20* : *24*

DESCRIPTION:
Ceiling Fan Remote Control Kit
FITTING COLOUR:
WHITE: 6007328011019

ADDITIONAL INFORMATION:
Order Ceiling Cup Separately
Excluding 1 x 9V Heavy Duty Battery
Excluding Receiver: CO24

OPERATING FUNCTIONS:
3 Speed Remote Control
Independent Fan and Light On/Off Switch
Dip Switch: For use with up to 2 Remotes

F16

HEIGHT: *115mm*
WIDTH: *70mm*
DEPTH: *30mm*

FITTING MATERIAL:
Plastic

PRIMARY VOLTAGE:
220V - 240V (50Hz)

IP : *20* : **50**

DESCRIPTION:
Wall Control for F12
FITTING COLOUR:
WHITE: 6007328338079

ADDITIONAL INFORMATION:
For Use With F12
Microfarad: 1.75 - 3.5 uF

OPERATING FUNCTIONS:
3 Speed With Wall Mounted Control

F35

HEIGHT: *115mm*
WIDTH: *70mm*
DEPTH: *30mm*

FITTING MATERIAL:
Plastic

PRIMARY VOLTAGE:
220V - 240V (50Hz)

IP : *20* : **50**

DESCRIPTION:
Wall Control for F13
FITTING COLOUR:
WHITE: 6007328341222

ADDITIONAL INFORMATION:
For Use With F13
Microfarad: 2 - 3.5 uF

OPERATING FUNCTIONS:
3 Speed With Wall Mounted Control

CEILING LIGHTS

CEILING LIGHTS

C687 *pg30*

C685 *pg31*

C686 *pg31*

C623 *pg31*

C622 *pg31*

C431 *pg32*

C429 *pg32*

C252 *pg33*

C253 *pg33*

C122 *pg33*

C530 *pg34*

C531 *pg34*

C532 *pg34*

C533 *pg34*

C534 *pg35*

C535 *pg35*

C540 *pg35*

C541 *pg35*

C536 *pg36*

C537 *pg36*

C678 *pg37*

C677 *pg37*

C526 *pg38*

C500 *pg39*

C580 *pg39*

C581 *pg39*

C582 *pg39*

C679 *pg40*

C676 *pg40*

C680 *pg41*

C681 *pg41*

C565 *pg42*

CH215 *pg42*

C344 *pg42*

C143 *pg42*

C145 *pg43*

C417 *pg44*

C416 *pg44*

C414 *pg44*

C415 *pg44*

C683 *pg45*

C684 *pg45*

C695 *pg45*

C231 *pg46*

C617 *pg46*

C609 *pg46*

C610 *pg46*

C682 *pg47*

C421 *pg48*

C575 *pg48*

C434 *pg49*

C126 *pg49*

C147 *pg49*

C469 *pg50*

C135 *pg51*

C183 *pg51*

C688 *pg52*

C689 *pg52*

C690 *pg52*

C691 *pg52*

W492 *pg53*

C471 *pg53*

C619 *pg53*

C620 *pg53*

C247 *pg54*

C248 *pg55*

C184 *pg55*

C611 *pg55*

C170 *pg55*

C463 *pg56*

C615 *pg56*

C465 *pg56*

C614 *pg57*

C177 *pg57*

C456 *pg57*

C455 *pg57*

C547 *pg58*

C545 *pg58*

C546 *pg58*

C549 *pg59*

C548 *pg59*

C550 *pg59*

C563 *pg60*

C573 *pg60*

C163 *pg60*

C568 *pg61*

C564 *pg61*

C464 *pg62*

C466 *pg62*

C468 *pg62*

C616 *pg62*

C454 *pg63*

C164 *pg63*

C613 *pg63*

C167 *pg63*

C557 *pg64*

CEILING LIGHTS

C558 *pg64*

C132 *pg64*

C130 *pg64*

C542 *pg65*

C543 *pg65*

C544 *pg65*

C556 *pg66*

C555 *pg66*

C554 *pg66*

C559 *pg67*

C560 *pg67*

C553 *pg68*

C551 *pg68*

C552 *pg68*

C339 *pg69*

C340 *pg69*

C670 *pg70*

C671 *pg70*

C672 *pg71*

C673 *pg71*

C674 *pg71*

C675 *pg71*

C178 *pg72*

C179 *pg72*

C61R *pg72*

C62R *pg72*

C57 *pg73*

C58R *pg73*

C59 *pg73*

C60BE/R *pg73*

C244 *pg74*

C245 *pg74*

C246 *pg74*

C89 *pg74*

C462 *pg75*

C351 *pg76*

C269 *pg76*

C296 *pg77*

C332 *pg77*

C153 *pg78*

C570 *pg78*

C571 *pg78*

C48 *pg79*

C49 *pg79*

C48 *pg79*

C49 *pg79*

C97F *pg80*

C202F *pg80*

C397 *pg80*

C400 *pg80*

C398 *pg81*

C399 *pg81*

C396 *pg81*

C283 *pg82*

C402 *pg83*

C403 *pg83*

C192 *pg83*

C194 *pg83*

C441B *pg84*

C441Pl *pg84*

C393 *pg85*

C394 *pg85*

C401 *pg85*

C211 *pg86*

C8A *pg87*

C9A *pg87*

C210 *pg87*

C212 *pg87*

C94O *pg88*

C96O *pg88*

C93 *pg88*

C98 *pg88*

C95 *pg89*

C381 *pg90*

C385 *pg90*

O151 *pg90*

O150 *pg90*

CO153W *pg91*

CO155W *pg91*

CO157 *pg91*

CO159 *pg91*

CO161 *pg91*

CO154W *pg91*

CO156W *pg91*

CO158 *pg91*

CO160 *pg91*

CO162 *pg91*

C604 *pg92*

C605 *pg92*

C600 *pg93*

C601 *pg93*

C602 *pg93*

C603 *pg93*

C235 *pg94*

C158 *pg94*

C413 *pg95*

CEILING LIGHTS

C92 *pg95*

C100 *pg95*

C101 *pg95*

C319 *pg96*

C370 *pg96*

C371 *pg97*

C284 *pg97*

C285 *pg97*

C286 *pg97*

C372 *pg98*

C373 *pg98*

C376 *pg98*

C377 *pg98*

C375 *pg99*

C379 *pg99*

C378 *pg100*

C155 *pg100*

C154 *pg101*

C11 *pg101*

C12 *pg101*

C10 *pg101*

C85 *pg102*

C86 *pg102*

F32LED *pg103*

F33LED *pg103*

F90 *pg103*

F19 *pg103*

C687

LAMP TYPE:
Excluding 12 x E27 max 60W 230V

DIAMETER: *920mm*
DEPTH: *355mm*

FITTING MATERIAL:
Steel

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FAMILY:
Bocadella 1
FITTING COLOUR:
BLACK: 9002759983192





C685

LAMP TYPE: *Excluding 3 x E27 max 60W 230V*

DIAMETER: *345mm*
DEPTH: *215mm*

FITTING MATERIAL:
Steel

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *4*

FAMILY:
Bocadella 1
FITTING COLOUR:
BLACK: 9002759983178

C686

LAMP TYPE: *Excluding 9 x E27 max 60W 230V*

DIAMETER: *640mm*
DEPTH: *365mm*

FITTING MATERIAL:
Steel

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : **1**

FAMILY:
Bocadella 1
FITTING COLOUR:
BLACK: 9002759983185





C623

LAMP TYPE: *Excluding 6 x E27 max 40W 230V*

LENGTH: *880mm*
WIDTH: *510mm*
DEPTH: *350mm*

FITTING MATERIAL:
Steel

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *3*

FAMILY:
Belsiana
FITTING COLOUR:
BLACK: 9002759980344

ADDITIONAL INFORMATION:
Bottom two arms can swivel

C622

LAMP TYPE: *Excluding 8 x E27 max 40W 230V*

LENGTH: *1180mm*
WIDTH: *510mm*
DEPTH: *350mm*

FITTING MATERIAL:
Steel

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *3*

FAMILY:
Belsiana
FITTING COLOUR:
BLACK: 9002759980351

ADDITIONAL INFORMATION:
Bottom three arms can swivel



C431 LED **LAMP TYPE:** *Including 1 x 24W Integrated LED*

DIAMETER: *500mm*
DEPTH: *110mm*

FITTING MATERIAL:
Plastic
SHADE:
Cream Fabric

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *4*

FAMILY:
Palomaro
FITTING COLOUR:
WHITE/CREAM: 9002759933944

LAMP SPECIFICATION:
Power: 24W
Luminous Flux: 2210lm
Colour Temperature: 3000K
Lifetime: 25 000 Hours
Not Dimmable



C429 LED **LAMP TYPE:** *Including 1 x 11W Integrated LED*

DIAMETER: *320mm*
DEPTH: *90mm*

FITTING MATERIAL:
Plastic
SHADE:
Cream Fabric

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *4*

FAMILY:
Palomaro
FITTING COLOUR:
WHITE/CREAM: 9002759933920

LAMP SPECIFICATION:
Power:11W
Luminous Flux: 950lm
Colour Temperature: 3000K
Lifetime: 25 000 Hours
Not Dimmable



C252 LED **LAMP TYPE:** *Including 15.5W Integrated LED*

DIAMETER: *350mm*
DEPTH: *150mm*

FITTING MATERIAL:
Steel & Plastic
SHADE:
Fabric Grey

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *4*

FAMILY:
Romao
FITTING COLOUR:
GREY: 9002759953454

LAMP SPECIFICATION:
Power: 15.5W
Luminous Flux: 1600lm
Colour Temperature: 3000K
Lifetime: 25 000 Hours
Dimmable



C253 LED **LAMP TYPE:** *Including 24W Integrated LED*

DIAMETER: *500mm*
DEPTH: *160mm*

FITTING MATERIAL:
Steel & Plastic
SHADE:
Fabric Grey

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *4*

FAMILY:
Romao
FITTING COLOUR:
GREY: 9002759953461

LAMP SPECIFICATION:
Power: 24W
Luminous Flux: 2450lm
Colour Temperature: 3000K
Lifetime: 25 000 Hours
Dimmable



C122 **LAMP TYPE:** *Excluding 3 x E27 max 60W 230V*

DIAMETER: *475mm*
DEPTH: *195mm*

FITTING MATERIAL:
Steel
SHADE:
Fabric & Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *4*

FAMILY:
Pasteri
FITTING COLOUR:
TAUPE: 9002759949198





C530 LED **LAMP TYPE:** *Including 1 x 44W Integrated LED*

DIAMETER: *505mm*
DEPTH: *50mm*

FITTING MATERIAL: *Aluminium*
LENS: *Acrylic Opal*

PRIMARY VOLTAGE: *220V - 240V (50/60Hz)*

IP : *20* : *6* W : *3 Year*

FAMILY: *Pippa*
FITTING COLOUR: *SILVER: 6007328382980*

LAMP SPECIFICATION:
Power: 44W
Luminous Flux: 1420lm
Colour Temperature: 3000K
Lifetime: 25 000 Hours
Not Dimmable

C531 LED **LAMP TYPE:** *Including 1 x 65W Integrated LED*

DIAMETER: *720mm*
DEPTH: *50mm*

FITTING MATERIAL: *Steel*
LENS: *Acrylic Opal*

PRIMARY VOLTAGE: *220V - 240V (50/60Hz)*

IP : *20* : *1* W : *3 Year*

FAMILY: *Pippa*
FITTING COLOUR: *SILVER: 6007328382997*

LAMP SPECIFICATION:
Power: 65W
Luminous Flux: 2310lm
Colour Temperature: 3000K
Lifetime: 25 000 Hours
Not Dimmable





C532 LED **LAMP TYPE:** *Including 1 x 39W Integrated LED*

DIAMETER: *460mm*
DEPTH: *55mm*

FITTING MATERIAL: *Die Cast Aluminium*
LENS: *Acrylic Opal*

PRIMARY VOLTAGE: *220V - 240V (50/60Hz)*

IP : *20* : *1* W : *3 Year*

FAMILY: *Series*
FITTING COLOUR: *SILVER: 6007328383000*

LAMP SPECIFICATION:
Power: 39W
Luminous Flux: 1380lm
Colour Temperature: 3000K
Lifetime: 25 000 Hours
Not Dimmable

C533 LED **LAMP TYPE:** *Including 1 x 50W Integrated LED*

DIAMETER: *610mm*
DEPTH: *55mm*

FITTING MATERIAL: *Die Cast Aluminium*
LENS: *Acrylic Opal*

PRIMARY VOLTAGE: *220V - 240V (50/60Hz)*

IP : *20* : *6* W : *3 Year*

FAMILY: *Series*
FITTING COLOUR: *SILVER: 6007328383017*

LAMP SPECIFICATION:
Power: 50W
Luminous Flux: 1970lm
Colour Temperature: 3000K
Lifetime: 25 000 Hours
Not Dimmable



C534 LED **LAMP TYPE:** *Including 1 x 30W Integrated LED*

DIAMETER: *495mm*
DEPTH: *165mm*

FITTING MATERIAL:
Die Cast Aluminium
LENS:
Acrylic Opal

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* | : *6* | W : *3 Year*

FAMILY:
Carini
FITTING COLOUR:
BLACK: 6007328383024

LAMP SPECIFICATION:
Power: 30W
Colour Temperature: 3000K
Lifetime: 25 000 Hours
Not Dimmable



C535 LED **LAMP TYPE:** *Including 1 x 60W Integrated LED*

DIAMETER: *600mm*
DEPTH: *215mm*

FITTING MATERIAL:
Die Cast Aluminium
LENS:
Acrylic Opal

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* | : *1* | W : *3 Year*

FAMILY:
Carini
FITTING COLOUR:
BLACK: 6007328383031

LAMP SPECIFICATION:
Power: 60W
Colour Temperature: 3000K
Lifetime: 25 000 Hours
Not Dimmable



C540 LED **LAMP TYPE:** *Including 1 x 36W Integrated SMD LED*

DIAMETER: *600mm*
DEPTH: *110mm*

FITTING MATERIAL:
Aluminium
LENS:
Frosted Acrylic

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* | : *1* | W : *3 Year*

FAMILY:
Bruni
FITTING COLOUR:
WHITE: 6007328383086

LAMP SPECIFICATION:
Power: 36W
Luminous Flux: 2050lm
Colour Temperature: 3000K
Lifetime: 25 000 Hours
Not Dimmable



C541 LED **LAMP TYPE:** *Including 1 x 67W Integrated SMD LED*

DIAMETER: *800mm*
DEPTH: *150mm*

FITTING MATERIAL:
Aluminium
LENS:
Frosted Acrylic

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* | : *1* | W : *3 Year*

FAMILY:
Bruni
FITTING COLOUR:
WHITE: 6007328383093

LAMP SPECIFICATION:
Power: 67W
Luminous Flux: 3230lm
Colour Temperature: 3000K
Lifetime: 25 000 Hours
Not Dimmable



C536 LED **LAMP TYPE:** *Including 1 x 36W Integrated LED*

DIAMETER: *450mm*
DEPTH: *140mm*

FITTING MATERIAL:
Steel
LENS:
Opal Acrylic

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* | : *1* | W : *3 Year*

FAMILY:
Rossi
FITTING COLOUR:
BLACK/ORANGE: 6007328383048

ADDITIONAL INFORMATION:
Remote Control Included
Excluding Batteries

LAMP SPECIFICATION:
Power: 36W
Luminous Flux: 990lm
Colour Temperature: 3000K
Lifetime: 25 000 Hours
Not Dimmable



C537 LED **LAMP TYPE:** *Including 1 x 60W Integrated LED*

DIAMETER: *585mm*
DEPTH: *165mm*

FITTING MATERIAL:
Aluminium
LENS:
Opal Acrylic

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* | : *6* | W : *3 Year*

FAMILY:
Rossi
FITTING COLOUR:
BLACK/ORANGE: 6007328383055

ADDITIONAL INFORMATION:
Remote Control Included
Excluding Batteries

LAMP SPECIFICATION:
Power: 60W
Luminous Flux: 1600lm
Colour Temperature: 3000K
Lifetime: 25 000 Hours
Not Dimmable



C678 LED **LAMP TYPE:** *Including 1 x 24W Integrated LED*

DIAMETER: *405mm*
DEPTH: *135mm*

FITTING MATERIAL:
Steel
LENS:
Opal Diffuser

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *30*

FITTING COLOUR:
COPPER: 6007328397083

ADDITIONAL INFORMATION:

LAMP SPECIFICATION:
Power: 24W
Colour Temperature: 3000K
Lifetime: 25 000 Hours
Not Dimmable



C677 LED **LAMP TYPE:** *Including 1 x 40W Integrated LED*

DIAMETER: *595mm*
DEPTH: *185mm*

FITTING MATERIAL:
Steel
LENS:
Opal Diffuser

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *30*

FITTING COLOUR:
COPPER: 6007328397076

LAMP SPECIFICATION:
Power: 40W
Colour Temperature: 3000K
Lifetime: 25 000 Hours
Not Dimmable

C526

LAMP TYPE:
Including 1x 34W Integrated SMD LED

DIAMETER: *310mm*
DEPTH: *50mm*

FITTING MATERIAL:
Die-cast Aluminium
LENS:
Frosted Acrylic Lens

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *6*

FAMILY:
Holly
FITTING COLOUR:
WHITE: 6007328382942

LAMP SPECIFICATION:
Power: 34W
Luminous Flux: 1430lm
Colour Temperature: 3000K
Lifetime: 25 000 Hours
Not Dimmable



C500 LED **LAMP TYPE:** *Including 1 x 32W Integrated LED*

DIAMETER: *300mm*
DEPTH: *280mm*

FITTING MATERIAL:
Steel
SHADE:
Clear Acrylic

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *2*

FAMILY:
Hiku
FITTING COLOUR:
CHROME: 6007328389460

LAMP SPECIFICATION:
Power: 32W
Colour Temperature: 4200K
Lifetime: 25 000 Hours
Not Dimmable



C580 LED **LAMP TYPE:** *Including 1 x 32W Integrated LED*

DIAMETER: *300mm*
DEPTH: *280mm*

FITTING MATERIAL:
Steel
SHADE:
Frosted Acrylic

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *4*

FAMILY:
Hiku
FITTING COLOUR:
CHROME: 6007328389477

LAMP SPECIFICATION:
Power: 32W
Colour Temperature: 4200K
Lifetime: 25 000 Hours
Not Dimmable



C581 LED **LAMP TYPE:** *Including 1 x 16W Integrated LED*

DIAMETER: *350mm*
DEPTH: *155mm*

FITTING MATERIAL:
Steel
SHADE:
Clear Acrylic

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *4*

FAMILY:
Hiku
FITTING COLOUR:
CHROME: 6007328389484

LAMP SPECIFICATION:
Power: 16W
Colour Temperature: 4200K
Lifetime: 25 000 Hours
Not Dimmable



C582 LED **LAMP TYPE:** *Including 1 x 16W Integrated LED*

DIAMETER: *350mm*
DEPTH: *155mm*

FITTING MATERIAL:
Steel
SHADE:
Smokey Acrylic

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *4*

FAMILY:
Hiku
FITTING COLOUR:
CHROME: 6007328389491

LAMP SPECIFICATION:
Power: 16W
Colour Temperature: 3500K
Lifetime: 25 000 Hours
Not Dimmable



C679 LED **LAMP TYPE:** *Including 8W Integrated SMD LED*

LENGTH: *300mm*
WIDTH: *300mm*
DEPTH: *38mm*

FITTING MATERIAL:
ABS

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *12*

FAMILY:
Starry
FITTING COLOUR:
BLACK: 6007328397533
COFFEE: 6007328397557
GOLD: 6007328397540
WHITE: 6007328397526

ADDITIONAL INFORMATION:
Remote sold seperately (CO340)
5 Functions

LAMP SPECIFICATION:
Power: 8W
Colour Temperature: 3000K - 4000K (Tuneable)
Lifetime: 25 000 Hours
Not Dimmable



C676 LED **LAMP TYPE:** *Including 20W Integrated LED*

DIAMETER: *300mm*
DEPTH: *90mm*

FITTING MATERIAL:
Steel
LENS:
Opal Plastic Diffuser

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FITTING COLOUR:
CHROME: 6007328397014
ROSE GOLD: 6007328397007

LAMP SPECIFICATION:
Power: 20W
Colour Temperature: 3000K
Lifetime: 25 000 Hours
Not Dimmable



C680 **LAMP TYPE:** *Excluding 2 x E14 max 40W Candle 230V*

DIAMETER: *350mm*
DEPTH: *315mm*

FITTING MATERIAL:
Chrome
LENS:
Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FITTING COLOUR:
CLEAR: 6007328399216
COGNAC: 6007328399209
SMOKEY: 6007328399186



C681 **LAMP TYPE:** *Excluding 1 x E14 max 40W Candle 230V*

DIAMETER: *250mm*
DEPTH: *225mm*

FITTING MATERIAL:
Chrome
LENS:
Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FITTING COLOUR:
CLEAR: 6007328399247
COGNAC: 6007328399230
SMOKEY: 6007328399223





C565 LED **LAMP TYPE:** *Including 4 x 2.5W G9 LED 230V*

DIAMETER: *350mm*
DEPTH: *230mm*

FITTING MATERIAL:
Steel
LENS:
Glass
CRYSTALS:
Clear Glass Crystals

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *44* : *4*

FAMILY:
Almonte
FITTING COLOUR:
CHROME: 9002759948788

CH215 **LAMP TYPE:** *Excluding 15 x G4 max 10W Bi-pin 12V*

DIAMETER: *600mm*
DEPTH: *435mm*

FITTING MATERIAL:
Steel
CRYSTALS:
Clear Egyptian Crystals

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FITTING COLOUR:
CHROME: 6007328344292





C344 **LAMP TYPE:** *Excluding 18 x G4 max 10W Bi-pin 12V*

DIAMETER: *600mm*
DEPTH: *450mm*

FITTING MATERIAL:
Steel
CRYSTALS:
Clear Egyptian Crystals

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FITTING COLOUR:
CHROME: 6007328344346

C143 **LAMP TYPE:** *Excluding 2 x E27 max 60W 230V*

DIAMETER: *360mm*
DEPTH: *200mm*

FITTING MATERIAL:
Steel
SHADE:
Clear Crystal

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *2*

FAMILY:
Clemente
FITTING COLOUR:
CHROME: 9002759952846



C145

LAMP TYPE:
Excluding 3 x E27 max 60W 230V

DIAMETER: *460mm*
DEPTH: *205mm*

FITTING MATERIAL:
Steel
LENS:
Clear Crystal

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *2*

FAMILY:
Clemente
FITTING COLOUR:
CHROME: 9002759952853



C417 LED **LAMP TYPE 1:** *Excluding 4 x E27 max 60W 230V*
LAMP TYPE 2: *Including 30 x Integrated LED*

DIAMETER: *400mm*
DEPTH: *210mm*

FITTING MATERIAL:
Steel
SHADE:
Opal Glass With Pattern
CRYSTALS:
Clear Glass Crystals

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FAMILY:
Ela
FITTING COLOUR:
CHROME: 6007328362067

ADDITIONAL INFORMATION:
Including Remote
LED Function (Blue)
Not Dimmable



C416 LED **LAMP TYPE 1:** *Excluding 6 x E27 max 60W 230V*
LAMP TYPE 2: *Including 50 x Integrated LED*

DIAMETER: *500mm*
DEPTH: *250mm*

FITTING MATERIAL:
Steel
SHADE:
Opal Glass With Pattern
CRYSTALS:
Clear Glass Crystals

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FAMILY:
Ele
FITTING COLOUR:
CHROME: 6007328362050

ADDITIONAL INFORMATION:
Including Remote
LED Function (Blue)
Not Dimmable



C414 LED **LAMP TYPE 1:** *Excluding 6 x E27 max 60W Candle 230V*
LAMP TYPE 2: *Including 40 x Integrated LED*

DIAMETER: *500mm*
DEPTH: *250mm*

FITTING MATERIAL:
Steel
SHADE:
Opal Glass With Pattern
CRYSTALS:
Amber Glass Crystals

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FAMILY:
Ekeka
FITTING COLOUR:
CHROME: 6007328362036

ADDITIONAL INFORMATION:
Including Remote
LED Function (Blue)
Not Dimmable



C415 LED **LAMP TYPE 1:** *Excluding 5 x E27 max 60W Candle 230V*
LAMP TYPE 2: *Including 50 x Integrated LED*

DIAMETER: *500mm*
DEPTH: *250mm*

FITTING MATERIAL:
Steel
SHADE:
Dimpled Glass With Pattern
CRYSTALS:
Clear Glass Crystals

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FAMILY:
Ema
FITTING COLOUR:
CHROME: 6007328362043

ADDITIONAL INFORMATION:
Including Remote
LED Function (Blue)
Not Dimmable



C683 LED **LAMP TYPE:** *Including 5 x G9 3W LED 230V*

LENGTH: *290mm*
WIDTH: *290mm*
DEPTH: *195mm*

FITTING MATERIAL:
Steel
LENS:
Clear Glass Crystals

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *6*

FAMILY:
Pyton
FITTING COLOUR:
GOLD: 9002759977214

LAMP SPECIFICATION:
Power: 15W (3W x 5)
Luminous Flux: 1800lm
Colour Temperature: 3000K
Lifetime: 25 000 Hours



C684 LED **LAMP TYPE:** *Including 9 x G9 3W LED 230V*

LENGTH: *580mm*
WIDTH: *580mm*
DEPTH: *160mm*

FITTING MATERIAL:
Steel
LENS:
Clear Glass Crystals

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *2*

FAMILY:
Pyton
FITTING COLOUR:
GOLD: 9002759977221

C695 **LAMP TYPE:** *Excluding 25 x E14 max 40W 230V*

DIAMETER: *980mm*
DEPTH: *470mm*

FITTING MATERIAL:
Steel
LENS:
Clear Crystals

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FAMILY:
Valparaiso
FITTING COLOUR:
GOLD: 9002759394615

ADDITIONAL INFORMATION:
Matching Pendants: P1128, P1129



C231

LAMP TYPE:
Excluding 3 x GU10 max 50W 230V

IP: *20* : *4*

FITTING HEIGHT: *80mm*
LENGTH: *920mm*
WIDTH: *135mm*
CORD LENGTH: *645mm*

FITTING MATERIAL:
Aluminium
SHADE:
Frosted Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

FITTING COLOUR:
GREY: 6007328325505



C617

LAMP TYPE:
Including 1 x 6W Integrated SMD LED

IP: *20* : *6*

LENGTH: *750mm*
WIDTH: *180mm*
DEPTH: *85mm*

FITTING MATERIAL:
Aluminium & Steel
LENS:
Opal Plastic

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

FAMILY:
Selvina
FITTING COLOUR:
SATIN CHROME: 9002759963095

LAMP SPECIFICATION:
Power: 6W
Luminous Flux: 650lm
Colour Temperature: 3000K
Lifetime: 25 000 Hours



Bluetooth device on the fitting. Fitting is connectable with smart phones. Max distance to connect is estimated at 5-10 meters. Excludes Remote. Install app on phone (awoX) to control the light and colour changing of the fitting.

C609

LAMP TYPE:
Including 2 x 17W Integrated SMD LED

IP: *20* : *6*

LENGTH: *1055mm*
WIDTH: *120mm*
DEPTH: *60mm*

FITTING MATERIAL:
Aluminium & Steel
LENS:
Opal Plastic

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

FAMILY:
Fraioli C
FITTING COLOUR:
SATIN CHROME: 9002759979065

ADDITIONAL INFORMATION:
Eglo Connect Remote Available (CO341)

LAMP SPECIFICATION:
Power: 2 x 17W
Luminous Flux: 4600lm
Colour Temperature: 2700K - 6500K + RGB
Lifetime: 25 000 Hours



Bluetooth device on the fitting. Fitting is connectable with smart phones. Max distance to connect is estimated at 5-10 meters. Excludes Remote. Install app on phone (awoX) to control the light and colour changing of the fitting.

C610

LAMP TYPE:
Including 2 x 17W Integrated LED

IP: *20* : *4*

LENGTH: *1050mm*
WIDTH: *120mm*
DEPTH: *120mm*

FITTING MATERIAL:
Aluminium
LENS:
Opal Plastic

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

FAMILY:
Fraioli C
FITTING COLOUR:
SATIN CHROME: 9002759979096

ADDITIONAL INFORMATION:
Eglo Connect Remote Available (CO341)

LAMP SPECIFICATION:
Power: 2 x 17W
Luminous Flux: 4600lm
Colour Temperature: 2700K - 6500K +RGB
Lifetime: 25 000 Hours

C682 LED **LAMP TYPE:**
Including 27W Integrated LED

LENGTH: *1180mm*
WIDTH: *75mm*
DEPTH: *85mm*

FITTING MATERIAL:
Aluminium & Steel
LENS:
Opal Plastic

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *6*

FAMILY:
Amontillado
FITTING COLOUR:
SATIN CHROME: 9002759984915

ADITIONAL INFORMATION:
Matching Floor Light: FL301
Matching Pendant: P1115

LAMP SPECIFICATION:
Power: 27W
Luminous Flux: 3500lm
Colour Temperature: 3000K
Lifetime: 25 000 Hours
Dimmable





C421

LAMP TYPE:
Excluding 1 x E27 max 60W 230V

DIAMETER: *250mm*
DEPTH: *315mm*

FITTING MATERIAL:
Steel
SHADE:
Opal Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *2*

FAMILY:
Rondo
FITTING COLOUR:
SATIN CHROME: 9002759915896

ADDITIONAL INFORMATION:
Matching Pendant: P198, P199, P200
Matching Table Light: T445



C575

LAMP TYPE:
Excluding 1 x E27 max 40W 230V

DIAMETER: *280mm*
DEPTH: *285mm*

FITTING MATERIAL:
Steel
SHADE:
Clear Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FAMILY:
Porto
FITTING COLOUR:
CHROME: 6007328387343



C434 LED **LAMP TYPE:** *Including 9 x 4.3W Integrated LED*

LENGTH: *580mm*
WIDTH: *580mm*
DEPTH: *80mm*

FITTING MATERIAL:
Brushed Aluminium
LENS:
White Plastic

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *2*

FAMILY:
Idun1
FITTING COLOUR:
GREY: 9002759937751

LAMP SPECIFICATION:
Power:38.7W (9 x 4.3W)
Luminous Flux: 4320lm
Colour Temperature: 3000K
Lifetime: 25 000 Hours
Not Dimmable



C126 LED **LAMP TYPE:** *Including 24W Integrated LED*

LENGTH: *450mm*
WIDTH: *450mm*
DEPTH: *110mm*

FITTING MATERIAL:
Steel
LENS:
Plastic & Crystal
Opal Diffuser

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *2*

FAMILY:
Tellugio-s
FITTING COLOUR:
CHROME: 9002759955427

LAMP SPECIFICATION:
Power: 24W
Luminous Flux: 2800lm
Colour Temperature: 4000K
Lifetime: 25 000 Hours
Dimmable



C147 **LAMP TYPE:** *Including 8 x G9 Bi-pin 18W 230V*

LENGTH: *470mm*
WIDTH: *470mm*
DEPTH: *300mm*

FITTING MATERIAL:
Steel
SHADE:
Frosted Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *3*

FAMILY:
Condrada 1
FITTING COLOUR:
CHROME: 9002759927271

ADDITIONAL INFORMATION:
Dimmable

C469 LED **LAMP TYPE:**
Including 1 x 3.3W Integrated LED

LENGTH: *100mm*
WIDTH: *100mm*
DEPTH: *120mm*

FITTING MATERIAL:
Aluminium/Plastic
SHADE:
Black (Outer) &
Copper (Inner) Aluminium

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *36*

FAMILY:
Polasso
FITTING COLOUR:
BLACK/COPPER: 9002759944964

LAMP SPECIFICATION:
Power: 3.3W
Luminous Flux: 340lm
Colour Temperature: 3000K
Lifetime: 25 000 Hours
Not Dimmable



C135 **LAMP TYPE:** *Excluding 1 x E27 max 60W 230V*

DIAMETER: *410mm*
DEPTH: *265mm*

FITTING MATERIAL:
Steel & Wood
SHADE:
Opal Glass & Maple Wood

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *8*

FAMILY:
Stellato1
FITTING COLOUR:
MAPLE: 9002759955977



C183 **LAMP TYPE:** *Including 15 x G4 10W Bi-pin 12V*

DIAMETER: *755mm*
DEPTH: *115mm*

FITTING MATERIAL:
Steel
SHADE:
White Chalked Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *3*

FAMILY:
Campania
FITTING COLOUR:
ANTIQUE BROWN / GOLD: 9002759907372

ADDITIONAL INFORMATION:
Dimmable





C688

LAMP TYPE: *Excluding 1 x E27 max 40W 230V*

LENGTH: *180mm*
WIDTH: *180mm*
DEPTH: *205mm*

FITTING MATERIAL:
Steel
LENS:
Clear Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *4*

FAMILY:
Silentina
FITTING COLOUR:
BLACK: 9002759983314

C689

LAMP TYPE: *Excluding 2 x E27 max 40W 230V*

LENGTH: *360mm*
WIDTH: *180mm*
DEPTH: *205mm*

FITTING MATERIAL:
Steel
LENS:
Clear Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *2*

FAMILY:
Silentina
FITTING COLOUR:
BLACK: 9002759983321





C690

LAMP TYPE: *Excluding 3 x E27 max 40W 230V*

LENGTH: *540mm*
WIDTH: *180mm*
DEPTH: *205mm*

FITTING MATERIAL:
Steel
LENS:
Clear Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *2*

FAMILY:
Silentina
FITTING COLOUR:
BLACK: 9002759983338

C691

LAMP TYPE: *Excluding 4 x E27 max 40W 230V*

LENGTH: *360mm*
WIDTH: *360mm*
DEPTH: *205mm*

FITTING MATERIAL:
Steel
LENS:
Clear Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *2*

FAMILY:
Silentina
FITTING COLOUR:
BLACK: 9002759983345



W492

LAMP TYPE: *Excluding 1 x E27 max 60W 230V*

LENGTH: *280mm*
WIDTH: *160mm*
DEPTH: *150mm*

FITTING MATERIAL:
Steel
SHADE:
Clear Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *8*

FAMILY:
Charterhouse
FITTING COLOUR:
BLACK: 9002759493943



C471

LAMP TYPE: *Excluding 2 x E27 max 60W 230V*

LENGTH: *360mm*
WIDTH: *360mm*
DEPTH: *160mm*

FITTING MATERIAL:
Steel
SHADE:
Clear Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *3*

FAMILY:
Charterhouse
FITTING COLOUR:
BLACK: 9002759493929



C619

LAMP TYPE: *Excluding 1 x E14 max 40W 230V*

LENGTH: *165mm*
WIDTH: *165mm*
DEPTH: *190mm*

FITTING MATERIAL:
Steel
SHADE:
Opal Matte Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *8*

FAMILY:
Vallaspra
FITTING COLOUR:
CHAMPAGNE: 9002759977917



C620

LAMP TYPE: *Excluding 2 x E14 max 40W 230V*

LENGTH: *350mm*
WIDTH: *165mm*
DEPTH: *190mm*

FITTING MATERIAL:
Steel
SHADE:
Opal Matte Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *4*

FAMILY:
Vallaspra
FITTING COLOUR:
CHAMPAGNE: 9002759977924



C247

LAMP TYPE:
Excluding 2 x E27 max 60W 230V

DEPTH: *160mm*
DIAMETER: *280mm*

FITTING MATERIAL:
Steel
LENS:
Opal Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *3*

FAMILY:
Optica
FITTING COLOUR:
SATIN CHROME: 9002759868116

ADDITIONAL INFORMATION:
Spare Glass: X1190
Matching Floor Light: FL73
Matching Pendant: P234, P235, P236



C248

LAMP TYPE:
Excluding 2 x E27 max 60W 230V

DIAMETER: *350mm*
DEPTH: *210mm*

FITTING MATERIAL:
Steel
LENS:
Opal Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *2*

FAMILY:
Optica
FITTING COLOUR:
SATIN CHROME: 9002759868123

ADDITIONAL INFORMATION:
Spare Glass: X882



C184

LAMP TYPE:
Including 11W Integrated LED

DIAMETER: *325mm*
DEPTH: *75mm*

FITTING MATERIAL:
Plastic
SHADE:
White Diffuser

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *44* : *8*

FAMILY:
Ontaneda 1
FITTING COLOUR:
WHITE: 9002759956936

LAMP SPECIFICATION:
Power: 11W
Luminous Flux: 950lm
Colour Temperature: 3000K
Lifetime: 25 000 Hours



Bluetooth device on the fitting. Fitting is connectable with smart phones. Max distance to connect is estimated at 5-10 meters. Excludes Remote. Install app on phone (awoX) to control the light and colour changing of the fitting.

C611

LAMP TYPE:
Including 27W Integrated LED

DIAMETER: *435mm*
DEPTH: *130mm*

FITTING MATERIAL:
Steel & Plastic
SHADE:
White Diffuser

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *2*

FAMILY:
Frattina-C
FITTING COLOUR:
WHITE: 9002759978112

ADDITIONAL INFORMATION:
Replacement LED Modules-
Eglo Connect Remote Available (CO341)

LAMP SPECIFICATION:
Power: 27W
Luminous Flux: 3400lm
Colour Temperature: 2700K - 6500K + RGB
Lifetime: 25 000 Hours



C170

LAMP TYPE:
Including 18W Integrated LED

DIAMETER: *340mm*
DEPTH: *90mm*

FITTING MATERIAL:
Steel
SHADE:
Opal Plastic Diffuser

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *8*

FAMILY:
Capasso
FITTING COLOUR:
WHITE: 9002759960230

LAMP SPECIFICATION:
Power: 18W
Luminous Flux: 2100lm
Colour Temperature: 3000K
Lifetime: 25 000 Hours

C463 LED **LAMP TYPE:** *Including 1 x 10.95W Integrated LED*

DIAMETER: *172mm*
DEPTH: *40mm*

FITTING MATERIAL:
Aluminium
LENS:
Opal Plastic

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *10*

FAMILY:
Fueva 1
FITTING COLOUR:
SATIN CHROME: 9002759945237

LAMP SPECIFICATION:
Power: 10.95W
Luminous Flux: 1200lm
Colour Temperature: 3000K
Lifetime: 25 000 Hours



Bluetooth device on the fitting. Fitting is connectable with smart phones. Max distance to connect is estimated at 5-10 meters. Excludes Remote. Install app on phone (awoX) to control the light and colour changing of the fitting.

C615 LED **LAMP TYPE:** *Including 18W RGB Integrated LED*

DIAMETER: *225mm*
DEPTH: *40mm*

FITTING MATERIAL:
Die Cast Aluminium
LENS:
White Diffuser

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *10*

FAMILY:
Fueva-C
FITTING COLOUR:
SATIN CHROME: 9002759966775
WHITE: 9002759966690

ADDITIONAL INFORMATION:
Eglo Connect Remote Available (CO341)

LAMP SPECIFICATION:
Power: 18W
Luminous Flux: 2000lm
Colour Temperature: 2700K - 6500K
Lifetime: 25 000 Hours



C465 LED **LAMP TYPE:** *Including 1 x 16.5W Integrated LED*

DIAMETER: *225mm*
DEPTH: *35mm*

FITTING MATERIAL:
Aluminium
LENS:
White Plastic

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *10*

FAMILY:
Fueva 1
FITTING COLOUR:
SATIN CHROME: 9002759945251

LAMP SPECIFICATION:
Power: 16.5W
Luminous Flux: 1600lm
Colour Temperature: 3000K
Lifetime: 25 000 Hours



Bluetooth device on the fitting. Fitting is connectable with smart phones. Max distance to connect is estimated at 5-10 meters. Excludes Remote. Install app on phone (awoX) to control the light and colour changing of the fitting.

C614 LED **LAMP TYPE:** *Including 21W Integrated LED*

DIAMETER: *300mm*
DEPTH: *40mm*

FITTING MATERIAL:
Cast Metal
LENS:
White Plastic

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP: *20* : *5*

FAMILY:
Fueva-C
FITTING COLOUR:
SATIN CHROME: 9002759966782
WHITE: 9002759966713

ADDITIONAL INFORMATION:
Eglo Connect Remote Available (CO341)

LAMP SPECIFICATION:
Power: 21W
Luminous Flux: 2700lm
Colour Temperature: 2700K - 6500K + RGB
Lifetime: 25 000 Hours



C177 LED **LAMP TYPE:** *Including 1 x 11W Integrated LED*

DIAMETER: *285mm*
DEPTH: *80mm*

FITTING MATERIAL:
Stainless Steel
LENS:
Opal Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP: *44* : *8*

FAMILY:
Vento
FITTING COLOUR:
STAINLESS STEEL: 9002759941215

LAMP SPECIFICATION:
Power: 11W
Luminous Flux: 950lm
Colour Temperature: 3000K
Lifetime: 25 000 Hours



C456 LED **LAMP TYPE:** *Including 1 x 24W Integrated LED*

DIAMETER: *425mm*
DEPTH: *95mm*

FITTING MATERIAL:
Steel
LENS:
Opal Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP: *20* : *2*

FAMILY:
LED Arezzo
FITTING COLOUR:
SATIN CHROME: 9002759918545

LAMP SPECIFICATION:
Power: 24W
Luminous Flux: 2210lm
Colour Temperature: 3000K
Lifetime: 25 000 Hours



C455 LED **LAMP TYPE:** *Including 1 x 12W Integrated LED*

DIAMETER: *345mm*
DEPTH: *78mm*

FITTING MATERIAL:
Steel
LENS:
Opal Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP: *20* : *6*

FAMILY:
LED Arezzo
FITTING COLOUR:
SATIN CHROME: 9002759918538

LAMP SPECIFICATION:
Power: 12W
Luminous Flux: 1020lm
Colour Temperature: 3000K
Lifetime: 25 000 Hours

C547 LED **LAMP TYPE:** *Including 24W replaceable LED*

DIAMETER: *325mm*
DEPTH: *85mm*

FITTING MATERIAL:
Steel
LENS:
Opal Acrylic Diffuser

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *10*

FAMILY:
Power
FITTING COLOUR:
SILVER: 6007328383871

LAMP SPECIFICATION:
Power: 24W
Luminous Flux: 1920lm
Colour Temperature: 4000K
Lifetime: 30 000 Hours





C545 LED **LAMP TYPE:** *Including 12W replaceable LED*

DIAMETER: *255mm*
DEPTH: *85mm*

FITTING MATERIAL:
Steel
LENS:
Opal Acrylic Diffuser

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *10*

FAMILY:
Power
FITTING COLOUR:
SILVER: 6007328383857

LAMP SPECIFICATION:
Power: 12W
Luminous Flux: 960lm
Colour Temperature: 4000K
Lifetime: 30 000 Hours





C546 LED **LAMP TYPE:** *Including 18W replaceable LED*

DIAMETER: *285mm*
DEPTH: *75mm*

FITTING MATERIAL:
Steel
LENS:
Opal Acrylic Diffuser

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *10*

FAMILY:
Power
FITTING COLOUR:
SILVER: 6007328383864

LAMP SPECIFICATION:
Power: 18W
Luminous Flux: 1140lm
Colour Temperature: 4000K
Lifetime: 30 000 Hours



C549 LED **LAMP TYPE:** *Including 1 x 18W replaceable LED*

DIAMETER: *285mm*
DEPTH: *90mm*

FITTING MATERIAL:
Steel
LENS:
Opal Acrylic Diffuser

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *10*

FAMILY:
Power
FITTING COLOUR:
SILVER: 6007328383895

LAMP SPECIFICATION:
Power: 18W
Luminous Flux: 1440lm
Colour Temperature: 4000K
Lifetime: 30 000 Hours



C548 LED **LAMP TYPE:** *Including 12W replaceable LED*

DIAMETER: *265mm*
DEPTH: *90mm*

FITTING MATERIAL:
Steel
LENS:
Opal Acrylic Diffuser

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *10*

FAMILY:
Power
FITTING COLOUR:
SILVER: 6007328383888

LAMP SPECIFICATION:
Power: 12W
Luminous Flux: 960lm
Colour Temperature: 4000K
Lifetime: 30 000 Hours

C550 LED **LAMP TYPE:** *Including 1 x 24W replaceable LED*

DIAMETER: *340mm*
DEPTH: *90mm*

FITTING MATERIAL:
Steel
LENS:
Opal Acrylic Diffuser

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *10*

FAMILY:
Power
FITTING COLOUR:
SILVER: 6007328383901

LAMP SPECIFICATION:
Power: 24W
Luminous Flux: 1920lm
Colour Temperature: 4000K
Lifetime: 30 000 Hours



C573 LED **LAMP TYPE:** *Including 11W Integrated LED*

DIAMETER: *225mm*
DEPTH: *75mm*

FITTING MATERIAL:
Steel
LENS:
White Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *44* : *4*

FAMILY:
Palermo
FITTING COLOUR:
CHROME: 9002759949983

LAMP SPECIFICATION:
Power: 11W
Luminous Flux: 950lm
Colour Temperature: 3000K
Lifetime: 25 000 Hours
Not Dimmable

C563 LED **LAMP TYPE:** *Including 24W Integrated LED*

DIAMETER: *300mm*
DEPTH: *80mm*

FITTING MATERIAL:
Steel
LENS:
Opal Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *44* : *4*

FAMILY:
Palermo
FITTING COLOUR:
WHITE: 9002759949990

LAMP SPECIFICATION:
Power: 24W
Luminous Flux: 2500lm
Colour Temperature: 3000K
Lifetime: 25 000 Hours
Not Dimmable



C163 LED **LAMP TYPE:** *Including 22W Integrated LED*

DIAMETER: *410mm*
DEPTH: *115mm*

FITTING MATERIAL:
Steel
LENS:
Opal Plastic Diffuser

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *8*

FAMILY:
Palermo 3
FITTING COLOUR:
WHITE: 9002759956851

LAMP SPECIFICATION:
Power: 22W
Luminous Flux: 2500lm
Colour Temperature: 3000K
Lifetime: 25 000 Hours
Not Dimmable



C568 LED **LAMP TYPE:** *Including 11.2W Integrated LED*

DIAMETER: *280mm*
DEPTH: *55mm*

FITTING MATERIAL:
Steel
LENS:
Clear Crystal Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *8*

FAMILY:
Arezzo 2
FITTING COLOUR:
SATIN CHROME: 9002759320461

LAMP SPECIFICATION:
Power: 11.2W
Luminous Flux: 1500lm
Colour Temperature: 4000K
Lifetime: 25 000 Hours
Not Dimmable



C564 LED **LAMP TYPE:** *Including 17.92W Integrated LED*

DIAMETER: *345mm*
DEPTH: *55mm*

FITTING MATERIAL:
Steel
LENS:
Clear Crystal Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *4*

FAMILY:
Arezzo 2
FITTING COLOUR:
SATIN CHROME: 9002759320478

LAMP SPECIFICATION:
Power: 17.92W
Luminous Flux: 2300lm
Colour Temperature: 4000K
Lifetime: 25 000 Hours
Not Dimmable



C464

LAMP TYPE: *Including 1 x 10.95W Integrated LED*

LENGTH: *170mm*
WIDTH: *170mm*
DEPTH: *35mm*

FITTING MATERIAL:
Die Cast Aluminium & Plastic
LENS:
Opal Plastic

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *10*

FAMILY:
Fueva 1
FITTING COLOUR:
SATIN CHROME: 9002759945244

LAMP SPECIFICATION:
Power: 10.95W
Luminous Flux: 1200lm
Colour Temperature: 3000K
Lifetime: 25 000 Hours
Not Dimmable



C466

LAMP TYPE: *Including 1 x 16.5W Integrated LED*

LENGTH: *225mm*
WIDTH: *225mm*
DEPTH: *35mm*

FITTING MATERIAL:
Die Cast Aluminium & Plastic
LENS:
Opal Plastic

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *10*

FAMILY:
Fueva 1
FITTING COLOUR:
SATIN CHROME: 9002759945268

LAMP SPECIFICATION:
Power: 16.5W
Luminous Flux: 1700lm
Colour Temperature: 3000K
Lifetime: 25 000 Hours
Not Dimmable



C468

LAMP TYPE: *Including 1 x 22W integrated LED*

LENGTH: *300mm*
WIDTH *300mm*
DEPTH: *40mm*

FITTING MATERIAL:
Die Cast Aluminium & Plastic
LENS:
Opal Plastic

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *10*

FAMILY:
Fueva 1
FITTING COLOUR:
SATIN CHROME: 9002759945282

LAMP SPECIFICATION:
Power: 22W
Luminous Flux: 2600lm
Colour Temperature: 3000K
Lifetime: 25 000 Hours
Not Dimmable



Bluetooth device on the fitting. Fitting is connectable with smart phones. Max distance to connect is estimated at 5-10 meters. Excludes Remote. Install app on phone (awoX) to control the light and colour changing of the fitting.

C616

LAMP TYPE: *Including 1 x 15.6W Integrated RGB LED*

LENGTH: *225mm*
WIDTH: *225mm*
DEPTH: *38mm*

FITTING MATERIAL:
Die Cast Aluminium & Plastic
LENS:
Opal Plastic

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *10*

FAMILY:
Fueva-C
FITTING COLOUR:
SATIN CHROME: 9002759966799
WHITE: 9002759966720

ADDITIONAL INFORMATION:
Replacement LED Modules-
Bluetooth device on the fitting.
Eglo Connect Remote Available (CO341)

LAMP SPECIFICATION:
Power: 15.6W
Luminous Flux: 2000lm
Colour Temperature: 2700K - 6500K + RGB
Lifetime: 25 000 Hours
Dimmable



C454

LED **LAMP TYPE:** *Including 1 x 9.7W Integrated LED*

IP : 20 : 10

LENGTH: *330mm*
WIDTH: *330mm*
DEPTH: *75mm*

FITTING MATERIAL:
Steel
LENS:
Opal Plastic

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

FAMILY:
Ciolini
FITTING COLOUR:
GOLD: 9002759945534

LAMP SPECIFICATION:
Power: 9.7W
Luminous Flux: 1140lm
Colour Temperature: 3000K
Lifetime: 25 000 Hours
Not Dimmable



C164

LED **LAMP TYPE:** *Including 24W Integrated LED*

IP : 20 : 8

LENGTH: *340mm*
WIDTH: *340mm*
DEPTH: *75mm*

FITTING MATERIAL:
Steel
LENS:
Opal Plastic Diffuser

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

FAMILY:
Competa1
FITTING COLOUR:
SILVER/WHITE: 9002759956790

LAMP SPECIFICATION:
Power: 24W
Luminous Flux: 2500lm
Colour Temperature: 3000K
Lifetime: 25 000 Hours
Not Dimmable





EGLO CONNECT 16 million colours

Bluetooth device on the fitting. Fitting is connectable with smart phones. Max distance to connect is estimated at 5-10 meters. Excludes Remote. Install app on phone (awoX) to control the light and colour changing of the fitting.

C613

LED **LAMP TYPE:** *Including 17W Integrated LED*

IP : 20 : 5

DIAMETER: *430mm*
DEPTH: *90mm*

FITTING MATERIAL:
Steel
LENS:
White Plastic

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

FAMILY:
Competa-C
FITTING COLOUR:
WHITE: 9002759968182

ADDITIONAL INFORMATION:
Eglo Connect Remote Available (CO341)

LAMP SPECIFICATION:
Power: 17W
Luminous Flux: 2100lm
Colour Temperature: 2700K - 6500K
Lifetime: 25 000 Hours
Dimmable





C167

LED **LAMP TYPE:** *Including 22W Integrated LED*

IP : 20 : 8

DIAMETER: *335mm*
DEPTH: *75mm*

FITTING MATERIAL:
Steel
SHADE:
Plastic

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

FAMILY:
Competa1
FITTING COLOUR:
SILVER/WHITE: 9002759956776

LAMP SPECIFICATION:
Power: 22W
Luminous Flux: 2400lm
Colour Temperature: 3000K
Lifetime: 25 000 Hours
Not Dimmable



C557 LED **LAMP TYPE:** *Including 16W replaceable LED*

DIAMETER: *330mm*
DEPTH: *50mm*

FITTING MATERIAL:
Steel
SHADE:
Opal Acrylic Diffuser

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *20*

FITTING COLOUR:
COOL WHITE: 6007328384755
WARM WHITE: 6007328384762

LAMP SPECIFICATION:
Power: 16W
Luminous Flux: 1280lm
Colour Temperature: 3000K (C557WW), 4000K (C557CW)
Lifetime: 30 000 Hours
Not Dimmable



C558 LED **LAMP TYPE:** *Including 24W replaceable LED*

DIAMETER: *380mm*
DEPTH: *50mm*

FITTING MATERIAL:
Steel
SHADE:
Opal Acrylic Diffuser

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *10*

FITTING COLOUR:
COOL WHITE: 6007328384779
WARM WHITE: 6007328384786

LAMP SPECIFICATION:
Power: 24W
Luminous Flux: 1920lm
Colour Temperature: 3000K (C558WW), 4000K (C558CW)
Lifetime: 30 000 Hours
Not Dimmable



C132 LED **LAMP TYPE:** *Including 24W Integrated LED*

DIAMETER: *370mm*
DEPTH: *100mm*

FITTING MATERIAL:
Steel
SHADE:
Opal Plastic Diffuser

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *3*

FAMILY:
Sortino-S
FITTING COLOUR:
SATIN CHROME: 9002759954970

LAMP SPECIFICATION:
Power: 24W
Luminous Flux: 2650lm
Colour Temperature: 4000K
Lifetime: 25 000 Hours
Dimmable



C130 LED **LAMP TYPE:** *Including 33W Integrated LED*

DIAMETER: *480mm*
DEPTH: *100mm*

FITTING MATERIAL:
Steel
SHADE:
Opal Plastic

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *3*

FAMILY:
Sortino-S
FITTING COLOUR:
SATIN CHROME: 9002759956998
WHITE: 9002759956974

LAMP SPECIFICATION:
Power: 33W
Luminous Flux: 3950lm
Colour Temperature: 4000K
Lifetime: 25 000 Hours
Dimmable



C542 LED **LAMP TYPE:** *Including 12W replaceable LED*

DIAMETER: *255mm*
DEPTH: *55mm*

FITTING MATERIAL:
Steel
SHADE:
Opal Acrylic Diffuser

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *10*

FITTING COLOUR:
WHITE: 6007328383826

ADDITIONAL INFORMATION:
Replaceable LED Module: G1068, G1069

LAMP SPECIFICATION:
Power: 12W
Luminous Flux: 900lm
Colour Temperature: 4000K
Lifetime: 25 000 Hours
Beam Angle: 120°



C543 LED **LAMP TYPE:** *Including 18W replaceable LED*

DIAMETER: *310mm*
DEPTH: *55mm*

FITTING MATERIAL:
Steel
SHADE:
Opal Acrylic Diffuser

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *10*

FITTING COLOUR:
WHITE: 6007328383833

ADDITIONAL INFORMATION:
Replaceable LED Module: G1070

LAMP SPECIFICATION:
Power: 18W
Luminous Flux: 1350lm
Colour Temperature: 4000K
Lifetime: 25 000 Hours
Beam Angle: 120°

C544 LED **LAMP TYPE:** *Including 24W replaceable LED*

DIAMETER: *350mm*
DEPTH: *55mm*

FITTING MATERIAL:
Steel
SHADE:
Opal Acrylic Diffuser

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *10*

FITTING COLOUR:
WHITE: 6007328383840

ADDITIONAL INFORMATION:
Replaceable LED Module: G1070

LAMP SPECIFICATION:
Power: 24W
Luminous Flux: 1800lm
Colour Temperature: 4000K
Lifetime: 25 000 Hours
Beam Angle: 120°





C555 LED **LAMP TYPE:** *Including 18W replaceable LED*

DIAMETER: *285mm*
DEPTH: *85mm*

FITTING MATERIAL:
Steel
SHADE:
Opal Acrylic Diffuser

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *10*

FAMILY:
Power
FITTING COLOUR:
WHITE: 6007328383956

ADDITIONAL INFORMATION:
Replacement LED Modules - G1069, G1070

LAMP SPECIFICATION:
Power: 18W
Luminous Flux: 1440lm
Colour Temperature: 4000K
Lifetime: 30 000 Hours



C554 LED **LAMP TYPE:** *Including 12W replaceable LED*

DIAMETER: *255mm*
DEPTH: *85mm*

FITTING MATERIAL:
Steel
SHADE:
Opal Acrylic Diffuser

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *10*

FAMILY:
Power
FITTING COLOUR:
WHITE: 6007328383949

ADDITIONAL INFORMATION:
Replacement LED Modules - G1069, G1070

LAMP SPECIFICATION:
Power: 12W
Luminous Flux: 960lm
Colour Temperature: 4000K
Lifetime: 30 000 Hours

C556 LED **LAMP TYPE:** *Including 24W replaceable LED*

DIAMETER: *325mm*
DEPTH: *85mm*

FITTING MATERIAL:
Steel
SHADE:
Opal Acrylic Diffuser

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *10*

FAMILY:
Power
FITTING COLOUR:
WHITE: 6007328383963

ADDITIONAL INFORMATION:
Replacement LED Modules - G1069, G1070

LAMP SPECIFICATION:
Power: 24W
Luminous Flux: 1920lm
Colour Temperature: 4000K
Lifetime: 30 000 Hours



C559 LED **LAMP TYPE:** *Including 16W replaceable LED*

LENGTH: *280mm*
WIDTH: *280mm*
DEPTH: *60mm*

FITTING MATERIAL:
Steel
SHADE:
Opal Acrylic Diffuser

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *20*

FITTING COLOUR:
COOL WHITE: 6007328384793
WARM WHITE: 6007328384809

ADDITIONAL INFORMATION:
Replacement LED Modules - G1069, G1070

LAMP SPECIFICATION:
Power: 16W
Luminous Flux: 1280lm
Colour Temperature: 3000K (C559WW), 4000K (C559CW)
Lifetime: 30 000 Hours



C560 LED **LAMP TYPE:** *Including 24W replaceable LED*

LENGTH: *330mm*
WIDTH: *330mm*
DEPTH: *60mm*

FITTING MATERIAL:
Steel
SHADE:
Opal Acrylic Diffuser

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *10*

FITTING COLOUR:
COOL WHITE: 6007328384816
WARM WHITE: 6007328384823

ADDITIONAL INFORMATION:
Replacement LED Modules - G1069, G1070

LAMP SPECIFICATION:
Power: 24W
Luminous Flux: 1920lm
Colour Temperature: 3000K (C560WW), 4000K (C560CW)
Lifetime: 30 000 Hours

C553 LED **LAMP TYPE:** *Including 24W replaceable LED*

DIAMETER: *325mm*
DEPTH: *95mm*

FITTING MATERIAL:
Steel
SHADE:
Opal Acrylic Diffuser

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *10*

FITTING COLOUR:
WHITE: 6007328383932

ADDITIONAL INFORMATION:
Replacement LED Modules - G1069, G1070

LAMP SPECIFICATION:
Power: 24W
Luminous Flux: 1920lm
Colour Temperature: 4000K
Lifetime: 30 000 Hours



C551 LED **LAMP TYPE:** *Including 12W replaceable LED*

DIAMETER: *255mm*
DEPTH: *85mm*

FITTING MATERIAL:
Steel
SHADE:
Opal Acrylic Diffuser

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *10*

FAMILY:
Power
FITTING COLOUR:
WHITE: 6007328383918

ADDITIONAL INFORMATION:
Replacement LED Modules - G1069, G1070

LAMP SPECIFICATION:
Power: 12W
Luminous Flux: 960lm
Colour Temperature: 4000K
Lifetime: 30 000 Hours

C552 LED **LAMP TYPE:** *Including 18W replaceable LED*

DIAMETER: *285mm*
DEPTH: *85mm*

FITTING MATERIAL:
Steel
SHADE:
Opal Acrylic Diffuser

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *20*

FITTING COLOUR:
WHITE: 6007328383925

ADDITIONAL INFORMATION:
Replacement LED Modules - G1069, G1070

LAMP SPECIFICATION:
Power: 18W
Luminous Flux: 1440lm
Colour Temperature: 4000K
Lifetime: 30 000 Hours



C339

LAMP TYPE:
Excluding 2 x E27 max 13W CFL 230V

DIAMETER: *285mm*
DEPTH: *75mm*

FITTING MATERIAL:
Stainless Steel
LENS:
Opal Polycarbonate

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *44* : *8*

FITTING COLOUR:
STAINLESS STEEL: 6007328315667

ADDITIONAL INFORMATION:
Suitable For Use In Bathrooms
See Stainless Steel Maintenance Page V



C340

LAMP TYPE:
Excluding 2 x E27 max 13W CFL 230V

LENGTH: *285mm*
WIDTH: *285mm*
DEPTH: *85mm*

FITTING MATERIAL:
Stainless Steel
LENS:
Opal Polycarbonate

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *44* : *8*

FITTING COLOUR:
STAINLESS STEEL: 6007328315575

ADDITIONAL INFORMATION:
Suitable For Use In Bathrooms
See Stainless Steel Maintenance Page V



C670 LED **LAMP TYPE:** *Including 6W Integrated LED*

DIAMETER: *120mm*
DEPTH: *30mm*

FITTING MATERIAL:
Plastic
SHADE:
Opal Plastic Diffuser

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP: *20* : *40*

FITTING COLOUR:
COOL WHITE: 6007328396758
WARM WHITE: 6007328396765

LAMP SPECIFICATION:
Power: 6W
Luminous Flux: 480lm
Colour Temperature: 4000K (C670CW) & 3000K (C670WW)
Lifetime: 25 000 Hours
Not Dimmable



C671 LED **LAMP TYPE:** *Including 12W Integrated LED*

DIAMETER: *170mm*
DEPTH: *28mm*

FITTING MATERIAL:
Plastic
SHADE:
Opal Plastic Diffuser

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP: *20* : *20*

FITTING COLOUR:
COOL WHITE: 6007328396772
WARM WHITE: 6007328396789

LAMP SPECIFICATION:
Power: 12W
Luminous Flux: 960lm
Colour Temperature: 4000K (C671CW) & 3000K (C671WW)
Lifetime: 25 000 Hours
Not Dimmable

C672 LED **LAMP TYPE:** *Including 18W Integrated LED*

DIAMETER: *225mm*
DEPTH: *28mm*

FITTING MATERIAL:
Plastic
SHADE:
Opal Plastic Diffuser

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *40*

FITTING COLOUR:
COOL WHITE: 6007328396796
WARM WHITE: 6007328396802

LAMP SPECIFICATION:
Power: 18W
Luminous Flux: 1440lm
Colour Temperature: 4000K (C672CW) & 3000K (C672WW)
Lifetime: 25 000 Hours
Not Dimmable



C673 LED **LAMP TYPE:** *Including 6W Integrated LED*

LENGTH: *120mm*
WIDTH: *120mm*
DEPTH: *28mm*

FITTING MATERIAL:
Plastic
SHADE:
Opal Plastic Diffuser

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *20*

FITTING COLOUR:
COOL WHITE: 6007328396819
WARM WHITE: 6007328396826

LAMP SPECIFICATION:
Power: 6W
Luminous Flux: 480lm
Colour Temperature: 4000K (C673CW) & 3000K (C673WW)
Lifetime: 25 000 Hours
Not Dimmable



C674 LED **LAMP TYPE:** *Including 12W Integrated LED*

LENGTH: *170mm*
WIDTH: *170mm*
DEPTH: *28mm*

FITTING MATERIAL:
Plastic
SHADE:
Opal Plastic Diffuser

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *20*

FITTING COLOUR:
COOL WHITE: 6007328396833
WARM WHITE: 6007328396840

LAMP SPECIFICATION:
Power: 12W
Luminous Flux: 960lm
Colour Temperature: 4000K (C674CW) & 3000K (C674WW)
Lifetime: 25 000 Hours
Not Dimmable

C675 LED **LAMP TYPE:** *Including 18W Integrated LED*

LENGTH: *225mm*
WIDTH: *225mm*
DEPTH: *28mm*

FITTING MATERIAL:
Plastic
SHADE:
Opal Plastic Diffuser

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *20*

FITTING COLOUR:
COOL WHITE: 6007328396857
WARM WHITE: 6007328396864

LAMP SPECIFICATION:
Power: 18W
Luminous Flux: 1440lm
Colour Temperature: 4000K (C675CW) & 3000K (C675WW)
Lifetime: 25 000 Hours
Not Dimmable





C178

LAMP TYPE:
Excluding 1 x E27 max 60W 230V

DIAMETER: *370mm*
DEPTH: *185mm*

FITTING MATERIAL:
Steel
LENS:
Scavo Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FAMILY:
Scavo
FITTING COLOUR:
RUST: 6007328029854

ADDITIONAL INFORMATION:
Spare Glass: X222

C179

LAMP TYPE:
Excluding 2 x E27 max 60W 230V

DIAMETER: *490mm*
DEPTH: *185mm*

FITTING MATERIAL:
Steel
LENS:
Scavo Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FAMILY:
Scavo
FITTING COLOUR:
RUST: 6007328029861

ADDITIONAL INFORMATION:
Spare Glass: X223





C61R

LAMP TYPE:
Excluding 2 x E27 max 60W 230V

DIAMETER: *370mm*
DEPTH: *130mm*

FITTING MATERIAL:
Steel & Resin
LENS:
Alabaster Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *4*

FITTING COLOUR:
RUST: 6007328018414

ADDITIONAL INFORMATION:
Rope Design
Matching Wall Light: W60
Spare Glass: X234

C62R

LAMP TYPE:
Excluding 3 x E27 max 60W 230V

DIAMETER: *480mm*
DEPTH: *150mm*

FITTING MATERIAL:
Steel & Resin
LENS:
Alabaster Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *2*

FITTING COLOUR:
RUST: 6007328018476

ADDITIONAL INFORMATION:
Rope Design
Matching Wall Light: W60
Spare Glass: X235





C57R **LAMP TYPE:** *Excluding 2 x E27 max 60W 230V*

DIAMETER: *370mm*
DEPTH: *130mm*

FITTING MATERIAL:
Steel & Resin
LENS:
Alabaster Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *4*

FITTING COLOUR:
RUST: 6007328020981

ADDITIONAL INFORMATION:
Greek Design
Matching Wall Light: W58
Spare Glass: X234

C58R **LAMP TYPE:** *Excluding 3 x E27 max 60W 230V*

DIAMETER: *480mm*
DEPTH: *150mm*

FITTING MATERIAL:
Steel & Resin
LENS:
Alabaster Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *4*

FITTING COLOUR:
RUST: 6007328021001

ADDITIONAL INFORMATION:
Greek Design
Matching Wall Light: W58
Spare Glass: X235





C59 **LAMP TYPE:** *Excluding 2 x E27 60W 230V*

DIAMETER: *370mm*
DEPTH: *130mm*

FITTING MATERIAL:
Steel & Resin
LENS:
Alabaster Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *4*

FITTING COLOUR:
BEIGE: 6007328341178
RUST: 6007328021049

ADDITIONAL INFORMATION:
Drape Design
Matching Wall Light: W59
Spare Glass: X237

C60BE/R **LAMP TYPE:** *Excluding 3 x E27 max 60W 230V*

DIAMETER: *480mm*
DEPTH: *150mm*

FITTING MATERIAL:
Steel & Resin
LENS:
Alabaster Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *2*

FITTING COLOUR:
BEIGE: 6007328341185
RUST: 6007328021063

ADDITIONAL INFORMATION:
Drape Design
Matching Wall Light: W59
Spare Glass: X238





C244

LAMP TYPE: *Excluding 1 x E27 max 60W 230V*

DIAMETER: *330mm*
DEPTH: *120mm*

FITTING MATERIAL: *Steel*
SHADE: *Mottled Glass*

PRIMARY VOLTAGE: *220V - 240V (50/60Hz)*

IP : *20* : *4*

FAMILY: *Mestre*
FITTING COLOUR: *ANTIQUE BROWN: 9002759867119*

ADDITIONAL INFORMATION: *Spare Glass: MC047*

C245

LAMP TYPE: *Excluding 2 x E27 max 60W 230V*

DIAMETER: *395mm*
DEPTH: *133mm*

FITTING MATERIAL: *Steel*
SHADE: *Mottled Glass*

PRIMARY VOLTAGE: *220V - 240V (50/60Hz)*

IP : *20* : *3*

FAMILY: *Mestre*
FITTING COLOUR: *ANTIQUE BROWN: 9002759867126*

ADDITIONAL INFORMATION: *Spare Glass: MC048*





C246

LAMP TYPE: *Excluding 3 x E27 max 60W 230V*

DIAMETER: *475mm*
DEPTH: *137mm*

FITTING MATERIAL: *Steel*
SHADE: *Mottled Glass*

PRIMARY VOLTAGE: *220V - 240V (50/60Hz)*

IP : *20* : *2*

FAMILY: *Mestre*
FITTING COLOUR: *ANTIQUE BROWN: 9002759867133*

ADDITIONAL INFORMATION: *Spare Glass: X847*

C89

LAMP TYPE: *Excluding 3 x E27 max 60W 230V*

DIAMETER: *395mm*
DEPTH: *125mm*

FITTING MATERIAL: *Steel*
SHADE: *Frosted Glass*

PRIMARY VOLTAGE: *220V - 240V (50/60Hz)*

IP : *20* : *4*

FITTING COLOUR: *RUST: 6007328338390*

ADDITIONAL INFORMATION: *Matching Wall Light: W321*



C462

LAMP TYPE:
Excluding 2 x E27 max 60W 230V

DIAMETER: *350mm*
DEPTH: *95mm*

FITTING MATERIAL:
Steel
SHADE:
Opal Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *4*

FAMILY:
Colti
FITTING COLOUR:
ANTIQUE BROWN: 9002759921439



C351

LAMP TYPE:
Excluding 3 x E27 max 60W 230V

DIAMETER: *510mm*
DEPTH: *145mm*

FITTING MATERIAL:
Steel
LENS:
Opal Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FAMILY:
Saturnia
FITTING COLOUR:
SATIN CHROME: 6007328394174

ADDITIONAL INFORMATION:
Spare Glass X916



C269

LAMP TYPE:
Excluding 2 x E27 max 40W 230V

DIAMETER: *430mm*
DEPTH: *95mm*

FITTING MATERIAL:
Steel
LENS:
Opal Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *6*

FITTING COLOUR:
SATIN CHROME: 6007328332800

ADDITIONAL INFORMATION:
Spare Glass: MC414



C296

LAMP TYPE:
Excluding 1 x E27 max 60W 230V

DIAMETER: *300mm*
DEPTH: *105mm*

FITTING MATERIAL:
Steel
LENS:
Opal Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *6*

FITTING COLOUR:
ANTIQUE BRASS: 6007328337911

ADDITIONAL INFORMATION:
Matching Wall Light: W319



C332

LAMP TYPE:
Excluding 1 x E27 max 60W 230V

DIAMETER: *315mm*
DEPTH: *100mm*

FITTING MATERIAL:
Steel
LENS:
Chrome & Frosted Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *4*

FAMILY:
Raya
FITTING COLOUR:
CHROME: 9002759897581

ADDITIONAL INFORMATION:
Spare Glass: X1156

C153

LAMP TYPE:
Excluding 1 x E27 max 60W 230V

DIAMETER: *290mm*
DEPTH: *80mm*

FITTING MATERIAL:
Steel
LENS:
Opal Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *8*

FAMILY:
Planet
FITTING COLOUR:
SATIN CHROME: 9002759829421

ADDITIONAL INFORMATION:
Spare Glass: X069



C570

LAMP TYPE:
Excluding 1 x E27 max 60W 230V

DIAMETER: *290mm*
DEPTH: *85mm*

FITTING MATERIAL:
Steel
SHADE:
Opal Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *5*

FAMILY:
Planet
FITTING COLOUR:
WHITE: 9002759831530



C571

LAMP TYPE:
Excluding 1 x E27 max 60W 230V

DIAMETER: *290mm*
DEPTH: *85mm*

FITTING MATERIAL:
Steel
SHADE:
Opal Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *5*

FAMILY:
Planet
FITTING COLOUR:
SATIN CHROME: 9002759831622



Includes set of 3 interchangeable clips

C48

LAMP TYPE:
Excluding 2 x E27 max 60W 230V

DIAMETER: *300mm*
DEPTH: *95mm*

FITTING MATERIAL:
Steel
LENS:
Alabaster Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *10*

FITTING COLOUR:
MULTI: 6007328381570

ADDITIONAL INFORMATION:
Three different coloured interchangeable clips included
Matching Wall Light: W55
Spare Glass: X288
Spare Clips: X804 (Polished Brass), X776 (Satin Chrome), X777 (White)



Includes set of 3 interchangeable clips

C49

LAMP TYPE:
Excluding 3 x E27 max 60W 230V

DIAMETER: *400mm*
DEPTH: *110mm*

FITTING MATERIAL:
Steel
LENS:
Alabaster Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *4*

FITTING COLOUR:
MULTI: 6007328385226

ADDITIONAL INFORMATION:
Three different coloured interchangeable clips included
Matching Wall Light: W55
Spare Glass: X285
Spare Clips: X804 (Polished Brass), X776 (Satin Chrome), X777 (White)



C48PB/SC/W

LAMP TYPE:
Excluding 2 x E27 max 60W 230V

DIAMETER: *300mm*
DEPTH: *95mm*

FITTING MATERIAL:
Steel
LENS:
Alabaster Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *10*

FITTING COLOUR:
POLISHED BRASS: 6007328023678
SATIN CHROME: 6007328023685
WHITE: 6007328023661

ADDITIONAL INFORMATION:
Matching Wall Light: W55
Spare Glass: X288
Spare Clips: X804 (Polished Brass), X776 (Satin Chrome), X777 (White)



C49PB/SC/W

LAMP TYPE:
Excluding 3 x E27 max 60W 230V

DIAMETER: *400mm*
DEPTH: *110mm*

FITTING MATERIAL:
Steel
LENS:
Alabaster Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *4*

FITTING COLOUR:
POLISHED BRASS: 6007328023708
SATIN CHROME: 6007328023715
WHITE: 6007328023692

ADDITIONAL INFORMATION:
Matching Wall Light: W55
Spare Glass: X285
Spare Clips: X804 (Polished Brass), X776 (Satin Chrome), X777 (White)





C97F

LAMP TYPE:
Excluding 1 x E27 max 60W 230V

DIAMETER: *290mm*
DEPTH: *85mm*

FITTING MATERIAL:
Steel
LENS:
Frosted Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *8*

FAMILY:
Snake
FITTING COLOUR:
SILVER: 6007328013587

ADDITIONAL INFORMATION:
Spare Glass: X481
Matching Wall Light: W34

C202F

LAMP TYPE:
Excluding 2 x E27 max 60W 230V

DIAMETER: *390mm*
DEPTH: *95mm*

FITTING MATERIAL:
Steel
LENS:
Frosted Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *6*

FAMILY:
Snake
FITTING COLOUR:
SILVER: 6007328027133

ADDITIONAL INFORMATION:
Spare Glass: X484
Matching Wall Light: W34





C397

LAMP TYPE:
Excluding 2 x E27 max 40W 230V

DIAMETER: *300mm*
DEPTH: *80mm*

FITTING MATERIAL:
Steel
LENS:
Opal Glass With Square Dot Pattern

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *10*

FITTING COLOUR:
WHITE: 6007328359906

ADDITIONAL INFORMATION:
Spare Glass: X1249

C400

LAMP TYPE:
Excluding 2 x E27 max 40W 230V

DIAMETER: *300mm*
DEPTH: *80mm*

FITTING MATERIAL:
Steel
LENS:
Opal & Floral Pattern Glass With Droplet Texture

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *10*

FITTING COLOUR:
WHITE: 6007328359937



C398 **LAMP TYPE:** *Excluding 2 x E27 max 40W 230V*

DIAMETER: *300mm*
DEPTH: *80mm*

FITTING MATERIAL:
Steel
LENS:
Opal Glass With Surreal Grid Pattern

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *10*

FITTING COLOUR:
WHITE: 6007328359913



C399 **LAMP TYPE:** *Excluding 2 x E27 max 40W 230V*

DIAMETER: *300mm*
DEPTH: *80mm*

FITTING MATERIAL:
Steel
LENS:
Opal Glass With Zebra Stripe Pattern

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *10*

FITTING COLOUR:
WHITE: 6007328359920

ADDITIONAL INFORMATION:
Spare Glass: X1248



C396 **LAMP TYPE:** *Excluding 2 x E27 max 40W 230V*

DIAMETER: *300mm*
DEPTH: *80mm*

FITTING MATERIAL:
Steel
LENS:
Opal Glass With Floral Pattern

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *10*

FITTING COLOUR:
WHITE: 6007328359890

C283

LAMP TYPE:
Excluding 1 x E27 max 60W 230V

DIAMETER: *250mm*
DEPTH: *80mm*

FITTING MATERIAL:
Steel
LENS:
Opal Glass With Floral Pattern

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *8*

FAMILY:
Mars
FITTING COLOUR:
WHITE: 9002759912369



C402 **LAMP TYPE:** *Excluding 1 x E27 max 60W 230V*

DIAMETER: *250mm*
DEPTH: *70mm*

FITTING MATERIAL:
Steel
LENS:
Opal Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP: *20* : *10*

FITTING COLOUR:
WHITE: 6007328359951



C403 **LAMP TYPE:** *Excluding 1 x E27 max 40W 230V*

DIAMETER: *300mm*
DEPTH: *90mm*

FITTING MATERIAL:
Steel
LENS:
Opal Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP: *20* : *10*

FITTING COLOUR:
WHITE: 6007328359968

ADDITIONAL INFORMATION:
Spare Glass: X1243



C192 **LAMP TYPE:** *Excluding 1 x E27 max 60W 230V*

DIAMETER: *245mm*
DEPTH: *75mm*

FITTING MATERIAL:
Steel
LENS:
Opal Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP: *20* : *4*

FAMILY:
Mars
FITTING COLOUR:
WHITE: 9002759802646

ADDITIONAL INFORMATION:
Spare Glass: X613



C194 **LAMP TYPE:** *Excluding 1 x E27 max 60W 230V*

DIAMETER: *245mm*
DEPTH: *75mm*

FITTING MATERIAL:
Steel
LENS:
Opal Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP: *20* : *4*

FAMILY:
Mars
FITTING COLOUR:
WHITE: 9002759802639



C441B

LAMP TYPE:
Excluding 1 x E27 max 60W 230V

DIAMETER: *630mm*
DEPTH: *80mm*

FITTING MATERIAL:
Steel
SHADE:
Opal Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *4*

FAMILY:
Viki 1
FITTING COLOUR:
BLUE/WHITE: 9002759921460





C441PI

LAMP TYPE:
Excluding 1 x E27 max 60W 230V

DIAMETER: *630mm*
DEPTH: *80mm*

FITTING MATERIAL:
Steel
SHADE:
Opal Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *4*

FAMILY:
Viki 1
FITTING COLOUR:
PINK/WHITE: 9002759921477



C393 **LAMP TYPE:** *Excluding 2 x E27 max 60W 230V*

DIAMETER: *395mm*
DEPTH: *90mm*

FITTING MATERIAL:
Steel
LENS:
Opal Printed Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *4*

FAMILY:
Junior 2
FITTING COLOUR:
WHITE: 9002759889722



C394 **LAMP TYPE:** *Excluding 2 x E27 max 60W 230V*

DIAMETER: *395mm*
DEPTH: *100mm*

FITTING MATERIAL:
Steel
LENS:
Opal Printed Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *4*

FAMILY:
Junior 2
FITTING COLOUR:
WHITE: 9002759889739



C401 **LAMP TYPE:** *Excluding 1 x E27 max 40W 230V*

DIAMETER: *250mm*
DEPTH: *70mm*

FITTING MATERIAL:
Steel
LENS:
Opal Printed Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *10*

FAMILY:
Junior 2
FITTING COLOUR:
WHITE: 6007328359944

C211

LAMP TYPE:
Excluding 1 x E27 max 60W 230V

DIAMETER: *280mm*
DEPTH: *117mm*

FITTING MATERIAL:
Steel
LENS:
Opal Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *6*

FAMILY:
Ella
FITTING COLOUR:
WHITE: 9002759816360

ADDITIONAL INFORMATION:
Spare Glass: X763





C8A

LAMP TYPE:
Excluding 1 x E27 max 60W 230V

DIAMETER: *220mm*
DEPTH: *85mm*

FITTING MATERIAL:
Steel
LENS:
Alabaster Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *10*

FITTING COLOUR:
WHITE: 6007328024620

ADDITIONAL INFORMATION:
Spare Glass: X166

C9A

LAMP TYPE:
Excluding 2 x E27 max 40W 230V

DIAMETER: *280mm*
DEPTH: *120mm*

FITTING MATERIAL:
Steel
LENS:
Alabaster Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *10*

FITTING COLOUR:
WHITE: 6007328024637

ADDITIONAL INFORMATION:
Spare Glass: X165





C210

LAMP TYPE:
Excluding 1 x E27 max 60W 230V

DIAMETER: *200mm*
DEPTH: *95mm*

FITTING MATERIAL:
Steel
LENS:
Opal Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *8*

FAMILY:
Ella
FITTING COLOUR:
WHITE: 9002759816353

ADDITIONAL INFORMATION:
Spare Glass: X762

C212

LAMP TYPE:
Excluding 2 x E27 max 60W 230V

DIAMETER: *350mm*
DEPTH: *127mm*

FITTING MATERIAL:
Steel
LENS:
Opal Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *3*

FAMILY:
Ella
FITTING COLOUR:
WHITE: 9002759834043





C940 **LAMP TYPE:** *Excluding 1 x E27 max 60W 230V*

LENGHT: *200mm*
WIDTH: *200mm*
DEPTH: *100mm*

FITTING MATERIAL:
Steel
LENS:
Opal Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *12*

FAMILY:
Cheese
FITTING COLOUR:
WHITE: 6007328007708

ADDITIONAL INFORMATION:
Bayonet Lock-on Lens

C960 **LAMP TYPE:** *Excluding 1 x E27 max 60W 230V*

LENGTH: *250mm*
WIDTH: *250mm*
DEPTH: *100mm*

FITTING MATERIAL:
Steel
LENS:
Opal Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *10*

FAMILY:
Cheese
FITTING COLOUR:
WHITE: 6007328001195

ADDITIONAL INFORMATION:
Spare Glass: X479
Bayonet Lock-on Lens





C93 **LAMP TYPE:** *Excluding 1 x E27 max 60W 230V*

DIAMETER: *200mm*
DEPTH: *100mm*

FITTING MATERIAL:
Steel
LENS:
Opal Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *12*

FAMILY:
Cheese
FITTING COLOUR:
WHITE: 6007328005384

ADDITIONAL INFORMATION:
Spare Glass: X474
Bayonet Lock-on Lens

C98 **LAMP TYPE:** *Excluding 2 x E27 max 60W 230V*

DIAMETER: *300mm*
DEPTH: *135mm*

FITTING MATERIAL:
Steel
LENS:
Opal Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *10*

FAMILY:
Cheese
FITTING COLOUR:
WHITE: 6007328001201

ADDITIONAL INFORMATION:
Spare Glass: X485
Bayonet Lock-on Lens



C95

LAMP TYPE:
Excluding 1 x E27 max 60W 230V

DIAMETER: *250mm*
DEPTH: *100mm*

FITTING MATERIAL:
Steel
LENS:
Opal Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *10*

FAMILY:
Cheese
FITTING COLOUR:
WHITE: 6007328005391

ADDITIONAL INFORMATION:
Spare Glass: X478
Bayonet Lock-on Lens

C381

LAMP TYPE: *Excluding 1 x B22 max 60W 230V*

DIAMETER: *100mm*
DEPTH: *200mm*

FITTING MATERIAL:
Plastic
LENS:
Clear Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : 44 : 20

FITTING COLOUR:
BLACK: 6007328355106

ADDITIONAL INFORMATION
Spare Gallery: CO163
Spare Glass: CT8901P

C385

LAMP TYPE: *Excluding 1 x B22 max 60W 230V*

DIAMETER: *100mm*
DEPTH: *230mm*

FITTING MATERIAL:
Plastic
LENS:
Clear Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : 44 : 20

FITTING COLOUR:
BLACK: 6007328355113



O151

LAMP TYPE: *Excluding 1 x E27 max 40W 230V*

DIAMETER: *160mm*
DEPTH: *195mm*

FITTING MATERIAL:
UV stabilized poly carbonate
LENS:
Opal Polypropolene

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : 20 : 18

FITTING COLOUR:
BLACK: 6007328338581

O150

LAMP TYPE: *Excluding 1 x E27 max 40W 230V*

DIAMETER: *200mm*
DEPTH: *235mm*

FITTING MATERIAL:
UV stabalized high impact PMMA
LENS:
Opal Polypropolene

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : 20 : 12

FITTING COLOUR:
BLACK: 6007328338574

6 Inch

CO153W **LAMP TYPE:** *Excluding 1 x B22 max 60W 230V*

DIAMETER: *110mm*
DEPTH: *48mm*

FITTING MATERIAL:
White & Black PVC

IP : X4 : 150

DESCRIPTION:
6" B22 PVC Gallery
FITTING COLOUR:
WHITE: 6007328355007

CO155W **LAMP TYPE:** *Excluding 1 x B22 max 100W 230V*

DIAMETER: *90mm*
DEPTH: *45mm*

FITTING MATERIAL:
White Fibre Glass

IP : 20 : 100

DESCRIPTION:
6" B22 Fibreglass Gallery
FITTING COLOUR:
WHITE: 6007328355021

CO157

DIAMETER: *160mm*
DEPTH: *180mm*

BALL MATERIAL:
Polycarbonate

IP : 40 : 80

DESCRIPTION:
6" 160mm Opal Ball
BALL COLOUR:
WHITE: 6007328355045

CO159

DIAMETER: *160mm*
DEPTH: *170mm*

BALL MATERIAL:
Glass

IP : 40 : 12

DESCRIPTION:
6" 160mm Opal Ball
BALL COLOUR:
WHITE: 6007328355069

CO161

DIAMETER: *160mm*
DEPTH: *175mm*

BALL MATERIAL:
Glass

IP : 40 : 12

DESCRIPTION:
6" 160mm Amber Ice Ball
BALL COLOUR:
AMBER ICE: 6007328355083

8 Inch

CO154W **LAMP TYPE:** *Excluding 1 x B22 max 100W 230V*

DIAMETER: *120mm*
DEPTH: *45mm*

FITTING MATERIAL:
White & Black PVC

IP : 40 : 100

DESCRIPTION:
8" B22 PVC Gallery
FITTING COLOUR:
WHITE: 6007328355014

CO156W **LAMP TYPE:** *Excluding 1 x B22 max 100W 230V*

DIAMETER: *118mm*
DEPTH: *48mm*

FITTING MATERIAL:
White Fibre Glass

IP : 40 : 100

DESCRIPTION:
8" B22 Fibreglass Gallery
FITTING COLOUR:
WHITE: 6007328355038

CO158

DIAMETER: *200mm*
DEPTH: *180mm*

BALL MATERIAL:
Polycarbonate

IP : 40 : 40

DESCRIPTION:
8" 200mm Opal Ball
BALL COLOUR:
WHITE: 6007328355052

CO160

DIAMETER: *200mm*
DEPTH: *200mm*

BALL MATERIAL:
Glass

IP : 40 : 12

DESCRIPTION:
8" 200mm Opal Ball
BALL COLOUR:
WHITE: 6007328355076

CO162

DIAMETER: *200mm*
DEPTH: *200mm*

BALL MATERIAL:
Glass

IP : 40 : 12

DESCRIPTION:
8" 200mm Amber Ice Ball
BALL COLOUR:
AMBER ICE: 6007328355090



C604 LED **LAMP TYPE:** *Including 2 x 9W Integrated LED*

LENGTH: *600mm*
WIDTH: *135mm*
DEPTH: *45mm*

FITTING MATERIAL:
Plastic
SHADE:
Polycarbonate
Opal Diffuser

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *10*

FITTING COLOUR:
WHITE: 6007328381815

LAMP SPECIFICATION:
Power: 18W (2 x 9W)
Luminous Flux: 1440lm
Colour Temperature: 4000K
Lifetime: 30 000 Hours



C605 LED **LAMP TYPE:** *Including 2 x 18W Integrated LED*

LENGTH: *1200mm*
WIDTH: *135mm*
DEPTH: *45mm*

FITTING MATERIAL:
Plastic
SHADE:
Polycarbonate
Opal Diffuser

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *10*

FITTING COLOUR:
WHITE: 6007328381822

LAMP SPECIFICATION:
Power: 36W (2 x 18W)
Luminous Flux: 2880lm
Colour Temperature: 4000K
Lifetime: 30 000 Hours



C600 LED **LAMP TYPE:** *Including 2 x 9W Integrated LED*

LENGTH: *585mm*
WIDTH: *75mm*
DEPTH: *36mm*

FITTING MATERIAL:
Aluminium & ABS
SHADE:
Acrylic
Opal Diffuser

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *20*

FITTING COLOUR:
WHITE: 6007328381778

LAMP SPECIFICATION:
Power: 18W (2 x 9W)
Luminous Flux: 1440lm
Colour Temperature: 4000K
Lifetime: 30 000 Hours



C601 LED **LAMP TYPE:** *Including 2 x 18W Integrated LED*

LENGTH: *1185mm*
WIDTH: *75mm*
DEPTH: *36mm*

FITTING MATERIAL:
Aluminium & ABS
SHADE:
Acrylic
Opal Diffuser

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *20*

FITTING COLOUR:
WHITE: 6007328381785

LAMP SPECIFICATION:
Power: 36W (2 x 18W)
Luminous Flux: 2880lm
Colour Temperature: 4000K
Lifetime: 30 000 Hours



C602 LED **LAMP TYPE:** *Including 2 x 9W Integrated LED*

LENGTH: *570mm*
WIDTH: *60mm*
DEPTH: *55mm*

FITTING MATERIAL:
Plastic
SHADE:
Acrylic
Opal Diffuser

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *65* : *20*

FITTING COLOUR:
WHITE: 6007328381792

LAMP SPECIFICATION:
Power: 18W (2 x 9W)
Luminous Flux: 1440lm
Colour Temperature: 4000K
Lifetime: 30 000 Hours



C603 LED **LAMP TYPE:** *Including 2 x 18W Integrated LED*

LENGTH: *1170mm*
WIDTH: *60mm*
DEPTH: *55mm*

FITTING MATERIAL:
Plastic
SHADE:
Acrylic
Opal Diffuser

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *65* : *20*

FITTING COLOUR:
WHITE: 6007328381808

LAMP SPECIFICATION:
Power: 36W (2 x 18W)
Luminous Flux: 2880lm
Colour Temperature: 4000K
Lifetime: 30 000 Hours



C235

LAMP TYPE:
Excluding 2 x G13 max 18W T8 Fluorescent Tubes

LENGTH: *755mm*
WIDTH: *125mm*
DEPTH: *115mm*

FITTING MATERIAL:
Steel

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *6*

FITTING COLOUR:
SATIN CHROME: 6007328324805
WHITE: 6007328324812

ADDITIONAL INFORMATION:
Electronic Control Gear
Spare Lamp Holder: X240



C158

LAMP TYPE:
Excluding 2 x G13 max 36W T8 Fluorescent Tubes

LENGTH: *1365mm*
WIDTH: *130mm*
DEPTH: *115mm*

FITTING MATERIAL:
Steel

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *6*

FITTING COLOUR:
SATIN CHROME: 6007328333074

ADDITIONAL INFORMATION:
Electronic Control Gear
Spare Lamp Holder: X240



C413

LAMP TYPE:
Including 2 x G5 max 24W T5 Fluorescent Tubes

LENGTH: *650mm*
WIDTH: *65mm*
DEPTH: *90mm*

FITTING MATERIAL:
Steel

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *10*

FITTING COLOUR:
SATIN CHROME: 6007328361527

ADDITIONAL INFORMATION:
Including Electronic Ballast
Spare Lamp: G409



C92

LAMP TYPE:
Including 2 x G13 max 18W T8 Fluorescent Tubes

LENGTH: *638mm*
WIDTH: *133mm*
DEPTH: *45mm*

FITTING MATERIAL:
Aluminium & Plastic
LENS:
Clear Acrylic

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *12*

FITTING COLOUR:
SILVER: 6007328026624
WHITE: 6007328025825

ADDITIONAL INFORMATION:
Electronic Control Gear
Spare Ballast: CO88
Spare Diffuser: X592



C100

LAMP TYPE:
Including 2 x G13 max 36W T8 Fluorescent Tubes

LENGTH: *1245mm*
WIDTH: *135mm*
DEPTH: *45mm*

FITTING MATERIAL:
Steel & Plastic
LENS:
Diffused Plastic

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *12*

FITTING COLOUR:
SILVER: 6007328021490
WHITE: 6007328021483

ADDITIONAL INFORMATION:
Electronic Control Gear
Spare Ballast: CO89
Spare Diffuser: X593



C101

LAMP TYPE:
Excluding 2 x G13 max 58W T8 Fluorescent Tubes

LENGTH: *1540mm*
WIDTH: *150mm*
DEPTH: *50mm*

FITTING MATERIAL:
Steel & Plastic
LENS:
Diffused Plastic

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *6*

FITTING COLOUR:
SILVER: 6007328021513
WHITE: 6007328021506

ADDITIONAL INFORMATION:
Electronic Control Gear
Spare Diffuser: X594



C319

LAMP TYPE:
Including 1 x G5 28W T5 Fluorescent Tube

LENGTH: *1214mm*
WIDTH: *22mm*
DEPTH: *44mm*

FITTING MATERIAL:
Plastic
LENS:
Clear Plastic

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *20*

FITTING COLOUR:
WHITE: 6007328341192

ADDITIONAL INFORMATION:
Undercounter
Electronic Control Gear
Including Clips, Extension & Mounted Switch
Spare Connector: CO112

C370

LAMP TYPE:
Including 1 x T5 3.6W replaceable LED Tube

LENGTH: *345mm*
WIDTH: *28mm*
DEPTH: *43mm*

FITTING MATERIAL:
Plastic
LENS:
Diffused Plastic

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *30*

FITTING COLOUR:
WHITE: 6007328354574

ADDITIONAL INFORMATION:
Undercounter
Electronic Control Gear
1.8m power cord
15cm connector
On/Off Switch

LAMP SPECIFICATION:
Power: 3.6W (60 x 0.06W)
Luminous Flux: 280lm
Colour Temperature: 4000K
Lifetime: 35 000 Hours
Beam Angle: 270º



C371

LED **LAMP TYPE:** *Including 1 x T5 6.12W replaceable LED Tube*

LENGTH: *574mm*
WIDTH: *28mm*
DEPTH: *43mm*

FITTING MATERIAL:
Plastic
LENS:
Diffused Plastic

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *30*

FITTING COLOUR:
WHITE: 6007328354581

ADDITIONAL INFORMATION:
Undercounter
Electronic Control Gear
1.8m power cord
15cm connector
On/Off Switch

LAMP SPECIFICATION:
Power: 6.12W (102 x 0.06W)
Luminous Flux: 400lm
Colour Temperature: 4000K
Lifetime: 35 000 Hours
Beam Angle: 270º



C284

LED **LAMP TYPE:** *Including 1 x 4W Integrated LED*

LENGTH: *290mm*
WIDTH: *25mm*
DEPTH: *36mm*

FITTING MATERIAL:
Polycarbonate
LENS:
Diffused Plastic

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *30*

FITTING COLOUR:
WHITE: 6009551800088

ADDITIONAL INFORMATION:
Undercounter
170mm Connector Cord
On/Off Rocker Mounted Switch

LAMP SPECIFICATION:
Power: 4W
Luminous Flux: 400lm
Colour Temperature: 4000K
Lifetime: 25 000 Hours
Beam Angle: 130º

C285

LED **LAMP TYPE:** *Including 1 x 7W Integrated LED*

LENGTH: *520mm*
WIDTH: *25mm*
DEPTH: *36mm*

FITTING MATERIAL:
Polycarbonate
LENS:
Diffused Plastic

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *30*

FITTING COLOUR:
WHITE: 6009551800095

ADDITIONAL INFORMATION:
Undercounter
170mm Connector Cord
On/Off Mounted Rocker Switch

LAMP SPECIFICATION:
Power: 7W
Luminous Flux: 700lm
Colour Temperature: 4000K
Lifetime: 25 000 Hours
Beam Angle: 130º

C286

LED **LAMP TYPE:** *Including 1 x 13W Integrated LED*

LENGTH: *850mm*
WIDTH: *25mm*
DEPTH: *36mm*

FITTING MATERIAL:
Polycarbonate
LENS:
Diffused Plastic

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *20*

FITTING COLOUR:
WHITE: 6009551800101

ADDITIONAL INFORMATION:
Undercounter
170mm Connector Cord
On/Off Mounted Rocker Switch

LAMP SPECIFICATION:
Power: 13W
Luminous Flux: 1300lm
Colour Temperature: 4000K
Lifetime: 25 000 Hours
Beam Angle: 130º



C372

LAMP TYPE: *Including 60 x 0.06W Integrated LED*

LENGTH: *347mm*
WIDTH: *35mm*
DEPTH: *85mm*

FITTING MATERIAL:
Aluminium
LENS:
Diffused Plastic

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *12*

FITTING COLOUR:
SILVER: 6007328354598

ADDITIONAL INFORMATION:
Undercounter
1.8m power cord
On/Off Switch
Adjustable tilt
Including LED Driver

LAMP SPECIFICATION:
Power: 3.6W (60 x 0.06W)
Luminous Flux: 270lm
Colour Temperature: 4400K
Lifetime: 35 000 Hours



C373

LAMP TYPE: *Including 90 x 0.06W Integrated LED*

LENGTH: *575mm*
WIDTH: *35mm*
DEPTH: *85mm*

FITTING MATERIAL:
Aluminium
LENS:
Diffused Plastic

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *12*

FITTING COLOUR:
SILVER: 6007328354604

ADDITIONAL INFORMATION:
Undercounter
1.8m power cord
On/Off Switch
Adjustable tilt
Including LED Driver

LAMP SPECIFICATION:
Power: 5.4W (90 x 0.06W)
Luminous Flux: 400lm
Colour Temperature: 4400K
Lifetime: 35 000 Hours



C376

LAMP TYPE: *Including 12 x 0.3W Integrated LED*

LENGTH: *348mm*
WIDTH: *69mm*
DEPTH: *23mm*

FITTING MATERIAL:
Aluminium
LENS:
Clear Plastic

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *20*

FITTING COLOUR:
SILVER: 6007328354635

ADDITIONAL INFORMATION:
Undercounter
1.8m power cord
15cm connector
On/Off Switch
Including LED Driver

LAMP SPECIFICATION:
Power: 3.6W (12 x 0.3W)
Luminous Flux: 400lm
Colour Temperature: 4000K
Lifetime: 35 000 Hours



C377

LAMP TYPE: *Including 18 x 0.3W Integrated LED*

LENGTH: *560mm*
WIDTH: *70mm*
DEPTH: *20mm*

FITTING MATERIAL:
Aluminium
LENS:
Clear Plastic

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *20*

FITTING COLOUR:
SILVER: 6007328354642

ADDITIONAL INFORMATION:
Undercounter
1.8m power cord
15cm connector
On/Off Switch
Including LED Driver

LAMP SPECIFICATION:
Power: 5.4W (18 x 0.3W)
Luminous Flux: 514lm
Colour Temperature: 4100K
Lifetime: 35 000 Hours



C375 LED **LAMP TYPE:** *Including 4 x 1W Integrated LED*

LENGTH: *610mm*
WIDTH: *66mm*
DEPTH: *28mm*

FITTING MATERIAL:
Aluminium
LENS:
Clear Plastic

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *12*

FITTING COLOUR:
SILVER: 6007328354628

ADDITIONAL INFORMATION:
Undercounter
1.8m power cord
15cm connector
On/Off Switch
Including LED Driver

LAMP SPECIFICATION:
Power: 4W (4 x 1W)
Luminous Flux: 260lm
Colour Temperature: 4400K
Lifetime: 35 000 Hours



C379 LED **LAMP TYPE:** *Including 6 x 0.5W Integrated LED*

LENGTH: *410mm*
WIDTH: *50mm*
DEPTH: *15mm*

FITTING MATERIAL:
Aluminium
LENS:
Clear Plastic

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *30*

FITTING COLOUR:
SILVER: 6007328354666

ADDITIONAL INFORMATION:
Undercounter
1.8m Power Cord Driver
Touch Switch
Including LED Driver

LAMP SPECIFICATION:
Power: 3W (6 x 0.5W)
Luminous Flux: 193,2lm
Colour Temperature: 4100K
Lifetime: 35 000 Hours



C378 LED **LAMP TYPE:** *Including 90 x 0.06W Integrated LED*

LENGTH: *550mm*
WIDTH: *78mm*
DEPTH: *40mm*

FITTING MATERIAL:
Aluminium
LENS:
Opal Polycarbonate

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *20*

FITTING COLOUR:
SILVER: 6007328354659
SILVER (Warm White): 6007328393580

ADDITIONAL INFORMATION:
Undercounter
Adjustable Tilt
Including LED Driver

LAMP SPECIFICATION:
Power: 5.4W (90 x 0.06W)
Luminous Flux: 395.83lm
Colour Temperature: 4400K
Lifetime: 35 000 Hours



C155 **LAMP TYPE:** *Including 1 x G5 max 8W T4 Fluorescent Tube (G336BP)*

LENGTH: *397mm*
WIDTH: *22mm*
DEPTH: *44mm*

FITTING MATERIAL:
Plastic
LENS:
Diffused Plastic

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *30*

FITTING COLOUR:
WHITE: 6007328026518

ADDITIONAL INFORMATION:
Undercounter
Electronic Control Gear
Including Clips,Extension & Mounted Switch
Spare Connector: CO112
Spare Lamp: G336BP



C154

LAMP TYPE:
Including 1 x G5 max 20W T4 Fluorescent Tube (G317BL)

LENGTH: *622mm*
WIDTH: *22mm*
DEPTH: *44mm*

FITTING MATERIAL:
Plastic
LENS:
Diffused Plastic

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *30*

FITTING COLOUR:
WHITE: 6007328026525
BLUE: 6007328338062

ADDITIONAL INFORMATION:
Undercounter
Electronic Control Gear
Including Clips,Extension & Mounted Switch
Spare Connector: CO112
Spare Lamp: G335BP



C11

LAMP TYPE:
Including 1 x G13 max 18W T8 Fluorescent Tube

LENGTH: *645mm*
WIDTH: *35mm*
DEPTH: *65mm*

FITTING MATERIAL:
Plastic
LENS:
Diffused Plastic

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *20*

FITTING COLOUR:
WHITE: 6007328013693

ADDITIONAL INFORMATION:
Undercounter
Electronic Control Gear
Mounted Switch



C12

LAMP TYPE:
Including 1 x G13 max 36W T8 Fluorescent Tube

LENGTH: *1280mm*
WIDTH: *35mm*
DEPTH: *65mm*

FITTING MATERIAL:
Plastic
LENS:
Diffused Plastic

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *12*

FITTING COLOUR:
WHITE: 6007328028390

ADDITIONAL INFORMATION:
Undercounter
Electronic Control Gear
Mounted Switch



C10

LAMP TYPE:
Including 1 x G13 max 10W T8 Fluorescent Tube

LENGTH: *390mm*
WIDTH: *35mm*
DEPTH: *65mm*

FITTING MATERIAL:
Plastic
LENS:
Diffused PVC

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *20*

FITTING COLOUR:
WHITE: 6007328015710

ADDITIONAL INFORMATION:
Undercounter
Electronic Control Gear
Mounted Switch



C85

LAMP TYPE 1: *Including 2 x E27 max 275W Heat Lamps 230V (G230)*
LAMP TYPE 2: *Including 1 x E27 R80 max 60W Reflector 230V (G177, G498BP)*

LENGTH: *425mm*
WIDTH: *265mm*
DEPTH: *230mm*
CUT-OUT: *370mm x 202mm*

FITTING MATERIAL:
Plastic & Steel

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *X4* : *4*

FITTING COLOUR:
WHITE: 6007328021322

ADDITIONAL INFORMATION:
3 in 1 Bathroom Warmer / Light / Extractor Fan
Including Wall Mounted Switch
Spare Lamp: G177, G498BP
Heater Lamp: G230



C86

LAMP TYPE 1: *Including 4 x E27 max 275W Heat Lamps 230V (G230)*
LAMP TYPE 2: *Including 1 x E27 max R80 100W Reflector 230V (G76, G426)*

LENGTH: *370mm*
WIDTH: *370mm*
DEPTH: *260mm*
CUT-OUT: *298mm x 298mm*

FITTING MATERIAL:
Plastic & Steel

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *X4* : *2*

FITTING COLOUR:
WHITE: 6007328016939

ADDITIONAL INFORMATION:
3 in 1 Bathroom Warmer / Light / Extractor Fan
Including Wall Mounted Switch
Spare Lamp: G230
Heater Lamp: G76, G426



F32LED

LAMP TYPE: *Including 1 x 16W Integrated LED*

LENGTH: *280mm*
WIDTH: *280mm*
DEPTH: *170mm*
CUT-OUT: *245mm x 245mm*

FITTING MATERIAL: *Plastic*
LENS: *Frosted PMMA*

MOTOR POWER: *20W*

PRIMARY VOLTAGE: *220V - 240V (50Hz)*

IP : *30* : *4*

FITTING COLOUR:
WHITE: 6007328380696

ADDITIONAL INFORMATION:
Air Movement: 150m³/hr

LAMP SPECIFICATION:
Power: 16W
Luminous Flux: 1100lm
Colour Temperature: 4000K
Lifetime: 25 000 Hours



F33LED

LAMP TYPE: *Including 1 x 16W Integrated LED*

DIAMETER: *290mm*
DEPTH: *210mm*
CUT-OUT: *250mm*

FITTING MATERIAL: *Plastic*
LENS: *Frost PMMA*

MOTOR POWER: *20W*

PRIMARY VOLTAGE: *220V - 240V (50/60Hz)*

IP : *30* : *4*

FITTING COLOUR:
WHITE: 6007328383345

ADDITIONAL INFORMATION:
Air Movement: 150m³/hr

LAMP SPECIFICATION:
Power: 16W
Luminous Flux: 1100lm
Colour Temperature: 4000K
Lifetime: 25 000 Hours



F90

LAMP TYPE: *Including 1 x 7W Integrated LED*

DIAMETER: *170mm*
DEPTH: *160mm*
CUT-OUT: *Ø105mm*

FITTING MATERIAL: *Plastic*
LENS: *Frosted PMMA*

MOTOR POWER: *15W*

PRIMARY VOLTAGE: *220V - 240V (50Hz)*

IP : *30* : *8*

FITTING COLOUR:
WHITE: 6007328380696

ADDITIONAL INFORMATION:
Air Movement: 80m³/hr

LAMP SPECIFICATION:
Power: 7W
Luminous Flux: 420lm
Colour Temperature: 4000K
Lifetime: 25 000 Hours



F19

LAMP TYPE: *Including 1 x 11W Integrated LED*

DIAMETER: *320mm*
DEPTH: *160mm*
CUT-OUT: *Ø125mm*

FITTING MATERIAL: *Plastic*
LENS: *Frosted PMMA*

MOTOR POWER: *20W*

PRIMARY VOLTAGE: *220V - 240V (50Hz)*

IP : *30* : *4*

FITTING COLOUR:
WHITE: 6007328380696

ADDITIONAL INFORMATION:
Air Movement: 150m³/hr

LAMP SPECIFICATION:
Power: 11W
Luminous Flux: 700lm
Colour Temperature: 4000K
Lifetime: 25 000 Hours

C468

WALL LIGHTS

WALL LIGHTS

W596 *pg112*

W594 *pg112*

W595 *pg112*

W597 *pg113*

W598 *pg113*

W599 *pg113*

W625 *pg113*

W601 *pg114*

W205 *pg114*

W358 *pg114*

W93 *pg114*

W200 *pg115*

W222 *pg115*


W550 *pg116*

W551 *pg116*

W583 *pg116*


W549 *pg116*

W630BG *pg117*

W630W *pg117*

W600 *pg117*

W548 *pg117*

W564 *pg118*

W566 *pg118*

W563 *pg118*

W567 *pg118*

W568 *pg119*

W569 *pg119*

W562 *pg119*

W570 *pg119*

W573 *pg120*

W582 *pg121*

W114 *pg121*

W102 *pg121*

W117 *pg121*

W545 *pg122*

W546 *pg122*

W544 *pg23*

W547 *pg123*

W180 *pg124*

W575 *pg124*

W179 *pg124*

W466 *pg125*

W467 *pg125*

W465 *pg125*

W373 *pg25*

W627 *pg126*

W626 *pg126*

W628 *pg126*

W605W *pg127*

W605B *pg127*

W604B *pg128*

W604W *pg128*

W621 *pg128*

W622 *pg128*

W603 *pg129*

W613 *pg129*

W620B *pg129*

W620W *pg129*

W614 *pg130*

W615 *pg130*

W616 *pg130*

W617 *pg130*

W579 *pg131*

W523 *pg131*

W602W *pg131*

W333 *pg131*

W618 *pg132*

W619 *pg132*

W629W *pg132*

W332 *pg132*

W220 *pg133*

W108 *pg133*

W109 *pg133*

W623W *pg134*

W624 *pg134*

W156 *pg134*

W353 *pg134*

W301 *pg135*

W350 *pg135*

W357 *pg135*

W363 *pg135*

W609 *pg136*

W608 *pg136*

W607 *pg136*

W611 *pg136*

W457 *pg138*

W456 *pg138*

W458 *pg138*

W459 *pg138*

W463 *pg139*

W462 *pg139*

W460 *pg139*

W461 *pg139*

W528 *pg140*

W529 *pg140*

W527 *pg140*

WALL LIGHTS

W531 *pg141*

W530 *pg141*

W524 *pg141*

W525 *pg141*

W469 *pg142*

W470 *pg142*

W471 *pg142*

W396 *pg142*

W392 *pg143*

W393 *pg143*

W395 *pg144*

W394 *pg144*

W391 *pg145*

W397 *pg146*

W399 *pg146*

W400 *pg146*

W402 *pg146*

W398 *pg147*

W406 *pg147*

W405 *pg147*

W403 *pg147*

W385 *pg148*

W383 *pg148*

W386 *pg148*

W387 *pg148*

W384 *pg149*

W382 *pg149*

W388 *pg150*

W401 *pg150*

W390 *pg150*

W404 *pg150*

W172 *pg151*

W170 *pg151*

W423 *pg151*

W129 *pg151*

W472 *pg152*

W473 *pg152*

W468 *pg152*

W149 *pg153*

W452 *pg153*

W435 *pg154*

W281 *pg154*

W280 *pg154*

W283 *pg154*

W477 *pg155*

W286 *pg155*

W166 *pg156*

W154*pg157*

W153 *pg157*

W165 *pg157*

W167 *pg157*

W321 *pg158*

W36 *pg158*

W34 *pg158*

W58 *pg158*

W55A *pg159*

W55 *pg159*

W176 *pg160*

W177 *pg160*

W175 *pg160*

W295 *pg160*

W294 *pg161*

W213 *pg161*

W293 *pg161*

W497 *pg162*

W496 *pg162*

W499 *pg163*

W498 *pg163*

W329 *pg163*

W439 *pg164*

W420 *pg164*

W486 *pg164*

W484 *pg164*

W349 *pg165*

W433 *pg165*

W580 *pg165*

W581 *pg165*

W191 *pg166*

W57 *pg166*

W182 *pg167*

W137 *pg167*

W184 *pg167*

W483 *pg167*

W631 *pg168*

W633 *pg168*

W634 *pg169*

W635 *pg169*

W636 *pg169*

W560 *pg170*

W561 *pg170*

W577 *pg170*

W578 *pg170*

W576 *pg171*

W422 *pg171*

W140 *pg171*

W135 *pg171*

W494 *pg172*

W493 *pg172*

W464 *pg173*

W495 *pg173*

W224 *pg174*

W296 *pg174*

W35 *pg174*

W4 *pg174*

W356 *pg175*

W554 *pg175*



W594 LED **LAMP TYPE:** *Including 4W Integrated LED*

LENGTH: *400mm*
WIDTH: *100mm*
DEPTH: *80mm*

FITTING MATERIAL:
Aluminium
LENS:
Opal Plastic

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *10*

FITTING COLOUR:
BLACK: 6007328397144

LAMP SPECIFICATION:
Power: 4W
Luminous Flux: 350lm
Colour Temperature: 3000K
Lifetime: 25 000 Hours
Not Dimmable



W596 LED **LAMP TYPE:** *Including 7W Integrated LED*

LENGTH: *700mm*
HEIGHT: *395mm*
DEPTH: *75mm*

FITTING MATERIAL:
Aluminium
LENS:
Opal Plastic

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *4*

FITTING COLOUR:
BLACK: 6007328397168

LAMP SPECIFICATION:
Power: 7W
Luminous Flux: 610lm
Colour Temperature: 3000K
Lifetime: 25 000 Hours
Not Dimmable



W595 LED **LAMP TYPE:** *Including 4W Integrated LED*

LENGTH: *700mm*
WIDTH: *100mm*
DEPTH: *75mm*

FITTING MATERIAL:
Aluminium
LENS:
Opal Plastic

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *10*

FITTING COLOUR:
BLACK: 6007328397151

LAMP SPECIFICATION:
Power: 4W
Luminous Flux: 350lm
Colour Temperature: 3000K
Lifetime: 25 000 Hours
Not Dimmable





W597 LED **LAMP TYPE:** *Including 12W Integrated LED*

DIAMETER: *265mm*
DEPTH: *95mm*

FITTING MATERIAL:
Aluminium
SHADE:
Aluminium

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FITTING COLOUR:
WOOD GRAIN: 6007328397175

LAMP SPECIFICATION:
Power: 12W
Colour Temperature: 3000K
Lifetime: 25 000 Hours
Not Dimmable





W598 LED **LAMP TYPE:** *Including 18W Integrated LED*

DIAMETER: *345mm*
DEPTH: *100mm*

FITTING MATERIAL:
Aluminium
SHADE:
Aluminium

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FITTING COLOUR:
WOOD GRAIN: 6007328397182

LAMP SPECIFICATION:
Power: 18W
Colour Temperature: 3000K
Lifetime: 25 000 Hours
Not Dimmable





W599 LED **LAMP TYPE:** *Including 5W Integrated LED*

HEIGHT: *145mm*
WIDTH: *140mm*
DEPTH: *105mm*
DIAMETER: *140mm*

FITTING MATERIAL:
Aluminium
LENS:
Frosted Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *10*

FITTING COLOUR:
WHITE: 6007328397199
GOLD: 6007328397656

LAMP SPECIFICATION:
Power: 5W
Colour Temperature: 3000K
Lifetime: 25 000 Hours
Not Dimmable





W625 LED **LAMP TYPE:** *Including 2 x G9 3W LED 230V*

HEIGHT: *180mm*
WIDTH: *305mm*
DEPTH: *125mm*

FITTING MATERIAL:
Steel
SHADE:
Clear Crystals

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *10*

FAMILY:
Pyton Gold
FITTING COLOUR:
GOLD: 9002759977245

ADDITIONAL INFORMATION:
Including Rocker Switch
Matching Ceiling Lights: C683, C684
Matching Pendant: P1116
Matching Table Light: T597

LAMP SPECIFICATION:
Power: 6W (2 x 3W)
Luminous Flux: 720lm
Colour Temperature: 3000K
Lifetime: 25 000 Hours



W601 LED **LAMP TYPE:** *Including 5W Integrated SMD LED*

HEIGHT: *410mm*
WIDTH: *180mm*
DEPTH: *140mm*

FITTING MATERIAL:
Steel & Aluminium

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FITTING COLOUR:
WHITE/BLACK: 6007328397274

LAMP SPECIFICATION:
Power: 5W
Colour Temperature: 3000K
Lifetime: 25 000 Hours
Not Dimmable



W205 LED **LAMP TYPE:** *Including 12W Integrated SMD LED*

HEIGHT: *640mm*
WIDTH: *180mm*
DEPTH: *145mm*

FITTING MATERIAL:
Steel & Aluminium

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FITTING COLOUR:
WHITE/BLACK: 6007328397281

LAMP SPECIFICATION:
Power: 12W
Colour Temperature: 3000K
Lifetime: 25 000 Hours
Not Dimmable



W358 LED **LAMP TYPE:** *Including 20W Integrated SMD LED*

HEIGHT: *1605mm*
WIDTH: *395mm*
DEPTH: *167mm*

FITTING MATERIAL:
Steel & Aluminium

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FITTING COLOUR:
WHITE/BLACK: 6007328397328

LAMP SPECIFICATION:
Power: 20W
Colour Temperature: 3000K
Lifetime: 25 000 Hours
Not Dimmable



W93 LED **LAMP TYPE:** *Including 12W Integrated SMD LED*

HEIGHT: *1230mm*
WIDTH: *320mm*
DEPTH: *170mm*

FITTING MATERIAL:
Steel & Aluminium

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FITTING COLOUR:
WHITE/BLACK: 6007328397311

LAMP SPECIFICATION:
Power: 12W
Colour Temperature: 3000K
Lifetime: 25 000 Hours
Not Dimmable



W200 LED **LAMP TYPE:** *Including 5W Integrated SMD LED*

HEIGHT: *345mm*
WIDTH: *320mm*
DEPTH: *167mm*

FITTING MATERIAL:
Steel & Aluminium

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *20*

FITTING COLOUR:
WHITE/BLACK: 6007328397304

LAMP SPECIFICATION:
Power: 5W
Luminous Flux: 525lm
Colour Temperature: 3000K
Lifetime: 25 000 Hours
Not Dimmable



W222 LED **LAMP TYPE:** *Including 5W Integrated SMD LED*

HEIGHT: *300mm*
WIDTH: *240mm*
DEPTH: *115mm*

FITTING MATERIAL:
Steel & Aluminium

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FITTING COLOUR:
WHITE/BLACK: 6007328397298

LAMP SPECIFICATION:
Power: 5W
Colour Temperature: 3000K
Lifetime: 25 000 Hours
Not Dimmable





W550 LED **LAMP TYPE:** *Including 34W Integrated LED*

HEIGHT: *725mm*
WIDTH: *725mm*
DEPTH: *90mm*

FITTING MATERIAL:
Die Cast Aluminium
LENS:
Opal Polycarbonate

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FITTING COLOUR:
BLACK: 6007328383208

LAMP SPECIFICATION:
Power: 34W
Colour Temperature: 3000K
Lifetime: 25 000 Hours
Not Dimmable





W551 LED **LAMP TYPE:** *Including 45W Integrated LED*

HEIGHT: *725mm*
WIDTH: *725mm*
DEPTH: *90mm*

FITTING MATERIAL:
Die Cast Aluminium
LENS:
Opal Polycarbonate

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FITTING COLOUR:
WHITE: 6007328383215

LAMP SPECIFICATION:
Power: 45W
Colour Temperature: 3000K
Lifetime: 25 000 Hours
Not Dimmable



W583 LED **LAMP TYPE:** *Including 24W Integrated LED*

HEIGHT: *320mm*
WIDTH: *320mm*
DEPTH: *70mm*

FITTING MATERIAL:
Die Cast Aluminium
LENS:
Opal Polycarbonate

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *10*

FITTING COLOUR:
WHITE: 6007328396871

LAMP SPECIFICATION:
Power: 24W
Colour Temperature: 3000K
Lifetime: 25 000 Hours
Not Dimmable





W549 LED **LAMP TYPE:** *Including 28W Integrated LED*

HEIGHT: *725mm*
WIDTH: *725mm*
DEPTH: *90mm*

FITTING MATERIAL:
Die Cast Aluminium
LENS:
Opal Polycarbonate

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FITTING COLOUR:
BLACK: 6007328383192

LAMP SPECIFICATION:
Power: 28W
Colour Temperature: 3000K
Lifetime: 25 000 Hours
Not Dimmable



W630BG LED **LAMP TYPE:** *Including 1 x 10W Integrated LED*

HEIGHT: *100mm*
WIDTH: *220mm*
DEPTH: *75mm*

FITTING MATERIAL:
Aluminium
SHADE:
Transparent Plastic

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *20*

FAMILY:
Feloniche
FITTING COLOUR:
BLACK/GOLD: 9002759985455

LAMP SPECIFICATION:
Power: 10W
Colour Temperature: 3000K
Lifetime: 25 000 Hours
Not Dimmable



W630W LED **LAMP TYPE:** *Including 1 x 10W Integrated LED*

HEIGHT: *100mm*
WIDTH: *220mm*
DEPTH: *75mm*

FITTING MATERIAL:
Aluminium
SHADE:
Transparent Plastic

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *20*

FAMILY:
Feloniche
FITTING COLOUR:
WHITE: 9002759985448

LAMP SPECIFICATION:
Power: 10W
Colour Temperature: 3000K
Lifetime: 25 000 Hours
Not Dimmable



W600 LED **LAMP TYPE:** *Including 14W Integrated LED*

HEIGHT: *130mm*
WIDTH: *125mm*
DEPTH: *105mm*

FITTING MATERIAL:
Aluminium
LENS:
Clear Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *10*

FITTING COLOUR:
WHITE: 6007328397205
BLACK: 6007328397663

LAMP SPECIFICATION:
Power: 14W
Colour Temperature: 3000K
Lifetime: 25 000 Hours
Not Dimmable



W548 LED **LAMP TYPE:** *Including 7W Integrated LED*

DIAMETER: *220mm*
DEPTH: *100mm*

FITTING MATERIAL:
Steel
SHADE:
Opal Polycarbonate

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *6*

FAMILY:
Ora Series
FITTING COLOUR:
WHITE: 6007328383185

LAMP SPECIFICATION:
Power: 7W
Colour temperature: 3000K
Lifetime: 25 000 Hours
Not Dimmable



W564 LED **LAMP TYPE:** *Excluding 1 x G9 max 5W Bi-Pin LED 230V*

HEIGHT: *220mm*
WIDTH: *100mm*
DEPTH: *130mm*

FITTING MATERIAL:
Steel
SHADE:
Clear Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *10*

FAMILY:
Seville
FITTING COLOUR:
CHROME: 6007328387169

ADDITIONAL INFORMATION:
Matching Table Lights: T547, T548



W566 **LAMP TYPE:** *Excluding 1 x E27 max 40W 230V*

HEIGHT: *110mm*
WIDTH: *85mm*
DEPTH: *100mm*

FITTING MATERIAL:
Steel

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *10*

FAMILY:
Tirana
FITTING COLOUR:
BLACK: 6007328387183
BRONZE: 6007328387206
COPPER: 6007328387213
CHROME: 6007328387190



W563 **LAMP TYPE:** *Excluding 1 x E27 max 40W Golfball 230V*

HEIGHT: *290mm*
WIDTH: *155mm*
DEPTH: *220mm*

FITTING MATERIAL:
Steel
SHADE:
Clear Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FAMILY:
Barcelona
FITTING COLOUR:
ANCIENT BRONZE: 6007328387152

ADDITIONAL INFORMATION:
Matching Pendant: P909



W567 **LAMP TYPE:** *Excluding 1 x E27 max 40W Golfball 230V*

HEIGHT: *340mm*
WIDTH: *146mm*
DEPTH: *600mm*

FITTING MATERIAL:
Steel
SHADE:
Steel

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FAMILY:
Cologne
FITTING COLOUR:
BLACK: 6007328387510
WHITE: 6007328387503





W568

LAMP TYPE:
Excluding 1 x E27 max 40W Golfball 230V

HEIGHT: *290mm*
WIDTH: *280mm*
DEPTH: *630mm*

FITTING MATERIAL:
Steel
SHADE:
Steel

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FAMILY:
Burano
FITTING COLOUR:
BLACK: 6007328387527

ADDITIONAL INFORMATION:
In-line On/Off Switch
Adjustable Arm

W569

LAMP TYPE:
Excluding 1 x E14 max 40W Golfball 230V

HEIGHT: *260mm*
WIDTH: *140mm*
DEPTH: *710mm*

FITTING MATERIAL:
Steel
SHADE:
Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FAMILY:
Siena
FITTING COLOUR:
COPPER: 6007328387558
OPAL: 6007328387534
SMOKEY: 6007328387541

ADDITIONAL INFORMATION:
Adjustable Arm
Matching Table Light: T550
Matching Pendants: P904, P934
Matching Wall Lights: W562, W570





W562

LAMP TYPE:
Excluding 1 x E14 max 40W Golfball 230V

HEIGHT: *170mm*
WIDTH: *140mm*
DEPTH: *200mm*

FITTING MATERIAL:
Steel
SHADE:
Opal Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *10*

FAMILY:
Siena
FITTING COLOUR:
BLACK: 6007328387121
CHROME: 6007328387145
WHITE: 6007328387138

ADDITIONAL INFORMATION:
Matching Table Light: T550
Matching Pendants: P904, P934
Matching Wall Lights: W569, W570

W570

LAMP TYPE:
Excluding 1 x E14 max 40W Golfball 230V

HEIGHT: *160mm*
WIDTH: *140mm*
DEPTH: *205mm*

FITTING MATERIAL:
Steel
SHADE:
Transparent Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *10*

FAMILY:
Siena
FITTING COLOUR:
COPPER: 6007328387565

ADDITIONAL INFORMATION:
Matching Table Light: T550
Matching Pendants: P904, P934
Matching Wall Lights: W562, W569



W573 LED

LAMP TYPE:
Excluding 1 x E27 max 10W LED 230V

HEIGHT: *275mm*
WIDTH: *60mm*
DEPTH: *180mm*

FITTING MATERIAL:
Steel & Wood
SHADE:
White Steel

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *24*

FAMILY:
Tocopilla
FITTING COLOUR:
BROWN/WHITE: 9002759979164

ADDITIONAL INFORMATION:
Inline Switch On/Off Switch
Cord length 2.5m



W582 **LAMP TYPE:** *Excluding 1 x E27 max 60W 230V*

HEIGHT: *330mm*
WIDTH: *110mm*
DEPTH: *115mm*

FITTING MATERIAL:
Steel & Wood
SHADE:
Brown Wood

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *12*

FAMILY:
Littleton
FITTING COLOUR:
BLACK/BROWN: 9002759496982



W114 **LAMP TYPE:** *Excluding 1 x E27 max 60W 230V*

HEIGHT: *225mm*
WIDTH: *240mm*
DEPTH: *120mm*

FITTING MATERIAL:
Steel & Wood
SHADE:
Maple Wood

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *20*

FAMILY:
Sendero
FITTING COLOUR:
MAPLE: 9002759961954

ADDITIONAL INFORMATION:
Matching Pendants: P174, P175, P176,
Matching Table Light: T109



W102 **LAMP TYPE:** *Excluding 1 x E27 max 60W 230V*

HEIGHT: *285mm*
WIDTH: *250mm*

FITTING MATERIAL:
Steel
SHADE:
Opal Glass & Maple Wood

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *12*

FAMILY:
Stellato 1
FITTING COLOUR:
MAPLE WOOD: 9002759956028

ADDITIONAL INFORMATION:
Matching Ceiling Light: C135
Matching Floor Light: FL104
Matching Pendants: P142, P143, P144



W117 **LAMP TYPE:** *Excluding 1 x E27 max 40W 230V*

HEIGHT: *205mm*
WIDTH: *275mm*
DEPTH: *65mm*

FITTING MATERIAL:
Steel
SHADE:
Clear Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FAMILY:
Yearn
FITTING COLOUR:
BLACK: 6007328371533

ADDITIONAL INFORMATION:
Matching Pendants: P557, P558



W545 LED **LAMP TYPE:** *Including 12W Integrated Strip LED*

HEIGHT: *65mm*
WIDTH: *1240mm*
DEPTH: *40mm*

FITTING MATERIAL:
Steel
SHADE:
Opal

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FAMILY:
Aston Series
FITTING COLOUR:
SATIN NICKEL: 6007328383154

ADDITIONAL INFORMATION:
Adjustable Free Form Shape

LAMP SPECIFICATION:
Power: 12W
Colour temperature: 3000K
Lifetime: 25 000 Hours
Not Dimmable



W546 LED **LAMP TYPE:** *Including 25W Integrated Strip LED*

HEIGHT: *65mm*
WIDTH: *2410mm*
DEPTH: *40mm*

FITTING MATERIAL:
Steel

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *5*

FAMILY:
Aston Series
FITTING COLOUR:
SATIN NICKEL: 6007328383161

ADDITIONAL INFORMATION:
Adjustable Free Form Shape

LAMP SPECIFICATION:
Power: 25W
Colour temperature: 3000K
Lifetime: 25 000 Hours:
Not Dimmable



W544 LED **LAMP TYPE:** *Including 11W Integrated LED*

HEIGHT: *345mm*
WIDTH: *225mm*
DEPTH: *50mm*

FITTING MATERIAL:
Die Cast Aluminium

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *4*

FITTING COLOUR:
GREY: 6007328383147

ADDITIONAL INFORMATION:
Matching Ceiling Light: C523
Matching Pendant: P804

LAMP SPECIFICATION:
Power: 11W
Colour temperature: 3000K
Lifetime: 25 000 hours



W547 LED **LAMP TYPE:** *Including 6W Integrated LED*

HEIGHT: *165mm*
WIDTH: *110mm*
DEPTH: *100mm*

FITTING MATERIAL:
Steel
LENS:
Polycarbonate

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *5*

FAMILY:
Ora
FITTING COLOUR:
WHITE: 6007328383178

LAMP SPECIFICATION:
Power: 6W
Colour temperature: 3000K
Lifetime: 25 000 hours
Not Dimmable



W180 LED

LAMP TYPE:
Excluding 2 x GU10 max 3.3W LED 230V

HEIGHT: *170mm*
WIDTH: *55mm*
DEPTH: *85mm*

FITTING MATERIAL:
Steel
SHADE:
Steel

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *24*

FAMILY:
Passa
FITTING COLOUR:
BROWN/COPPER: 9002759953799
BLACK/GOLD: 9002759953737

LAMP SPECIFICATION:
Power: 6.6W (2 x 3.3W)
Luminous Flux: 480lm
Colour Temperature: 3000K
Lifetime: 15 000 Hours



W575 LED

LAMP TYPE:
Including 2 x GU10 max 3.3W 230V

HEIGHT: *170mm*
WIDTH: *60mm*
DEPTH: *85mm*

FITTING MATERIAL:
Steel
SHADE:
Satin Nickel & Chrome

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *36*

FAMILY:
Passa
FITTING COLOUR:
CHROME: 9002759962616

LAMP SPECIFICATION:
Power: 6.6W (2 x 3.3W)
Luminous Flux: 480lm
Colour Temperature: 3000K
Lifetime: 15 000 Hours
Not Dimmable



W179 LED

LAMP TYPE:
Including 2 x GU10 max 3,3W LED 230V

HEIGHT: *170mm*
WIDTH: *60mm*
DEPTH: *85mm*

FITTING MATERIAL:
Steel
SHADE:
Steel

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *36*

FAMILY:
Passa
FITTING COLOUR:
BLACK/GOLD: 9002759953645
BROWN/COPPER: 9002759953713

LAMP SPECIFICATION:
Power: 6.6W (2 x 3.3W)
Luminous Flux: 480lm
Colour Temperature: 3000K
Lifetime: 15 000 Hours



W466 **LAMP TYPE:** *Including 1 x G9 max 33W Bi-Pin 230V*

HEIGHT: *135mm*
WIDTH: *120mm*
DEPTH: *100mm*

FITTING MATERIAL:
Steel
SHADE:
Glass Clear (Outer) & Textured (Inner)

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *12*

FAMILY:
Monarch
FITTING COLOUR:
CHROME : 6007328373759

ADDITIONAL INFORMATION:
Matching Pendants: P565,P566, P567, P568
Matching Wall Light: W467



W467 **LAMP TYPE:** *Including 2 x G9 max 33W Bi-Pin 230V*

HEIGHT: *185mm*
WIDTH: *120mm*
DEPTH: *135mm*

FITTING MATERIAL:
Steel
SHADE:
Glass Clear (Outer) & Textured (Inner)

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *6*

FAMILY:
Monarch
FITTING COLOUR:
CHROME: 6007328373766

ADDITIONAL INFORMATION:
Up and Down Facing
Matching Pendants: P565,P566, P567, P568
Matching Wall Light: W466



W465 LED **LAMP TYPE:** *Including 1 x 4.8W Integrated LED*

HEIGHT: *265mm*
WIDTH: *110mm*
DEPTH: *180mm*

FITTING MATERIAL:
Steel
SHADE:
Clear Glass & Chrome or Gold Steel

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *8*

FAMILY:
Dew Drop
FITTING COLOUR:
CHROME: 6007328373735
GOLD: 6007328373742

ADDITIONAL INFORMATION:
Matching Pendants: P561, P562, P563, P564, P743, P871, P872

LAMP SPECIFICATION:
Power: 4.8W
Luminous Flux: 384lm
Colour Temperature: 3000K
Lifetime: 30 000 Hours



W373 **LAMP TYPE:** *Including 1 x G4 max 20W Bi-pin 12V*

HEIGHT: *500mm*
WIDTH: *130mm*
DEPTH: *290mm*

FITTING MATERIAL:
Steel
SHADE:
Black String
CRYSTALS:
Clear Crystals

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *10*

FAMILY:
Crystal
FITTING COLOUR:
CHROME: 6007328344315

ADDITIONAL INFORMATION:
Not Dimmable
Matching Chandelier: CH216



W626 LED **LAMP TYPE:** *Including 5W GU10 LED 230V*

HEIGHT: *180mm*
WIDTH: *180mm*
DEPTH: *205mm*

FITTING MATERIAL:
Aluminium & Steel
SHADE:
Aluminium

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP: *20* : *8*

FAMILY:
Ciglie
FITTING COLOUR:
BLACK: 9002759982638

ADDITIONAL INFORMATION:
Qi Charger (Allows Wireless Charging With Your Smartphone By Inductive Energy Transfer. Small Light Turns Blue When Connected, And Flashes Light Blue When Not Connected)
Including On/Off Switch
Wireless Charging with 5V 1A

LAMP SPECIFICATION:
Power: 5W
Luminous Flux: 400lm
Colour Temperature: 3000K
Lifetime: 25 000 Hours
Not Dimmable



W628 **LAMP TYPE:** *Excluding 1 x E27 max 60W 230V*

HEIGHT: *140mm*
WIDTH: *350mm*
DEPTH: *180mm*

FITTING MATERIAL:
Steel

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP: *20* : *6*

FAMILY:
Ciglie
FITTING COLOUR:
BLACK: 9002759982645

ADDITIONAL INFORMATION:
USB Port
Including 5V DC 2A USB Port
Integrated On/Off Switch

W627 **LAMP TYPE:** *Excluding 1 x E14 max 40W 230V*

HEIGHT: *180mm*
WIDTH: *180mm*
DEPTH: *205mm*

FITTING MATERIAL:
Aluminium & Steel
SHADE:
Opal Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP: *20* : *8*

FAMILY:
Ciglie
FITTING COLOUR:
BLACK: 9002759982652

ADDITIONAL INFORMATION:
Qi Charger (Allows Wireless Charging With Your Smartphone By Inductive Energy Transfer. Small Light Turns Blue When Connected, And Flashes Light Blue When Not Connected)
Including On/Off Switch
Wireless Charging with 5V 1A



W605W LED **LAMP TYPE:** *Including 6W Integrated SMD LED*

HEIGHT: *420mm*
WIDTH: *295mm*
DEPTH: *150mm*

FITTING MATERIAL:
Steel
SHADE:
Frosted Plastic

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FITTING COLOUR:
WHITE: 6007328398431

ADDITIONAL INFORMATION:
On/Off Switch
Including 5V DC 1A USB Port
Excluding USB Cable

LAMP SPECIFICATION:
Power: 6W
Colour Temperature: 3000K
Lifetime: 25 000 Hours



W605B LED **LAMP TYPE:** *Including 6W Integrated SMD LED*

HEIGHT: *420mm*
WIDTH: *295mm*
DEPTH: *150mm*

FITTING MATERIAL:
Aluminium
SHADE:
Frosted Plastic

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FITTING COLOUR:
BLACK: 6009551802006

ADDITIONAL INFORMATION:
On/Off Switch
Including 5V DC 1A USB Port
Excluding USB Cable

LAMP SPECIFICATION:
Power: 6W
Colour Temperature: 3000K
Lifetime: 25 000 Hours:



W604B LED **LAMP TYPE 1:** *Excluding 1 x G9 max 28W Bi-Pin 230V*
LAMP TYPE 2: *Including 1 x 6W Integrated LED*

HEIGHT: *260mm*
WIDTH: *120mm*
DEPTH: *135mm*

FITTING MATERIAL:
Die Cast Aluminium
LENS:
Opal Glass & Acrylic Lens

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP: *20* | : *4*

FITTING COLOUR:
BLACK: 6007328398417

ADDITIONAL INFORMATION:
Including 5V 1A USB Port

LAMP SPECIFICATION:
Power: 6W
Colour Temperature: 3000K
Lifetime: 25 000 Hours
Not Dimmable



W604W LED **LAMP TYPE 1:** *Excluding 1 x G9 max 28W Bi-Pin 230V*
LAMP TYPE 2: *Including 1 x 6W Integrated LED*

HEIGHT: *260mm*
WIDTH: *120mm*
DEPTH: *135mm*

FITTING MATERIAL:
Die Cast Aluminium
LENS:
Opal Glass & Acrylic Lens

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP: *20* | : *4*

FITTING COLOUR:
WHITE: 6007328398424

ADDITIONAL INFORMATION:
Including 5V 1A USB Port

LAMP SPECIFICATION:
Power: 6W
Colour Temperature: 3000K
Lifetime: 25 000 Hours
Not Dimmable



W621 LED **LAMP TYPE:**
Including 5W Integrated LED

HEIGHT: *240mm*
WIDTH: *120mm*
DEPTH: *185mm*

FITTING MATERIAL:
Steel
LENS:
Opal Diffuser

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP: *20* | : *1*

FITTING COLOUR:
BLACK: 6007328399056
WHITE: 6007328399063

ADDITIONAL INFORMATION:
Including 5V 1A USB Port

LAMP SPECIFICATION:
Power: 5W
Luminous Flux: 350lm
Colour Temperature: 3000K
Not Dimmable



W622 LED **LAMP TYPE:**
Including 1W Integrated LED

HEIGHT: *190mm*
WIDTH: *50mm*
DEPTH: *80mm*

FITTING MATERIAL:
Steel
LENS:
Opal Glass & Acrylic Lens

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP: *20* | : *10*

FITTING COLOUR:
BLACK: 6007328399094
SATIN CHROME: 6007328399087
WHITE: 6007328399070

ADDITIONAL INFORMATION:
Including 5V 1A USB Port

LAMP SPECIFICATION:
Power: 1W
Luminous Flux: 70lm
Colour Temperature: 3000K
Lifetime: 25 000 Hours
Not Dimmable



W603

LED

LAMP TYPE1: *Including 1 x 4W Integrated LED*
LAMP TYPE1: *Including 1 x 3W Integrated LED*

HEIGHT: *140mm*
WIDTH: *120mm*
DEPTH: *65mm*

FITTING MATERIAL:
Steel
LENS:
Frosted Plastic

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *6*

FAMILY:
U-Kool
FITTING COLOUR:
BLACK: 6007328398394
WHITE: 6007328398400

ADDITIONAL INFORMATION:
Adjustable Silicone Goose neck
Including 5V 1A USB Port

LAMP SPECIFICATION:
Power: 4W + 3W
Colour Temperature: 3000K
Lifetime: 25 000 Hours
Not Dimmable



W613

LED

LAMP TYPE:
Including 5W Integrated LED

HEIGHT: *180mm*
WIDTH: *325mm*
DEPTH: *185mm*

FITTING MATERIAL:
Metal & Acrylic
LENS:
Opal Diffuser

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FITTING COLOUR:
BLACK: 6007328398929
WHITE: 6007328398912

ADDITIONAL INFORMATION:
Including 5V 1A USB Port

LAMP SPECIFICATION:
Power: 5W
Luminous Flux: 350lm
Colour Temperature: 3000K
Lifetime: 25 000 Hours



W620B

LED

LAMP TYPE:
Including 1 x 5W Integrated LED

HEIGHT: *185mm*
WIDTH: *320mm*
DEPTH: *185mm*

FITTING MATERIAL:
Metal & Acrylic
LENS:
Opal Diffuser

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FITTING COLOUR:
BLACK: 6007328399476

ADDITIONAL INFORMATION:
Including 5V 1A USB Port

LAMP SPECIFICATION:
Power: 5W
Luminous Flux: 350lm
Colour Temperature: 3000K
Lifetime: 25 000 Hours



W620W

LED

LAMP TYPE:
Including 1 x 5W Integrated LED

HEIGHT: *185mm*
WIDTH: *320mm*
DEPTH: *185mm*

FITTING MATERIAL:
Metal & Acrylic
LENS:
Opal Diffuser

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FITTING COLOUR:
WHITE: 6007328399049

ADDITIONAL INFORMATION:
Including 5V 1A USB Port

LAMP SPECIFICATION:
Power: 5W
Luminous Flux: 350lm
Colour Temperature: 3000K
Lifetime: 25 000 Hours



W614

LED **LAMP TYPE:** *Including 5W Integrated LED*

HEIGHT: *240mm*
WIDTH: *120mm*
DEPTH: *185mm*

FITTING MATERIAL:
Metal & Acrylic
LENS:
Opal Diffuser

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FITTING COLOUR:
BLACK: 6007328398943
WHITE: 6007328398936

ADDITIONAL INFORMATION:
Including 5V 1A USB Port

LAMP SPECIFICATION:
Power: 5W
Luminous Flux: 350lm
Colour Temperature: 3000K
Lifetime: 25 000 Hours



W615

LED **LAMP TYPE:** *Including 1 x 5W Integrated LED*

HEIGHT: *260mm*
WIDTH: *220mm*
DEPTH: *185mm*

FITTING MATERIAL:
Metal & Acrylic
LENS:
Opal Diffuser

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FITTING COLOUR:
WHITE: 6007328398950

ADDITIONAL INFORMATION:
Including 5V 1A USB Charge Port
On/OFF Switch

LAMP SPECIFICATION:
Power: 5W
Luminous Flux: 350lm
Colour Temperature: 3000K
Lifetime: 25 000 Hours
Not Dimmable



W616

LED **LAMP TYPE:** *Including 5W Integrated LED*

HEIGHT: *260mm*
WIDTH: *260mm*
DEPTH: *100mm*

FITTING MATERIAL:
Metal
LENS:
Opal Acrylic Diffuser

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FITTING COLOUR:
BLACK: 6007328398967
GOLD: 6007328398981
WHITE: 6007328398974

ADDITIONAL INFORMATION:
Including 5V 1A USB Port
On/OFF Switch

LAMP SPECIFICATION:
Power: 5W
Luminous Flux: 350lm
Colour Temperature: 3000K
Lifetime: 25 000 Hours
Not Dimmable



W617

LED **LAMP TYPE:** *Including 1W Integrated LED*

HEIGHT: *150mm*
WIDTH: *150mm*
DEPTH: *100mm*

FITTING MATERIAL:
Metal

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FITTING COLOUR:
WHITE: 6007328398998

ADDITIONAL INFORMATION:
Including 5V 1A USB Port

LAMP SPECIFICATION:
Power: 1W
Luminous Flux: 70lm
Colour Temperature: 3000K
Lifetime: 25 000 Hours
Not Dimmable



W579

LED **LAMP TYPE:** *Including 3.5W Integrated LED*

HEIGHT: *440mm max*
WIDTH: *70mm*
DEPTH: *320mm*

FITTING MATERIAL:
Plastic & Steel
SHADE:
Frosted & Clear Plastic

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *32*

FAMILY:
Pazoli
FITTING COLOUR:
SATIN CHROME: 9002759965679

ADDITIONAL INFORMATION:
On/Off Rocker Switch
Including 5V 2A USB Charge Port

LAMP SPECIFICATION:
Power: 3.5W
Luminous Flux: 380lm
Colour Temperature: 3000K
Lifetime: 25 000 Hours





W523

LED **LAMP TYPE:** *Including 1 x 5.5W Integrated LED*

HEIGHT: *435mm*
WIDTH: *100mm*
DEPTH: *100mm*

FITTING MATERIAL:
Steel, Plastic & Silicone
SHADE:
Frosted Acrylic

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *12*

FAMILY:
Burj
FITTING COLOUR:
WHITE: 6007328380672

ADDITIONAL INFORMATION:
Silicone Gooseneck
Including 5V 1A USB Port
Including Rocker Switch

LAMP SPECIFICATION:
Power: 5.5W (15 x 0.36W)
Luminous Flux: 420lm
Colour Temperature: 3000K
Lifetime: 25 000 Hours
Dimmable



W602W

LED **LAMP TYPE1:** *Including 1 x 6W Integrated LED*
LAMP TYPE2: *Including 1 x 3W Integrated LED*

HEIGHT: *225mm*
WIDTH: *150mm*
DEPTH: *120mm*

FITTING MATERIAL:
Die Cast Aluminium
LENS:
Frosted Plastic & Acrylic

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *44* : *4*

FAMILY:
Northern
FITTING COLOUR:
BLACK: 6007328398370
WHITE: 6007328398387

ADDITIONAL INFORMATION:
Including 5V 1A USB Port
Adjustable Angle Spot
On/Off Switch

LAMP SPECIFICATION:
Power: 6W + 3W
Colour Temperature: 3000K
Lifetime: 25 000 Hours
Not Dimmable



W333

LED **LAMP TYPE:** *Including 3W Integrated LED*

HEIGHT: *125mm*
WIDTH: *55mm*
DEPTH: *150mm*

FITTING MATERIAL:
Steel

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *10*

FITTING COLOUR:
BLACK: 6007328398103

ADDITIONAL INFORMATION:
On/Off Switch

LAMP SPECIFICATION:
Power: 3W
Colour Temperature: 3000K
Lifetime: 25 000 Hours
Not Dimmable



W618

LED **LAMP TYPE1:** *Including 1W Integrated LED*
LAMP TYPE2: *Including 8W Integrated LED*

DIAMETER: *160mm*
DEPTH: *70mm*

FITTING MATERIAL:
Metal

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *10*

FITTING COLOUR:
BLACK: 6007328399001
WHITE: 6007328399018

ADDITIONAL INFORMATION:
2 x On/OFF Switch

LAMP SPECIFICATION:
Power: 1W & 8W
Colour Temperature: 3000K
Lifetime: 25 000 Hours
Not Dimmable



W619

LED **LAMP TYPE1:** *Including 1W Integrated LED*
LAMP TYPE2: *Including 8W Integrated LED*

HEIGHT: *155mm*
WIDTH: *155mm*
DEPTH: *70mm*

FITTING MATERIAL:
Metal

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *10*

FITTING COLOUR:
BLACK: 6007328399032
WHITE: 6007328399025

ADDITIONAL INFORMATION:
2 x On/OFF Switch

LAMP SPECIFICATION:
Power: 1W & 8W
Colour Temperature: 3000K
Lifetime: 25 000 Hours
Not Dimmable

W629W

LED **LAMP TYPE:**
Including 1 x 3.5W Integrated LED

HEIGHT: *440mm*
WIDTH: *320mm*
DEPTH: *70mm*

FITTING MATERIAL:
Steel & Plastic
SHADE:
Frosted & Clear Plastic

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *32*

FAMILY:
Tazzoli
FITTING COLOUR:
WHITE: 9002759965662

ADDITIONAL INFORMATION:
Including On/Off Rocker Switch

LAMP SPECIFICATION:
Power: 3.5W
Luminous Flux: 380lm
Colour Temperature: 3000K
Lifetime: 25 000 Hours
Not Dimmable



W332

LED **LAMP TYPE:**
Including 3W Integrated LED

HEIGHT: *415mm*
DIAMETER: *80mm*

FITTING MATERIAL:
Steel, Aluminium, Silicone
LENS:
Clear Plastic

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *16*

FITTING COLOUR:
WHITE: 6007328393160

ADDITIONAL INFORMATION:
Including Mounted Rocker On/Off Switch
Silicone Flexi Stem

LAMP SPECIFICATION:
Power: 3W
Luminous Flux: 210lm
Colour Temperature: 3000K
Lifetime: 25 000 Hours
Not Dimmable



W220

LAMP TYPE:
Excluding 1 x E14 max 40W Golfball 230V

HEIGHT: *280mm*
WIDTH: *70mm*
DEPTH: *220mm*

FITTING MATERIAL:
Steel
SHADE:
Alabaster Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *24*

FAMILY:
Prince 1
FITTING COLOUR:
SATIN CHROME: 9002759864286

ADDITIONAL INFORMATION:
Including Mounted Rotary Dimmer
Cable and Plug Top
Flexible Stem
Matching Table Light: T146



W108

LAMP TYPE:
Excluding 1 x E14 max 40W Golfball 230V

HEIGHT: *210mm*
WIDTH: *70mm*
DEPTH: *200mm*

FITTING MATERIAL:
Steel
SHADE:
Opal & Frosted Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *24*

FAMILY:
Nicola
FITTING COLOUR:
SATIN CHROME: 6007328340867

ADDITIONAL INFORMATION:
Including Mounted Rocker Switch
Flexible stem
Matching Tablelights: T70, T72
Spare Glass: X090

W109

LAMP TYPE:
Excluding 1 x GU10 50W 230V

HEIGHT: *220mm*
WIDTH: *50mm*
DEPTH: *200mm*

FITTING MATERIAL:
Steel

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *24*

FAMILY:
Speed
FITTING COLOUR:
SATIN CHROME: 9002759813925

ADDITIONAL INFORMATION:
Including Mounted Rocker Switch
Flexible Stem



W623W LED

LAMP TYPE 1: *Excluding 1 x E14 max 40W Golfball 230V*
LAMP TYPE 2: *Including 1 x 3W Integrated LED*

HEIGHT: *380mm*
WIDTH: *180mm*
DEPTH: *250mm*

FITTING MATERIAL:
Steel
SHADE/LENS:
Beige Fabric Flax & Acrylic Frosted Lens

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *4*

FITTING COLOUR:
WHITE: 6007328398479

ADDITIONAL INFORMATION:
Rotary Switch On/Off

LAMP SPECIFICATION:
Power: 3W
Colour Temperature: 3000K
Lifetime: 25 000 Hours



W624 LED

LAMP TYPE 1: *Excluding 1 x E14 max 40W Golfball 230V*
LAMP TYPE 2: *Including 1 x 3W Integrated LED*

HEIGHT: *280mm*
WIDTH: *185mm*
DEPTH: *350mm*

FITTING MATERIAL:
Steel
SHADE:
Black or White Fabric & Acrylic Frosted Lens

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *4*

FITTING COLOUR:
BLACK: 6007328399537
WHITE: 6007328399544

ADDITIONAL INFORMATION:
Rotary Switch: On/Off

LAMP SPECIFICATION:
Power: 3W
Colour Temperature: 3000K
Lifetime: 25 000 Hours



W156 LED

LAMP TYPE 1: *Excluding 1 x E27 max 40W Golfball 230V*
LAMP TYPE 2: *Including 1 x 3.5W Integrated LED*

HEIGHT: *450mm*
WIDTH: *150mm*
DEPTH: *190mm*

FITTING MATERIAL:
Steel
SHADE:
White Fabric

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *12*

FAMILY:
Halva
FITTING COLOUR:
CHROME: 9002759964764

ADDITIONAL INFORMATION:
Adjustable Gooseneck
Mounted Rocker Switch

LAMP SPECIFICATION:
Power: 3.5W
Colour Temperature: 3000K
Lifetime: 25 000 Hours



W353 LED

LAMP TYPE 1: *Excluding 1 x E27 max 40W Golfball 230V*
LAMP TYPE 2: *Including 1 x 3.5W Integrated LED*

HEIGHT: *455mm*
WIDTH: *150mm*
DEPTH: *200mm*

FITTING MATERIAL:
Steel
SHADE:
Taupe or White Fabric

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *12*

FAMILY:
Pasteri
FITTING COLOUR:
SATIN CHROME/TAUPE: 9002759964788
SATIN CHROME/WHITE: 9002759964771

ADDITIONAL INFORMATION:
Including Rocker Switch
Adjustable Gooseneck
Matching Ceiling Light: C122
Matching Floor Light: FL293
Matching Table Light: T122, T537, T572

LAMP SPECIFICATION:
Power: 3.5W
Colour Temperature: 3000K
Lifetime: 25 000 Hours
Not Dimmable



W301

LAMP TYPE:
Excluding 1 x E27 max 60W 230V

HEIGHT: *265mm*
WIDTH: *230mm*
DEPTH: *595mm*

FITTING MATERIAL:
Steel
SHADE:
Fabric

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *8*

FAMILY:
Maserlo
FITTING COLOUR:
CHROME/BLACK, GOLD: 9002759950545
CHROME/TAUPE, GOLD: 9002759950552

ADDITIONAL INFORMATION:
Including Mounted Rocker Switch
Swing Arm
Matching Floor Light: FL206
Matching Pendants: P711, P712
Matching Table Light: T367



W350

LAMP TYPE:
Excluding 1 x E27 max 60W 230V

HEIGHT: *305mm*
WIDTH: *145mm*
DEPTH: *194mm*

FITTING MATERIAL:
Steel
SHADE:
Fabric

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *8*

FAMILY:
Pasteri
FITTING COLOUR:
SATIN CHROME/TAUPE: 9002759949259
SATIN CHROME/WHITE: 9002759949242

ADDITIONAL INFORMATION:
Including Mounted Rocker Switch
Matching Ceiling Light: C122
Matching Floor Light: FL293
Matching Table Light: T122, T537, T572



W357

LAMP TYPE:
Excluding 1 x E27 max 60W 230V

HEIGHT: *260mm*
WIDTH: *220mm*
DEPTH: *415mm*

FITTING MATERIAL:
Steel
SHADE:
White Fabric

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FITTING COLOUR:
SATIN CHROME: 6007328340096

ADDITIONAL INFORMATION:
Including Mounted Switch
Swing Arm
Matching Floor Light: FL121



W363

LAMP TYPE:
Excluding 1 x E27 max 60W 230V

HEIGHT: *260mm*
WIDTH: *230mm*
DEPTH: *595mm*

FITTING MATERIAL:
Steel & Aluminium
SHADE:
White Fabric

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *8*

FAMILY:
Halva
FITTING COLOUR:
ALUMINIUM/CHROME: 9002759885632

ADDITIONAL INFORMATION:
Including Touch Dimmer
Swing Arm



W609

LED **LAMP TYPE:** *Including 2 x 6W Integrated LED*

HEIGHT: *100mm*
WIDTH: *265mm*
DEPTH: *125mm*

FITTING MATERIAL:
Die Cast Aluminium & Steel
LENS:
Opal Plastic

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *12*

FAMILY:
Telescope
FITTING COLOUR:
BLACK: 6007328398547
WHITE: 6007328398530

ADDITIONAL INFORMATION:
Including 2 x On/Off Switches

LAMP SPECIFICATION:
Power: 12W (2 x 6W)
Colour Temperature: 3000K
Lifetime: 25 000 hours
Not Dimmable



W608

LED **LAMP TYPE:** *Including 1 x 6W Integrated LED*

DIAMETER: *115mm*
DEPTH: *120mm*

FITTING MATERIAL:
Die Cast Aluminium & Steel
LENS:
Opal Plastic

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *12*

FAMILY:
Telescope
FITTING COLOUR:
BLACK: 6007328398523
WHITE: 6007328398516

ADDITIONAL INFORMATION:
Mounted On/Off Switch

LAMP SPECIFICATION:
Power: 6W
Colour Temperature: 3000K
Lifetime: 25 000 hours
Not Dimmable



W607

LED **LAMP TYPE:** *Including 6W Integrated LED*

DIAMETER: *150mm*
DEPTH: *190mm*

FITTING MATERIAL:
Die Cast Aluminium & Steel
LENS:
Opal Plastic

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *4*

FAMILY:
Pickman
FITTING COLOUR:
BLACK: 6007328398462
WHITE: 6007328398455

ADDITIONAL INFORMATION:
Matching Pendant: P1137
Matching Table Light: T375

LAMP SPECIFICATION:
Power: 6W
Colour Temperature: 3000K
Lifetime: 25 000 hours
Not Dimmable



W611

LED **LAMP TYPE:** *Including 5W Integrated LED*

HEIGHT: *200mm*
WIDTH: *100mm*
DEPTH: *185mm*

FITTING MATERIAL:
Steel, Acrylic & Wood
SHADE:
Opal Acrylic

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *10*

FITTING COLOUR:
BLACK: 6007328398899
WHITE: 6007328398905

ADDITIONAL INFORMATION:
On/Off Switch

LAMP SPECIFICATION:
Power: 5W
Colour Temperature: 3000K
Lifetime: 25 000 hours
Not Dimmable



W457 **LAMP TYPE:** *Excluding 1 x E27 max 60W 230V*

HEIGHT: *255mm*
WIDTH: *205mm*
DEPTH: *285mm*

FITTING MATERIAL:
Steel
SHADE:
Clear Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *4*

FAMILY:
Farmhouse
FITTING COLOUR:
ANTIQUE BRASS/BLACK: 6007328372707

ADDITIONAL INFORMATION:
Matching Pendants: P471, P472, P484, P485, P488, P489, P604



W456 **LAMP TYPE:** *Excluding 1 x E27 max 60W 230V*

HEIGHT: *300mm*
WIDTH: *280mm*
DEPTH: *285mm*

FITTING MATERIAL:
Steel
SHADE:
Clear Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *4*

FAMILY:
Farmhouse
FITTING COLOUR:
ANTIQUE BRASS/BLACK: 6007328372691

ADDITIONAL INFORMATION:
Matching Pendants: P471, P472, P484, P485, P488, P489, P604



W458 **LAMP TYPE:** *Excluding 1 x E27 max 60W 230V*

HEIGHT: *255mm*
WIDTH: *150mm*
DEPTH: *225mm*

FITTING MATERIAL:
Steel
SHADE:
Champagne Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *4*

FAMILY:
Elixir
FITTING COLOUR:
ANTIQUE BRASS/BLACK: 6007328372714

ADDITIONAL INFORMATION:
Spare Glass: X1608
Matching Pendants: P424, P432, P433, P486



W459 **LAMP TYPE:** *Excluding 1 x E27 max 60W 230V*

HEIGHT: *330mm*
WIDTH: *200mm*
DEPTH: *270mm*

FITTING MATERIAL:
Steel
SHADE:
Champagne Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *4*

FAMILY:
Elixir
FITTING COLOUR:
ANTIQUE BRASS/BLACK: 6007328372721

ADDITIONAL INFORMATION:
Spare Glass: X1666
Matching Pendants: P424, P432, P433, P486



W463 **LAMP TYPE:** *Excluding 1 x E27 max 60W 230V*

HEIGHT: *325mm*
WIDTH: *250mm*
DEPTH: *230mm*

FITTING MATERIAL:
Steel
SHADE:
Clear Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FAMILY:
Funnello
FITTING COLOUR:
ANTIQUE BRASS/BLACK: 6007328372684

ADDITIONAL INFORMATION:
Matching Pendants: P557



W462 **LAMP TYPE:** *Excluding 1 x E27 max 60W 230V*

HEIGHT: *290mm*
WIDTH: *230mm*
DEPTH: *285mm*

FITTING MATERIAL:
Steel
SHADE:
Clear Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *4*

FAMILY:
Funnello
FITTING COLOUR:
BLACK: 6007328372752

ADDITIONAL INFORMATION:
Spare Glass: X1620
Matching Pendants: P557



W460 **LAMP TYPE:** *Excluding 1 x E27 max 60W 230V*

HEIGHT: *310mm*
WIDTH: *140mm*
DEPTH: *250mm*

FITTING MATERIAL:
Steel
SHADE:
Clear Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *4*

FAMILY:
Farmhouse
FITTING COLOUR:
ANTIQUE BRASS/BLACK: 6007328372738

ADDITIONAL INFORMATION:
Matching Pendants: P471, P472, P484, P485, P488, P489, P604



W461 **LAMP TYPE:** *Excluding 1 x E27 max 60W 230V*

HEIGHT: *380mm*
WIDTH: *200mm*
DEPTH: *415mm*

FITTING MATERIAL:
Steel
SHADE:
Clear Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *4*

FAMILY:
Vino
FITTING COLOUR:
BLACK: 6007328372745

ADDITIONAL INFORMATION:
Matching Pendants: P487



W529 **LAMP TYPE:** *Excluding 1 x G9 max 25W Bi-Pin 230V*

HEIGHT: *115mm*
WIDTH: *115mm*
DEPTH: *115mm*

FITTING MATERIAL:
Smooth Cement

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *18*

FAMILY:
Concrete
FITTING COLOUR:
SANDSTONE CEMENT: 6007328381112



W527 **LAMP TYPE:** *Excluding 1 x G9 max 25W Bi-Pin 230V*

HEIGHT: *115mm*
WIDTH: *115mm*
DEPTH: *115mm*

FITTING MATERIAL:
Smooth Cement

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *12*

FAMILY:
Concrete
FITTING COLOUR:
GREY: 6007328381099

W528 **LAMP TYPE:** *Excluding 1 x G9 max 25W Bi-Pin 230V*

HEIGHT: *115mm*
WIDTH: *115mm*
DEPTH: *115mm*

FITTING MATERIAL:
Smooth Cement

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *18*

FAMILY:
Concrete
FITTING COLOUR:
BLACK: 6007328381105



W531 LED **LAMP TYPE:** *Including 2 x 7W Integrated LED*

HEIGHT: *200mm*
WIDTH: *120mm*
DEPTH: *155mm*

FITTING MATERIAL:
Smooth Cement

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *44* : *6*

FAMILY:
Concrete
FITTING COLOUR:
GREY: 6007328381136

ADDITIONAL INFORMATION:
Including LED Driver

LAMP SPECIFICATION:
Power: 2 x 7W
Colour Temperature: 3000K
Not Dimmable



W530 LED **LAMP TYPE:** *Including 2 x 6.5W Integrated COB LED*

HEIGHT: *195mm*
WIDTH: *120mm*
DEPTH: *150mm*

FITTING MATERIAL:
Smooth Cement

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *65* : *12*

FAMILY:
Concrete
FITTING COLOUR:
WHITE: 6007328381129

ADDITIONAL INFORMATION:
Including LED Driver

LAMP SPECIFICATION:
Power: 2 x 6.5W
Colour Temperature: 3000K
Not Dimmable



W524 LED **LAMP TYPE:** *Including 1 x 9W Integrated LED*

HEIGHT: *150mm*
WIDTH: *150mm*
DEPTH: *46mm*

FITTING MATERIAL:
Sandstone Cement

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *16*

FAMILY:
Concrete
FITTING COLOUR:
GREY: 6007328381068

ADDITIONAL INFORMATION:
Including LED Driver

LAMP SPECIFICATION:
Power: 9W
Colour Temperature: 3000K
Not Dimmable



W525 LED **LAMP TYPE:** *Including 1 x 11W Integrated SMD LED*

HEIGHT: *200mm*
WIDTH: *300mm*
DEPTH: *46mm*

FITTING MATERIAL:
Sandstone Cement
LENS:
Plastic Diffuser

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *5*

FAMILY:
Concrete
FITTING COLOUR:
SANDSTONE/WHITE: 6007328381075

ADDITIONAL INFORMATION:
Including LED Driver

LAMP SPECIFICATION:
Power: 11W
Colour Temperature: 3000K
Not Dimmable



W469 LED **LAMP TYPE:** *Including 1 x 6W Integrated LED*

HEIGHT: *80mm*
WIDTH: *200mm*
DEPTH: *100mm*

FITTING MATERIAL:
Aluminium
SHADE:
Clear Plastic

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *10*

FAMILY:
Lily
DESCRIPTION:
Up/Down Wall Light
FITTING COLOUR:
WHITE: 6007328373940

LAMP SPECIFICATION:
Power: 6W
Luminous Flux: 300lm
Colour Temperature: 3000K
Lifetime: 30 000 Hours
Not Dimmable



W470 LED **LAMP TYPE:** *Including 1 x 12W Integrated LED*

HEIGHT: *80mm*
WIDTH: *370mm*
DEPTH: *100mm*

FITTING MATERIAL:
Aluminium
SHADE:
Clear Plastic

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *4*

FAMILY:
Lily
DESCRIPTION:
Up/Down Wall Light
FITTING COLOUR:
WHITE: 6007328373957

LAMP SPECIFICATION:
Power: 12W
Luminous Flux: 870lm
Colour Temperature: 3000K
Lifetime: 30 000 Hours
Not Dimmable



W471 LED **LAMP TYPE:** *Including 1 x 15W Integrated LED*

HEIGHT: *80mm*
WIDTH: *535mm*
DEPTH: *100mm*

FITTING MATERIAL:
Aluminium
SHADE:
Clear Plastic

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *8*

FAMILY:
Lily
DESCRIPTION:
Up/Down Wall Light
FITTING COLOUR:
WHITE: 6007328373964

LAMP SPECIFICATION:
Power: 15W
Luminous Flux: 1000lm
Colour Temperature: 3000K
Lifetime: 30 000 Hours
Not Dimmable



W396 **LAMP TYPE:** *Excluding 2 x E14 max 40W Golfball 230V*

HEIGHT: *300mm*
WIDTH: *260mm*
DEPTH: *95mm*

FITTING MATERIAL:
Gypsum

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *6*

FITTING COLOUR:
WHITE: 6007328345367



W392

LAMP TYPE:
Excluding 1 x E14 max 40W Golfball 230V

HEIGHT: *304mm*
WIDTH: *160mm*
DEPTH: *73mm*

FITTING MATERIAL:
Gypsum

PRIMARY VOLTAGE:
220V - 240V (50/60Hz

IP : *20* : *6*

FITTING COLOUR:
WHITE: 6007328345329



W393

LAMP TYPE:
Excluding 1 x E14 max 40W Golfball 230V

HEIGHT: *300mm*
WIDTH: *180mm*
DEPTH: *110mm*

FITTING MATERIAL:
Gypsum

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *6*

FITTING COLOUR:
WHITE: 6007328345336



W395

LAMP TYPE:
Excluding 1 x E14 max 40W Golfball 230V

HEIGHT: *430mm*
WIDTH: *170mm*
DEPTH: *130mm*

FITTING MATERIAL:
Gypsum

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP: *20* : *6*

FITTING COLOUR:
WHITE: 6007328345350



W394

LAMP TYPE:
Excluding 2 x E14 max 40W Golfball 230V

HEIGHT: *675mm*
WIDTH: *155mm*
DEPTH: *100mm*

FITTING MATERIAL:
Gypsum

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP: *20* : *6*

FITTING COLOUR:
WHITE: 6007328345343



W391

LAMP TYPE:
Excluding 1 x E14 max 40W Golfball 230V

HEIGHT: *235mm*
WIDTH: *180mm*
DEPTH: *85mm*

FITTING MATERIAL:
Gypsum

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *6*

FITTING COLOUR:
WHITE: 6007328345312



W397

LAMP TYPE:
Excluding 1 x E14 max 40W Golfball 230V

HEIGHT: *90mm*
WIDTH: *245mm*
DEPTH: *120mm*

FITTING MATERIAL:
Gypsum
LENS:
Frosted Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP: *20* : *6*

FITTING COLOUR:
WHITE: 6007328345374



W399

LAMP TYPE:
Excluding 1 x E14 max 40W Golfball 230V

HEIGHT: *110mm*
WIDTH: *310mm*
DEPTH: *155mm*

FITTING MATERIAL:
Gypsum
LENS:
Frosted Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP: *20* : *6*

FITTING COLOUR:
WHITE: 6007328345398



W400

LAMP TYPE:
Excluding 1 x E14 max 40W Golfball 230V

HEIGHT: *75mm*
WIDTH: *300mm*
DEPTH: *110mm*

FITTING MATERIAL:
Gypsum
LENS:
Frosted Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP: *20* : *9*

FITTING COLOUR:
WHITE: 6007328345404



W402

LAMP TYPE:
Excluding 1 x E14 max 40W Golfball 230V

HEIGHT: *130mm*
WIDTH: *320mm*
DEPTH: *115mm*

FITTING MATERIAL:
Gypsum

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP: *20* : *6*

FITTING COLOUR:
WHITE: 6007328345428



W398

LAMP TYPE:
Excluding 1 x E14 max 40W Golfball 230V

HEIGHT: *128mm*
WIDTH: *282mm*
DEPTH: *145mm*

FITTING MATERIAL:
Gypsum

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *6*

FITTING COLOUR:
WHITE: 6007328345381



W406

LAMP TYPE:
Excluding 1 x E14 max 40W Golfball 230V

HEIGHT: *85mm*
WIDTH: *365mm*
DEPTH: *140mm*

FITTING MATERIAL:
Gypsum

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *6*

FITTING COLOUR:
WHITE: 6007328345466



W405

LAMP TYPE:
Excluding 1 x E14 max 40W Golfball 230V

HEIGHT: *95mm*
WIDTH: *420mm*
DEPTH: *215mm*

FITTING MATERIAL:
Gypsum

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *6*

FITTING COLOUR:
WHITE: 6007328345459



W403

LAMP TYPE:
Excluding 1 x R7s max 100W QI 230V

HEIGHT: *65mm*
WIDTH: *365mm*
DEPTH: *170mm*

FITTING MATERIAL:
Gypsum
LENS:
Clear Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *6*

FITTING COLOUR:
WHITE: 6007328345435



W385 LED **LAMP TYPE:** *Including 1 x 1W Integrated LED*

HEIGHT: *230mm*
WIDTH: *145mm*
DEPTH: *55mm*
CUT OUT: *232mm x 147mm*

FITTING MATERIAL:
Gypsum

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *12*

FITTING COLOUR:
WHITE: 6007328345251

ADDITIONAL INFORMATION:
Recessed Plasters into Wall
Excluding LED Driver: CO130

LAMP SPECIFICATION:
Power: 1W
Luminous Flux: 90lm
Colour Temperature: 2700K
Lifetime: 25 000 Hours
Not Dimmable



W383 LED **LAMP TYPE:** *Including 1 x 1W Integrated LED*

HEIGHT: *245mm*
WIDTH: *105mm*
DEPTH: *55mm*
CUT OUT: *247mm x 107mm*

FITTING MATERIAL:
Gypsum

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *12*

FITTING COLOUR:
WHITE: 6007328345237

ADDITIONAL INFORMATION:
Recessed Plasters into Wall
Excluding LED Driver: CO130

LAMP SPECIFICATION:
Power: 1W
Luminous Flux: 90lm
Colour Temperature: 2700K
Lifetime: 25 000 Hours
Not Dimmable



W386 LED **LAMP TYPE:** *Including 1 x 1W Integrated LED*

HEIGHT: *180mm*
WIDTH: *160mm*
DEPTH: *55mm*
CUT OUT: *182mm x 162mm*

FITTING MATERIAL:
Gypsum

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *12*

FITTING COLOUR:
WHITE: 6007328345268

ADDITIONAL INFORMATION:
Recessed Plasters into Wall
Excluding LED Driver: CO130

LAMP SPECIFICATION:
Power: 1W
Luminous Flux: 90lm
Colour Temperature: 2700K
Lifetime: 25 000 Hours
Not Dimmable



W387 LED **LAMP TYPE:** *Including 1 x 1W Integrated LED*

HEIGHT: *200mm*
WIDTH: *200mm*
DEPTH: *55mm*
CUT OUT: *202mm x 202mm*

FITTING MATERIAL:
Gypsum

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *8*

FITTING COLOUR:
WHITE: 6007328345275

ADDITIONAL INFORMATION:
Recessed Plasters into Wall
Excluding LED Driver: CO130

LAMP SPECIFICATION:
Power: 1W
Luminous Flux: 90lm
Colour Temperature: 2700K
Lifetime: 25 000 Hours
Not Dimmable



W384 LED **LAMP TYPE:** *Including 1 x 1W Integrated LED*

HEIGHT: *170mm*
WIDTH: *142mm*
DEPTH: *45mm*
CUT OUT: *172mm x 145mm*

FITTING MATERIAL:
Gypsum

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *20*

FITTING COLOUR:
WHITE: 6007328345244

ADDITIONAL INFORMATION:
Recessed Plasters into Wall
Excluding LED Driver: CO130

LAMP SPECIFICATION:
Power: 1W
Luminous Flux: 90lm
Colour Temperature: 2700K
Lifetime: 25 000 Hours
Not Dimmable



W382 LED **LAMP TYPE:** *Including 1 x 1W Integrated LED*

HEIGHT: *170mm*
WIDTH: *142mm*
DEPTH: *45mm*
CUT OUT: *172mm x 145mm*

FITTING MATERIAL:
Gypsum

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *20*

FITTING COLOUR:
WHITE: 6007328345220

ADDITIONAL INFORMATION:
Recessed Plasters into Wall
Excluding LED Driver: CO130

LAMP SPECIFICATION:
Power: 1W
Luminous Flux: 90lm
Colour Temperature: 2700K
Lifetime: 25 000 Hours
Not Dimmable





W388

LAMP TYPE:
Excluding 1 x G9 max 40W Bi-pin 230V

HEIGHT: *115mm*
WIDTH: *115mm*
DEPTH: *115mm*

FITTING MATERIAL:
Gypsum

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP: *20* : *18*

FITTING COLOUR:
WHITE: 6007328345282

W401

LAMP TYPE:
Excluding 1 x E14 max 40W Golfball 230V

HEIGHT: *85mm*
WIDTH: *220mm*
DEPTH: *75mm*

FITTING MATERIAL:
Gypsum

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP: *20* : *12*

FITTING COLOUR:
WHITE: 6007328345411





W390

LAMP TYPE:
Excluding 1 x E14 max 40W Golfball 230V

HEIGHT: *208mm*
WIDTH: *80mm*
DEPTH: *80mm*

FITTING MATERIAL:
Gypsum

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP: *20* : *12*

FITTING COLOUR:
WHITE: 6007328345305

W404

LAMP TYPE:
Excluding 2 x E14 max 40W Golfball 230V

HEIGHT: *75mm*
WIDTH: *360mm*
DEPTH: *90mm*

FITTING MATERIAL:
Gypsum
SHADE:
Frosted Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP: *20* : *12*

FITTING COLOUR:
WHITE: 6007328345442



W172 LED **LAMP TYPE:** *Including 1 x 5.6W Intergrated LED*

HEIGHT: *105mm*
WIDTH: *200mm*
DEPTH: *60mm*

FITTING MATERIAL:
Aluminium
SHADE:
Frosted Plastic

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *18*

FAMILY:
Metrass
FITTING COLOUR:
SATIN CHROME: 9002759960384

LAMP SPECIFICATION:
Power: 5.6W
Luminous Flux: 680 lm
Colour Temperature: 3000K
Lifetime: 25 000 Hours

W170 LED **LAMP TYPE:** *Including 1 x 4.5W Intergrated LED*

DAIMETER: *130mm*
DEPTH: *50mm*

FITTING MATERIAL:
Die Cast Aluminium
SHADE:
Frosted Plastic

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *30*

FAMILY:
Metrass 1
FITTING COLOUR:
WHITE: 9002759960391
SATIN CHROME: 9002759960414

LAMP SPECIFICATION:
Power: 1 x 4.5W
Luminous Flux: 480 lm
Colour Temperature: 3000K
Lifetime: 25 000 Hours



W423 **LAMP TYPE:** *Excluding 1 x E14 max 40W Candle 230V*

HEIGHT: *185mm*
WIDTH: *220mm*
DEPTH: *150mm*

FITTING MATERIAL:
Steel
SHADE:
Clear Acrylic

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *12*

FAMILY:
Otis
FITTING COLOUR:
CHROME: 6007328362425

ADDITIONAL INFORMATION:
Matching Chandelier: CH248, CH250

W129 LED **LAMP TYPE:** *Including 2 x 3W Intergrated LED*

HEIGHT: *330mm*
WIDTH: *60mm*
DEPTH: *75mm*

FITTING MATERIAL:
Steel, Aluminium
LENS:
Transparent Plastic

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *24*

FAMILY:
Pertini
FITTING COLOUR:
CHROME: 9002759960971

LAMP SPECIFICATION:
Power: 6W (3 x 2W)
Luminous Flux: 760 lm
Colour Temperature: 3000K
Lifetime: 25 000 Hours



W472 LED **LAMP TYPE:** *Including 1 x 3W Integrated LED*

HEIGHT: *165mm*
WIDTH: *150mm*
DEPTH: *85mm*

FITTING MATERIAL:
Steel
SHADE:
Steel

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *10*

FAMILY:
Power-On
FITTING COLOUR:
WHITE: 6007328373971

LAMP SPECIFICATION:
Power: 3W
Luminous Flux: 150lm
Colour Temperature: 3000K
Lifetime: 30 000 Hours



W473 LED **LAMP TYPE:** *Including 1 x 3W Integrated LED*

HEIGHT: *165mm*
WIDTH: *150mm*
DEPTH: *85mm*

FITTING MATERIAL:
Steel
SHADE:
Steel

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *10*

FAMILY:
Power-On
FITTING COLOUR:
WHITE: 6007328373988

LAMP SPECIFICATION:
Power: 3W
Luminous Flux: 150lm
Colour Temperature: 3000K
Lifetime: 30 000 Hours
Not Dimmable



W468 LED **LAMP TYPE:** *Including 1 x 9W Intergrated LED*

HEIGHT: *190mm*
WIDTH: *135mm*
DEPTH: *155mm*

FITTING MATERIAL:
Steel
SHADE:
Steel

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *2*

FAMILY:
Power-On
FITTING COLOUR:
WHITE: 6007328373933

ADDITIONAL INFORMATION:
Adjustable Tilt

LAMP SPECIFICATION:
Power: 9W
Luminous Flux: 720lm
Colour Temperature: 3000K
Lifetime: 30 000 Hours



W149 LED **LAMP TYPE:** *Including 2 x 2.5W Integrated LED*

HEIGHT: *110mm*
WIDTH: *88mm*
DEPTH: *90mm*

FITTING MATERIAL:
Die Cast Aluminium
SHADE:
Clear Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *10*

FAMILY:
Ono 2
FITTING COLOUR:
WHITE: 9002759960483

LAMP SPECIFICATION:
Power: 5W (2 x 2.5W)
Luminous Flux: 440lm
Colour Temperature: 3000K
Lifetime: 25 000 Hours
Not Dimmable



W452 LED **LAMP TYPE:** *Including 1 x 2.5W Integrated LED*

HEIGHT: *210mm*
WIDTH: *110mm*
DEPTH: *100mm*

FITTING MATERIAL:
Steel
SHADE:
Opal & Clear Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *44* : *12*

FAMILY:
Pias
FITTING COLOUR:
WHITE: 9002759933258

LAMP SPECIFICATION:
Power: 2.5W
Luminous Flux: 180lm
Colour Temperature: 3000K
Lifetime: 25 000 Hours
Not Dimmable



W435 **LAMP TYPE:** *Excluding 1 x E27 max 60W 230V*

HEIGHT: *230mm*
WIDTH: *185mm*
DEPTH: *105mm*

FITTING MATERIAL:
Steel
SHADE:
Striped Opal Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *12*

FAMILY:
Caprice
FITTING COLOUR:
CHROME: 9002759918569



W281 **LAMP TYPE:** *Excluding 1 x E14 max 60W Golfball 230V*

HEIGHT: *250mm*
WIDTH: *180mm*
DEPTH: *75mm*

FITTING MATERIAL:
Steel
SHADE:
Opal Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *12*

FAMILY:
Troy 3
FITTING COLOUR:
SATIN CHROME: 9002759859794

ADDITIONAL INFORMATION:
Spare Glass: MC160
Matching Floorlight: FL75
Matching Pendants: P239, P260
Matching Table Light: T157



W280 **LAMP TYPE:** *Excluding 1 x E27 max 60W 230V*

HEIGHT: *320mm*
WIDTH: *150mm*
DEPTH: *75mm*

FITTING MATERIAL:
Steel
SHADE:
Opal Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *6*

FAMILY:
Nemo
FITTING COLOUR:
SATIN CHROME: 9002759831196

ADDITIONAL INFORMATION:
Spare Glass: X835



W283 **LAMP TYPE:** *Excluding 1 x E27 max 60W 230V*

HEIGHT: *290mm*
WIDTH: *280mm*
DEPTH: *70mm*

FITTING MATERIAL:
Steel
SHADE:
Opal Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *6*

FAMILY:
Grafik
FITTING COLOUR:
SILVER: 9002759840266



W477

LAMP TYPE:
Excluding 1 x E14 max 60W Golfball 230V

HEIGHT: *250mm*
WIDTH: *180mm*
DEPTH: *75mm*

FITTING MATERIAL:
Steel
SHADE:
Antique Brown Steel & Champagne Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *8*

FAMILY:
Almera
FITTING COLOUR:
ANTIQUE BROWN: 9002759891152

ADDITIONAL INFORMATION:
Spare Glass: X1364



W286

LAMP TYPE:
Excluding 1 x E14 max 60W 230V

HEIGHT: *460mm*
WIDTH: *180mm*
DEPTH: *95mm*

FITTING MATERIAL:
Steel
SHADE:
Opal Mottled Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *3*

FAMILY:
Pascal 1
FITTING COLOUR:
ANTIQUE BROWN: 9002759877934

ADDITIONAL INFORMATION:
Spare Glass: X878



W166

LAMP TYPE:
Excluding 1 x E27 60W 230V

HEIGHT: *290mm*
WIDTH: *280mm*
DEPTH: *90mm*

FITTING MATERIAL:
Steel
SHADE:
Opal Glass Waved Pattern

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *10*

FAMILY:
Grafik
FITTING COLOUR:
SILVER: 6007328394594





W154 **LAMP TYPE:** *Excluding 1 x E27 max 60W 230V*

HEIGHT: *210mm*
WIDTH: *180mm*
DEPTH: *100mm*

FITTING MATERIAL:
Steel
SHADE:
Opal Glass with Ethnic Design

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *10*

FAMILY:
Grafik
FITTING COLOUR:
SILVER: 6007328352921

W153 **LAMP TYPE:** *Excluding 1 x E27 max 60W 230V*

HEIGHT: *290mm*
WIDTH: *280mm*
DEPTH: *100mm*

FITTING MATERIAL:
Steel
SHADE:
Opal Glass with Ethnic Design

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *10*

FAMILY:
Grafik
FITTING COLOUR:
SILVER: 6007328352914





W165 **LAMP TYPE:** *Excluding 1 x E27 max 60W 230V*

HEIGHT: *210mm*
WIDTH: *180mm*
DEPTH: *100mm*

FITTING MATERIAL:
Steel
SHADE:
Opal Glass with Lined Design

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *6*

FAMILY:
Grafik
FITTING COLOUR:
SILVER: 9002759831325

ADDITIONAL INFORMATION:
Spare Glass: X610

W167 **LAMP TYPE:** *Excluding 1 x E27 max 60W 230V*

HEIGHT: *210mm*
WIDTH: *180mm*
DEPTH: *100mm*

FITTING MATERIAL:
Steel
SHADE:
Opal Glass with Square Waved Design

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *6*

FAMILY:
Grafik
FITTING COLOUR:
SILVER: 9002759831349



W321

LAMP TYPE:
Excluding 1 x E27 max 60W 230V

HEIGHT: *195mm*
WIDTH: *360mm*
DEPTH: *70mm*

FITTING MATERIAL:
Steel
SHADE:
Frosted Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *10*

FITTING COLOUR:
ANTIQUE GOLD: 6007328338406

ADDITIONAL INFORMATION:
Matching Ceiling Light: C89



W36

LAMP TYPE:
Excluding 1 x E27 max 60W 230V

HEIGHT: *150mm*
WIDTH: *300mm*
DEPTH: *90mm*

FITTING MATERIAL:
Steel
SHADE:
Opal Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *12*

FAMILY:
Italian
FITTING COLOUR:
POLISHED BRASS: 6007328007302
SATIN CHROME: 6007328010463
WHITE: 6007328005438

ADDITIONAL INFORMATION:
Matching Ceiling Lights: C102, C103
Spare Glass: X506



W34

LAMP TYPE:
Excluding 1 x E27 max 60W 230V

HEIGHT: *150mm*
WIDTH: *285mm*
DEPTH: *85mm*

FITTING MATERIAL:
Steel
SHADE:
Frosted Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *12*

FITTING COLOUR:
SILVER: 6007328013594

ADDITIONAL INFORMATION:
Matching Ceiling Lights: C97, C202
Spare Glass: X483



W58

LAMP TYPE:
Excluding 1 x E27 max 60W 230V

HEIGHT: *195mm*
WIDTH: *375mm*
DEPTH: *85mm*

FITTING MATERIAL:
Resin & Steel
SHADE:
Alabaster Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *6*

FITTING COLOUR:
RUST: 6007328021025
BEIGE: 6007328021032

ADDITIONAL INFORMATION:
Greek Design
Matching Ceiling Lights: C57
Spare Glass: X239



W55A

LAMP TYPE:
Excluding 1 x E27 max 60W 230V

HEIGHT: *150mm*
WIDTH: *300mm*
DEPTH: *105mm*

FITTING MATERIAL:
Steel
LENS:
Alabaster Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *10*

FITTING COLOUR:
MULTI: 6007328385233

ADDITIONAL INFORMATION:
Three different coloured interchangeable clips included
Spare Glass: X289
Spare Clips: X804 (Polished Brass), X776 (Satin Chrome), X777 (White)
Matching Ceiling Lights: C48, C49



W55

LAMP TYPE:
Excluding 1 x E27 max 60W 230V

HEIGHT: *150mm*
WIDTH: *300mm*
DEPTH: *105mm*

FITTING MATERIAL:
Steel
LENS:
Alabaster Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *12*

FITTING COLOUR:
POLISHED BRASS: 6007328023739
SATIN CHROME: 6007328023746
WHITE: 6007328023722

ADDITIONAL INFORMATION:
Spare Glass: X289
Spare Clips: X804 (Polished Brass), X776 (Satin Chrome), X777 (White)
Matching Ceiling Lights: C48, C49



W176

LAMP TYPE:
Including 2 x G13 max 15W T8 Fluorescent Tubes

HEIGHT: *500mm*
WIDTH: *390mm*
DEPTH: *55mm*

FITTING MATERIAL:
Steel
LENS:
Frosted & Mirrored Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *44* : *1*

DESCRIPTION:
Bathroom Mirror
FITTING COLOUR:
WHITE: 6007328325598

ADDITIONAL INFORMATION:
Electronic Ballast
Including Pull String Switch
Spare Glass: X793
Spare Lamp: G41



W177

LAMP TYPE:
Including 2 x G5 max 13W T5 Fluorescent Tubes

HEIGHT: *600mm*
WIDTH: *600mm*
DEPTH: *55mm*

FITTING MATERIAL:
Steel
LENS:
Frosted & Mirrored Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *44* : *1*

DESCRIPTION:
Bathroom Mirror
FITTING COLOUR:
WHITE: 6007328325604

ADDITIONAL INFORMATION:
Electronic Ballast
Including Pull String Switch
Spare Glass: X839
Spare Lamp: G618



W175

LAMP TYPE:
Including 2 x T5 max 13W Fluorescent Tubes

HEIGHT: *600mm*
WIDTH: *600mm*
DEPTH: *55mm*

FITTING MATERIAL:
Steel
LENS:
Frosted & Mirrored Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *44* : *1*

DESCRIPTION:
Bathroom Mirror
FITTING COLOUR:
WHITE: 6007328325581

ADDITIONAL INFORMATION:
Electronic Ballast
Including Pull String Switch
Spare Lamp: G618



W295

LAMP TYPE:
Including 1 x G10q max 40W T5 Circline Fluorescent Tube

DIAMETER: *500mm*
DEPTH: *55mm*

FITTING MATERIAL:
Steel
LENS:
Frosted & Mirrored Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *44* : *1*

DESCRIPTION:
Bathroom Mirror
FITTING COLOUR:
WHITE: 6007328336280

ADDITIONAL INFORMATION:
Electronic Ballast
Including Mounted Rocker Switch



W294

LAMP TYPE:
Including 2 x G13 max 15W T8 Fluorescent Tubes

HEIGHT: *600mm*
WIDTH: *650mm*
DEPTH: *110mm*

FITTING MATERIAL:
Steel
LENS:
Frosted & Mirrored Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *44* : *1*

DESCRIPTION:
Bathroom Mirror Cabinet
FITTING COLOUR:
WHITE: 6007328336266

ADDITIONAL INFORMATION:
Electronic Ballast
Including Mounted Rocker Switch
Spare Lamp: G41



W213

LAMP TYPE:
Including 36W Integrated LED

HEIGHT: *810mm*
WIDTH: *510mm*
DEPTH: *30mm*

FITTING MATERIAL:
Stainless Steel
LENS:
Mirrored Glass with Clear Crystal

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

DESCRIPTION:
Toneria Mirror Light
FITTING COLOUR:
CHROME: 9002759939489

ADDITIONAL INFORMATION:
Electronic Driver

LAMP SPECIFICATION:
Power: 36W
Colour Temperature: 4000K
Lifetime: 25 000Hours



W293

LAMP TYPE:
Including 2 x 6W Integrated LED

HEIGHT: *600mm*
WIDTH: *655mm*
DEPTH: *145mm*

FITTING MATERIAL:
Aluminium
LENS:
Frosted & Mirrored Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *44* : *1*

DESCRIPTION:
Bathroom Mirror Cabinet
FITTING COLOUR:
WHITE: 6007328336259

ADDITIONAL INFORMATION:
Electronic Driver
Including Mounted Rocker Switch

LAMP SPECIFICATION:
Power: 12W (2 x 6W)
Colour Temperature: 4000K
Lifetime: 25 000Hours



W497 LED **LAMP TYPE:** *Including 1 x 3W Integrated LED Strip*

HEIGHT: *200mm*
WIDTH: *240mm*
DEPTH: *390mm*

FITTING MATERIAL:
Steel & Plastic
SHADE:
Mirror Inner Plastic
Frosted Outer

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *44* : *12*

FITTING COLOUR:
CHROME: 6007328378105

ADDITIONAL INFORMATION:
Including Rocker Switch

LAMP SPECIFICATION:
Power: 3W
Colour Temperature: 4000K
Lifetime: 25 000Hours
Not Dimmable



W496 LED **LAMP TYPE:** *Including 1 x 3W Integrated LED Strip*

HEIGHT: *200mm*
WIDTH: *340mm*
DEPTH: *280mm*

FITTING MATERIAL:
Steel & Plastic
SHADE:
Mirror Inner Plastic
Frosted Outer

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *44* : *12*

FITTING COLOUR:
CHROME: 6007328378099

ADDITIONAL INFORMATION:
Including Rocker Switch

LAMP SPECIFICATION:
Power: 3W
Colour Temperature: 3500K
Lifetime: 25 000 Hours
Not Dimmable



W499 **LAMP TYPE:** *Including 1 x GX53 9W CFL 230V*

DIAMETER: *610mm*
DEPTH: *60mm*

FITTING MATERIAL:
Steel
SHADE:
Mirror & Frosted Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *44* : *1*

FITTING COLOUR:
WHITE: 6007328378129

ADDITIONAL INFORMATION:
Not Dimmable
Including Rocker Switch



W498 **LAMP TYPE:** *Including 1 x 12W Integrated LED Strip*

HEIGHT: *700mm*
WIDTH: *500mm*
DEPTH: *40mm*

FITTING MATERIAL:
Die Cast Aluminium
SHADE:
Clear Glass Shelf & Mirror Lens

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *44* : *1*

FITTING COLOUR:
SILVER: 6007328378112

ADDITIONAL INFORMATION:
Touch On/Off Switch

LAMP SPECIFICATION:
Power: 12W
Colour Temperature: 4000K
Lifetime: 25 000 Hours
Not Dimmable

W329 **LAMP TYPE:** *Including 1 x 16W Integrated LED*

HEIGHT: *290mm*
WIDTH: *290mm*
DEPTH: *70mm*

FITTING MATERIAL:
Steel
SHADE:
Opal Plastic

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *44* : *8*

FAMILY:
Manilva 1
FITTING COLOUR:
CHROME: 9002759962296
SATIN CHROME: 9002759962319

LAMP SPECIFICATION:
Power: 16W
Luminous Flux: 1500lm
Colour Temperature: 3000K
Lifetime: 25 000 Hours
Not Dimmable



W439 LED **LAMP TYPE:** *Including 1 x 10.5W Integrated LED*

HEIGHT: *45mm*
WIDTH: *570mm*
DEPTH: *95mm*

FITTING MATERIAL:
Aluminium & Steel
LENS:
Transparent Plastic

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *24*

FAMILY:
Terros
FITTING COLOUR:
SATIN CHROME: 9002759936655

ADDITIONAL INFORMATION:
Matching Pendants: P518, P560

LAMP SPECIFICATION:
Power: 10,5W
Luminous Flux: 830lm
Colour Temperature: 3000K
Lifetime: 25 000 Hours
Not Dimmable



W420 LED **LAMP TYPE:** *Including 1 x 6.4W Integrated LED*

HEIGHT: *35mm*
WIDTH: *400mm*
DEPTH: *110mm*

FITTING MATERIAL:
Aluminium
LENS:
Frosted Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *12*

FAMILY:
Imene
FITTING COLOUR:
CHROME: 9002759920951

LAMP SPECIFICATION:
Power: 6.4W
Luminous Flux: 520lm
Colour Temperature: 4000K
Lifetime: 25 000 Hours
Not Dimmable



W486 LED **LAMP TYPE:** *Including 2 x 3.4W Integrated LED*

HEIGHT: *185mm*
WIDTH: *305mm*
DEPTH: *235mm*

FITTING MATERIAL:
Aluminium & Steel
SHADE:
Satin Chrome

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *8*

FAMILY:
Doreen 1
FITTING COLOUR:
SATIN CHROME: 9002759916480

ADDITIONAL INFORMATION:
Mounted Rocker Switch

LAMP SPECIFICATION:
Power: 6.8W (2 x 3.4W)
Luminous Flux: 420lm
Colour Temperature: 3000K
Lifetime: 25 000 Hours



W484 LED **LAMP TYPE:** *Including 2 x 3.3W Intregrated LED*

HEIGHT: *100mm*
WIDTH: *300mm*
DEPTH: *110mm*

FITTING MATERIAL:
Stainless Steel
SHADE:
Opal Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *44* : *12*

FAMILY:
Mosiano
FITTING COLOUR:
CHROME: 9002759946272

LAMP SPECIFICATION:
Power: 6.6W (2 x 3.3W)
Luminous Flux: 680lm (2 x 340lm)
Colour Temperature: 3000K
Lifetime: 25 000 Hours



W349 **LAMP TYPE:** *Including 2 x G9 max 40W Bi-pin 230V*

HEIGHT: *330mm*
WIDTH: *95mm*
DEPTH: *120mm*

FITTING MATERIAL:
Steel
SHADE:
Opal Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *44* : *12*

FAMILY:
Palermo
FITTING COLOUR:
SATIN CHROME: 9002759882846



W433 **LAMP TYPE:** *Excluding 2 x E14 max 40W 230V*

HEIGHT: *125mm*
WIDTH: *460mm*
DEPTH: *120mm*

FITTING MATERIAL:
Steel
SHADE:
Opal Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *44* : *4*

FAMILY:
Palmera
FITTING COLOUR:
SATIN CHROME: 9002759872229



W580 **LAMP TYPE:** *Including 1 x 4.5W Integrated LED*

HEIGHT: *270mm*
WIDTH: *125mm*
DEPTH: *125mm*

FITTING MATERIAL:
Steel
SHADE:
Opal Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *44* : *12*

FAMILY:
Palmera 1
FITTING COLOUR:
CHROME: 9002759951412

LAMP SPECIFICATION:
Power: 4.5W
Luminous Flux: 480lm
Colour Temperature: 3000K
Lifetime: 25 000 Hours
Not Dimmable



W581 **LAMP TYPE:** *Including 2 x 4.5W Integrated LED*

HEIGHT: *430mm*
WIDTH: *125mm*
DEPTH: *125mm*

FITTING MATERIAL:
Steel
SHADE:
Opal Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *44* : *8*

FAMILY:
Palmera 1
FITTING COLOUR:
CHROME: 9002759951429

LAMP SPECIFICATION:
Power: 9W (2 x 4,5W)
Luminous Flux: 960lm
Colour Temperature: 3000K
Lifetime: 25 000 Hours
Not Dimmable



W191

LAMP TYPE:
Including 2 x G9 max 33W Bi-Pin 230V

HEIGHT: *145mm*
WIDTH: *295mm*
DEPTH: *122mm*

FITTING MATERIAL:
Steel
SHADE:
Frosted & Clear Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *24*

FAMILY:
Granada
FITTING COLOUR:
CHROME: 9002759858162



W57

LAMP TYPE:
Excluding 2 x E14 max 40W 230V

HEIGHT: *120mm*
WIDTH: *477mm*
DEPTH: *190mm*

FITTING MATERIAL:
Steel
SHADE:
Steel

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *12*

FITTING COLOUR:
POLISHED BRASS: 6007328003595
SATIN CHROME: 6007328018155



W182 LED **LAMP TYPE:** *Including 2 x 4.5W Integrated LED*

HEIGHT: *155mm*
WIDTH: *70mm*
DEPTH: *120mm*

FITTING MATERIAL:
Steel
LENS:
Clear & Satined Plastic

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *44* : *24*

FAMILY:
Romendo
FITTING COLOUR:
CHROME: 9002759946517

LAMP SPECIFICATION:
Power: (2 x 4.5W)
Luminous Flux: 960lm
Colour Temperature: 3000K
Lifetime: 25 000 Hours
Not Dimmable



W137 LED **LAMP TYPE:** *Including 1 x 3.3W Integrated LED*

HEIGHT: *170mm*
WIDTH: *90mm*
DEPTH: *135mm*

FITTING MATERIAL:
Steel
SHADE:
Clear & Frosted Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *12*

FAMILY:
Fabiana 1
FITTING COLOUR:
CHROME: 9002759939328

ADDITIONAL INFORMATION:
Rocker Switch
Matching Pendant: P647

LAMP SPECIFICATION:
Power: 3.3W
Luminous Flux: 340lm
Colour Temperature: 3000K
Lifetime: 25 000 Hours
Not Dimmable



W184 LED **LAMP TYPE:** *Including 2 x 4.5W Integrated LED*

HEIGHT: *70mm*
WIDTH: *300mm*
DEPTH: *120mm*

FITTING MATERIAL:
Steel
SHADE:
Clear & Satined Plastic

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *44* : *16*

FAMILY:
Romendo
FITTING COLOUR:
CHROME: 9002759946524

LAMP SPECIFICATION:
Power: 9W (2 x 4.5W)
Luminous Flux: 960lm
Colour Temperature: 3000K
Lifetime: 25 000 Hours
Not Dimmable



W483 LED **LAMP TYPE:** *Including 3 x 4.5W Integrated LED*

HEIGHT: *70mm*
WIDTH: *450mm*
DEPTH: *125mm*

FITTING MATERIAL:
Steel
SHADE:
Clear & Satined Plastic

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *44* : *12*

FAMILY:
Romendo
FITTING COLOUR:
SATIN CHROME: 9002759946531

LAMP SPECIFICATION:
Power: 13.5W (3 x 4.5W)
Luminous Flux: 1440lm
Colour Temperature: 3000K
Lifetime: 25 000 Hours
Not Dimmable



W631 LED **LAMP TYPE:** *Including 1 x 8W Integrated LED*

HEIGHT: *350mm*
WIDTH: *40mm*
DEPTH: *65mm*

FITTING MATERIAL:
Stainless Steel
SHADE:
White Plastic

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *44* : *20*

FAMILY:
Tragacete
FITTING COLOUR:
CHROME: 9002759984427

LAMP SPECIFICATION:
Power: 8W
Luminous Flux: 770lm
Colour Temperature: 4000K
Lifetime: 25 000 Hours
Not Dimmable



W633 LED **LAMP TYPE:** *Including 1 x 24W Integrated LED*

HEIGHT: *900mm*
WIDTH: *40mm*
DEPTH: *65mm*

FITTING MATERIAL:
Stainless Steel
SHADE:
White Plastic

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *44* : *12*

FAMILY:
Tragacete
FITTING COLOUR:
CHROME: 9002759984441

LAMP SPECIFICATION:
Power: 24W
Luminous Flux: 770lm
Colour Temperature: 4000K
Lifetime: 25 000 Hours
Not Dimmable



W634 LED **LAMP TYPE:** *Including 1 x 8.3W Integrated LED*

HEIGHT: *380mm*
WIDTH: *80mm*
DEPTH: *45mm*

FITTING MATERIAL:
Steel
SHADE:
Opal Plastic

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *44* : *20*

FAMILY:
Cumbrecita
FITTING COLOUR:
CHROME: 9002759979676

LAMP SPECIFICATION:
Power: 8.3W
Luminous Flux: 900lm
Colour Temperature: 4000K
Lifetime: 25 000 Hours
Not Dimmable



W635 LED **LAMP TYPE:** *Including 1 x 16W Integrated LED*

HEIGHT: *610mm*
WIDTH: *80mm*
DEPTH: *45mm*

FITTING MATERIAL:
Steel
SHADE:
Opal Plastic

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *44* : *12*

FAMILY:
Cumbrecita
FITTING COLOUR:
CHROME: 9002759979683

LAMP SPECIFICATION:
Power: 16W
Luminous Flux: 1700lm
Colour Temperature: 4000K
Lifetime: 25 000 Hours
Not Dimmable

W636 LED **LAMP TYPE:** *Including 1 x 24.3W Integrated LED*

HEIGHT: *920mm*
WIDTH: *80mm*
DEPTH: *45mm*

FITTING MATERIAL:
Steel
SHADE:
Opal Plastic

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *44* : *1*

FAMILY:
Cumbrecita
FITTING COLOUR:
CHROME: 9002759979690

LAMP SPECIFICATION:
Power: 24.3W
Luminous Flux: 2600lm
Colour Temperature: 4000K
Lifetime: 25 000 Hours
Not Dimmable



W560 LED **LAMP TYPE:** *Including 1 x 16W Integrated LED*

HEIGHT: *600mm*
WIDTH: *75mm*
DEPTH: *90mm*

FITTING MATERIAL:
Steel
SHADE:
Opal Plastic

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP: *44* : *8*

FAMILY:
Gita 2
FITTING COLOUR:
SATIN CHROME: 9002759947132

LAMP SPECIFICATION:
Power: 16W
Luminous Flux: 1700lm
Colour Temperature: 4000K
Lifetime: 25 000 Hours
Not Dimmable



W561 LED **LAMP TYPE 1:** *Including 1 x 8.3W Integrated SMD LED*
LAMP TYPE 2: *Including 1 x 16W Integrated SMD LED*

HEIGHT: *900mm*
WIDTH: *75mm*
DEPTH: *90mm*

FITTING MATERIAL:
Steel
SHADE:
Opal Plastic

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP: *44* : *6*

FAMILY:
Gita 2
FITTING COLOUR:
SATIN CHROME: 9002759947149

ADDITIONAL INFORMATION:
On/Off Switch

LAMP SPECIFICATION:
Power: 24.3W (8.3W + 16W)
Luminous Flux: 2600lm (900lm + 1700lm)
Colour Temperature: 4000K
Lifetime: 25 000 Hours
Not Dimmable



W577 LED **LAMP TYPE:** *Including 2 x 4.5W LED Integrated*

HEIGHT: *180mm*
WIDTH: *110mm*
DEPTH: *70mm*

FITTING MATERIAL:
Steel
SHADE:
Opal Plastic

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP: *20* : *32*

FAMILY:
Cupella
FITTING COLOUR:
SATIN CHROME: 9002759957742

LAMP SPECIFICATION:
Power: 9W (2 x 4.5W)
Luminous Flux: 480lm
Colour Temperature: 3000K
Lifetime: 25 000 Hours
Not Dimmable



W578 LED **LAMP TYPE:** *Including 2 x 4.5W Integrated LED*

HEIGHT: *180mm*
WIDTH: *110mm*
DEPTH: *70mm*

FITTING MATERIAL:
Steel
SHADE:
Opal Plastic

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP: *20* : *32*

FAMILY:
Cupella
FITTING COLOUR:
CHROME: 9002759957735

LAMP SPECIFICATION:
Power: 9W (2 x 4.5W)
Luminous Flux: 480lm
Colour Temperature: 3000K
Lifetime: 25 000 Hours
Not Dimmable



W576

LAMP TYPE:
Including 2 x GU10 max 3.3W LED 230V

HEIGHT: *280mm*
WIDTH: *65mm*
DEPTH: *95mm*

FITTING MATERIAL:
Steel

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *24*

FAMILY:
Viegas
FITTING COLOUR:
SATIN CHROME: 9002759954222

LAMP SPECIFICATION:
Power: 6.6W (2 x 3.3W)
Colour Temperature: 3000K
Lifetime: 15 000 Hours



W422

LAMP TYPE:
Excluding 2 x E14 max 40W Candle 230V

HEIGHT: *70mm*
WIDTH: *350mm*
DEPTH: *65mm*

FITTING MATERIAL:
Steel
SHADE:
Frosted Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *15*

FAMILY:
Mono
FITTING COLOUR:
CHROME/WHITE: 9002759853389

ADDITIONAL INFORMATION:
Including Mounted Rocker Switch



W140

LAMP TYPE:
Excluding 2 x E14 max 40W Golfball 230V

HEIGHT: *80mm*
WIDTH: *395mm*
DEPTH: *70mm*

FITTING MATERIAL:
Steel
SHADE:
Opal Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *12*

FAMILY:
Zola
FITTING COLOUR:
WHITE: 9002759834067



W135

LAMP TYPE:
Excluding 3 x E14 max 40W Golfball 230V

HEIGHT: *80mm*
WIDTH: *570mm*
DEPTH: *70mm*

FITTING MATERIAL:
Steel
SHADE:
Opal Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *6*

FAMILY:
Zola
FITTING COLOUR:
WHITE: 9002759834050



W494

LAMP TYPE:
Excluding 1x E27 max 40W 230V

HEIGHT: *215mm*
WIDTH: *130mm*
DEPTH: *200mm*

FITTING MATERIAL:
Steel
SHADE:
Steel Black (Outer) & White (Inner)

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *18*

FAMILY:
Priddy
FITTING COLOUR:
BLACK: 9002759494681

ADDITIONAL INFORMATION:
Matching Floor Light: FL189
Matching Pendants: P695, P696, P821, P830, P831
Matching Table Light: T487



W493

LAMP TYPE:
Excluding 1 x E27 max 60W 230V

HEIGHT: *225mm*
WIDTH: *210mm*
DEPTH: *270mm*

FITTING MATERIAL:
Steel
SHADE:
Antique Brown Steel

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *8*

FAMILY:
Stockbury
FITTING COLOUR:
ANTIQUE BROWN: 9002759494582

ADDITIONAL INFORMATION:
Matching Pendants: P693, P694
Matching Table Light: T486



W464 **LAMP TYPE:** *Excluding 1 x E27 max 60W 230V*

HEIGHT: *255mm*
WIDTH: *150mm*
DEPTH: *175mm*

FITTING MATERIAL:
Steel
SHADE:
Steel

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FITTING COLOUR:
ANTIQUE BRASS: 6007328372776



W495 **LAMP TYPE:** *Excluding 1 x E27 max 60W 230V*

HEIGHT: *210mm*
WIDTH: *260mm*
DEPTH: *290mm*

FITTING MATERIAL:
Steel

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FITTING COLOUR:
ANTIQUE BROWN: 6007328372769





W224

LAMP TYPE:
Excluding 1 x E27 max 60W 230V

HEIGHT: *355mm*
WIDTH: *300mm*
DEPTH: *160mm*

FITTING MATERIAL:
Steel
SHADE:
Mottled Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *8*

FAMILY:
Mestre
FITTING COLOUR:
ANTIQUE BROWN: 9002759867157

ADDITIONAL INFORMATION:
Matching Ceiling Lights: C244, C245

W296

LAMP TYPE:
Excluding 1 x E27 max 60W 230V

HEIGHT: *225mm*
WIDTH: *190mm*
DEPTH: *245mm*

FITTING MATERIAL:
Steel
SHADE:
Alabaster Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FAMILY:
Agrimony
FITTING COLOUR:
BLACK/GOLD: 6007328337560

ADDITIONAL INFORMATION:
Matching Chandelier: CH166
Spare Glass: MC454





W35

LAMP TYPE:
Excluding 2 x E14 max 40W Candle 230V

HEIGHT: *220mm*
WIDTH: *240mm*
DEPTH: *175mm*

FITTING MATERIAL:
Steel
CRYSTALS:
Clear Glass Crystals

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *10*

FITTING COLOUR:
COUNTRY BROWN: 6007328356745
CHROME: 6007328356738

ADDITIONAL INFORMATION:
Including Mounted Rocker Switch
Matching Chandeliers: CH36, CH37

W4

LAMP TYPE:
Excluding 2 x E14 max 40W Candle 230V

HEIGHT: *150mm*
WIDTH: *410mm*
DEPTH: *190mm*

FITTING MATERIAL:
Steel

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FAMILY:
Flemmish
FITTING COLOUR:
POLISHED BRASS: 6007328004868

ADDITIONAL INFORMATION:
Matching Chandeliers: CH1, CH2, CH3, CH4



W356

LAMP TYPE:
Excluding 2 x E14 max 40W Candle 230V

HEIGHT: *240mm*
WIDTH: *255mm*
DEPTH: *250mm*

FITTING MATERIAL:
Steel
CRYSTALS:
Clear Glass Crystals

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FITTING COLOUR:
SATIN CHROME: 6007328340089

ADDITIONAL INFORMATION:
Matching Chandelier: CH193



W554

LAMP TYPE:
Including 1 x 7W Integrated LED Strip

DEPTH: *55mm*
DIAMETER: *338mm*

FITTING MATERIAL:
Sandstone Cement

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *4*

FITTING COLOUR:
WHITE: 6007328386209

ADDITIONAL INFORMATION:
Including AA LR6 1.5V Battery

SPOTLIGHT REPLACEMENT GUIDE

Become more energy efficient

Colour Temperature

With LEDs and CFLs, you can now choose between Warm White or Cool White. Warm White is best suited for living spaces, recreational spaces and bedrooms. Cool White is best suited in kitchens, bathrooms, workshops and for outdoor use.

Cool White

Warm White

Beam Angle

Tight beam angles (30° - 40°) provide strong pockets of light.

Wider beam angles (90° - 120°) offer a wider, more evenly spread light, however, a wider angle will dilute the light intensity.



Lifetime

The importance of lamp life is realising the cost of replacing the lamp.

Halogen lamps normally last around 2000 hours, whilst LED lamps can last up to 30 000 hours. This means that you have to replace 15 Halogen lamps for only 1 LED lamp!



Lumens and Wattage

The performance/efficacy of a lamp is measured by lumens per watt. Ensure you buy bulbs with the most lumens per watt.

For example:

50W = 7lm/W	7W = 67lm/W
50W Halogen produces 340 lumens = 7lm/W	7W Warm LED produces 470 lumens = 67lm/W

Lamp Type	Incandescent	HALOGEN SAVER DIMMABLE	LED DIMMABLE
GU10	N/A	35W - 50W	3W, 7W
		GU10 WARM WHITE	GU10 COOL & WARM GU10
R50 / PAR16	40W - 60W	42W, 50W	5W, 6W
	R50	R50 WARM WHITE	PAR16 COOL & WARM R50
R63	40W - 60W	42W	8W
	R63	R63 WARM WHITE	R63 COOL & WARM

SPOTLIGHTS

SPOTLIGHTS

S433 *pg182*

S434 *pg182*

S435 *pg182*

S436 *pg182*

S438 *pg183*

S439 *pg183*

S440 *pg183*

S441 *pg183*

S454 *pg184*

S455 *pg184*

S456 *pg184*

S457 *pg184*


S458 *pg185*

S446 *pg186*

S447 *pg186*

S448 *pg186*

S449 *pg186*

S450/S442 *pg187*

S451/S443 *pg187*

S452/S444 *pg187*

S453/S445 *pg187*

S156 *pg188*

S155 *pg188*

S154 *pg188*

S459 *pg189*

S437 *pg189*

S145 *pg190*

S147 *pg190*

S148 *pg190*

S146 *pg190*

S149 *pg191*

S150 *pg191*

S151 *pg191*

S152 *pg191*

S131 *pg192*

S132 *pg192*

S133 *pg192*

S134 *pg192*

S160 *pg193*

C232 *pg193*

S365 *pg194*

S366 *pg194*

S367 *pg194*

S371 *pg195*

S372 *pg195*

S373 *pg195*

S374 *pg195*

S370 *pg196*

S369 *pg196*

S425 *pg197*

S415 *pg197*

S413 *pg197*

S414 *pg197*

S219 *pg198*

S220 *pg198*

S221 *pg198*

S223 *pg198*

S222 *pg199*

S224 *pg199*

S361 *pg200*

S362 *pg200*

S364 *pg201*

S130 *pg201*


S426/S427 *pg202*

S422 *pg202*

S430 *pg202*

S419 *pg202*

S416 *pg203*

S218 *pg203*

S216 *pg203*

S217 *pg203*

S182 *pg204*

S183 *pg204*

S184 *pg204*

S185 *pg204*

S178 *pg205*

S179 *pg205*

S180 *pg205*

S181 *pg205*

S27 *pg206*

S28 *pg206*

S29 *pg206*

S50 *pg207*

S53 *pg207*

S20 *pg208*

S241/S242 *pg208*

S23 *pg209*

S25 *pg209*

S21 *pg209*

S19 *pg209*

S24 *pg210*

S22 *pg210*

S26 *pg210*

S75 *pg211*

S76 *pg211*

S74 *pg211*

S312 *pg212*

S313 *pg212*

S314 *pg212*

S316 *pg212*

S315 *pg213*

S40 *pg214*

S239/S240 *pg214*

S42 *pg214*

S44 *pg214*

S43 *pg215*

S45 *pg215*

Bluetooth device on the fitting. Fitting is connectable with smart phones. Max distance to connect is estimated at 5-10 meters. Excludes Remote. Install app on phone (awoX) to control the light and colour changing of the fitting.



S433

LAMP TYPE: *Including 5W Integrated LED 230V*

LENGTH: *220mm*
WIDTH: *85mm*
DEPTH: *160mm*

FITTING MATERIAL:
Steel
LENS:
Opal Plastic

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : 20 : 48

FAMILY:
Corropoli-C
FITTING COLOUR:
SATIN CHROME: 9002759977146

LAMP SPECIFICATION:
Power: 5W
Luminous Flux: 600lm
Colour Temperature: 2700K - 6500K + RGB
Lifetime: 25 000 Hours
CRI: ≥80
Dimmable

Bluetooth device on the fitting. Fitting is connectable with smart phones. Max distance to connect is estimated at 5-10 meters. Excludes Remote. Install app on phone (awoX) to control the light and colour changing of the fitting.



S434

LAMP TYPE: *Including 2 x 5W Integrated LED*

LENGTH: *460mm*
WIDTH: *85mm*
DEPTH: *175mm*

FITTING MATERIAL:
Steel
LENS:
Opal Plastic

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : 20 : 16

FAMILY:
Corropoli-C
FITTING COLOUR:
SATIN CHROME: 9002759977153

LAMP SPECIFICATION:
Power: 10W (2 x 5W)
Luminous Flux: 1200lm
Colour Temperature: 2700K - 6500K + RGB
Lifetime: 25 000 Hours
CRI: ≥80
Dimmable

Bluetooth device on the fitting. Fitting is connectable with smart phones. Max distance to connect is estimated at 5-10 meters. Excludes Remote. Install app on phone (awoX) to control the light and colour changing of the fitting.



S435

LAMP TYPE: *Including 3 x 5W Integrated LED*

LENGTH: *685mm*
WIDTH: *85mm*
DEPTH: *175mm*

FITTING MATERIAL:
Steel
LENS:
Opal Plastic

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : 20 : 10

FAMILY:
Corropoli-C
FITTING COLOUR:
SATIN CHROME: 9002759977160

LAMP SPECIFICATION:
Power: 15W (3 x 5W)
Luminous Flux: 1800lm
Colour Temperature: 2700K - 6500K + RGB
Lifetime: 25 000 Hours
CRI: ≥80
Dimmable

Bluetooth device on the fitting. Fitting is connectable with smart phones. Max distance to connect is estimated at 5-10 meters. Excludes Remote. Install app on phone (awoX) to control the light and colour changing of the fitting.



S436

LAMP TYPE: *Including 4 x 5W Integrated LED*

LENGTH: *865mm*
WIDTH: *85mm*
DEPTH: *175mm*

FITTING MATERIAL:
Steel
LENS:
Opal Plastic

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : 20 : 8

FAMILY:
Corropoli-C
FITTING COLOUR:
SATIN CHROME: 9002759977177

LAMP SPECIFICATION:
Power: 20W (4 x 5W)
Luminous Flux: 2400lm
Colour Temperature: 2700K - 6500K + RGB
Lifetime: 25 000 Hours
CRI: ≥80
Dimmable



S438 LED **LAMP TYPE:** *Including 1 x GU10 5W LED 230V*

LENGTH: *165mm*
WIDTH: *70mm*
DEPTH: *150mm*

FITTING MATERIAL:
Steel & Aluminium

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : 20 : 20

FAMILY:
Vergiano
FITTING COLOUR:
WHITE: 9002759975067

LAMP SPECIFICATION:
Power: 5W
Luminous Flux: 400lm
Colour Temperature: 3000K
Lifetime: 25 000 Hours
CRI: ≥80
Dimmable



S439 LED **LAMP TYPE:** *Including 2 x GU10 5W LED 230V*

LENGTH: *390mm*
WIDTH: *70mm*
DEPTH: *190mm*

FITTING MATERIAL:
Steel & Aluminium

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : 20 : 8

FAMILY:
Vergiano
FITTING COLOUR:
WHITE: 9002759975074

LAMP SPECIFICATION:
Power: 10W (2 x 5W)
Luminous Flux: 800lm
Colour Temperature: 3000K
Lifetime: 25 000 Hours
CRI: ≥80
Dimmable



S440 LED **LAMP TYPE:** *Including 3 x GU10 5W LED 230V*

LENGTH: *690mm*
WIDTH: *70mm*
DEPTH: *190mm*

FITTING MATERIAL:
Steel & Aluminium

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : 20 : 6

FAMILY:
Vergiano
FITTING COLOUR:
WHITE: 9002759975081

LAMP SPECIFICATION:
Power: 15W (3 x 5W)
Luminous Flux: 1200lm
Colour Temperature: 3000K
Lifetime: 25 000 Hours
CRI: ≥80
Dimmable



S441 LED **LAMP TYPE:** *Including 4 x GU10 5W LED 230V*

LENGTH: *985mm*
WIDTH: *70mm*
DEPTH: *190mm*

FITTING MATERIAL:
Steel & Aluminium

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : 20 : 6

FAMILY:
Vergiano
FITTING COLOUR:
WHITE: 9002759975098

LAMP SPECIFICATION:
Power: 20W (4 x 5W)
Luminous Flux: 1600lm
Colour Temperature: 3000K
Lifetime: 25 000 Hours
CRI: ≥80
Dimmable



S454 LED **LAMP TYPE:** *Including 1 x GU10 5W LED 230V*

LENGTH: *165mm*
WIDTH: *70mm*
DEPTH: *150mm*

FITTING MATERIAL:
Steel

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : 20 : 40

FAMILY:
Trillo
FITTING COLOUR:
BLACK /WHITE: 9002759973711

LAMP SPECIFICATION:
Power: 5W
Luminous Flux: 400lm
Colour Temperature: 3000K
Lifetime: 15 000 Hours
CRI: ≥80
Not Dimmable



S455 LED **LAMP TYPE:** *Including 2 x GU10 5W LED 230V*

LENGTH: *390mm*
WIDTH: *70mm*
DEPTH: *175mm*

FITTING MATERIAL:
Steel

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : 20 : 16

FAMILY:
Trillo
FITTING COLOUR:
BLACK/WHITE: 9002759973728

LAMP SPECIFICATION:
Power: 10W (2 x 5W)
Luminous Flux: 800lm
Colour Temperature: 3000K
Lifetime: 15 000 Hours
CRI: ≥80
Not Dimmable



S456 LED **LAMP TYPE:** *Including 3 x GU10 5W LED 230V*

LENGTH: *690mm*
WIDTH: *70mm*
DEPTH: *175mm*

FITTING MATERIAL:
Steel

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : 20 : 8

FAMILY:
Trillo
FITTING COLOUR:
BLACK/WHITE: 9002759973735

LAMP SPECIFICATION:
Power: 15W (3 x5W)
Luminous Flux: 1200lm
Colour Temperature: 3000K
Lifetime: 15 000 Hours
CRI: ≥80
Not Dimmable



S457 LED **LAMP TYPE:** *Including 4 x GU10 5W LED 230V*

LENGTH: *985mm*
WIDTH: *70mm*
DEPTH: *175mm*

FITTING MATERIAL:
Steel

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : 20 : 8

FAMILY:
Trillo
FITTING COLOUR:
BLACK/WHITE: 9002759973742

LAMP SPECIFICATION:
Power: 20W (4 x 5W)
Luminous Flux: 1600lm
Colour Temperature: 3000K
Lifetime: 15 000 Hours
CRI: ≥80
Not Dimmable

S458

LAMP TYPE:
Including 6 x GU10 5W LED 230V

LENGTH: *1585mm*
WIDTH: *70mm*
DEPTH: *175mm*

FITTING MATERIAL:
Steel

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : 20 : 4

FAMILY:
Trillo
FITTING COLOUR:
BLACK/WHITE: 9002759973759

LAMP SPECIFICATION:
Power: 30W (6 x 5W)
Luminous Flux: 2400lm
Colour Temperature: 3000K
Lifetime: 15 000 Hours
CRI: ≥80
Not Dimmable



S446 LED **LAMP TYPE:** *Including 1 x GU10 3.3W LED 230V*

LENGTH: *135mm*
WIDTH: *100mm*
DEPTH: *160mm*

FITTING MATERIAL:
Steel

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *40*

FAMILY:
Seras
FITTING COLOUR:
ANTIQUE NICKEL: 9002759965525

LAMP SPECIFICATION:
Power: 3.3W
Luminous Flux: 240lm
Colour Temperature: 3000K
Lifetime: 15 000 Hours
CRI: ≥80
Not Dimmable



S447 LED **LAMP TYPE:** *Including 2 x GU10 3.3W LED 230V*

LENGTH: *370mm*
WIDTH: *120mm*
DEPTH: *175mm*

FITTING MATERIAL:
Steel

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *12*

FAMILY:
Seras
FITTING COLOUR:
ANTIQUE NICKEL: 9002759965532

LAMP SPECIFICATION:
Power: 6.6W (2 x 3.3W)
Luminous Flux: 480lm
Colour Temperature: 3000K
Lifetime: 15 000 Hours
CRI: ≥80
Not Dimmable



S448 LED **LAMP TYPE:** *Including 3 x GU10 3.3W LED 230V*

LENGTH: *680mm*
WIDTH: *120mm*
DEPTH: *175mm*

FITTING MATERIAL:
Steel

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *9*

FAMILY:
Seras
FITTING COLOUR:
ANTIQUE NICKEL: 9002759965549

LAMP SPECIFICATION:
Power: 9.9W (3 x 3.3W)
Luminous Flux: 720lm
Colour Temperature: 3000K
Lifetime: 15 000 Hours
CRI: ≥80
Not Dimmable



S449 LED **LAMP TYPE:** *Including 4 x GU10 3.3W LED 230V*

LENGTH: *770mm*
WIDTH: *120mm*
DEPTH: *175mm*

FITTING MATERIAL:
Steel

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *6*

FAMILY:
Seras
FITTING COLOUR:
ANTIQUE NICKEL: 9002759965556

LAMP SPECIFICATION:
Power: 13.2W (4 x 3.3W)
Luminous Flux: 960lm
Colour Temperature: 3000K
Lifetime: 15 000 Hours
CRI: ≥80
Not Dimmable



S442/S450

LAMP TYPE: *Excluding 1 x E27 max 60W 230V*

LENGTH: *165mm*
WIDTH: *50mm*
DEPTH: *145mm*

FITTING MATERIAL:
Steel & Wood

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : 20 : 48

FAMILY:
Townshend 3
FITTING COLOUR:
WHITE (S442): 9002759331689
BLACK (S450): 9002759981112



S443/S451

LAMP TYPE: *Excluding 2 x E27 max 60W 230V*

LENGTH: *300mm*
WIDTH: *50mm*
DEPTH: *145mm*

FITTING MATERIAL:
Steel & Wood

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : 20 : 24

FAMILY:
Townshend 3
FITTING COLOUR:
WHITE (S443): 9002759331696
BLACK(S451): 9002759981129



S444/S452

LAMP TYPE: *Excluding 3 x E27 max 60W 230V*

LENGTH: *480mm*
WIDTH: *50mm*
DEPTH: *145mm*

FITTING MATERIAL:
Steel & Wood

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : 20 : 16

FAMILY:
Townshend 3
FITTING COLOUR:
WHITE (S444): 9002759331719
BLACK(S452): 9002759981136



S445/S453

LAMP TYPE: *Excluding 4 x E27 max 60W 230V*

LENGTH: *630mm*
WIDTH: *50mm*
DEPTH: *145mm*

FITTING MATERIAL:
Steel & Wood

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : 20 : 14

FAMILY:
Townshend 3
FITTING COLOUR:
WHITE (S445): 9002759331726
BLACK(S453): 9002759981143



S155 LED

LAMP TYPE:
Including 3 x GU10 3.3W LED 230V

LENGTH: *585mm*
WIDTH: *70mm*
DEPTH: *170mm*

FITTING MATERIAL:
Steel

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : 20 : 10

FAMILY:
Barnham
FITTING COLOUR:
BLACK COPPER: 9002759945862

LAMP SPECIFICATION:
Power: 9.9W (3 x 3.3W)
Luminous Flux: 720lm
Colour Temperature: 3000K
Lifetime: 15 000 Hours
CRI: ≥80
Not Dimmable



S154 LED

LAMP TYPE:
Including 2 x GU10 3.3W LED 230V

LENGTH: *390mm*
WIDTH: *70mm*
DEPTH: *170mm*

FITTING MATERIAL:
Steel

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : 20 : 10

FAMILY:
Barnham
FITTING COLOUR:
BLACK COPPER: 9002759945855

LAMP SPECIFICATION:
Power: 6.6W (2 x 3.3W)
Luminous Flux: 480lm
Colour Temperature: 3000K
Lifetime: 15 000 Hours
CRI: ≥80
Not Dimmable

S156 LED

LAMP TYPE:
Including 1 x GU10 3.3W LED 230V

LENGTH: *165mm*
WIDTH: *70mm*
DEPTH: *145mm*

FITTING MATERIAL:
Steel

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : 20 : 24

FAMILY:
Barnham
FITTING COLOUR:
BLACK COPPER: 9002759948548

ADDITIONAL INFORMATION:
Including Rocker Switch

LAMP SPECIFICATION:
Power: 3.3W
Luminous Flux: 240lm
Colour Temperature: 3000K
Lifetime: 15 000 Hours
CRI: ≥80
Not Dimmable



S459

LAMP TYPE:
Excluding 1 x E27 max 28W 230V

LENGTH: *240mm*
WIDTH: *200mm*
DEPTH: *260mm*

FITTING MATERIAL:
Steel & Wood
SHADE:
Steel

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : 20 : 8

FAMILY:
Hornwood
FITTING COLOUR:
BLACK: 9002759430467

ADDITIONAL INFORMATION:
Matching Floor Lamp: FL303
Matching Table Lamp: T601



S437

LAMP TYPE:
Including 1 x GU10 5W LED 230V

LENGTH: *200mm*
WIDTH: *120mm*
DEPTH: *110mm*

FITTING MATERIAL:
Steel
SHADE:
Steel

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : 20 : 32

FAMILY:
Cortaderas
FITTING COLOUR:
BLACK/GOLD: 9002759978044

ADDITIONAL INFORMATION:
Matching Floor Lamp: FL294
Matching Table Lamp: T574

LAMP SPECIFICATION:
Power: 5W
Luminous Flux: 400lm
Colour Temperature: 3000K
Lifetime: 25 000 Hours
CRI: ≥80
Dimmable



S145 LED **LAMP TYPE:** *Including 1 x GU10 3.3W LED 230V*

DIAMETER: *110mm*
DEPTH: *145mm*

FITTING MATERIAL:
Steel

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : 20 : 27

FAMILY:
Nocito
FITTING COLOUR:
BLACK GOLD: 9002759954826

LAMP SPECIFICATION:
Power: 5W
Luminous Flux: 240lm
Colour Temperature: 3000K
Lifetime: 15 000 Hours
CRI: ≥80
Not Dimmable



S147 LED **LAMP TYPE:** *Including 2 x GU10 3.3W LED 230V*

LENGTH: *435mm*
WIDTH: *105mm*
DEPTH: *160mm*

FITTING MATERIAL:
Steel

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : 20 : 12

FAMILY:
Nocito
FITTING COLOUR:
BLACK GOLD: 9002759954833

LAMP SPECIFICATION:
Power: 6.6W (2 x 3.3W)
Luminous Flux: 480lm
Colour Temperature: 3000K
Lifetime: 15 000 Hours
CRI: ≥80
Not Dimmable



S148 LED **LAMP TYPE:** *Including 3 x GU10 3.3W LED 230V*

LENGTH: *635mm*
WIDTH: *105mm*
DEPTH: *160mm*

FITTING MATERIAL:
Steel

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : 20 : 9

FAMILY:
Nocito
FITTING COLOUR:
BLACK GOLD: 9002759954840

LAMP SPECIFICATION:
Power: 9.9W (3 x 3.3W)
Luminous Flux: 720lm
Colour Temperature: 3000K
Lifetime: 15 000 Hours
CRI: ≥80
Not Dimmable



S146 LED **LAMP TYPE:** *Including 4 x GU10 3.3W LED 230V*

LENGTH: *840mm*
WIDTH: *105mm*
DEPTH: *160mm*

FITTING MATERIAL:
Steel

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : 20 : 6

FAMILY:
Nocito
FITTING COLOUR:
BLACK GOLD: 9002759954857

LAMP SPECIFICATION:
Power: 13.2 (4 x 3.3W)
Luminous Flux: 960lm
Colour Temperature: 3000K
Lifetime: 15 000 Hours
CRI: ≥80
Not Dimmable



S149 LED **LAMP TYPE:** *Including 1 x GU10 3.3W LED 230V*

LENGTH: *165mm*
WIDTH: *70mm*
DEPTH: *110mm*

FITTING MATERIAL:
Steel

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : 20 : 12

FAMILY:
Tukon 3
FITTING COLOUR:
SATIN CHROME: 9002759941444

ADDITIONAL INFORMATION:
Including Rocker Switch

LAMP SPECIFICATION:
Power: 3.3W
Luminous Flux: 240lm
Colour Temperature: 3000K
Lifetime: 15 000 Hours
CRI: ≥80
Not Dimmable



S150 LED **LAMP TYPE:** *Including 2 x GU10 3.3W LED 230V*

LENGTH: *280mm*
WIDTH: *70mm*
DEPTH: *110mm*

FITTING MATERIAL:
Steel

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : 20 : 16

FAMILY:
Tukon 3
FITTING COLOUR:
SATIN CHROME: 9002759941451

LAMP SPECIFICATION:
Power: 6.6W (2 x 3.3W)
Luminous Flux: 480lm
Colour Temperature: 3000K
Lifetime: 15 000 Hours
CRI: ≥80
Not Dimmable



S151 LED **LAMP TYPE:** *Including 3 x GU10 3.3W LED 230V*

LENGTH: *460mm*
WIDTH: *70mm*
DEPTH: *110mm*

FITTING MATERIAL:
Steel

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : 20 : 12

FAMILY:
Tukon 3
FITTING COLOUR:
SATIN CHROME: 9002759941468

LAMP SPECIFICATION:
Power: 9.9W (3 x 3.3W)
Luminous Flux: 720lm
Colour Temperature: 3000K
Lifetime: 15 000 Hours
CRI: ≥80
Not Dimmable



S152 LED **LAMP TYPE:** *Including 4 x GU10 3.3W LED 230V*

LENGTH: *260mm*
WIDTH: *240mm*
DEPTH: *110mm*

FITTING MATERIAL:
Steel

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : 20 : 6

FAMILY:
Tukon 3
FITTING COLOUR:
SATIN CHROME: 9002759941475

LAMP SPECIFICATION:
Power: 13.2W (4 x 3.3W)
Luminous Flux: 960lm
Colour Temperature: 3000K
Lifetime: 15 000 Hours
CRI: ≥80
Not Dimmable



S131 LED **LAMP TYPE:** *Including 1 x GU10 5W LED 230V*

LENGTH: *135mm*
WIDTH: *70mm*
DEPTH: *120mm*

FITTING MATERIAL:
Steel

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : 20 : 20

FAMILY:
Rottelo
FITTING COLOUR:
SATIN CHROME: 9002759909147

ADDITIONAL INFORMATION:
Including Mounted Rocker Switch

LAMP SPECIFICATION:
Power: 5W
Luminous Flux: 400lm
Colour Temperature: 3000K
Lifetime: 15 000 Hours
CRI: ≥80
Not Dimmable



S132 LED **LAMP TYPE:** *Including 2 x GU10 5W LED 230V*

LENGTH: *280mm*
WIDTH: *70mm*
DEPTH: *125mm*

FITTING MATERIAL:
Steel

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : 20 : 12

FAMILY:
Rottelo
FITTING COLOUR:
SATIN CHROME: 9002759909154

LAMP SPECIFICATION:
Power: 10W (2 x 5W)
Luminous Flux: 800lm
Colour Temperature: 3000K
Lifetime: 15 000 Hours
CRI: ≥80
Not Dimmable



S133 LED **LAMP TYPE:** *Including 4 x GU10 5W LED 230V*

LENGTH: *780mm*
WIDTH: *70mm*
DEPTH: *125mm*

FITTING MATERIAL:
Steel

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : 20 : 6

FAMILY:
Rottelo
FITTING COLOUR:
SATIN CHROME: 9002759909178

LAMP SPECIFICATION:
Power: 20W (4 x 5W)
Luminous Flux: 1600lm
Colour Temperature: 3000K
Lifetime: 15 000 Hours
CRI: ≥80
Not Dimmable



S134 LED **LAMP TYPE:** *Including 4 x GU10 5W LED 230V*

LENGTH: *260mm*
WIDTH: *240mm*
DEPTH: *125mm*

FITTING MATERIAL:
Steel

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : 20 : 6

FAMILY:
Rottelo
FITTING COLOUR:
SATIN CHROME: 9002759909161

LAMP SPECIFICATION:
Power: 20W (4 x 5W)
Luminous Flux: 1600lm (400lm per Lamp)
Colour Temperature: 3000K
Lifetime: 15 000 Hours
CRI: ≥80
Not Dimmable



S160 LED **LAMP TYPE:** *Including 6 x 5W GU10 LED 230V*

LENGTH: *1165mm*
WIDTH: *70mm*
DEPTH: *125mm*

FITTING MATERIAL:
Steel

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : 20 : 6

FAMILY:
Rottelo
FITTING COLOUR:
SATIN CHROME: 9002759909277

LAMP SPECIFICATION:
Power: 30W (6 x 5W)
Luminous Flux: 2400lm (400lm per Lamp)
Colour Temperature: 3000K
Lifetime: 5 000 Hours
CRI: ≥80
Not Dimmable



C232 **LAMP TYPE:** *Excluding 3 x GU10 max 50W 230V*

LENGTH: *990mm*
WIDTH: *60mm*
DEPTH: *105mm*

FITTING MATERIAL:
Aluminium

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : 20 : 4

FITTING COLOUR:
SATIN CHROME: 6007328325512





S366 LED **LAMP TYPE:** *Including 2 x 5W Integrated LEDs*

LENGTH: *360mm*
WIDTH: *120mm*
DEPTH: *155mm*

FITTING MATERIAL:
Aluminium & Steel
SHADE:
Aluminium

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : 20 : 12

FAMILY:
Lianello
FITTING COLOUR:
WHITE: 9002759938093

LAMP SPECIFICATION:
Power: 10W (2 x 5W)
Luminous Flux: 960lm
Colour Temperature: 3000K
Lifetime: 25 000 Hours
CRI: ≥80
Not Dimmable



S367 LED **LAMP TYPE:** *Including 3 x 5W Integrated LEDs*

LENGTH: *585mm*
WIDTH: *120mm*
DEPTH: *155mm*

FITTING MATERIAL:
Aluminium & Steel
SHADE:
Aluminium

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : 20 : 12

FAMILY:
Lianello
FITTING COLOUR:
WHITE: 9002759938116

LAMP SPECIFICATION:
Power: 15W (3 x 5W)
Luminous Flux: 1440lm
Colour Temperature: 3000K
Lifetime: 25 000 Hours
CRI: ≥80
Not Dimmable

S365 LED **LAMP TYPE:** *Including 1 x 5W Integrated LED*

DIAMETER: *110mm*
DEPTH: *130mm*

FITTING MATERIAL:
Aluminium & Steel
SHADE:
Aluminium

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : 20 : 20

FAMILY:
Lianello
FITTING COLOUR:
WHITE: 9002759938086

ADDITIONAL INFORMATION:
Including Mounted Rocker Switch

LAMP SPECIFICATION:
Power: 5W
Luminous Flux: 480lm
Colour Temperature: 3000K
Lifetime: 25 000 Hours
CRI: ≥80
Not Dimmable



S371 LED **LAMP TYPE:** *Including 1 x GU10 5W (max 9W) LED 230V*

LENGTH: *165mm*
WIDTH: *70mm*
DEPTH: *140mm*

FITTING MATERIAL:
Steel
SHADE:
Steel

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : 20 : 9

FAMILY:
Davida
FITTING COLOUR:
WHITE/CHROME: 9002759920845
BLACK/CHROME: 9002759308322

ADDITIONAL INFORMATION:
Including Mounted Rocker Switch

LAMP SPECIFICATION:
Power: 5W
Luminous Flux: 400lm
Colour Temperature: 3000K
Lifetime: 25 000 Hours
CRI: ≥80
Not Dimmable



S372 LED **LAMP TYPE:** *Including 2 x GU10 5W (max 9W) LED 230V*

LENGTH: *390mm*
WIDTH: *70mm*
DEPTH: *170mm*

FITTING MATERIAL:
Steel
SHADE:
Steel

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : 20 : 12

FAMILY:
Davida
FITTING COLOUR:
WHITE/CHROME: 9002759920852
BLACK/CHROME: 9002759308339

LAMP SPECIFICATION:
Power: 10W (2 x 5W)
Luminous Flux: 800lm (400lm per Lamp)
Colour Temperature: 3000K
Lifetime: 25 000 Hours
CRI: ≥80
Not Dimmable



S373 LED **LAMP TYPE:** *Including 3 x GU10 5W (max 9W) LED 230V*

LENGTH: *580mm*
WIDTH: *70mm*
DEPTH: *170mm*

FITTING MATERIAL:
Steel
SHADE:
Steel

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : 20 : 8

FAMILY:
Davida
FITTING COLOUR:
WHITE/CHROME: 9002759920869
BLACK/CHROME: 9002759308346

LAMP SPECIFICATION:
Power: 15W (3 x 5W)
Luminous Flux: 1200lm
Colour Temperature: 3000K
Lifetime: 25 000 Hours
CRI: ≥80
Not Dimmable



S374 LED **LAMP TYPE:** *Including 4 x GU10 5W (max 9W) LED 230V*

LENGTH: *780mm*
WIDTH: *70mm*
DEPTH: *170mm*

FITTING MATERIAL:
Steel
SHADE:
Steel

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : 20 : 6

FAMILY:
Davida
FITTING COLOUR:
WHITE/CHROME: 9002759920876
BLACK/CHROME: 9002759308353

LAMP SPECIFICATION:
Power: 20W (4 x 5W)
Luminous Flux: 1600lm
Colour Temperature: 3000K
Lifetime: 25 000 Hours
CRI: ≥80
Not Dimmable



S370 LED

LAMP TYPE:
Including 4 x GU10 max 5W LED 230V

LENGTH: *700mm*
WIDTH: *120mm*
DEPTH: *185mm*

FITTING MATERIAL:
Steel & Plastic

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : 20 : 9

FAMILY:
Zeraco
FITTING COLOUR:
SATIN CHROME: 9002759936785

LAMP SPECIFICATION:
Power: 20W (4 x 5W)
Luminous Flux: 1600lm
Colour Temperature: 3000K
Lifetime: 25 000 Hours
CRI: ≥80
Not Dimmable



S369 LED

LAMP TYPE:
Including 6 x GU10 max 5W LED 230V

LENGTH: *940mm*
WIDTH: *120mm*
DEPTH: *185mm*

FITTING MATERIAL:
Steel & Plastic

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : 20 : 6

FAMILY:
Zeraco
FITTING COLOUR:
SATIN CHROME: 9002759936792

LAMP SPECIFICATION:
Power: 30W (6 x 5W)
Luminous Flux: 2400lm
Colour Temperature: 3000K
Lifetime: 25 000 Hours
CRI: ≥80
Not Dimmable



S425 LED **LAMP TYPE:** *Including 2 x GU10 max 3W LED 230V*

LENGTH: *370mm*
WIDTH: *100mm*
DEPTH: *105mm*

FITTING MATERIAL:
Steel

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : 20 : 24

FAMILY:
Magnum
FITTING COLOUR:
SATIN CHROME: 9002759226427

LAMP SPECIFICATION:
Power: 6W (2 x 3W)
Luminous Flux: 480lm
Colour Temperature: 3000K
Lifetime: 15 000 Hours
CRI: ≥80
Not Dimmable



S415 LED **LAMP TYPE:** *Including 3 x GU10 max 3W LED 230V*

DIAMETER: *300mm*
DEPTH: *105mm*

FITTING MATERIAL:
Steel

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : 20 : 6

FAMILY:
Magnum
FITTING COLOUR:
SATIN CHROME: 9002759926434

LAMP SPECIFICATION:
Power: 9W (3 x 3W)
Luminous Flux: 720lm
Colour Temperature: 3000K
Lifetime: 15 000 Hours
CRI: ≥80
Not Dimmable



S413 LED **LAMP TYPE:** *Including 4 x GU10 max 3W LED 230V*

LENGTH: *645mm*
WIDTH: *102mm*
DEPTH: *105mm*

FITTING MATERIAL:
Steel

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : 20 : 6

FAMILY:
Magnum
FITTING COLOUR:
SATIN CHROME: 9002759226441

LAMP SPECIFICATION:
Power: 12W (4 x 3W)
Luminous Flux: 800lm
Colour Temperature: 3000K
Lifetime: 15 000 Hours
CRI: ≥80
Not Dimmable



S414 LED **LAMP TYPE:** *Including 6 x max 3W GU10 LED 230V*

LENGTH: *510mm - 1040mm*
WIDTH: *115mm*
DEPTH: *110mm*

FITTING MATERIAL:
Steel

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : 20 : 6

FAMILY:
Magnum
FITTING COLOUR:
SATIN CHROME: 9002759926458

LAMP SPECIFICATION:
Power: 18W (6 x 3W)
Luminous Flux: 1200lm
Colour Temperature: 3000K
Lifetime: 15 000 Hours
CRI: ≥80
Not Dimmable



S219 **LAMP TYPE:** *Excluding 1 x GU10 max 50W 230V*

DIAMETER: *70mm*
DEPTH: *110mm*

FITTING MATERIAL:
Steel

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : 20 : 40

FAMILY:
Magnum
FITTING COLOUR:
SATIN CHROME: 6007328340911
WHITE: 6007328387886



S220 **LAMP TYPE:** *Excluding 2 x GU10 max 50W 230V*

LENGTH: *370mm*
WIDTH: *100mm*
DEPTH: *135mm*

FITTING MATERIAL:
Steel

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : 20 : 20

FAMILY:
Magnum
FITTING COLOUR:
SATIN CHROME: 9002759247256
WHITE: 6007328387893



S221 **LAMP TYPE:** *Excluding 3 x GU10 max 50W 230V*

DIAMETER: *300mm*
DEPTH: *135mm*

FITTING MATERIAL:
Steel

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : 20 : 10

FAMILY:
Magnum
FITTING COLOUR:
SATIN CHROME: 6007328340881



S223 **LAMP TYPE:** *Excluding 4 x GU10 max 50W 230V*

LENGTH : *660mm*
WIDTH: *100mm*
DEPTH: *135mm*

FITTING MATERIAL:
Steel

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : 20 : 12

FAMILY:
Magnum
FITTING COLOUR:
SATIN CHROME: 9002759247287



S222

LAMP TYPE:
Excluding 3 x GU10 max 50W 230V

DIAMETER: *180mm*
DEPTH: *105mm*

FITTING MATERIAL:
Steel

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : 20 : 20

FAMILY:
Magnum
FITTING COLOUR:
SATIN CHROME: 6007328340843
WHITE: 6007328387916



S224

LAMP TYPE:
Excluding 6 x GU10 max 50W 230V

DIAMETER: *1050mm*
DEPTH: *160mm*

FITTING MATERIAL:
Steel

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : 20 : 8

FAMILY:
Magnum
FITTING COLOUR:
SATIN CHROME: 9002759247294



S361 LED

LAMP TYPE:
Including 5 x GU10 max 3W LED 230V

LENGTH: *1065mm*
WIDTH: *140mm*
DEPTH: *150mm*

FITTING MATERIAL:
Steel
LENS:
Frosted & Clear Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : 20 : 5

FAMILY:
Cerbero Square
FITTING COLOUR:
CHROME: 9002759931179

LAMP SPECIFICATION:
Power: 15W (5 x 3W)
Luminous Flux: 1000lm
Colour Temperature: 3000K
Lifetime: 15 000 Hours
CRI: ≥80
Not Dimmable



S362 LED

LAMP TYPE:
Including 5 x GU10 max 3W LED 230V

LENGTH: *1065mm*
WIDTH: *140mm*
DEPTH: *150mm*

FITTING MATERIAL:
Steel
LENS:
Frosted & Clear Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : 20 : 10

FAMILY:
Cerbero Round
FITTING COLOUR:
CHROME: 9002759931162

LAMP SPECIFICATION:
Power: 15W (5 x 3W)
Luminous Flux: 1000lm
Colour Temperature: 3000K
Lifetime: 15 000 Hours
CRI: ≥80
Not Dimmable



S364 LED

LAMP TYPE:
Including 5 x GU10 max 3W LED 230V

LENGTH: *2000mm*
WIDTH: *100mm*
DEPTH: *230mm*
BASE DIAMETER: *110mm*

FITTING MATERIAL:
Aluminium & Steel

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : 20 : 6

FAMILY:
Vilanova
FITTING COLOUR:
ALUMINIUM/CHROME: 9002759933593

ADDITIONAL INFORMATION:
Adjustable Spot Light

LAMP SPECIFICATION:
Power: 15W (5 x 3W)
Luminous Flux: 1200lm
Colour Temperature: 3000K
Lifetime: 15 000 Hours
CRI: ≥80
Not Dimmable



S130 LED

LAMP TYPE:
Including 4 x 7.5W Integrated LED

LENGTH: *780mm*
WIDTH: *90mm*
DEPTH: *215mm*

FITTING MATERIAL:
Steel & Aluminium
SHADE:
Frosted Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : 20 : 8

FAMILY:
Tinnari
FITTING COLOUR:
CHROME: 9002759916350

ADDITIONAL INFORMATION:
Spare Glass: X10 (Square Outer Glass), X11 (Round Inner Glass)

LAMP SPECIFICATION:
Power: 30W (4 x 7.5W)
Luminous Flux: 2240lm
Colour Temperature: 3000K
Lifetime: 25 000 Hours
CRI: ≥80
Not Dimmable



S426 / S427 LED

LAMP TYPE:
Including 2 x GU10 3W LED 230V

LENGTH: *285mm*
WIDTH: *65mm*
DEPTH: *115mm*

FITTING MATERIAL:
Steel

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : 20 : 32

FAMILY:
Buzz
FITTING COLOUR:
COPPER: 9002759947736
SATIN CHROME (S427): 9002759925963

LAMP SPECIFICATION:
Power: 6W (2 x 3W)
Luminous Flux: 240lm
Colour Temperature: 3000K
Lifetime: 15 000 Hours
CRI: ≥80
Not Dimmable



S422 LED

LAMP TYPE:
Including 3 x GU10 3W LED 230V

LENGTH: *485mm*
WIDTH: *115mm*
DEPTH: *65mm*

FITTING MATERIAL:
Steel

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : 20 : 16

FAMILY:
Buzz
FITTING COLOUR:
COPPER: 9002759947743

LAMP SPECIFICATION:
Power: 9W (3 x 3W)
Luminous Flux: 200lm
Colour Temperature: 3000K
Lifetime: 15 000 Hours
CRI: ≥80
Not Dimmable



S430 LED

LAMP TYPE:
Including 3 x GU10 3W LED 230V

LENGTH: *485mm*
WIDTH: *115mm*
DEPTH: *65mm*

FITTING MATERIAL:
Steel

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : 20 : 16

FAMILY:
Buzz
FITTING COLOUR:
SATIN CHROME: 9002759925970

LAMP SPECIFICATION:
Power: 9W (3 x 3W)
Luminous Flux: 240lm
Colour Temperature: 3000K
Lifetime: 15 000 Hours
CRI: ≥80
Not Dimmable



S419 LED

LAMP TYPE:
Including 4 x GU10 3W LED 230V

LENGTH: *685mm*
WIDTH: *115mm*
DEPTH: *65mm*

FITTING MATERIAL:
Steel

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : 20 : 12

FAMILY:
Buzz
FITTING COLOUR:
SATIN CHROME: 9002759925987

LAMP SPECIFICATION:
Power: 12W (4 x 3W)
Luminous Flux: 240lm
Colour Temperature: 3000K
Lifetime: 15 000 Hours
CRI: ≥80
Not Dimmable



S416 LED **LAMP TYPE:** *Including 6 x GU10 3W LED 230V*

LENGTH: *1050mm*
WIDTH: *100mm*
DEPTH: *65mm*

FITTING MATERIAL:
Steel

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : 20 : 8

FAMILY:
Buzz
FITTING COLOUR:
SATIN CHROME: 9002759925994

LAMP SPECIFICATION:
Power: 18W (6 x 3W)
Luminous Flux: 200lm
Colour Temperature: 3000K
Lifetime: 15 000 Hours
CRI: ≥80
Not Dimmable



S218 **LAMP TYPE:** *Excluding 1 x GU10 max 50W 230V*

DIAMETER: *85mm*
DEPTH: *110mm*

FITTING MATERIAL:
Steel

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : 20 : 12

FAMILY:
Buzz
FITTING COLOUR:
SATIN CHROME: 6007328384281



S216 **LAMP TYPE:** *Excluding 3 x GU10 max 50W 230V*

LENGTH: *560mm*
WIDTH: *80mm*
DEPTH: *135mm*

FITTING MATERIAL:
Steel

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : 20 : 6

FAMILY:
Buzz
FITTING COLOUR:
SATIN CHROME: 6007328384274



S217 **LAMP TYPE:** *Excluding 4 x GU10 max 50W 230V*

LENGTH: *780mm*
WIDTH: *80mm*
DEPTH: *135mm*

FITTING MATERIAL:
Steel

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : 20 : 4

FAMILY:
Buzz
FITTING COLOUR:
SATIN CHROME: 6007328384298



S182

LAMP TYPE:
Excluding 1 x E14 max 40W R50 230V

LENGTH: *120mm*
WIDTH: *65mm*
DEPTH: *155mm*

FITTING MATERIAL:
Steel
SHADE:
Chrome Steel

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : 20 : 40

FAMILY:
Zap
FITTING COLOUR:
SATIN CHROME: 6007328340836

ADDITIONAL INFORMATION:
Including Mounted Rocker Switch



S183

LAMP TYPE:
Excluding 2 x E14 max 40W R50 230V

LENGTH : *300mm*
WIDTH: *135mm*
DEPTH: *155mm*

FITTING MATERIAL:
Steel
SHADE:
Chrome Steel

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : 20 : 24

FAMILY:
Zap
FITTING COLOUR:
SATIN CHROME: 6007328341208



S184

LAMP TYPE:
Excluding 3 x E14 max 40W R50 230V

LENGTH : *480mm*
WIDTH: *135mm*
DEPTH: *155mm*

FITTING MATERIAL:
Steel
SHADE:
Chrome Steel

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : 20 : 12

FAMILY:
Zap
FITTING COLOUR:
SATIN CHROME: 6007328340898



S185

LAMP TYPE:
Excluding 4 x E14 max 40W R50 230V

LENGTH : *670mm*
WIDTH: *135mm*
DEPTH: *155mm*

FITTING MATERIAL:
Steel
SHADE:
Chrome Steel

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : 20 : 10

FAMILY:
Zap
FITTING COLOUR:
SATIN CHROME: 6007328361237



S178

LAMP TYPE:
Excluding 1 x GU10 max 50W 230V

DIAMETER: *80mm*
DEPTH: *120mm*

FITTING MATERIAL:
Steel

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : 20 : 36

FAMILY:
Deco
FITTING COLOUR:
SATIN CHROME: 6007328031796



S179

LAMP TYPE:
Excluding 2 x GU10 max 50W 230V

LENGTH: *570mm*
WIDTH: *100mm*
DEPTH: *140mm*

FITTING MATERIAL:
Steel

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : 20 : 12

FAMILY:
Deco
FITTING COLOUR:
SATIN CHROME: 6007328031802



S180

LAMP TYPE:
Excluding 3 x GU10 max 50W 230V

LENGTH : *615mm*
WIDTH: *100mm*
DEPTH: *140mm*

FITTING MATERIAL:
Steel

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : 20 : 6

FAMILY:
Deco
FITTING COLOUR:
SATIN CHROME: 6007328031819



S181

LAMP TYPE:
Excluding 4 x GU10 max 50W 230V

LENGTH: *895mm*
WIDTH: *100mm*
DEPTH: *140mm*

FITTING MATERIAL:
Steel

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : 20 : 6

FAMILY:
Deco
FITTING COLOUR:
SATIN CHROME: 6007328031826



S28

LAMP TYPE:
Excluding 2 x GU10 max 50W 230V

DIAMETER: *100mm*
DEPTH: *110mm*

FITTING MATERIAL:
Steel & Die Cast Aluminium

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : 20 : 60

FAMILY:
Sahara
FITTING COLOUR:
GUN METAL: 6007328019640
SATIN CHROME: 6007328019633

S27

LAMP TYPE:
Excluding 1 x GU10 max 50W 230V

DIAMETER: *60mm*
DEPTH: *110mm*

FITTING MATERIAL:
Steel & Die Cast Aluminium

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : 20 : 40

FAMILY:
Sahara
FITTING COLOUR:
GUN METAL: 6007328019619
SATIN CHROME: 6007328019688



S29

LAMP TYPE:
Excluding 3 x GU10 max 50W 230V

DIAMETER: *100mm*
DEPTH: *110mm*

FITTING MATERIAL:
Steel & Die Cast Aluminium

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : 20 : 20

FAMILY:
Sahara
FITTING COLOUR:
GUN METAL: 6007328019671
SATIN CHROME: 6007328019664



S50

LAMP TYPE:
Excluding 1 x GU5.3 max 50W MR16 12V

DIAMETER: *80mm*
DEPTH: *370mm*

FITTING MATERIAL:
Steel & Aluminium

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : 20 : 25

FITTING COLOUR:
SATIN CHROME: 6007328015017

ADDITIONAL INFORMATION:
Excluding Transformer: CO79



S53

LAMP TYPE:
Excluding 1 x GU5.3 max 50W MR16 12V

DIAMETER: *80mm*
DEPTH: *670mm*

FITTING MATERIAL:
Steel & Aluminium

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : 20 : 25

FITTING COLOUR:
SATIN CHROME: 6007328015031

ADDITIONAL INFORMATION:
Excluding Transformer: CO79



S20

LAMP TYPE:
Excluding 1 x E14 max 40W R50 230V

DIAMETER: *80mm*
DEPTH: *150mm*

FITTING MATERIAL:
Steel
RING:
Clear Perspex

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : 20 : 10

FAMILY:
Mini Disc
FITTING COLOUR:
COPPER: 6007328014171
GUN METAL: 6007328026549
SATIN CHROME: 6007328011361
WHITE: 6007328003311

ADDITIONAL INFORMATION:
Spare Perspex Ring: X1125



S241/S242

LAMP TYPE:
Excluding 1 x E14 max 40W R50 230V

DIAMETER: *90mm*
DEPTH: *150mm*

FITTING MATERIAL:
Steel
RING:
Clear Perspex

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : 20 : 36

FAMILY:
Mini Disc
FITTING COLOUR:
SATIN CHROME (S242): 6007328330875
WHITE: 6007328330868

ADDITIONAL INFORMATION:
Including Mounted Rocker Switch
Spare Perspex Ring: X1125



S23 **LAMP TYPE:** *Excluding 2 x E14 max 40W R50 230V*

DIAMETER: *190mm*
DEPTH: *150mm*

FITTING MATERIAL:
Steel
RING:
Clear Perspex

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : 20 : 12

FAMILY:
Mini Disc
FITTING COLOUR:
COPPER: 6007328014195
GUN METAL: 6007328026556
SATIN CHROME: 6007328011330
WHITE: 6007328003151

ADDITIONAL INFORMATION:
Spare Perspex Ring: X1125



S25 **LAMP TYPE:** *Excluding 3 x E14 max 40W R50 230V*

DIAMETER: *240mm*
DEPTH: *150mm*

FITTING MATERIAL:
Steel
RING:
Clear Perspex

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : 20 : 12

FAMILY:
Mini Disc
FITTING COLOUR:
COPPER: 6007328014201
GUN METAL: 6007328026563
SATIN CHROME: 6007328011354
WHITE: 6007328003304

ADDITIONAL INFORMATION:
Spare Perspex Ring: X1125



S21 **LAMP TYPE:** *Excluding 2 x E14 max 40W R50 230V*

LENGTH : *360mm*
WIDTH: *40mm*
DEPTH: *150mm*

FITTING MATERIAL:
Steel
RING:
Clear Perspex

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : 20 : 12

FAMILY:
Mini Disc
FITTING COLOUR:
COPPER: 6007328014188
GUN METAL: 6007328026631
SATIN CHROME: 6007328011323
WHITE: 6007328003298

ADDITIONAL INFORMATION:
Spare Perspex Ring: X1125



S19 **LAMP TYPE:** *Excluding 3 x E14 max 40W R50 230V*

LENGTH: *550mm*
WIDTH: *40mm*
DEPTH: *150mm*

FITTING MATERIAL:
Steel
RING:
Clear Perspex

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : 20 : 12

FAMILY:
Mini Disc
FITTING COLOUR:
GUN METAL: 6007328026570
SATIN CHROME: 6007328011347
WHITE: 6007328003168

ADDITIONAL INFORMATION:
Spare Perspex Ring: X1125



S22 **LAMP TYPE:** *Excluding 2 x E14 max 40W R50 230V*

LENGTH: *390mm*
WIDTH: *140mm*
DEPTH: *135mm*

FITTING MATERIAL:
Steel
RING:
Clear Perspex

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : 20 : 10

FAMILY:
Mini Disc
FITTING COLOUR:
COPPER: 6007328021247
GUN METAL: 6007328016908
POLISHED BRASS: 6007328014430
SATIN CHROME: 6007328014423
WHITE: 6007328014416

S24 **LAMP TYPE:** *Excluding 3 x E14 max 40W R50 230V*

LENGTH: *635mm*
WIDTH: *140mm*
DEPTH: *210mm*

FITTING MATERIAL:
Steel
RING:
Clear Perspex

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : 20 : 6

FAMILY:
Mini Disc
FITTING COLOUR:
COPPER: 6007328026495
GUN METAL: 6007328031000
SATIN CHROME: 6007328026488
WHITE: 6007328026471



S26 **LAMP TYPE:** *Excluding 4 x E14 max 40W R50 230V*

LENGTH: *785mm*
WIDTH: *140mm*
DEPTH: *250mm*

FITTING MATERIAL:
Steel
RING:
Clear Perspex

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : 20 : 6

FAMILY:
Mini Disc
FITTING COLOUR:
COPPER: 6007328021254
GUN METAL: 6007328016915
SATIN CHROME: 6007328014454
WHITE: 6007328014447



S75

LAMP TYPE:
Excluding 2 x E14 max 40W R50 230V

DIAMETER: *195mm*
DEPTH: *135mm*

FITTING MATERIAL:
Steel

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : 20 : 12

FAMILY:
Delta
FITTING COLOUR:
GUN METAL: 6007328017431
SATIN CHROME: 6007328017424



S76

LAMP TYPE:
Excluding 3 x E14 max 40W R50 230V

DIAMETER: *235mm*
DEPTH: *135mm*

FITTING MATERIAL:
Steel

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : 20 : 12

FAMILY:
Delta
FITTING COLOUR:
GUN METAL: 6007328017462
SATIN CHROME: 6007328017455

S74

LAMP TYPE:
Excluding 1 x E14 max 40W R50 230V

DIAMETER: *80mm*
DEPTH: *135mm*

FITTING MATERIAL:
Steel

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : 20 : 36

FAMILY:
Delta
FITTING COLOUR:
GUN METAL: 6007328017400
SATIN CHROME: 6007328017394
WHITE: 6007328017387





S312

LAMP TYPE:
Excluding 1 x E27 max 60W R63 230V

DIAMETER: *80mm*
DEPTH: *170mm*

FITTING MATERIAL:
Steel

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : 20 : 12

FAMILY:
R63 Turbo
FITTING COLOUR:
SATIN CHROME: 6007328024279
WHITE: 6007328026969

ADDITIONAL INFORMATION:
Matching Table Lamp: T63

S313

LAMP TYPE:
Excluding 2 x E27 max 60W R63 230V

DIAMETER: *190mm*
DEPTH: *170mm*

FITTING MATERIAL:
Steel

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : 20 : 6

FAMILY:
R63 Turbo
FITTING COLOUR:
SATIN CHROME: 6007328024286
WHITE: 6007328026976

ADDITIONAL INFORMATION:
Matching Table Lamp: T63





S314

LAMP TYPE:
Excluding 2 x E27 max 60W R63 230V

LENGTH: *360mm*
WIDTH: *135mm*
DEPTH: *170mm*

FITTING MATERIAL:
Steel

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : 20 : 6

FAMILY:
R63 Turbo
FITTING COLOUR:
SATIN CHROME: 6007328024309
WHITE: 6007328026983

ADDITIONAL INFORMATION:
Matching Table Lamp: T63

S316

LAMP TYPE:
Excluding 3 x E27 max 60W R63 230V

LENGTH: *555mm*
WIDTH: *135mm*
DEPTH: *170mm*

FITTING MATERIAL:
Steel

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : 20 : 4

FAMILY:
R63 Turbo
FITTING COLOUR:
SATIN CHROME: 6007328024316
WHITE: 6007328027003

ADDITIONAL INFORMATION:
Matching Table Lamp: T63



S315

LAMP TYPE:
Excluding 3 x E27 max 60W R63 230V

DIAMETER: *240mm*
DEPTH: *170mm*

FITTING MATERIAL:
Steel

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : 20 : 6

FAMILY:
R63 Turbo

FITTING COLOUR:
SATIN CHROME: 6007328024293
WHITE: 6007328026990

ADDITIONAL INFORMATION:
Matching Table Lamp: T63



S40

LAMP TYPE:
Excluding 1 x E27 max 60W R80 230V

DIAMETER: *80mm*
DEPTH: *170mm*

FITTING MATERIAL:
Steel

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : 20 : 36

FAMILY:
R80 Turbo
FITTING COLOUR:
BLACK: 6007328003236
SATIN CHROME: 6007328012580
WHITE: 6007328003274

ADDITIONAL INFORMATION:
Matching Table Lamp: T30



S239 / S240

LAMP TYPE:
Excluding 1 x E27 max 60W R80 230V

DIAMETER: *85mm*
DEPTH: *170mm*

FITTING MATERIAL:
Steel

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : 20 : 36

FAMILY:
R80 Turbo
FITTING COLOUR:
SATIN CHROME: 6007328330851
*WHITE (**S239W**): 6007328330844*

ADDITIONAL INFORMATION:
Including Mounted Rocker Switch
Matching Table Lamp: T30





S42

LAMP TYPE:
Excluding 2 x E27 max 60W R80 230V

LENGTH : *360mm*
WIDTH: *40mm*
DEPTH: *180mm*

FITTING MATERIAL:
Steel

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : 20 : 12

FAMILY:
R80 Turbo
FITTING COLOUR:
BLACK: 6007328005360
SATIN CHROME: 6007328012597
WHITE: 6007328003281

ADDITIONAL INFORMATION:
Matching Table Lamp: T30





S44

LAMP TYPE:
Excluding 3 x E27 max 60W R80 230V

LENGTH: *555mm*
WIDTH: *40mm*
DEPTH: *180mm*

FITTING MATERIAL:
Steel

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : 20 : 12

FAMILY:
R80 Turbo
FITTING COLOUR:
BLACK: 6007328003212
SATIN CHROME: 6007328012610
WHITE: 6007328003250

ADDITIONAL INFORMATION:
Matching Table Lamp: T30



S43

LAMP TYPE:
Excluding 2 x E27 max 60W R80 230V

DIAMETER: *190mm*
DEPTH: *180mm*

FITTING MATERIAL:
Steel

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : 20 : 12

FAMILY:
R80 Turbo
FITTING COLOUR:
BLACK: 6007328005377
SATIN CHROME: 6007328012603
WHITE: 6007328002635

ADDITIONAL INFORMATION:
Matching Table Lamp: T30



S45

LAMP TYPE:
Excluding 3 x E27 max 60W R80 230V

DIAMETER: *240mm*
DEPTH: *180mm*

FITTING MATERIAL:
Steel

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : 20 : 12

FAMILY:
R80 Turbo
FITTING COLOUR:
BLACK: 6007328003229
SATIN CHROME: 6007328012627
WHITE: 6007328002642

ADDITIONAL INFORMATION:
Matching Table Lamp: T30

S371

DOWNLIGHTS

DOWNLIGHTS

D110 *pg222*

D112 *pg222*

D113 *pg222*

D114 *pg222*

D116 *pg223*

D148 *pg224*

D149 *pg224*

D154 *pg224*

D122 *pg224*

D150 *pg225*

D151 *pg225*

D152 *pg225*

D153 *pg225*

D105 *pg226*

D106 *pg226*

D147 *pg226*

O343 *pg226*

D100 *pg228*

D99 *pg228*

D104 *pg228*

D103 *pg228*

D92 *pg229*

D93 *pg229*

D98 *pg229*

D94 *pg229*

D101 *pg230*

D67 *pg230*

D68 *pg231*

D71 *pg231*

D69 *pg231*

D72 *pg231*

D131 *pg232*

D70 *pg232*

D73 *pg232*

D74 *pg233*

D75 *pg233*

D76 *pg233*

D77 *pg233*

D31 *pg234*

D32 *pg234*

D25 *pg235*

D39 *pg235*

D56 *pg236*

D66 *pg236*

D102 *pg236*

D48 *pg236*

D23 *pg237*

D34 *pg237*

D49 *pg237*

D65 *pg237*

D18 *pg238*

D19 *pg238*

D22 *pg238*

D20 *pg238*

O302 *pg239*

O135 *pg239*

O245 *pg239*

D108 *pg240*

D109 *pg240*

D45 *pg241*

D46 *pg241*

D61 *pg241*

D62 *pg241*

D26 *pg242*

D27 *pg242*

D64 *pg242*

D63 *pg242*

D36 *pg243*

D55 *pg243*

D50 *pg244*

D15 *pg244*

D9 *pg244*

D10 *pg244*

D52 *pg246*

D59 *pg246*

DOWNLIGHT REPLACEMENT GUIDE

Become more energy efficient

Colour Temperature

With LEDs and CFLs, you can now choose between Warm White or Cool White. Warm White is best suited for living spaces, recreational spaces and bedrooms. Cool White is best suited in kitchens, bathrooms, workshops and for outdoor use.

Cool White

Warm White

Lifetime

The importance of lamp life is realising the cost of replacing the lamp.

Halogen lamps normally last around 2000 hours, whilst LED lamps can last up to 30 000 hours. This means that you have to replace 15 Halogen lamps for only 1 LED lamp!



How do they compare?	HALOGEN	LED
Lamp Life	2000 hours	30 000 hours
Wattage	50W	7W
Cost over 30 000 hours*	R1 500	R210
Colour Temperature	Warm White	Warm & Cool White
Light Output	340lm	Warm White: 470lm Cool White: 561lm
Efficacy	7lm/W	Warm White: 67lm/W Cool White: 80lm/W
Dimmability	Dimmable	Dimmable
Beam Angle	38°	40°

* Cost calculated at R1.00 p/kW. The cost calculated over 30 000 hours excludes lamp replacement costs

Beam Angle

Tight beam angles (30° - 40°) provide strong pockets of light.

Wider beam angles (90° - 120°) offer a wider, more evenly spread light, however, a wider angle will dilute the light intensity.



Lumens and Wattage

The performance/efficacy of a lamp is measured by lumens per watt. Ensure you buy bulbs with the most lumens per watt.

For example:

50W = 7lm/W	7W = 67lm/W
50W Halogen produces 340 lumens = 7lm/W	7W Warm LED produces 470 lumens = 67lm/W

Average brightness at 3m ceiling height





D110 LED **LAMP TYPE:** *Including 1 x 3W Integrated LED*

DIAMETER: *90mm*
DEPTH: *22mm*
CUT OUT: *76mm*

FITTING MATERIAL:
PVC
LENS:
Opal Polycarbonate

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP: *20* : *50*

FITTING COLOUR:
WHITE: 6007328367901

ADDITIONAL INFORMATION:
Straight Downlight
Spring Clips
Including Inline LED Driver
Not Dimmable

LAMP SPECIFICATION:
Power: 3W
Luminous Flux: 240lm
Colour Temperature: 4000K
Lifetime: 25 000 Hours
Beam Angle: 120º



D112 LED **LAMP TYPE:** *Including 1 x 6W Integrated LED*

DIAMETER: *120mm*
DEPTH: *22mm*
CUT OUT: *100mm*

FITTING MATERIAL:
PVC
LENS:
Opal Polycarbonate

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP: *20* : *50*

FITTING COLOUR:
WHITE: 6007328367925

ADDITIONAL INFORMATION:
Straight Downlight
Spring Clips
Including Inline LED Driver
Not Dimmable

LAMP SPECIFICATION:
Power: 6W
Luminous Flux: 480lm
Colour Temperature: 4000K
Lifetime: 25 000 Hours
Beam Angle: 120º



D113 LED **LAMP TYPE:** *Including 1 x 9W Integrated LED*

DIAMETER: *150mm*
DEPTH: *22mm*
CUT OUT: *130mm*

FITTING MATERIAL:
PVC
LENS:
Opal Polycarbonate

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP: **20** : *40*

FITTING COLOUR:
WHITE: 6007328367932

ADDITIONAL INFORMATION:
Straight Downlight
Spring Clips
Including Inline LED Driver
Not Dimmable

LAMP SPECIFICATION:
Power: 9W
Luminous Flux: 720lm
Colour Temperature: 4000K
Lifetime: 25 000 Hours
Beam Angle: 120º



D114 LED **LAMP TYPE:** *Including 1 x 12W Integrated LED*

DIAMETER: *170mm*
DEPTH: *22mm*
CUT OUT: *150mm*

FITTING MATERIAL:
PVC
LENS:
Opal Polycarbonate

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP: *20* : *20*

FITTING COLOUR:
WHITE: 6007328367949

ADDITIONAL INFORMATION:
Straight Downlight
Spring Clips
Including Inline LED Driver
Not Dimmable

LAMP SPECIFICATION:
Power: 12W
Luminous Flux: 960lm
Colour Temperature: 4000K
Lifetime: 25 000 Hours
Beam Angle: 120º

D116 LED **LAMP TYPE:**
Including 1 x 18W Integrated LED

DIAMETER: *225mm*
DEPTH: *22mm*
CUT OUT: *200mm*

FITTING MATERIAL:
PVC
LENS:
Opal Polycarbonate

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *20*

FITTING COLOUR:
WHITE: 6007328367963

ADDITIONAL INFORMATION:
Straight Downlight
Spring Clips
Including Inline LED Driver
Not Dimmable

LAMP SPECIFICATION:
Power: 18W
Luminous Flux: 1600lm
Colour Temperature: 4000K
Lifetime: 25 000 Hours
Beam Angle: 120º



D148 LED **LAMP TYPE:** *Including 1 x 7W Integrated LED*

DIAMETER: *100mm*
DEPTH: *45mm*
CUT-OUT: *80mm*

FITTING MATERIAL:
Polycarbonate
LENS:
Opal Polystyrene

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP: *20* :80

DESCRIPTION:
Switchable LED Downlight

FITTING COLOUR:
WHITE: 6007328393795

ADDITIONAL INFORMATION
Straight

LAMP SPECIFICATION:
Power: 7W
Lifetime: 25 000 Hours
Luminous Flux: 560lm
Colour Temperature: 3000K/4000K/6500K



D149 LED **LAMP TYPE:** *Including 1 x 12W Integrated LED*

DIAMETER: *115mm*
DEPTH: *55mm*
CUT-OUT: *85mm*

FITTING MATERIAL:
Polycarbonate
LENS:
Opal Polystyrene

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP: *20* : *40*

DESCRIPTION:
Switchable LED Downlight

FITTING COLOUR:
WHITE: 6007328393801

ADDITIONAL INFORMATION
Straight

LAMP SPECIFICATION:
Power: 12W
Lifetime: 25 000 Hours
Luminous Flux: 840lm
Colour Temperature: 3000K/4000K/6500K



D154 LED **LAMP TYPE:** *Including 1 x 15W Integrated LED*

DIAMETER: *138mm*
DEPTH: *54mm*
CUT-OUT: *105mm*

FITTING MATERIAL:
Polycarbonate

LENS:
Opal Polystyrene

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP: *20* : *40*

DESCRIPTION:
Switchable LED Downlight

FITTING COLOUR:
WHITE: 6007328399100

ADDITIONAL INFORMATION
Straight

LAMP SPECIFICATION:
Power: 15W
Lifetime: 25 000 Hours
Luminous Flux: 1200lm
Colour Temperature: 3000K/4000K/6500K



D122 LED **LAMP TYPE:** *Including 1 x 18W Integrated LED*

HEIGHT: *225mm*
WIDTH: *225mm*
DEPTH: *30mm*
CUT-OUT: *215mm x 215mm*

FITTING MATERIAL:
Aluminium & Steel

LENS:
Clear & Opal

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP: *44* : *20*

DESCRIPTION:
LED Square Panel Downlight

FITTING COLOUR:
WHITE: 6007328372974

LAMP SPECIFICATION:
Power: 18W
Lifetime: 30 000 Hours
Luminous Flux: 1260lm
Colour Temperature: 4000K
CRI: ≥80
Power Factor: 0.9



D150 LED **LAMP TYPE:** *Including 3 x 3W Integrated LED*

DIAMETER: *85mm*
DEPTH: *23mm*
CUT-OUT: *73mm*

FITTING MATERIAL:
Die Cast Metal
LENS:
White Plastic

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : 20 : 10

FAMILY:
Fueva-C

FITTING COLOUR:
SATIN CHROME: 9002759328825
WHITE: 9002759328818

ADDITIONAL INFORMATION
Straight
Bluetooth device on fitting
Fitting is connectable with smart phones (compatible devices: Apple Iphone version > 45, Ipad > 3rd Generation, Ipad Touch 5th Generation, Ipad Mini, Google Android > 4.3 Bluetooth 0.4 - Smart Ready.
Install Awox App to install light and colour changing

LAMP SPECIFICATION:
Power: 3W
Lifetime: 25 000 Hours
Luminous Flux: 350lm
Colour Temperature: 2700K - 6500K + RGB
CRI: ≥80



D151 LED **LAMP TYPE:** *Including 6W Integrated LED*

DIAMETER: *120mm*
DEPTH: *25mm*
CUT-OUT: *108mm*

FITTING MATERIAL:
Die Cast Metal
LENS:
White Plastic

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : 20 : 10

FAMILY:
Fueva-C

FITTING COLOUR:
SATIN CHROME: 9002759327538
WHITE: 9002759327378

ADDITIONAL INFORMATION
Straight
Bluetooth device on fitting
Fitting is connectable with smart phones (compatible devices: Apple Iphone version > 45, Ipad > 3rd Generation, Ipad Touch 5th Generation, Ipad Mini, Google Android > 4.3 Bluetooth 0.4 - Smart Ready.
Install Awox App to install light and colour changing

LAMP SPECIFICATION:
Power: 6W
Lifetime: 25 000 Hours
Luminous Flux: 700lm
Colour Temperature: 2700K - 6500K + RGB
CRI: ≥80



D152 LED **LAMP TYPE:** *Including 10.5W Integrated LED*

DIAMETER: *170mm*
DEPTH: *25mm*
CUT-OUT: *155mm*

FITTING MATERIAL:
Die Cast Metal
LENS:
White Plastic

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : 20 : 10

FAMILY:
Fueva-C

FITTING COLOUR:
SATIN CHROME: 9002759327545
WHITE: 9002759327385

ADDITIONAL INFORMATION
Straight
Bluetooth device on fitting
Fitting is connectable with smart phones (compatible devices: Apple Iphone version > 45, Ipad > 3rd Generation, Ipad Touch 5th Generation, Ipad Mini, Google Android > 4.3 Bluetooth 0.4 - Smart Ready.
Install Awox App to install light and colour changing

LAMP SPECIFICATION:
Power: 10.5W
Lifetime: 25 000 Hours
Luminous Flux: 1200lm
Colour Temperature: 2700K - 6500K + RGB
CRI: ≥80



D153 LED **LAMP TYPE:** *Including 1 x 15.6W Integrated LED*

DIAMETER: *225mm*
DEPTH: *25mm*
CUT-OUT: *210mm*

FITTING MATERIAL:
Die Cast Metal
LENS:
White Plastic

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : 20 : 10

FAMILY:
Fueva-C

FITTING COLOUR:
SATIN CHROME: 9002759966768
WHITE: 9002759966683

ADDITIONAL INFORMATION
Straight
Bluetooth device on fitting
Fitting is connectable with smart phones (compatible devices: Apple Iphone version > 45, Ipad > 3rd Generation, Ipad Touch 5th Generation, Ipad Mini, Google Android > 4.3 Bluetooth 0.4 - Smart Ready.
Install Awox App to install light and colour changing

LAMP SPECIFICATION:
Power: 15.6W
Lifetime: 25 000 Hours
Luminous Flux: 2000lm
Colour Temperature: 2700K - 6500K + RGB
CRI: ≥80



D105 LED **LAMP TYPE:** *Including 6 x 1W Integrated LED*

DIAMETER: *90mm*
DEPTH: *88mm*
CUT OUT: *80mm*

FITTING MATERIAL:
Aluminium
LENS:
Clear & Frosted Acrylic

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP: *44* : *50*

FAMILY:
Cielo
FITTING COLOUR:
BRUSHED ALUMINIUM: 6007328347248

ADDITIONAL INFORMATION:
Including Constant Current LED Driver
Spring Clips

LAMP SPECIFICATION:
Power: 6W (6 x 1W)
Lifetime: 25 000 Hours
Luminous Flux: 470lm
Colour Temperature: 3000K



D147 LED **LAMP TYPE:** *Including 1 x 5W Intergrated LED 230V*

DIAMETER: *95mm*
DEPTH: *47mm*
CUT-OUT: *78mm*

FITTING MATERIAL:
Polycarbonate
LENS:
Clear Polycarbonate Quartz

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP: *20* : *100*

FITTING COLOUR:
COOL WHITE: 6007328391524
WARM WHITE: 6007328391531

ADDITIONAL INFORMATION:
60° Tilt
Spring Clips

LAMP SPECIFICATION:
Power: 5W
Lifetime: 25 000 Hours
Luminous Flux: 350lm
Colour Temperature: 4000K / 3000K
CRI: ≥80



D106 LED **LAMP TYPE:** *Including 6 x 1W Integrated LED*

LENGTH: *90mm*
WIDTH: *90mm*
DEPTH: *88mm*
CUT OUT: *80mm*

FITTING MATERIAL:
Aluminium
LENS:
Clear & Frosted Acrylic

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP: *44* : *50*

FAMILY:
Cielo
FITTING COLOUR:
BRUSHED ALUMINIUM: 6007328347255

ADDITIONAL INFORMATION:
Including Constant Current LED Driver
Spring Clips

LAMP SPECIFICATION:
Power: 6W (6 x 1W)
Lifetime: 25 000 Hours
Luminous Flux: 470lm
Colour Temperature: 3000K



O343 LED **LAMP TYPE:** *Including 1 x GU10 5W LED 230V*

DIAMETER: *85mm*
DEPTH: *120mm*
CUT OUT: *78mm*

FITTING MATERIAL:
Die Cast Aluminium
LENS:
Frosted Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP: *65* : *48*

FAMILY:
Margo
FITTING COLOUR:
WHITE: 9002759940935

ADDITIONAL INFORMATION:
Straight
Spring Clips

LAMP SPECIFICATION:
Power: 5W
Luminous Flux: 400lm
Colour Temperature: 3000K
Lifetime: 15 000 Hours
Beam Angle: 38º



D100

LAMP TYPE:
Excluding 1 x G4 max 20W Bi-pin12V

HEIGHT: *80mm*
WIDTH: *80mm*
DEPTH: *90mm*
CUT OUT: *60mm*

FITTING MATERIAL:
Pressed Steel
SHADE:
Chrome Steel Frame
CRYSTALS:
Clear Glass Crystals

IP : *20* : *100*

FAMILY:
Zirconia
FITTING COLOUR:
CHROME: 6007328347194

ADDITIONAL INFORMATION:
Spring Clips
Excluding 12V Transformer: CO76 or CO79



D99

LAMP TYPE:
Excluding 1 x G4 max 20W Bi-pin12V

DIAMETER: *71mm*
DEPTH: *90mm*
CUT OUT: *60mm*

FITTING MATERIAL:
Pressed Steel
SHADE:
Chrome Steel Frame
CRYSTALS:
Clear Glass Crystals

IP : *20* : *100*

FAMILY:
Zirconia
FITTING COLOUR:
CHROME: 6007328347187

ADDITIONAL INFORMATION:
Spring Clips
Excluding 12V Transformer: CO76 or CO79



D104

LAMP TYPE:
Excluding 1 x GU5.3 max 50W MR16 12V

DIAMETER: *80mm*
DEPTH: *90mm*
CUT OUT: *60mm*

FITTING MATERIAL:
Pressed Steel
LENS:
Clear & Opal Glass
CRYSTALS:
Clear Glass Crystal Ball

IP : *20* : *100*

FAMILY:
Galaxy
FITTING COLOUR:
CHROME: 6007328347231

ADDITIONAL INFORMATION:
Spring Clips
Use CO113 To Convert to 230V
Excluding 12V Transformer: CO76 or CO79



D103

LAMP TYPE:
Excluding 1 x GU5.3 max 50W MR16 12V

DIAMETER: *80mm*
DEPTH: *77mm*
CUT OUT: *60mm*

FITTING MATERIAL:
Pressed Steel
LENS:
Clear & Opal Glass
CRYSTALS:
Clear Glass Crystal Ball

IP : *20* : *100*

FAMILY:
Galaxy
FITTING COLOUR:
CHROME: 6007328347224

ADDITIONAL INFORMATION:
Spring Clips
Use CO113 To Convert to 230V
Excluding 12V Transformer: CO76 or CO79





D92

LAMP TYPE:
Excluding 1 x GU5.3 max 35W MR16 12V

LENGTH: *102mm*
WIDTH: *102mm*
DEPTH: *26mm*
CUT OUT: *103mm x 103mm*

FITTING MATERIAL:
Gypsum

IP : *20* : *24*

FITTING COLOUR:
WHITE: 6007328346562

ADDITIONAL INFORMATION:
Use CO113 To Convert to 230V
Excluding 12V Transformer: CO76 or CO79
Installed and plastered flush with ceiling

D93

LAMP TYPE:
Excluding 1 x GU5.3 max 35W MR16 12V

LENGTH: *122mm*
WIDTH: *122mm*
DEPTH: *55mm*
CUT OUT: *123mm x 123mm*

FITTING MATERIAL:
Gypsum

IP : *20* : *24*

FITTING COLOUR:
WHITE: 6007328346579

ADDITIONAL INFORMATION:
Use CO113 To Convert to 230V
Excluding 12V Transformer: CO76 or CO79
Installed and plastered flush with ceiling







D98

LAMP TYPE:
Excluding 2 x GU5.3 max 35W MR16 12V

LENGTH: *218mm*
WIDTH: *121mm*
DEPTH: *58mm*
CUT OUT: *219mm x 121mm*

FITTING MATERIAL:
Gypsum

IP : *20* : *12*

FITTING COLOUR:
WHITE: 6007328346623

ADDITIONAL INFORMATION:
Use CO113 To Convert to 230V
Excluding 12V Transformer: CO76 or CO79
Installed and plastered flush with ceiling

D94

LAMP TYPE:
Excluding 1 x GU5.3 max 35W MR16 12V

DIAMETER: *130mm*
DEPTH: *45mm*
CUT OUT: *131mm*

FITTING MATERIAL:
Gypsum

IP : *20* : *24*

FITTING COLOUR:
WHITE: 6007328346586

ADDITIONAL INFORMATION:
Use CO113 To Convert to 230V
Excluding 12V Transformer: CO76 or CO79
Installed and plastered flush with ceiling



D101

LAMP TYPE:
Excluding 1 x GU5.3 max 50W MR16 12V

DIAMETER: *89mm*
DEPTH: *23mm*
CUT OUT: *75mm*

FITTING MATERIAL:
CNC Aluminium
FACE:
Mirror Glass

IP : *20* : *100*

FITTING COLOUR:
BRUSHED ALUMINIUM/MIRROR: 6007328347200

ADDITIONAL INFORMATION:
Spring Clips
Use CO113 To Convert to 230V
Excluding 12V Transformer: CO76 or CO79



D67

LAMP TYPE:
Excluding 1 x GU5.3 max 50W MR16 12V

DIAMETER: *78mm*
DEPTH: *23mm*
CUT-OUT: *60mm*

FITTING MATERIAL:
CNC Aluminium

IP : *20* : *50*

FITTING COLOUR:
BRUSHED ALUMINIUM: 6007328341352

ADDITIONAL INFORMATION:
Straight
Spring Clips
Use CO113 To Convert to 230V
Excluding 12V Transformer: CO76 or CO79



D68

LAMP TYPE:
Excluding 1 x GU5.3 max 50W MR16 12V

DIAMETER: *78mm*
DEPTH: *23mm*
CUT-OUT: *60mm*

FITTING MATERIAL:
CNC Aluminium

IP : *20* : *50*

FITTING COLOUR:
BRUSHED ALUMINIUM: 6007328341369

ADDITIONAL INFORMATION:
Straight
Twist Lock
Use CO113 To Convert to 230V
Excluding 12V Transformer: CO76 or CO79



D71

LAMP TYPE:
Excluding 1 x GU5.3 max 50W MR16 12V

DIAMETER: *82mm*
DEPTH: *23mm*
CUT-OUT: *70mm*

FITTING MATERIAL:
CNC Aluminium

IP : *20* : *50*

FITTING COLOUR:
BRUSHED ALUMINIUM: 6007328341390

ADDITIONAL INFORMATION:
30º Tilt
Twist Lock
Use CO113 To Convert to 230V
Excluding 12V Transformer: CO76 or CO79



D69

LAMP TYPE:
Excluding 1 x GU5.3 max 50W MR16 12V

DIAMETER: *80mm*
DEPTH: *28mm*
CUT-OUT: *67mm*

FITTING MATERIAL:
CNC Aluminium

IP : *20* : *50*

FITTING COLOUR:
BRUSHED ALUMINIUM: 6007328341376

ADDITIONAL INFORMATION:
Straight
Spring Clips
Use CO113 To Convert to 230V
Excluding 12V Transformer: CO76 or CO79



D72

LAMP TYPE:
Excluding 1 x GU5.3 max 50W MR16 12V

DIAMETER: *90mm*
DEPTH: *32mm*
CUT-OUT: *80mm*

FITTING MATERIAL:
CNC Aluminium

IP : *20* : *50*

FITTING COLOUR:
BRUSHED ALUMINIUM: 6007328341406

ADDITIONAL INFORMATION:
20 º Tilt
Twist Lock
Use CO113 To Convert to 230V
Excluding 12V Transformer: CO76 or CO79



D70

LAMP TYPE:
Excluding 1 x GU5.3 max 50W MR16 12V

LENGTH: *80mm*
WIDTH: *80mm*
DEPTH: *28mm*
CUT-OUT: *67mm*

FITTING MATERIAL:
CNC Aluminium

IP : *20* : *50*

FITTING COLOUR:
BRUSHED ALUMINIUM: 6007328341383

ADDITIONAL INFORMATION:
Straight
Spring Clips
Use CO113 To Convert to 230V
Excluding 12V Transformer: CO76 or CO79



D73

LAMP TYPE:
Excluding 1 x GU5.3 max 50W MR16 12V

LENGTH: *90mm*
WIDTH: *90mm*
DEPTH: *32mm*
CUT-OUT: *80mm*

FITTING MATERIAL:
CNC Aluminium

IP : *20* : *50*

FITTING COLOUR:
BRUSHED ALUMINIUM: 6007328341413

ADDITIONAL INFORMATION:
20 ° Tilt
Twist Lock
Use CO113 To Convert to 230V
Excluding 12V Transformer: CO76 or CO79

D131

LAMP TYPE:
Excluding 1 x GU10 max 50W PAR16 230V

DIAMETER: *85mm*
DEPTH: *95mm*
CUT-OUT: *77mm*

FITTING MATERIAL:
Aluminium

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *100*

FITTING COLOUR:
WHITE: 6007328382621
SATIN CHROME: 6007328382614

ADDITIONAL INFORMATION:
Anti-Glare
Straight
Spring Clips





D74

LAMP TYPE: *Excluding 1 x GU5.3 max 50W MR16 12V*

LENGTH: *95mm*
WIDTH: *95mm*
DEPTH: *26mm*
CUT-OUT: *80mm*

FITTING MATERIAL:
CNC Aluminium

IP : *20* : *50*

FITTING COLOUR:
ALUMINIUM: 6007328341420

ADDITIONAL INFORMATION:
30 º Tilt
Twist Lock
Use CO113 To Convert to 230V
Excluding 12V Transformer: CO76 or CO79

D75

LAMP TYPE: *Excluding 2 x GU5.3 max 50W MR16 12V*

LENGTH: *175mm*
WIDTH: *95mm*
DEPTH: *26mm*
CUT-OUT: *80mm x 158mm*

FITTING MATERIAL:
CNC Aluminium

IP : *20* : *36*

FITTING COLOUR:
ALUMINIUM: 6007328341437

ADDITIONAL INFORMATION:
30 º Tilt
Twist Lock
Use CO113 To Convert to 230V
Excluding 12V Transformer: CO76 or CO79





D76

LAMP TYPE: *Excluding 3 x GU5.3 max 50W MR16 12V*

LENGTH: *260mm*
WIDTH: *95mm*
DEPTH: *26mm*
CUT-OUT: *80mm x 243mm*

FITTING MATERIAL:
CNC Aluminium

IP : *20* : *24*

FITTING COLOUR:
ALUMINIUM: 6007328341444

ADDITIONAL INFORMATION:
30 º Tilt
Twist Lock
Use CO113 To Convert to 230V
Excluding 12V Transformer: CO76 or CO79

D77

LAMP TYPE: *Excluding 4 x GU5.3 max 50W MR16 12V*

LENGTH: *175mm*
WIDTH: *175mm*
DEPTH: *26mm*
CUT-OUT: *160mm x 162mm*

FITTING MATERIAL:
CNC Aluminium

IP : *20* : *24*

FITTING COLOUR:
ALUMINIUM: 6007328341451

ADDITIONAL INFORMATION:
30 º Tilt
Twist Lock
Use CO113 To Convert to 230V
Excluding 12V Transformer: CO76 or CO79



D31

LAMP TYPE:
Including 1 x G4 max 20W Bi-pin 12V

DIAMETER: *69mm*
DEPTH: *20mm*
CUT-OUT: *56mm*

FITTING MATERIAL:
Pressed Steel
LENS:
Frosted Glass

IP : *20* : *100*

FITTING COLOUR:
POLISHED BRASS: 6007328010593
SATIN CHROME: 6007328014164
WHITE: 6007328010609

ADDITIONAL INFORMATION:
Straight
Cabinet Light
Excluding 12V Transformer: CO76 or CO79



D32

LAMP TYPE:
Including 1 x G4 max 20W Bi-pin 12V

DIAMETER: *69mm*
DEPTH: *21mm*
CUT-OUT: *56mm*

FITTING MATERIAL:
Pressed Steel
LENS:
Frosted Glass

IP : *20* : *100*

FITTING COLOUR:
BLACK: 6007328017547
POLISHED BRASS: 6007328011446
SATIN CHROME: 6007328011460
WHITE: 6007328011453

ADDITIONAL INFORMATION:
Straight
Cabinet Light
Excluding 12V Transformer: CO76 or CO79



D25

LAMP TYPE:
Excluding 1 x GU5.3 max 50W MR16 12V

DIAMETER: *80mm*
DEPTH: *37mm*
CUT-OUT: *65mm*

FITTING MATERIAL:
Pressed Steel

IP : *20* : *100*

FITTING COLOUR:
GUN METAL: 6007328011521
POLISHED BRASS: 6007328008248
SATIN CHROME: 6007328019701
WHITE: 6007328007371

ADDITIONAL INFORMATION:
Straight
Spring Clips
Use CO113 To Convert to 230V
Excluding 12V Transformer: CO76 or CO79



D39

LAMP TYPE:
Excluding 1 x GU5.3 max 50W MR16 12V

DIAMETER: *105mm*
DEPTH: *26mm*
CUT-OUT: *90mm*

FITTING MATERIAL:
Pressed Steel

IP : *20* : *100*

FITTING COLOUR:
GUN METAL: 6007328015802
POLISHED BRASS: 6007328015796
SATIN CHROME: 6007328015789
WHITE: 6007328015772

ADDITIONAL INFORMATION:
25° Tilt
Spring Clips
Use CO113 To Convert to 230V
Excluding 12V Transformer: CO76 or CO79



D56

LAMP TYPE:
Excluding 1 x GU5.3 max 50W MR16 12V

LENGTH: *80mm*
WIDTH: *80mm*
DEPTH: *25mm*
CUT-OUT: *73mm*

FITTING MATERIAL:
Die Cast Aluminium

IP : *20* : *100*

FITTING COLOUR:
SATIN CHROME: 6007328322436
WHITE: 6007328322443

ADDITIONAL INFORMATION:
Straight
Twist Lock
Use CO113 To Convert to 230V
Excluding 12V Transformer: CO76 or CO79



D66

LAMP TYPE:
Excluding 1 x GU5.3 max 50W MR16 12V

LENGTH: *95mm*
WIDTH: *95mm*
DEPTH: *34mm*
CUT-OUT: *82mm*

FITTING MATERIAL:
Die Cast Aluminium

IP : *20* : *100*

FITTING COLOUR:
SATIN CHROME: 6007328341000
WHITE: 6007328340997

ADDITIONAL INFORMATION:
30º Tilt
Twist Lock
Use CO113 To Convert to 230V
Excluding 12V Transformer: CO76 or CO79



D102

LAMP TYPE:
Excluding 1 x GU5.3 max 50W MR16 12V

HEIGHT: *89mm*
WIDTH: *89mm*
DEPTH: *23mm*
CUT OUT: *75mm*

FITTING MATERIAL:
Aluminium
FACE:
Mirror Glass

IP : *20* : *100*

FITTING COLOUR:
BRUSHED ALUMINIUM/MIRROR: 6007328347217

ADDITIONAL INFORMATION:
Spring Clips
Use CO113 To Convert to 230V
Excluding 12V Transformer: CO76 or CO79



D48

LAMP TYPE:
Excluding 1 x GU10 max 50W PAR16 230V

LENGTH: *94mm*
WIDTH: *94mm*
DEPTH: *110mm*
CUT-OUT: *83mm*

FITTING MATERIAL:
Die Cast Aluminium

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *23* : *20*

FITTING COLOUR:
WHITE: 6007328373551

ADDITIONAL INFORMATION:
20º Tilt
Twist Lock





D23

LAMP TYPE:
Excluding 1 x GU5.3 max 50W MR16 12V

DIAMETER: *130mm*
DEPTH: *76mm*
CUT-OUT: *110mm*

FITTING MATERIAL:
Die Cast Aluminium

IP: *20* : *36*

FITTING COLOUR:
SATIN CHROME: 6007328011439
POLISHED BRASS: 6007328011422
WHITE: 6007328009405

ADDITIONAL INFORMATION:
80° Tilt
330º Swivel
Use CO113 To Convert to 230V
Excluding 12V Transformer: CO76 or CO79

D34

LAMP TYPE:
Excluding 1 x GU5.3 max 50W MR16 12V

LENGTH: *102mm*
WIDTH: *82mm*
DEPTH: *22mm*
CUT-OUT: *76mm*

FITTING MATERIAL:
Die Cast Aluminium

IP: *20* : *100*

FITTING COLOUR:
GUN METAL: 6007328016861
POLISHED BRASS: 6007328015086
SATIN CHROME: 6007328016878
WHITE: 6007328015062

ADDITIONAL INFORMATION:
30º Tilt
Spring Clips
Use CO113 To Convert to 230V
Excluding 12V Transformer: CO76 or CO79





D49

LAMP TYPE:
Excluding 1 x G4 max 10W Bi-pin 12V

DIAMETER: *41mm*
DEPTH: *35mm*
CUT-OUT: *27mm*

FITTING MATERIAL:
Die Cast Aluminium

IP: *20* : *200*

FITTING COLOUR:
POLISHED BRASS: 6007328026457
SATIN CHROME: 6007328026464
WHITE: 6007328026440

ADDITIONAL INFORMATION:
Straight
Starlight with Reflector
Excluding 12V Transformer: CO76 or CO79

D65

LAMP TYPE:
Excluding 1 x GU5.3 max 50W MR16 12V

DIAMETER: *84mm*
DEPTH: *51mm*
CUT-OUT: *70mm-74mm*

FITTING MATERIAL:
DIe Cast Aluminium & Pressed Steel
LENS:
Clear Tempered Glass

IP: *65* : *100*

FITTING COLOUR:
WHITE: 6007328340850

ADDITIONAL INFORMATION:
Straight
Bathroom Light
Use CO113 To Convert to 230V
Excluding 12V Transformer: CO76 or CO79





D18

LAMP TYPE:
Excluding 1 x GU5.3 max 50W MR16 12V

DIAMETER: *80mm*
DEPTH: *25mm*
CUT-OUT: *73mm*

FITTING MATERIAL:
Die Cast Aluminium

IP : *20* : *100*

FITTING COLOUR:
GUN METAL: 6007328011477
POLISHED BRASS: 6007328002475
SATIN BRASS: 6007328020257
SATIN CHROME: 6007328002451
WHITE: 6007328002895

ADDITIONAL INFORMATION:
Straight
Twist Lock
Use CO113 To Convert to 230V
Excluding 12V Transformer: CO76 or CO79

D19

LAMP TYPE:
Excluding 1 x GU5.3 max 50W MR16 12V

DIAMETER: *94mm*
DEPTH: *32mm*
CUT-OUT: *83mm*

FITTING MATERIAL:
Die Cast Aluminium

IP : *20* : *100*

FITTING COLOUR:
GUN METAL: 6007328011484
POLISHED BRASS: 6007328002444
SATIN BRASS: 6007328020264
SATIN CHROME: 6007328002499
WHITE: 6007328002468

ADDITIONAL INFORMATION:
30º Tilt
Twist Lock
Use CO113 To Convert to 230V
Excluding 12V Transformer: CO76 or CO79





D22

LAMP TYPE:
Excluding 1 x GU5.3 max 50W MR16 12V

DIAMETER: *83mm*
DEPTH: *25mm*
CUT-OUT: *74mm*

FITTING MATERIAL:
Die Cast Aluminium

IP : *20* : *100*

FITTING COLOUR:
GUN METAL: 6007328027812
POLISHED BRASS: 6007328010289
SATIN BRASS: 6007328020288
SATIN CHROME: 6007328010272
WHITE: 6007328008989

ADDITIONAL INFORMATION:
30º Tilt
Spring Clips
Use CO113 To Convert to 230V
Excluding 12V Transformer: CO76 or CO79

D20

LAMP TYPE:
Excluding 1 x GU10 max 50W PAR16 230V

DIAMETER: *80mm*
DEPTH: *25mm*
CUT-OUT: *65mm*

FITTING MATERIAL:
Die Cast Aluminium

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *100*

FITTING COLOUR:
GUN METAL: 6007328027799
POLISHED BRASS: 6007328010883
SATIN BRASS: 6007328020271
SATIN CHROME: 6007328010890
WHITE: 6007328010876

ADDITIONAL INFORMATION:
Straight
Spring Clips
Use CO113 To Convert to 230V
Excluding 12V Transformer: CO76 or CO79
No Lamp Holder



O302

LAMP TYPE:
Excluding 1 x GU10 max 35W PAR16 230V

DIAMETER: *90mm*
DEPTH: *140mm*

FITTING MATERIAL:
Die Cast Aluminium
LENS:
Clear Tempered Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *65* : *20* W : *5 years*

FAMILY:
Metro
FITTING COLOUR:
BLACK: 6007328393573
GRAPHITE: 6007328363958
WHITE: 6007328372677

ADDITIONAL INFORMATION:
Including Mounting Bracket
Matching Outdoor Lights: O247, O248
Surface Mount



O135

LAMP TYPE:
Excluding 1 x GU10 max 35W PAR16 230V

HEIGHT: *90mm*
WIDTH: *90mm*
DEPTH: *135mm*

FITTING MATERIAL:
Die Cast Aluminium
LENS:
Clear Tempered Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *65* : *20* W : *5 years*

FAMILY:
Echo
FITTING COLOUR:
WHITE: 6007328352587

ADDITIONAL INFORMATION
Including Mounting Bracket

O245

LAMP TYPE:
Excluding 1 x GU10 max 50W PAR16 230V

DIAMETER: *94mm*
DEPTH: *110mm*
CUT OUT: *83mm*

FITTING MATERIAL:
Die Cast Aluminium

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *23* : *20* W : *5 years*

FAMILY:
Jupiter
FITTING COLOUR:
BLACK: 6007328342175
GRAPHITE: 6007328342182
WHITE: 6007328342168

ADDITIONAL INFORMATION:
30º Tilt
Twist Lock



D108

LAMP TYPE:
Excluding 1 x GU10 max 50W PAR16 230V

DIAMETER: *80mm*
DEPTH: *23mm*
CUT OUT: *70mm*

FITTING MATERIAL:
Die Cast Aluminium

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *100*

FITTING COLOUR:
SATIN CHROME: 6007328362807
WHITE: 6007328362791

ADDITIONAL INFORMATION:
Straight
Twist Lock
Spring Clips
Including Lampholder



D109

LAMP TYPE:
Excluding 1 x GU10 max 50W PAR16 230V

DIAMETER: *94mm*
DEPTH: *32mm*
CUT OUT: *83mm*

FITTING MATERIAL:
Die Cast Aluminium

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *100*

FITTING COLOUR:
SATIN CHROME: 6007328362821
WHITE: 6007328362814

ADDITIONAL INFORMATION:
Tilt
Twist Lock
Spring Clips
Including Lampholder





D45

LAMP TYPE:
Excluding 1 x GU10 max 50W PAR16 230V

DIAMETER: *85mm*
DEPTH: *80mm*
CUT-OUT: *66mm*

FITTING MATERIAL:
Pressed Steel

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *50*

FITTING COLOUR:
GUN METAL: 6007328019558
POLISHED BRASS: 6007328010173
SATIN CHROME: 6007328010838
WHITE: 6007328010180

ADDITIONAL INFORMATION:
Straight
Spring Clips

D46

LAMP TYPE:
Excluding 1 x GU10 max 50W PAR16 230V

DIAMETER: *94mm*
DEPTH: *75mm*
CUT-OUT: *76mm*

FITTING MATERIAL:
Pressed Steel

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *50*

FITTING COLOUR:
GUN METAL: 6007328019541
POLISHED BRASS: 6007328010197
SATIN CHROME: 6007328010845
WHITE: 6007328010203

ADDITIONAL INFORMATION:
15° Tilt
Spring Clips





D61

LAMP TYPE:
Excluding 1 x GU10 max 50W PAR16 230V

DIAMETER: *78mm*
DEPTH: *80mm*
CUT-OUT: *65mm*

FITTING MATERIAL:
Die Cast Aluminium

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *100*

FITTING COLOUR:
GUN METAL: 6007328329862
POLISHED BRASS: 6007328329855
SATIN CHROME: 6007328329848
WHITE: 6007328329831

ADDITIONAL INFORMATION:
Straight
Spring Clips

D62

LAMP TYPE:
Excluding 1 x GU10 max 50W PAR16 230V

DIAMETER: *83mm*
DEPTH: *84mm*
CUT-OUT: *74mm*

FITTING MATERIAL:
Die Cast Aluminium

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *100*

FITTING COLOUR:
GUN METAL: 6007328329916
POLISHED BRASS: 6007328329909
SATIN CHROME: 6007328329893
WHITE: 6007328329886

ADDITIONAL INFORMATION:
30° Tilt
Spring Clips





D26

LAMP TYPE:
Including 1 x GU5.3 max 50W MR16 12V

DIAMETER: *80mm*
DEPTH: *37mm*
CUT-OUT: *65mm*

FITTING MATERIAL:
Pressed Steel

IP: *22* : *80*

FITTING COLOUR:
WHITE: 6007328336792
SATIN CHROME: 6007328330363

ADDITIONAL INFORMATION:
Straight
Spring Clips
Blister Pack
Use CO113 To Convert to 230V
Excluding 12V Transformer: CO76 or CO79

D27

LAMP TYPE:
Including 1 x GU5.3 max 50W MR16 12V

DIAMETER: *80mm*
DEPTH: *37mm*
CUT-OUT: *65mm*

FITTING MATERIAL:
Pressed Steel

IP: *22* : *50*

FITTING COLOUR:
SATIN CHROME: 6007328330356

ADDITIONAL INFORMATION:
Straight
Spring Clips
Use CO113 To Convert to 230V
Including Electronic Transformer
Blister Pack
Dimmable (Ensure Dimmer Module is Compatible)





D63

LAMP TYPE:
Including 3 x GU10 max 50W PAR16 230V

DIAMETER: *80mm*
DEPTH: *80mm*
CUT-OUT: *65mm*

FITTING MATERIAL:
Die Cast Aluminium

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP: *20* : *24*

FITTING COLOUR:
GUN METAL: 6007328330882
POLISHED BRASS: 6007328330899
SATIN CHROME: 6007328330912
WHITE: 6007328330929

ADDITIONAL INFORMATION:
3 Pack (3 x D61)
Straight
Spring Clips

D64

LAMP TYPE:
Including 3 x GU10 max 50W PAR16 230V

DIAMETER: *84mm*
DEPTH: *76mm*
CUT-OUT: *74mm*

FITTING MATERIAL:
Die Cast Aluminium

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP: *20* : *24*

FITTING COLOUR:
GUN METAL: 6007328330936
POLISHED BRASS: 6007328330943
SATIN CHROME: 6007328330967
WHITE: 6007328330974

ADDITIONAL INFORMATION:
3 Pack (3 x D62)
30º Tilt
Spring Clips



D36

LAMP TYPE:
Including 1 x GU10 max 50W PAR16 230V

DIAMETER: *85mm*
DEPTH: *80mm*
CUT-OUT: *66mm*

FITTING MATERIAL:
Pressed Steel

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *80*

FITTING COLOUR:
POLISHED BRASS: 6007328017141
SATIN CHROME: 6007328017134
WHITE: 6007328017127

ADDITIONAL INFORMATION:
Straight
Blister Pack
Spring Clips



D55

LAMP TYPE:
Excluding 1 x GU10 max 50W PAR16 230V

DAIMETER: *98mm*
DEPTH: *75mm*
CUT-OUT: *80mm*

FITTING MATERIAL:
Pressed Steel
Lens:
Frosted Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *50*

FITTING COLOUR:
FROSTED WHITE: 6007328030416

ADDITIONAL INFORMATION:
Straight
Spring Clips





D50

LAMP TYPE:
Excluding 1 x E14 max 40W R50 230V

DIAMETER: *80mm*
DEPTH: *115mm*
CUT-OUT: *65mm*

FITTING MATERIAL:
Pressed Steel

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *50*

FITTING COLOUR:
POLISHED BRASS: 6007328025801
WHITE: 6007328025795

ADDITIONAL INFORMATION:
Straight
Spring Clips

D15

LAMP TYPE:
Excluding 1 x E27 max 100W R80 230V

DIAMETER: *125mm*
DEPTH: *130mm*
CUT-OUT: *98mm*

FITTING MATERIAL:
Pressed Steel

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *24*

FITTING COLOUR:
WHITE: 6007328006961

ADDITIONAL INFORMATION:
Straight
Spring Clips





D9

LAMP TYPE:
Excluding 1 x E27 max 100W 230V

DIAMETER: *180mm*
DEPTH: *229mm*
CUT-OUT: *160mm*

FITTING MATERIAL:
Pressed Steel
REFLECTOR:
Aluminium

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *12*

FITTING COLOUR:
WHITE: 6007328000235

ADDITIONAL INFORMATION:
Straight
Spring Clips

D10W

LAMP TYPE:
Excluding 1 x E27 max 60W 230V

DIAMETER: *145mm*
DEPTH: *200mm*
CUT-OUT: *130mm*

FITTING MATERIAL:
Pressed Steel
REFLECTOR:
Aluminium

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *12*

FITTING COLOUR:
WHITE: 6007328005339

ADDITIONAL INFORMATION:
Straight
Straight Spring Clips

D52

HOLE RANGE:
30mm - 163mm

: 6

DESCRIPTION:
Multi-Size Hole Cutter
BARCODE:
6007328031833

ADDITIONAL INFORMATION:
Including Carry Case
Including Dust Collector & Accessories
Spare Blades: CO90

D59

HOLE RANGE:
30mm - 260mm

: 4

DESCRIPTION:
Multi-Size Hole Cutter
BARCODE:
6007328322573

ADDITIONAL INFORMATION:
Including Carry Case
Including Dust Collector & Accessories

PENDANTS

PENDANTS

P1128 *pg256*

P1129 *pg256*

P1138 *pg257*

P1147 *pg257*

P1139 *pg257*

P1146 *pg257*

P899 *pg258*

P900 *pg258*

P901 *pg258*

P1110 *pg258*

P1109 *pg259*

P903 *pg259*

P930 *pg259*

P1103 *pg260*

P1107 *pg260*

P1108 *pg260*

P918 *pg261*

P917 *pg261*

P919 *pg261*

P1030 *pg261*

P1058 *pg262*

P933 *pg262*

P910 *pg263*

P911 *pg263*

P912 *pg263*

P913 *pg263*

P907 *pg264*

P908 *pg264*

P905 *pg265*

P906 *pg265*

P902 *pg265*

P914 *pg265*

P909 *pg266*

P895 *pg266*

P915 *pg266*

P916 *pg266*

P1105 *pg267*

P1106 *pg267*

P1113 *pg268*

P1114 *pg268*

P1112 *pg268*

P1104 *pg269*

P1079 *pg269*

P1011 *pg269*

P593 *pg269*

P797 *pg270*

P796 *pg270*

P931 *pg271*

P929 *pg271*

P855 *pg272*

P856 *pg272*

P854 *pg272*

P928 *pg272*

P1117 *pg273*

P1118 *pg273*

P586 *pg273*

P591 *pg274*

P979 *pg274*

P977 *pg274*

P978 *pg274*

P976 *pg275*

P470W-L *pg275*

P470B-L *pg275*

P470 *pg275*

P945 *pg276*

P943 *pg276*

P944 *pg276*

P9001 *pg276*

P1089 *pg277*

P1088 *pg277*

P1091 *pg277*

P1090 *pg277*

P1069 *pg278*

P1070 *pg278*

P1121GY *pg278*

P1073 *pg278*

P1120 *pg279*

P920 *pg279*

P1137 *pg279*

P967 *pg280*

P966 *pg280*

P980 *pg281*

P982 *pg281*

P981 *pg281*

P1136 *pg282*

P1135 *pg282*

P1134 *pg282*

P1130 *pg283*

P1131 *pg283*

P1133 *pg284*

P1132 *pg284*

P1124 *pg285*

P1122 *pg285*

P1123 *pg285*

P964 *pg286*

P963 *pg286*

PENDANTS

P962 *pg286*

P958 *pg287*

P961 *pg287*

P960 *pg287*

P953 *pg288*

P954 *pg288*

P955 *pg288*

P965 *pg288*

P585 *pg289*

P584 *pg289*

P1093 *pg289*

P1092 *pg289*

P703 *pg290*

P1096 *pg290*

P806 *pg291*

P808 *pg291*


P805 *pg292*

P809 *pg292*

P810 *pg292*

P1101 *pg293*

P1102 *pg293*

P1077 *pg294*

P518 *pg294*

P1115 *pg294*

P1049 *pg295*

P1050 *pg295*

P1048 *pg295*

P507 *pg296*

P667 *pg297*

P668 *pg297*

P811 *pg298*

P816 *pg299*

P817 *pg299*

P818 *pg299*

P813 *pg300*

P812 *pg300*

P616 *pg300*

P572 *pg301*

P573 *pg301*

P814 *pg301*

P815 *pg301*

P108 *pg302*

P115 *pg302*

P570 *pg303*

P574 *pg303*

P575 *pg304*

P576 *pg304*

P1057*pg305*

P804 *pg305*

P803 *pg306*

P1086 *pg307*

P1087 *pg307*

P1059 *pg308*

P1060 *pg308*

P1061 *pg308*

P1094 *pg308*

P1099 *pg309*

P1100 *pg309*

P1095 *pg309*

P1098 *pg310*


P1097 *pg310*

P1119AM *pg310*

P1119W *pg310*

P1116 *pg311*

P1016 *pg311*

P1125 *pg311*

P647 *pg312*

P825 *pg312*

P680 *pg312*

P681 *pg312*

P1063 *pg313*

P1064 *pg313*

P1065 *pg313*

P664 *pg313*

P389 *pg314*

P390 *pg314*

P398 *pg314*

P399 *pg314*

P239 *pg315*

P260 *pg315*

P147 *pg315*

P109 *pg315*

P180 *pg316*

P208 *pg316*

P181 *pg316*

P194 *pg316*

P717 *pg317*

P780 *pg317*

P198 *pg318*

P199 *pg318*

P200 *pg318*

P235 *pg319*

P236 *pg319*

P500 *pg320*

P499 *pg320*


P431 *pg320*

PENDANTS

P1111 *pg321*

P559 *pg322*

P1012 *pg322*

P1081 *pg323*

P871 *pg323*

P872 *pg323*

P562 *pg323*

P561 *pg324*

P562 *pg324*

P563 *pg324*

P564 *pg324*

P743 *pg325*

P430 *pg326*

P423 *pg326*

P422 *pg326*

P425 *pg327*

P426 *pg327*

P428 *pg327*

P427 *pg327*

P1140 *pg328*

P1142 *pg328*

P1141 *pg328*

P433 *pg329*

P432 *pg329*

P486 *pg329*

P424 *pg329*

P488 *pg330*

P489 *pg330*

P484 *pg330*

P485 *pg330*

P557 *pg331*

P482 *pg331*

P487 *pg331*

P590 *pg331*

P472 *pg332*

P471 *pg332*

P604 *pg332*

P64ABR *pg332*

P694 *pg333*

P693 *pg333*

P473 *pg333*

P474 *pg333*

P705 *pg334*

P707 *pg334*

P654 *pg335*

P655 *pg335*

O411 *pg336*

P952 *pg336*

P940 *pg336*

P611 *pg337*

P612 *pg337*

P609 *pg337*

P610 *pg337*

P830 *pg338*

P831 *pg338*

P696 *pg338*

P695 *pg338*

P821 *pg339*

P477 *pg340*

P475 *pg340*

P476 *pg340*

P701 *pg341*

P700 *pg341*

P439 *pg342*

P440 *pg342*

P441 *pg342*

P480 *pg343*

P827 *pg343*

P685 *pg343*

P826 *pg344*

P823 *pg344*

P513 *pg344*

P702 *pg344*

P444 *pg345*

P481 *pg345*

P442 *pg345*

P443 *pg345*

P580 *pg346*

P581 *pg346*

P582 *pg346*

P583 *pg346*

P711 *pg347*

P712 *pg347*

P807 *pg348*

P362 *pg348*

P794 *pg349*

P527 *pg349*

P938 *pg350*

P937 *pg350*

P941 *pg350*

P942 *pg350*

P926GL *pg351*

P939 *pg351*

P946 *pg351*

P434 *pg352*

P947 *pg353*

P956 *pg353*

PENDANTS

P1144 *pg354*

P1145 *pg354*

P1143 *pg354*

P892CP *pg355*

P957 *pg355*

P891CP *pg355*

P890CP *pg355*

P691 *pg356*

P778 *pg356*

P689 *pg356*

P690 *pg356*

P704 *pg357*

P478 *pg358*

P600 *pg358*

P1068 *pg359*

P465 *pg359*

P599 *pg360*

P596 *pg360*

P597 *pg360*

P587 *pg360*

P602 *pg361*

P601 *pg361*

P603 *pg361*

P1015 *pg361*

P768 *pg362*

P770 *pg362*

P935 *pg363*

P936 *pg363*

P174 *pg364*

P176 *pg364*

P142 *pg365*

P144 *pg365*

P143 *pg365*

P670 *pg366*

P674 *pg366*

P671 *pg366*

P672 *pg366*

P139 *pg367*

P138 *pg367*

P125 *pg368*

P129 *pg368*

P130 *pg368*

P131 *pg368*

P436 *pg369*

P210 *pg369*

P1009 *pg369*

P615 *pg369*

P613 *pg370*

P184 *pg370*

P1062 *pg370*

P182 *pg370*

P1003 *pg371*

P1006 *pg371*

P747 *pg371*

P748 *pg371*

P750 *pg372*

P755 *pg372*

P756 *pg372*

P754 *pg372*

P752 *pg373*

P751 *pg373*

P614 *pg373*

P464 *pg373*

P753 *pg374*

P749 *pg374*

P606 *pg375*

P605 *pg375*

P608 *pg375*

P261 *pg376*

P607 *pg376*

P579 *pg376*

P53 *pg377*

P55 *pg377*

P57 *pg377*

P151 *pg378*

P321 *pg378*

P3AL *pg378*

P498 *pg378*

P299 *pg379*

P338 *pg379*

P289 *pg379*


P305 *pg380*


P304 *pg380*

P309 *pg381*

P308 *pg381*

P158 *pg382*

P160 *pg382*

P1004 *pg383*


P373 *pg383*

P469 *pg383*



P1128

LAMP TYPE:
Excluding 10 x E14 max 40W Candle 230V

FITTING HEIGHT: *280mm*
WIDTH: *300mm*
LENGTH: *905mm*
CHAIN LENGTH: *800mm*

FITTING MATERIAL:
Steel
SHADE:
Clear Crystals

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FAMILY:
Valparaiso
FITTING COLOUR:
GOLD: 9002759394622

ADDITIONAL INFORMATION:
Matching Ceiling Light: C695



P1129

LAMP TYPE:
Excluding 13 x E14 max Candle 40W 230V

FITTING HEIGHT: *280mm*
WIDTH: *300mm*
LENGTH: *1150mm*
CHAIN LENGTH: *800mm*

FITTING MATERIAL:
Steel
SHADE:
Clear Crystals

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FAMILY:
Valparaiso
FITTING COLOUR:
GOLD: 9002759394639

ADDITIONAL INFORMATION:
Matching Ceiling Light: C695



P1138 LED **LAMP TYPE 1:** *Including 1x 12W Integrated LED*
LAMP TYPE 2: *Including 1 x 6W Integrated LED*

FITTING HEIGHT: *335mm*
WIDTH: *270mm*
DEPTH: *70mm*
CORD LENGTH: *1520mm*

FITTING MATERIAL:
Aluminium, Plastic & Steel
LENS:
Opal

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *4*

FAMILY:
Aurora
FITTING COLOUR:
BLACK: 6007328398615
WHITE: 6007328398608

ADDITIONAL INFORMATION:
Adjustable Cord Suspension
Matching Table Lamp: T602

LAMP SPECIFICATION:
Power: 12W & 6W
Colour Temperature: 3000K
Lifetime: 25 000 Hours
Not Dimmable



P1147 LED **LAMP TYPE 1:** *Including 1 x 20W Integrated LED*
LAMP TYPE 2: *Including 1 x 6W Integrated LED*

FITTING HEIGHT: *600mm*
WIDTH: *500mm*
DEPTH: *95mm*
CORD LENGTH: *1440mm*

FITTING MATERIAL:
Aluminium, Plastic & Steel
LENS:
Opal

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *4*

FAMILY:
Aurora
FITTING COLOUR:
BLACK: 6007328399582
WHITE: 6007328399575

ADDITIONAL INFORMATION:
Adjustable Cord Suspension

LAMP SPECIFICATION:
Power: 20W & 6W
Colour Temperature: 3000K
Lifetime: 25 000 Hours
Not Dimmable



P1139 LED **LAMP TYPE 1:** *Including 1x 12W Integrated LED*
LAMP TYPE 2: *Including 1 x 6W Integrated LED*

FITTING HEIGHT: *340mm*
WIDTH: *230mm*
DEPTH: *70mm*
CORD LENGTH: *1580mm*

FITTING MATERIAL:
Aluminium, Plastic & Steel
LENS:
Opal

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *4*

FAMILY:
Aurora
FITTING COLOUR:
BLACK: 6007328398639
WHITE: 6007328398622

ADDITIONAL INFORMATION:
Adjustable Cord Suspension

LAMP SPECIFICATION:
Power: (1 X 12W) & (1 X 6W)
Colour Temperature: 3000K
Lifetime: 25 000 Hours
Not Dimmable



P1146 LED **LAMP TYPE 1:** *Including 1 x 20W Integrated LED*
LAMP TYPE 2: *Including 1 x 6W Integrated LED*

FITTING HEIGHT: *600mm*
WIDTH: *420mm*
DEPTH: *95mm*
CORD LENGTH: *1470mm*

FITTING MATERIAL:
Aluminium, Plastic & Steel
LENS:
Opal

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FAMILY:
Aurora
FITTING COLOUR:
BLACK: 6007328399568
WHITE: 6007328399551

ADDITIONAL INFORMATION:
Adjustable Cord Suspension

LAMP SPECIFICATION:
Power: Power: (1 X 20W) & (1 X 6W)
Colour Temperature: 3000K
Lifetime: 25 000 Hours
Not Dimmable



P899 **LAMP TYPE:** *Excluding 1 x E27 max 40W 230V*

FITTING HEIGHT: *470mm*
DIAMETER: *250mm*
CORD LENGTH: *1400mm*

FITTING MATERIAL:
Steel
SHADE:
Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FAMILY:
Hallstat
FITTING COLOUR:
CLEAR: 6007328386438
OPAL: 6007328386469

ADDITIONAL INFORMATION:
Adjustable Cord Suspension
Matching Table Lamps: T545, T452



P900 **LAMP TYPE:** *Excluding 1 x E27 max 40W 230V*

FITTING HEIGHT: *610mm*
DIAMETER: *350mm*
CORD LENGTH: *1600mm*

FITTING MATERIAL:
Steel
SHADE:
Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FAMILY:
Hallstat
FITTING COLOUR:
CLEAR: 6007328386445
OPAL: 6007328386476

ADDITIONAL INFORMATION:
Adjustable Cord Suspension
Matching Table Lamps: T545, T542



P901 **LAMP TYPE:** *Excluding 1 x E27 max 40W 230V*

FITTING HEIGHT: *710mm*
DIAMETER: *440mm*
CORD LENGTH: *1470mm*

FITTING MATERIAL:
Steel
SHADE:
Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FAMILY:
Hallstat
FITTING COLOUR:
CLEAR: 6007328386452
OPAL: 6007328386483

ADDITIONAL INFORMATION:
Adjustable Cord Suspension



P1110 **LAMP TYPE:** *Excluding 1 x E27 max 60W 230V*

FITTING HEIGHT: *600mm*
DIAMETER: *350mm*
CORD LENGTH: *1370mm*

FITTING MATERIAL:
Steel
SHADE:
Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FITTING COLOUR:
MATT BLACK/COGNAC: 6007328399377
MATT BLACK/SMOKY: 6007328399360

ADDITIONAL INFORMATION:
Adjustable Cord Suspension



P1109 **LAMP TYPE:** *Excluding 1 x E27 max 60W 230V*

FITTING HEIGHT: *700mm*
DIAMETER: *450mm*
CORD LENGTH: *1240mm*

FITTING MATERIAL:
Steel
SHADE:
Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FITTING COLOUR:
MATT BLACK COGNAC: 6007328399353
MATT BLACK SMOKEY GREY: 6007328399346

ADDITIONAL INFORMATION:
Adjustable Cord Suspension



P903 **LAMP TYPE:** *Excluding 1 x E27 max 40W 230V*

FITTING HEIGHT: *375mm*
DIAMETER: *260mm*
CORD LENGTH: *1700mm*

FITTING MATERIAL:
Steel
SHADE:
Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FAMILY:
Parma
FITTING COLOUR:
ANCIENT BRONZE/CLEAR: 6007328386537



P930 **LAMP TYPE:** *Excluding 1 x E27 max 40W 230V*

FITTING HEIGHT: *265mm*
DIAMETER: *300mm*
CORD LENGTH: *1600mm*

FITTING MATERIAL:
Steel
SHADE:
Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FAMILY:
Hallstat
FITTING COLOUR:
OPAL: 6007328387435

P1103 **LAMP TYPE:** *Excluding 1 x E27 max 60W 230V*

FITTING HEIGHT: *400mm*
DIAMETER: *225mm*
CORD LENGTH: *1270mm*

FITTING MATERIAL:
Steel
SHADE:
Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FITTING COLOUR:
CHROME COGNAC: 6007328399155
BLACK/SMOKEY GREY: 6007328399148

ADDITIONAL INFORMATION:
Adjustable Cord Suspension
Matching Table Lamp: T595



P1107 **LAMP TYPE:** *Excluding 1 x E27 max 60W 230V*

FITTING HEIGHT: *210mm*
DIAMETER: *340mm*
CORD LENGTH: *1050mm*

FITTING MATERIAL:
Steel
SHADE:
Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FITTING COLOUR:
MATT WHITE: 6007328399315

ADDITIONAL INFORMATION:
Adjustable Cord Suspension



P1108 **LAMP TYPE:** *Excluding 1 x E27 max 60W 230V*

FITTING HEIGHT: *360mm*
DIAMETER: *240mm*
CORD LENGTH: *1100mm*

FITTING MATERIAL:
Steel
SHADE:
Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FITTING COLOUR:
MATT WHITE: 6007328399322

ADDITIONAL INFORMATION:
Adjustable Cord Suspension





P918

LAMP TYPE:
Excluding 1 x E27 max 40W 230V

FITTING HEIGHT: *200mm*
DIAMETER: *200mm*
CORD LENGTH: *1080mm*

FITTING MATERIAL:
Steel
SHADE:
Clear Acrylic

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FAMILY:
Dawn
FITTING COLOUR:
CLEAR: 6007328386841

ADDITIONAL INFORMATION:
Adjustable Cord Suspension

P917

LAMP TYPE:
Excluding 1 x E27 max 40W 230V

FITTING HEIGHT: *260mm*
DIAMETER: *280mm*
CORD LENGTH: *1100mm*

FITTING MATERIAL:
Steel
SHADE:
Clear Acrylic

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FAMILY:
Dawn
FITTING COLOUR:
CLEAR: 6007328386834

ADDITIONAL INFORMATION:
Adjustable Cord Suspension





P919

LAMP TYPE:
Including 1 x 32W Integrated LED

FITTING HEIGHT: *290mm*
DIAMETER: *305mm*
CORD LENGTH: *800mm*

FITTING MATERIAL:
Steel
SHADE:
Clear Acrylic

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *4*

FAMILY:
Lucille
FITTING COLOUR:
WHITE : 6007328389453

ADDITIONAL INFORMATION:
Adjustable Cord Suspension
Matching Ceiling Lights: C580, C581

LAMP SPECIFICATION:
Power:32W
Colour Temperature: 3000K
Lifetime: 25 000 Hours

P1030

LAMP TYPE:
Including 1 x 32W Integrated LED

FITTING HEIGHT: *300mm*
DIAMETER: *300mm*
CORD LENGTH: *785mm*

FITTING MATERIAL:
Steel
SHADE:
Clear Acrylic

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FAMILY:
Hiku
FITTING COLOUR:
BLACK : 6007328389446

ADDITIONAL INFORMATION:
Adjustable Cord Suspension

LAMP SPECIFICATION:
Power: Power:32W
Colour Temperature: 3000K
Lifetime: 25 000 Hours



P1058

LAMP TYPE:
Excluding 4 x E14 max 40W Golfball 230V

FITTING HEIGHT: *285mm*
LENGTH: *910mm*
DEPTH: *165mm*
CORD LENGTH: *780mm*

FITTING MATERIAL:
Steel
SHADE:
Opal Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *2*

FAMILY:
Vallaspra
FITTING COLOUR:
CHAMPAGNE: 9002759977931

ADDITIONAL INFORMATION:
Matching Ceiling Lights: C619, C620



P933

LAMP TYPE:
Excluding 10 x E27 max 40W Golfball 230V

FITTING HEIGHT: *900mm*
DIAMETER: *900mm*

FITTING MATERIAL:
Black Steel
SHADE:
Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FAMILY:
Minsk
FITTING COLOUR:
CLEAR: 6007328387480
WHITE: 6007328387473



P910 **LAMP TYPE:** *Excluding 8 x E27 max 40W Golfball 230V*

FITTING HEIGHT: *755mm*
DIAMETER: *800mm*

FITTING MATERIAL:
Steel
SHADE:
Amber Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FAMILY:
Harrington
FITTING COLOUR:
BLACK: 6007328386735

ADDITIONAL INFORMATION:
Adjustable Rod Suspension



P911 **LAMP TYPE:** *Excluding 9 x E27 max 40W Golfball 230V*

FITTING HEIGHT: *850mm*
DIAMETER: *780mm*

FITTING MATERIAL:
Steel
SHADE:
Amber Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FAMILY:
Harrington
FITTING COLOUR:
BLACK: 6007328386742

ADDITIONAL INFORMATION:
Adjustable Rod Suspension



P912 **LAMP TYPE:** *Excluding 16 x E27 max 40W Golfball 230V*

FITTING HEIGHT: *1140mm*
DIAMETER: *1300mm*

FITTING MATERIAL:
Steel
SHADE:
Amber Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FAMILY:
Harrington
FITTING COLOUR:
BLACK: 6007328386759

ADDITIONAL INFORMATION:
Adjustable Rod Suspension



P913 **LAMP TYPE:** *Excluding 10 x E27 max 40W Golfball 230V*

FITTING HEIGHT: *1010mm*
DIAMETER: *1050mm*

FITTING MATERIAL:
Steel
SHADE:
Amber Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FAMILY:
Harrington
FITTING COLOUR:
BLACK: 6007328386766

ADDITIONAL INFORMATION:
Adjustable Rod Suspension



P907

LAMP TYPE:
Excluding 1 x E27 max 40W 230V

FITTING HEIGHT: *480mm*
DIAMETER: *250mm*
CORD LENGTH: *1400mm*

FITTING MATERIAL:
Steel
SHADE:
Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FAMILY:
Lisbon
FITTING COLOUR:
COPPER: 6007328387282
CHAMPAGNE: 6007328387275
SMOKEY: 6007328387268

ADDITIONAL INFORMATION:
Adjustable Cord Suspension



P908

LAMP TYPE:
Excluding 1 x E27 max 40W 230V

FITTING HEIGHT: *295mm*
DIAMETER: *285mm*
CORD LENGTH: *1500mm*

FITTING MATERIAL:
Steel
SHADE:
Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FAMILY:
Porto
FITTING COLOUR:
CLEAR: 6007328387299

ADDITIONAL INFORMATION:
Adjustable Cord Suspension
Matching Ceiling Light: C575



P905

LAMP TYPE:
Excluding 1 x E27 max 40W 230V

FITTING HEIGHT: *245mm*
DIAMETER: *180mm*
CORD LENGTH: *1500mm*

FITTING MATERIAL:
Steel
SHADE:
Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FAMILY:
Oslo
FITTING COLOUR:
CLEAR: 6007328387220

ADDITIONAL INFORMATION:
Adjustable Cord Suspension



P906

LAMP TYPE:
Excluding 1 x E27 max 40W 230V

FITTING HEIGHT: *315mm*
DIAMETER: *250mm*
CORD LENGTH: *1500mm*

FITTING MATERIAL:
Steel
SHADE:
Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FAMILY:
Oslo
FITTING COLOUR:
CLEAR: 6007328387244
WHITE: 6007328387251

ADDITIONAL INFORMATION:
Adjustable Cord Suspension



P902

LAMP TYPE:
Excluding 1 x E27 max 40W 230V

FITTING HEIGHT: *230mm*
DIAMETER: *250mm*
CORD LENGTH: *1500mm*

FITTING MATERIAL:
Steel
SHADE:
Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FAMILY:
Colmar
FITTING COLOUR:
CHAMPAGNE: 6007328386520
CLEAR: 6007328386490
OPAL: 6007328386506
SMOKEY BLACK: 6007328386513

ADDITIONAL INFORMATION:
Adjustable Cord Suspension



P914

LAMP TYPE:
Excluding 1 x E27 max 40W 230V

FITTING HEIGHT: *250mm*
DIAMETER: *250mm*
CORD LENGTH: *1080mm*

FITTING MATERIAL:
Steel
SHADE:
Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FAMILY:
Denali
FITTING COLOUR:
SMOKEY: 6007328386780
AMBER: 6007328388746

ADDITIONAL INFORMATION:
Adjustable Cord Suspension



P909 **LAMP TYPE:** *Excluding 1 x E27 max 40W Golfball 230V*

FITTING HEIGHT: *235mm*
DIAMETER: *155mm*
CORD LENGTH: *1400mm*

FITTING MATERIAL:
Steel
SHADE:
Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FAMILY:
Barcelona
FITTING COLOUR:
CLEAR: 6007328387305

ADDITIONAL INFORMATION:
Adjustable Cord Suspension
Matching Wall Light: W563



P895 **LAMP TYPE:** *Excluding 1 x E27 max 40W Golfball 230V*

FITTING HEIGHT: *355mm*
DIAMETER: *130mm*
CORD LENGTH: *1300mm*

FITTING MATERIAL:
Steel
SHADE:
Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FAMILY:
Nottingham
FITTING COLOUR:
CLEAR: 6007328386384

ADDITIONAL INFORMATION:
Adjustable Cord Suspension



P915 **LAMP TYPE:** *Excluding 1 x E27 max 40W 230V*

FITTING HEIGHT: *340mm*
DIAMETER: *160mm*
CORD LENGTH: *1000mm*

FITTING MATERIAL:
Steel
SHADE:
Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FAMILY:
Victoria
FITTING COLOUR:
AMBER: 6007328386803
CLEAR: 6007328386797

ADDITIONAL INFORMATION:
Adjustable Cord Suspension



P916 **LAMP TYPE:** *Excluding 1 x E27 max 40W 230V*

FITTING HEIGHT: *290mm*
DIAMETER: *190mm*
CORD LENGTH: *1000mm*

FITTING MATERIAL:
Steel
SHADE:
Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FAMILY:
Victoria
FITTING COLOUR:
SMOKEY: 6007328386827
AMBER: 6007328386810

ADDITIONAL INFORMATION:
Adjustable Cord Suspension



P1105 **LAMP TYPE:** *Excluding 1 x E27 max 60W 230V*

FITTING HEIGHT: *270mm*
DIAMETER: *200mm*
CORD LENGTH: *550mm*

FITTING MATERIAL:
Steel
SHADE:
Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FITTING COLOUR:
COPPER COGNAC: 6007328399285
CHROME/SMOKEY GREY : 6007328399278

ADDITIONAL INFORMATION:
Adjustable Cord Suspension



P1106 **LAMP TYPE:** *Excluding 1 x E27 max 60W 230V*

FITTING HEIGHT: *300mm*
DIAMETER: *155mm*
CORD LENGTH: *1260mm*

FITTING MATERIAL:
Steel
SHADE:
Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FITTING COLOUR:
COPPER/COGNAC: 6007328399308
CHROME/SMOKEY: 6007328399292

ADDITIONAL INFORMATION:
Adjustable Cord Suspension



P1114 **LAMP TYPE:** *Excluding 1 x G9 max 60W 230V*

FITTING HEIGHT: *370mm*
DIAMETER: *100mm*
CORD LENGTH: *1350mm*

FITTING MATERIAL:
Steel
SHADE:
Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP: *20* : *1*

FITTING COLOUR:
CHROME/COGNAC: 6007328399452
CHROME/CLEAR: 6007328399469
CHROME/SMOKEY GREY: 6007328399445

ADDITIONAL INFORMATION:
Adjustable Cord Suspension



P1113 **LAMP TYPE:** *Excluding 1 x E27 max 60W 230V*

FITTING HEIGHT: *345mm*
DIAMETER: *95mm*
CORD LENGTH: *1200mm*

FITTING MATERIAL:
Steel
SHADE:
Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP: *20* : *1*

FITTING COLOUR:
FRENCH GOLD/COGNAC: 6007328399438
BRASS/CHAMPAGNE: 6007328399421

ADDITIONAL INFORMATION:
Adjustable Cord Suspension



P1112 **LAMP TYPE:** *Excluding 1 x E27 max 60W Golfball 230V*

FITTING HEIGHT: *345mm*
DIAMETER: *95mm*
CORD LENGTH: *1200mm*

FITTING MATERIAL:
Steel
SHADE:
Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP: *20* : *1*

FITTING COLOUR:
CHROME/CLEAR: 6007328399414
MATT BLACK/SMOKEY: 6007328399407

ADDITIONAL INFORMATION:
Adjustable Cord Suspension



P1104 **LAMP TYPE:** *Excluding 1 x E27 max 60W 230V*

FITTING HEIGHT: *320mm*
DIAMETER: *240mm*
CORD LENGTH: *1270mm*

FITTING MATERIAL:
Steel
SHADE:
Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FITTING COLOUR:
CHROME COGNAC: 6007328399261
BLACK/SMOKEY GREY: 6007328399254

ADDITIONAL INFORMATION:
Adjustable Cord Suspension



P593 **LAMP TYPE:** *Excluding 1 x E27 max 60W 230V*

FITTING HEIGHT: *475mm*
DIAMETER: *270mm*
CORD LENGTH: *1040mm*

FITTING MATERIAL:
Steel
SHADE:
Clear Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FAMILY:
Arabia
FITTING COLOUR:
BLACK: 6007328374220

ADDITIONAL INFORMATION:
Adjustable Cord Suspension



P1079 **LAMP TYPE:** *Excluding 1 x E27 max 28W 230V*

FITTING HEIGHT: *310mm*
DIAMETER: *170mm*
CORD LENGTH: *1130mm*

FITTING MATERIAL:
Steel
SHADE:
Transparent Smokey Black Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *6*

FAMILY:
Murmillo
FITTING COLOUR:
CHROME: 9002759967734

ADDITIONAL INFORMATION:
Adjustable Cord Suspension



P1011 **LAMP TYPE:** *Excluding 3 x E27 max 28W 230V*

FITTING HEIGHT: *310mm*
DIAMETER: *170mm*
CORD LENGTH: *1130mm*

FITTING MATERIAL:
Steel
SHADE:
Transparent Smokey Black Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *2*

FAMILY:
Murmillo
FITTING COLOUR:
CHROME: 9002759967741

ADDITIONAL INFORMATION:
Adjustable Cord Suspension



P797

LAMP TYPE:
Excluding 1 x E27 max 40W 230V

FITTING HEIGHT: *430mm*
DIAMETER: *245mm*
CORD LENGTH: *1400mm*

FITTING MATERIAL:
Steel
SHADE:
Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FAMILY:
Milano
FITTING COLOUR:
AMBER: 6007328386339
BLUE: 6007328386315
CLEAR: 6007328386292
PINK: 6007328386322
MILK WHITE: 6007328386308

ADDITIONAL INFORMATION:
Adjustable Cord Suspension



P796

LAMP TYPE:
Excluding 1 x E27 max 40W 230V

FITTING HEIGHT: *310mm*
DIAMETER: *180mm*
CORD LENGTH: *1500mm*

FITTING MATERIAL:
Steel
SHADE:
Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FAMILY:
Milano
FITTING COLOUR:
AMBER: 6007328386285
BLUE: 6007328386261
CLEAR: 6007328386247
PINK: 6007328386278
MILK WHITE: 6007328386254

ADDITIONAL INFORMATION:
Adjustable Cord Suspension



P931

LAMP TYPE:
Excluding 1 x E27 max 60W 230V

FITTING HEIGHT: *250mm*
DIAMETER: *180mm*
CORD LENGTH: *1500mm*

FITTING MATERIAL:
Steel
SHADE:
Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FAMILY:
Budapest
FITTING COLOUR:
CHAMPAGNE: 6007328387459
CLEAR: 6007328387442

ADDITIONAL INFORMATION:
Adjustable Cord Suspension



P929

LAMP TYPE:
Excluding 1 x E27 max 40W 230V

FITTING HEIGHT: *190mm*
DIAMETER: *240mm*
CORD LENGTH: *1500mm*

FITTING MATERIAL:
Steel
SHADE:
Glass & Light Wood

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FAMILY:
Tallinn
FITTING COLOUR:
COPPER: 6007328387411
SMOKEY: 6007328387428

ADDITIONAL INFORMATION:
Adjustable Cord Suspension



P855

LAMP TYPE:
Excluding 1 x E27 max 40W 230V

FITTING HEIGHT: *220mm*
DIAMETER: *200mm*
CORD LENGTH: *1500mm*

FITTING MATERIAL:
Steel
SHADE:
Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FAMILY:
Larissa
FITTING COLOUR:
COPPER: 6007328386353

ADDITIONAL INFORMATION:
Adjustable Cord Suspension



P856

LAMP TYPE:
Excluding 1 x E27 max 40W 230V

FITTING HEIGHT: *220mm*
DIAMETER: *280mm*
CORD LENGTH: *1500mm*

FITTING MATERIAL:
Steel
SHADE:
Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FAMILY:
Larissa
FITTING COLOUR:
COPPER: 6007328386360

ADDITIONAL INFORMATION:
Adjustable Cord Suspension



P854

LAMP TYPE:
Excluding 1 x E27 max 40W 230V

FITTING HEIGHT: *220mm*
DIAMETER: *125mm*
CORD LENGTH: *1500mm*

FITTING MATERIAL:
Steel
SHADE:
Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FAMILY:
Larissa
FITTING COLOUR:
COPPER: 6007328386346

ADDITIONAL INFORMATION:
Adjustable Cord Suspension



P928

LAMP TYPE:
Excluding 1 x E27 max 40W 230V

FITTING HEIGHT: *210mm*
DIAMETER: *130mm*
CORD LENGTH: *1500mm*

FITTING MATERIAL:
Steel
SHADE:
Glass & Light Wood

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FAMILY:
Tallinn
FITTING COLOUR:
COPPER: 6007328387398
SMOKEY: 6007328387404

ADDITIONAL INFORMATION:
Adjustable Cord Suspension



P1117 **LAMP TYPE:** *Excluding 9 x E27 max 60W 230V*

FITTING HEIGHT: *430mm*
DIAMETER: *645mm*
CORD LENGTH: *900mm*

FITTING MATERIAL:
Steel

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FAMILY:
Bocadella
FITTING COLOUR:
BLACK: 9002759983468

ADDITIONAL INFORMATION:
Adjustable Cord Suspension
Matching Ceiling Light: C685, C686, C687



P1118 **LAMP TYPE:** *Excluding 12 x E27 max 60W 230V*

FITTING HEIGHT: *310mm*
DIAMETER: *920mm*
CORD LENGTH: *900mm*

FITTING MATERIAL:
Steel

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FAMILY:
Bocadella
FITTING COLOUR:
BLACK: 9002759983475

ADDITIONAL INFORMATION:
Adjustable Cord Suspension
Matching Ceiling Light: C685, C686, C687



P586 **LAMP TYPE:** *Excluding 10 x E27 max 60W 230V*

FITTING HEIGHT: *90mm*
DIAMETER: *200mm*
CORD LENGTH: *1750mm*

FITTING MATERIAL:
Steel

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FAMILY:
Spider
FITTING COLOUR:
BLACK: 6007328374145



P591 **LAMP TYPE:** *Excluding 1 x E27 max 40W 230V*

FITTING HEIGHT: *120mm*
DIAMETER: *90mm*
CORD LENGTH: *1000mm*

FITTING MATERIAL:
Steel

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *10*

FITTING COLOUR:
ANTIQUE BRASS: 6007328374206

ADDITIONAL INFORMATION:
Rotary Rocker On/Off Switch



P979 **LAMP TYPE:** *Excluding 1 x G4 max 10W Bi-pin 12V*

FITTING HEIGHT: *220mm*
DIAMETER: *155mm*
CORD LENGTH: *1050mm*

FITTING MATERIAL:
Steel
SHADE:
Clear Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FITTING COLOUR:
WHITE: 6007328388852

ADDITIONAL INFORMATION:
Adjustable Cord Suspension



P977 **LAMP TYPE:** *Excluding 3 x G4 max 10W Bi-pin 12V*

FITTING HEIGHT: *220mm*
DIAMETER: *200mm*
CORD LENGTH: *1060mm*

FITTING MATERIAL:
Steel
SHADE:
Clear Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FITTING COLOUR:
CHROME: 6007328388838

ADDITIONAL INFORMATION:
Including Electronic Transformer



P978 **LAMP TYPE:** *Excluding 5 x G4 max 10W Bi-pin 12V*

FITTING HEIGHT: *220mm*
WIDTH: *550mm*
DEPTH: *90mm*
CORD LENGTH: *1800mm*

FITTING MATERIAL:
Steel
SHADE:
Clear Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FITTING COLOUR:
WHITE/COPPER: 6007328388845



P976 **LAMP TYPE:** *Excluding 7 x G4 max 10W Bi-pin 12V*

FITTING HEIGHT: *220mm*
DIAMETER: *280mm*
CORD LENGTH: *1000mm*

FITTING MATERIAL:
Steel
SHADE:
Clear Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FITTING COLOUR:
BLACK/COPPER: 6007328388821



P470W-L **LAMP TYPE:** *Excluding 1 x E27 60W 230V*

FITTING HEIGHT: *100mm*
DIAMETER: *45mm*
CORD LENGTH: *1400mm*

FITTING MATERIAL:
Silicone

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FAMILY:
Silicone
FITTING COLOUR:
WHITE: 6007328386216

ADDITIONAL INFORMATION:
Adjustable Cord Set



P470B-L **LAMP TYPE:** *Excluding 1 x E27 60W 230V*

FITTING HEIGHT: *100mm*
DIAMETER: *45mm*
CORD LENGTH: *1400mm*

FITTING MATERIAL:
Silicone

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FAMILY:
Silicone
FITTING COLOUR:
BLACK: 6007328396529

ADDITIONAL INFORMATION:
Adjustable Cord Set



P470 **LAMP TYPE:** *Excluding 1 x E27 max 60W 230V*

FITTING HEIGHT: *100mm*
DIAMETER: *45mm*
CORD LENGTH: *1000mm*

FITTING MATERIAL:
Silicone

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *50*

FAMILY:
Silicone
FITTING COLOUR:
BLACK: 6007328386216
BLUE: 6007328361466
GREY: 6007328361497
LIME: 6007328361510
RED: 6007328361473
ROSE: 6007328361480
WHITE: 6007328361459
YELLOW: 6007328361503

ADDITIONAL INFORMATION:
Adjustable Cord Set



P945 **LAMP TYPE:** *Excluding 1 x E27 max 40W 230V*

FITTING HEIGHT: *275mm*
DIAMETER: *390mm*
CORD LENGTH: *1200mm*

FITTING MATERIAL:
Steel
SHADE:
Aluminium & Wood

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FAMILY:
Aurelia
FITTING COLOUR:
COPPER/WHTE: 6007328387794

ADDITIONAL INFORMATION:
Adjustable Cord Suspension



P943 **LAMP TYPE:** *Excluding 1 x E27 max 40W 230V*

FITTING HEIGHT: *280mm*
DIAMETER: *180mm*
CORD LENGTH: *1000mm*

FITTING MATERIAL:
Steel
SHADE:
Aluminium & Wood

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FAMILY:
Aurelia
FITTING COLOUR:
COPPER/WHITE: 6007328387770

ADDITIONAL INFORMATION:
Adjustable Cord Suspension



P944 **LAMP TYPE:** *Excluding 1 x E27 max 40W 230V*

FITTING HEIGHT: *275mm*
DIAMETER: *390mm*
CORD LENGTH: *1200mm*

FITTING MATERIAL:
Steel
SHADE:
Aluminium & Wood

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FAMILY:
Aurelia
FITTING COLOUR:
SILVER/WHITE: 6007328387787

ADDITIONAL INFORMATION:
Adjustable Cord Suspension



P9001 LED **LAMP TYPE:** *Including 11W Integrated LED*

FITTING HEIGHT: *95mm*
DIAMETER: *120mm*
CORD LENGTH: *1150mm*

FITTING MATERIAL:
Aluminium
SHADE:
Frosted Acrylic

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *5*

FITTING COLOUR:
COPPER: 6007328396888

ADDITIONAL INFORMATION:
Adjustable Cord Suspension

LAMP SPECIFICATION:
Power: 11W
Colour Temperature: 3000K

P1089 LED **LAMP TYPE:** *Including 28W Integrated LED*

FITTING HEIGHT: *100mm*
DIAMETER: *400mm*
CORD LENGTH: *1060mm*

FITTING MATERIAL:
Steel
SHADE:
Steel

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FAMILY:
Pablo
FITTING COLOUR:
CHROME: 6007328397045
ROSE GOLD: 6007328397038

ADDITIONAL INFORMATION:
Adjustable Cord Suspension

LAMP SPECIFICATION:
Power: 28W
Luminous Flux: 2450lm
Colour Temperature: 3000K
Lifetime: 25 000 Hours

P1088 LED **LAMP TYPE:** *Including 20W Integrated LED*

FITTING HEIGHT: *100mm*
DIAMETER: *300mm*
CORD LENGTH: *1350mm*

FITTING MATERIAL:
Steel
SHADE:
Steel

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FAMILY:
Pablo
FITTING COLOUR:
CHROME: 6007328397021

ADDITIONAL INFORMATION:
Adjustable Cord Suspension

LAMP SPECIFICATION:
Power: 20W
Luminous Flux: 2100lm
Colour Temperature: 3000K
Lifetime: 25 000 Hours

P1091 LED **LAMP TYPE:** *Including 24W Integrated LED*

FITTING HEIGHT: *230mm*
DIAMETER: *405mm*
CORD LENGTH: *1200mm*

FITTING MATERIAL:
Aluminium
SHADE:
Black (Outer) &
Copper (Inner)
Opal Polycarbonate

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FAMILY:
Alma
FITTING COLOUR:
BLACK/COPPER: 6007328397069

ADDITIONAL INFORMATION:
Adjustable Cord Suspension

LAMP SPECIFICATION:
Power: 24W
Luminous Flux: 2100lm
Colour Temperature: 3000K
Lifetime: 25 000 Hours

P1090 LED **LAMP TYPE:** *Including 40W Integrated LED*

FITTING HEIGHT: *280mm*
DIAMETER: *600mm*
CORD LENGTH: *1200mm*

FITTING MATERIAL:
Aluminium
SHADE:
Black (Outer) &
Copper (Inner)
Opal Polycarbonate

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FAMILY:
Alma
FITTING COLOUR:
BLACK/COPPER: 6007328397052

ADDITIONAL INFORMATION:
Adjustable Cord Suspension

LAMP SPECIFICATION:
Power: 40W
Luminous Flux: 3500lm
Colour Temperature: 3000K
Lifetime: 25 000 Hours



P1069 **LAMP TYPE:** *Excluding 1 x E27 max 60W 230V*

FITTING HEIGHT: *160mm*
DIAMETER: *395mm*
CORD LENGTH: *1290mm*

FITTING MATERIAL:
Steel
SHADE:
White Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *4*

FAMILY:
Brenda
FITTING COLOUR:
SATIN NICKLE/CHROME: 9002759870522

ADDITIONAL INFORMATION:
Adjustable Cord Suspension



P1070 **LAMP TYPE:** *Excluding 1 x E27 max 60W 230V*

FITTING HEIGHT: *220mm*
DIAMETER: *430mm*
CORD LENGTH: *800mm*

FITTING MATERIAL:
Steel
SHADE:
White Steel

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *2*

FAMILY:
Brenda
FITTING COLOUR:
WHITE: 9002759870553

ADDITIONAL INFORMATION:
Rise & Fall Suspension



P1121GY LED **LAMP TYPE:** *Including 1 x 25W Integrated LED*

FITTING HEIGHT: *225mm*
DIAMETER: *400mm*
CORD LENGTH: *1170mm*

FITTING MATERIAL:
Steel
SHADE:
Satin

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *4*

FAMILY:
Alpicella
FITTING COLOUR:
WINTER GREY: 9002759981662

ADDITIONAL INFORMATION:
Adjustable Cord Suspension

LAMP SPECIFICATION:
Power: 25W
Luminous Flux: 2500lm
Colour Temperature: 3000K
Lifetime: 25 000 Hours



P1073 **LAMP TYPE:** *Excluding 1 x E27 max 60W 230V*

FITTING HEIGHT: *235mm*
DIAMETER: *365mm*
CORD LENGTH: *900mm*

FITTING MATERIAL:
Steel
SHADE:
White Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *3*

FAMILY:
Tabanera
FITTING COLOUR:
BLACK/WHITE: 9002759968038

ADDITIONAL INFORMATION:
Adjustable Cord Suspension



P1120 **LAMP TYPE:** *Excluding 1 x E27 max 60W 230V*

FITTING HEIGHT: *370mm*
DIAMETER: *290mm*
CORD LENGTH: *730mm*

FITTING MATERIAL:
Steel
SHADE:
Grey & Black Fabric

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *4*

FAMILY:
Bednall
FITTING COLOUR:
GREY/BLACK: 9002759983482
PEARL GREY/UMBRA GREY: 9002759983499

ADDITIONAL INFORMATION:
Adjustable Cord Suspension



P920 **LAMP TYPE:** *Excluding 1 x E27 max 40W 230V*

FITTING HEIGHT: *250mm*
DIAMETER: *140mm*
CORD LENGTH: *1000mm*

FITTING MATERIAL:
Steel
SHADE:
Steel

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FAMILY:
Muse
FITTING COLOUR:
BLACK: 6007328386865
GOLD: 6007328386872
WHITE: 6007328388814

ADDITIONAL INFORMATION:
Adjustable Cord Suspension

P1137 LED **LAMP TYPE:** *Including 1 x 6W Integrated LED*

FITTING HEIGHT: *240mm*
WIDTH: *150mm*
DEPTH: *130mm*
CORD LENGTH: *1000mm*

FITTING MATERIAL:
Aluminium & Steel
SHADE:
Opal Plastic

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *4*

FAMILY:
Pickman
FITTING COLOUR:
BLACK: 6007328398554
WHITE: 6007328398561

ADDITIONAL INFORMATION:
Adjustable Cord Suspension
Matching Table Lamp: T375

LAMP SPECIFICATION:
Power: 6W
Colour Temperature: 3000K
Lifetime: 25 000 Hours
Not Dimmable



P967

LAMP TYPE:
Excluding 1 x E27 max 60W 230V

FITTING HEIGHT: *230mm*
DIAMETER: *185mm*
CORD LENGTH: *1170mm*

FITTING MATERIAL:
Steel
SHADE:
Opal Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FAMILY:
Gable
FITTING COLOUR:
GREY: 6007328388210

ADDITIONAL INFORMATION:
Adjustable Cord Suspension



P966

LAMP TYPE:
Excluding 1 x E27 max 60W 230V

FITTING HEIGHT: *230mm*
DIAMETER: *280mm*
CORD LENGTH: *1260mm*

FITTING MATERIAL:
Steel
SHADE:
Opal Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FAMILY:
Gable
FITTING COLOUR:
MUSTARD : 6007328388203

ADDITIONAL INFORMATION:
Adjustable Cord Suspension

P980 **LAMP TYPE:** *Excluding 1 x E27 max 40W 230V*

FITTING HEIGHT: *200mm*
DIAMETER: *255mm*
CORD LENGTH: *1000mm*

FITTING MATERIAL:
Steel & Wood
SHADE:
Steel

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FAMILY:
Charlotte
FITTING COLOUR:
BLACK: 6007328388869
GREEN: 6007328388883
GREY: 6007328388890
WHITE: 6007328388876

ADDITIONAL INFORMATION:
Adjustable Cord Suspension

P982 **LAMP TYPE:** *Excluding 1 x E27 max 40W 230V*

FITTING HEIGHT: *185mm*
DIAMETER: *280mm*
CORD LENGTH: *1000mm*

FITTING MATERIAL:
Steel & Wood
SHADE:
Steel

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FAMILY:
Charlotte
FITTING COLOUR:
BLACK: 6007328388944
GREEN: 6007328388968
GREY: 6007328388975
WHITE: 6007328388951

ADDITIONAL INFORMATION:
Adjustable Cord Suspension



P981 **LAMP TYPE:** *Excluding 1 x E27 max 40W 230V*

FITTING HEIGHT: *250mm*
DIAMETER: *190mm*
CORD LENGTH: *1000mm*

FITTING MATERIAL:
Steel & Wood
SHADE:
Steel

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FAMILY:
Charlotte
FITTING COLOUR:
BLACK: 6007328388906
GREEN: 6007328388920
GREY: 6007328388937
WHITE: 6007328388913

ADDITIONAL INFORMATION:
Adjustable Cord Suspension



P1135 **LAMP TYPE:** *Excluding 1 x E27 max 60W 230V*

FITTING HEIGHT: *360mm*
DIAMETER: *365mm*
CORD LENGTH: *1660mm*

FITTING MATERIAL:
Aluminium
SHADE:
Aluminium & Acrylic

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP: *20* : *1*

FITTING COLOUR:
SANDED BLACK: 6007328399742
SANDED COFFEE: 6007328399759

ADDITIONAL INFORMATION:
Adjustable Cord Suspension

P1136 **LAMP TYPE:** *Excluding 1 x E27 max 60W 230V*

FITTING HEIGHT: *260mm*
DIAMETER: *200mm*
CORD LENGTH: *1500mm*

FITTING MATERIAL:
Aluminium
SHADE:
Aluminium & Acrylic

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP: *20* : *1*

FITTING COLOUR:
SANDED BEIGE: 6007328399766
GUN BLACK: 6007328399773
SANDED COFFEE: 6007328399780

ADDITIONAL INFORMATION:
Adjustable Cord Suspension



P1134 **LAMP TYPE:** *Excluding 1 x E27 max 60W 230V*

FITTING HEIGHT: *340mm*
DIAMETER: *320mm*
CORD LENGTH: *1660mm*

FITTING MATERIAL:
Aluminium
SHADE:
Aluminium & Frosted Acrylic Lens

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP: *20* : *1*

FITTING COLOUR:
COFFEE: 6007328399735
GOLD: 6007328399728

ADDITIONAL INFORMATION:
Adjustable Cord Suspension



P1130 **LAMP TYPE:** *Excluding 1 x E27 max 60W 230V*

FITTING HEIGHT: *370mm*
DIAMETER: *360mm*
CORD LENGTH: *1500mm*

FITTING MATERIAL:
Steel
SHADE:
Steel & Leather

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FITTING COLOUR:
SANDED BLACK & BLACK: 6007328399636
SANDED WHITE & BROWN: 6007328399643



P1131 **LAMP TYPE:** *Excluding 1 x E27 max 60W 230V*

FITTING HEIGHT: *470mm*
DIAMETER: *480mm*
CORD LENGTH: *1500mm*

FITTING MATERIAL:
Steel
SHADE:
Steel & Leather

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FITTING COLOUR:
SANDED BLACK & BLACK: 6007328399650
SANDED WHITE & BROWN: 6007328399667



P1133 **LAMP TYPE:** *Excluding 1 x E27 max 40W 230V*

FITTING HEIGHT: *350mm*
DIAMETER: *100mm*
CORD LENGTH: *1700mm*

FITTING MATERIAL:
Steel
SHADE:
Smokey Glass & Dark Wood
Milky Glass & Light Wood

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FITTING COLOUR:
LIGHT WOOD: 6007328399704
DARK WOOD: 6007328399711



P1132 **LAMP TYPE:** *Excluding 1 x E27 max 40W 230V*

FITTING HEIGHT: *350mm*
DIAMETER: *100mm*
CORD LENGTH: *1700mm*

FITTING MATERIAL:
Steel
SHADE:
Steel & Wood

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FITTING COLOUR:
SANDED BLACK & DARK WOOD: 6007328399681
SANDED GREY & LIGHT WOOD: 6007328399698
SANDED COFFEE & LIGHT WOOD: 6007328399674



P1124 **LAMP TYPE:** *Excluding 1 x E27 max 60W 230V*

FITTING HEIGHT: *470mm*
DIAMETER: *650mm*
CHAIN LENGTH: *1000mm*

FITTING MATERIAL:
Aluminium & Steel
SHADE:
Umbra Grey Steel

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FAMILY:
Coldridge
FITTING COLOUR:
PEARL GREY/UMBRA GREY: 9002759491079

ADDITIONAL INFORMATION:
Adjustable Cord Suspension



P1122 **LAMP TYPE:** *Excluding 1 x E27 max 60W 230V*

FITTING HEIGHT: *470mm*
DIAMETER: *530mm*
CHAIN LENGTH: *1000mm*

FITTING MATERIAL:
Aluminium & Steel
SHADE:
Winter Grey Steel

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FAMILY:
Coldridge
FITTING COLOUR:
PEARL GREY/WINTER GREY: 9002759491055

ADDITIONAL INFORMATION:
Adjustable Cord Suspension



P1123 **LAMP TYPE:** *Excluding 1 x E27 max 60W 230V*

FITTING HEIGHT: *470mm*
DIAMETER: *530mm*
CORD LENGTH: *1000mm*

FITTING MATERIAL:
Aluminium & Steel
SHADE:
Umbra Grey Steel

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FAMILY:
Coldridge
FITTING COLOUR:
PEARL GREY/UMBRA GREY: 9002759491062

ADDITIONAL INFORMATION:
Adjustable Cord Suspension



P963

LAMP TYPE:
Excluding 1 x E27 max 60W 230V

FITTING HEIGHT: *285mm*
DIAMETER: *275mm*
CORD LENGTH: *1200mm*

FITTING MATERIAL:
Steel
SHADE:
White & Copper Steel

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FAMILY:
Monroe
FITTING COLOUR:
WHITE : 6007328388173

ADDITIONAL INFORMATION:
Adjustable Cord Suspension



P964

LAMP TYPE:
Excluding 1 x E27 max 60W 230V

FITTING HEIGHT: *285mm*
DIAMETER: *175mm*
CORD LENGTH: *1225mm*

FITTING MATERIAL:
Steel
SHADE:
White & Copper Steel

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FAMILY:
Monroe
FITTING COLOUR:
WHITE: 6007328388180

ADDITIONAL INFORMATION:
Adjustable Cord Suspension



P962

LAMP TYPE:
Excluding 1 x E27 max 60W 230V

FITTING HEIGHT: *280mm*
DIAMETER: *295mm*
CORD LENGTH: *1250mm*

FITTING MATERIAL:
Steel
SHADE:
White & Copper Steel

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FAMILY:
Monroe
FITTING COLOUR:
WHITE : 6007328388166

ADDITIONAL INFORMATION:
Adjustable Cord Suspension



P958

LAMP TYPE:
Excluding 1 x E27 max 60W 230V

FITTING HEIGHT: *460mm*
DIAMETER: *185mm*
CORD LENGTH: *1130mm*

FITTING MATERIAL:
Steel
SHADE:
Black (Outer) & Gold (Inner)

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FITTING COLOUR:
Eleanor
FITTING COLOUR:
BLACK: 6007328388128

ADDITIONAL INFORMATION:
Adjustable Cord Suspension



P961

LAMP TYPE:
Excluding 1 x E27 max 60W 230V

FITTING HEIGHT: *290mm*
DIAMETER: *215mm*
CORD LENGTH: *1220mm*

FITTING MATERIAL:
Steel
SHADE:
Black (Outer) & Gold (Inner)

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FITTING COLOUR:
Eleanor
FITTING COLOUR:
BLACK : 6007328388159

ADDITIONAL INFORMATION:
Adjustable Cord Suspension



P960

LAMP TYPE:
Excluding 1 x E27 max 60W 230V

FITTING HEIGHT: *485mm*
DIAMETER: *230mm*
CORD LENGTH: *1120mm*

FITTING MATERIAL:
Steel
SHADE:
Black (Outer) & Gold (Inner)

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FITTING COLOUR:
Eleanor
FITTING COLOUR:
BLACK: 6007328388142

ADDITIONAL INFORMATION:
Adjustable Cord Suspension



P953

LAMP TYPE:
Excluding 1 x E27 max 60W 230V

FITTING HEIGHT: *310mm*
DIAMETER: *220mm*
CORD LENGTH: *1160mm*

FITTING MATERIAL:
Steel
SHADE:
Steel & Natural Wood

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FITTING COLOUR:
RED: 6007328388074

ADDITIONAL INFORMATION:
Adjustable Cord Suspension



P954

LAMP TYPE:
Excluding 1 x E27 max 60W 230V

FITTING HEIGHT: *250mm*
DIAMETER: *275mm*
CORD LENGTH: *1290mm*

FITTING MATERIAL:
Steel
SHADE:
Grey Steel & Natural Wood

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FITTING COLOUR:
GREY: 6007328388081

ADDITIONAL INFORMATION:
Adjustable Cord Suspension



P955

LAMP TYPE:
Excluding 1 x E27 max 60W 230V

FITTING HEIGHT: *320mm*
DIAMETER: *200mm*
CORD LENGTH: *1200mm*

FITTING MATERIAL:
Steel
SHADE:
Black Steel & Natural Wood

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FITTING COLOUR:
BLACK: 6007328388098

ADDITIONAL INFORMATION:
Adjustable Cord Suspension



P965

LAMP TYPE:
Excluding 1 x E27 max 60W 230V

FITTING HEIGHT: *340mm*
DIAMETER: *220mm*
CORD LENGTH: *1240mm*

FITTING MATERIAL:
Steel
SHADE:
Black & White Steel

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FITTING COLOUR:
BLACK & WHITE: 6007328388197

ADDITIONAL INFORMATION:
Adjustable Cord Suspension



P585 **LAMP TYPE:** *Excluding 1 x E27 max 40W 230V*

FITTING HEIGHT: *180mm*
DIAMETER: *260mm*
CABLE LENGTH: *1050mm*

FITTING MATERIAL:
Steel
SHADE:
Copper Steel

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FAMILY:
Dimple
FITTING COLOUR:
COPPER: 6007328374138

ADDITIONAL INFORMATION:
Adjustable Cord Suspension



P584 **LAMP TYPE:** *Excluding 1 x E27 max 60W 230V*

FITTING HEIGHT: *305mm*
DIAMETER: *310mm*
CORD LENGTH: *1000mm*

FITTING MATERIAL:
Steel
SHADE:
Steel & Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FITTING COLOUR:
COPPER: 6007328374121

ADDITIONAL INFORMATION:
Adjustable Cord Suspension



P1093 LED **LAMP TYPE:** *Including 7 & 18W Integrated LED*

FITTING HEIGHT: *170mm*
DIAMETER: *600mm*
CORD LENGTH: *1100mm*

FITTING MATERIAL:
Aluminium
SHADE:
Aluminium
LENS:
Opal Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FITTING COLOUR:
BLACK & COPPER: 6007328397106

ADDITIONAL INFORMATION:
Including Remote

LAMP SPECIFICATION:
Power: 7 & 18W
Luminous Flux: 600lm & 1575lm
Colour Temperature: 3000K
Lifetime: 25 000 Hours



P1092 LED **LAMP TYPE:** *Including 7W &12W Integrated LED*

FITTING HEIGHT: *120mm*
DIAMETER: *450mm*
CORD LENGTH: *1000mm*

FITTING MATERIAL:
Aluminium
SHADE:
Aluminium
LENS:
Opal Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FITTING COLOUR:
BLACK & COPPER: 6007328397090

ADDITIONAL INFORMATION:
Including Remote

LAMP SPECIFICATION:
Power: 7W & 12W
Luminous Flux: 610lm & 1050lm
Colour Temperature: 3000K
Lifetime: 25 000 Hours



P703

LAMP TYPE:
Excluding 1 x E27 max 60W 230V

FITTING HEIGHT: *385mm*
DIAMETER: *310mm*
CORD LENGTH: *805mm*

FITTING MATERIAL:
Steel
SHADE:
Black (Outer) & Copper (Inner)

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP: *20* : *2*

FAMILY:
Carlton 1
FITTING COLOUR:
BLACK: 9002759492540

ADDITIONAL INFORMATION:
Adjustable Cord Suspension



P1096

LAMP TYPE:
Including 1 x 40W Integrated LED

FITTING HEIGHT: *250mm*
DIAMETER: *810mm*
CORD LENGTH: *1400mm*

FITTING MATERIAL:
White Steel
SHADE:
White Steel & Opal Plastic

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP: *20* : *1*

FITTING COLOUR:
WHITE: 6007328397137

LAMP SPECIFICATION:
Power: 40W
Luminous Flux: 3500lm
Colour Temperature: 3000K
Lifetime: 25 000 Hours



P806 LED **LAMP TYPE:** *Including 1 x 60W Integrated SMD LED*

FITTING HEIGHT: *240mm*
DIAMETER: *600mm*
CORD LENGTH: *1250mm*

FITTING MATERIAL:
Steel
SHADE:
Acrylic

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FITTING COLOUR:
GREY: 6007328382812

LAMP SPECIFICATION:
Power: 60W
Luminous Flux: 1800lm
Colour Temperature: 3000K
Lifetime: 25 000 Hours
Dimmable



P808 LED **LAMP TYPE:** *Including 1 x 30W Integrated COB LED*

FITTING HEIGHT: *600mm*
DEPTH: *320mm*
WIDTH: *400mm*

FITTING MATERIAL:
Steel
LENS:
Opal Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FITTING COLOUR:
GOLD: 6007328382836

LAMP SPECIFICATION:
Power: 30W
Luminous Flux: 2080lm
Colour Temperature: 3000K
Lifetime: 25 000 Hours



P805 LED **LAMP TYPE:** *Including 20 x 2W Integrated LED*

FITTING HEIGHT: *146mm*
WIDTH: *1470mm*
DEPTH: *875mm*
CORD LENGTH: *1640mm*

FITTING MATERIAL:
Steel
SHADE:
Opal Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FAMILY:
Venturi
FITTING COLOUR:
CHROME: 6007328382805

LAMP SPECIFICATION:
Power: 40W (20 x 2W)
Luminous Flux: 2050lm
Colour Temperature: 3000K
Lifetime: 25 000 Hours



P809 LED **LAMP TYPE:** *Including 20 x 2.8W Integrated SMD LED*

FITTING HEIGHT: *655mm*
DIAMETER: *870mm*
CORD LENGTH: *1000mm*

FITTING MATERIAL:
Steel
SHADE:
Opal Acrylic

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FAMILY:
Tilly
FITTING COLOUR:
WHITE: 6007328382843

LAMP SPECIFICATION:
Power: 56W (20 x 2.8W)
Luminous Flux: 4350lm
Colour Temperature: 3000K
Lifetime: 25 000 Hours



P810 LED **LAMP TYPE:** *Including 30 x 2.9W Integrated SMD LED*

FITTING HEIGHT: *695mm*
DIAMETER: *1180mm*
CORD LENGTH: *770mm*

FITTING MATERIAL:
Steel
SHADE:
Opal Acrylic

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FAMILY:
Tilly
FITTING COLOUR:
WHITE: 6007328382850

LAMP SPECIFICATION:
Power: 87W (30 x 2.9W)
Luminous Flux: 6460lm
Colour Temperature: 3000K
Lifetime: 25 000 Hours



P1101 LED **LAMP TYPE:** *Including 25W Integrated LED*

FITTING HEIGHT: *180mm*
WIDTH: *1225mm*
DEPTH: *110mm*
CORD LENGTH: *1600mm*

FITTING MATERIAL:
Steel

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FAMILY:
Hoka
FITTING COLOUR:
WHITE: 6007328397250

ADDITIONAL INFORMATION:
Adjustable Suspension

LAMP SPECIFICATION:
Power: 25W
Luminous Flux: 3500lm
Colour Temperature: 3000K
Lifetime: 25 000 Hours



P1102 LED **LAMP TYPE:** *Including 40W Integrated LED*

FITTING HEIGHT: *180mm*
WIDTH: *1675mm*
DEPTH: *110mm*
CORD LENGTH: *1600mm*

FITTING MATERIAL:
Steel

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FAMILY:
Hoka
FITTING COLOUR:
WHITE: 6007328397267

ADDITIONAL INFORMATION:
Adjustable Suspension

LAMP SPECIFICATION:
Power: 40W
Luminous Flux: 3500lm
Colour Temperature: 3000K
Lifetime: 25 000 Hours



P518 LED **LAMP TYPE:** *Including 1 x 18W Integrated LED*

FITTING HEIGHT: *30mm*
WIDTH: *970mm*
DEPTH: *70mm*
CORD LENGTH: *1080mm*

FITTING MATERIAL:
Aluminium & Steel
SHADE:
Chrome Steel

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP: *20* | : *12*

FAMILY:
Terros
FITTING COLOUR:
CHROME: 9002759935658

ADDITIONAL INFORMATION:
Adjustable Cord Suspension
Including Touch Dimmer
Matching Wall Light: W439

LAMP SPECIFICATION:
Power: 18W
Luminous Flux: 1300lm
Colour Temperature: 3000K
Lifetime: 25 000 Hours



P1115 LED **LAMP TYPE:** *Including 1 x 29.7W Integrated LED*

FITTING HEIGHT: *30mm*
DEPTH: *85mm*
WIDTH: *1180mm*
CORD LENGTH: *1140mm*

FITTING MATERIAL:
Aluminium & Steel
SHADE:
White Plastic

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP: *20* | : *6*

FAMILY:
Amontillado
FITTING COLOUR:
BLACK: 9002759984922

LAMP SPECIFICATION:
Power: 29.7W
Luminous Flux: 3500lm
Colour Temperature: 3000K
Lifetime: 25 000 Hours



P1077 LED **LAMP TYPE:** *Including 1 x 21.5W Integrated LED*

FITTING HEIGHT: *140mm*
LENGTH: *990mm*
DEPTH: *85mm*
CORD LENGTH: *960mm*

FITTING MATERIAL:
Aluminium & Steel
SHADE:
White Aluminium & Steel

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP: *20* | : *6*

FAMILY:
Caldina
FITTING COLOUR:
CHROME/WHITE: 9002759974978

LAMP SPECIFICATION:
Power: 21.5W
Luminous Flux: 2500lm
Colour Temperature: 3000K
Lifetime: 25 000 Hours



Bluetooth device on the fitting. Fitting is connectable with smart phones. Max distance to connect is estimated at 5-10 meters. Excludes Remote. Install app on phone (awoX) to control the light and colour changing of the fitting.

P1049 LED **LAMP TYPE:** *Including 2 x 17W Integrated LED*

FITTING HEIGHT: *90mm*
LENGTH: *1050mm*
CORD LENGTH: *1080mm*

FITTING MATERIAL:
Aluminium & Steel
SHADE:
Opal Plastic

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP: *20* : *6*

FAMILY:
Fraioli-c
FITTING COLOUR:
SATIN CHROME: 9002759979119

ADDITIONAL INFORMATION:
Eglo Connect Remote Available (CO341)
Matching Ceiling Light: C609, C610
Matching Floor Lamp: FL291

LAMP SPECIFICATION:
Power: 34W (2 x 17W)
Colour Temperature: 2700-6500K + RGB
Lifetime: 25 000 Hours



Bluetooth device on the fitting. Fitting is connectable with smart phones. Max distance to connect is estimated at 5-10 meters. Excludes Remote. Install app on phone (awoX) to control the light and colour changing of the fitting.

P1050 LED **LAMP TYPE:** *Including 1 x 27W Integrated LED*

FITTING HEIGHT: *150mm*
DIAMETER: *400mm*
CORD LENGTH: *1400mm*

FITTING MATERIAL:
Steel
SHADE:
Opal Plastic

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP: *20* : *2*

FAMILY:
Frattina-c
FITTING COLOUR:
SATIN CHROME: 9002759978129

ADDITIONAL INFORMATION:
Eglo Connect Remote Available (CO341)
Matching Ceiling Light: C611
Matching Floor Lamp: FL292
Matching Table Lamp: T570

LAMP SPECIFICATION:
Power: 27W
Colour Temperature: 2700K-6500K + RGB
Lifetime: 25 000 Hours



Bluetooth device on the fitting. Fitting is connectable with smart phones. Max distance to connect is estimated at 5-10 meters. Excludes Remote. Install app on phone (awoX) to control the light and colour changing of the fitting.

P1048 LED **LAMP TYPE:** *Excluding 2 x 17W Integrated LED*

FITTING HEIGHT: *35mm*
WIDTH: *1055mm*
DEPTH: *100mm*
CORD LENGTH: *1140mm*

FITTING MATERIAL:
Aluminium & Steel
SHADE:
Opal Plastic
PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP: *20* : *4*

FAMILY:
Fornes
FITTING COLOUR:
SATIN CHROME: 9002759979072

ADDITIONAL INFORMATION:
Adjustable Cord Suspension
Eglo Connect Remote Available (CO341)

LAMP SPECIFICATION:
Power: 34W (2x 17W)
Colour Temperature: 2700K - 6500K + RGB
Lifetime: 25 000 Hours
Dimmable

P507 LED **LAMP TYPE 1:** *Including 1 x 24W Integrated LED (Primary)*
LAMP TYPE 2: *Including 2 x 3W Integrated LED (Rise & Fall)*

FITTING HEIGHT: *60mm*
WIDTH: *830mm*
DEPTH: *80mm*
CORD LENGTH:
800mm - 1600mm

FITTING MATERIAL:
Aluminium & Plastic
LENS:
White Plastic

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *6*

FAMILY:
Armedo
FITTING COLOUR:
CHROME: 9002759927950

ADDITIONAL INFORMATION:
Adjustable Rise & Fall Cord Suspension

LAMP SPECIFICATION:
Power (Primary): 24W
Power (Rise & Fall): 6W (2 x 3W)
Luminous Flux (Primary): 1700lm
Luminous Flux (Rise & Fall): 500lm
Colour Temperature: 3000K
Lifetime: 25 000 Hours
Not Dimmable



P667 LED **LAMP TYPE:** *Including 4 x 4.5W Integrated LED*

FITTING HEIGHT: *25mm*
LENGTH: *780mm*
DEPTH: *90mm*
CABLE LENGTH: *1030mm*

FITTING MATERIAL:
Steel
SHADE:
Clear & Frosted Plastic

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *9*

FAMILY:
Cartama
FITTING COLOUR:
CHROME: 9002759942441

ADDITIONAL INFORMATION:
Adjustable Cable Suspension

LAMP SPECIFICATION:
Power: 18W (4 x 4.5W)
Luminous Flux: 1920lm
Colour Temperature: 3000K
Lifetime: 25 000 Hours

P668 LED **LAMP TYPE:** *Including 4 x 4.5W Integrated LED*

FITTING HEIGHT: *35mm*
LENGTH: *775mm*
DEPTH: *115mm*
CABLE LENGTH: *1030mm*

FITTING MATERIAL:
Steel
SHADE:
Clear & Frosted Plastic

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *6*

FAMILY:
Cartama
FITTING COLOUR:
CHROME: 9002759942458

ADDITIONAL INFORMATION:
Adjustable Cable Suspension

LAMP SPECIFICATION:
Power: 18W (4 x 4.5W)
Luminous Flux: 1920lm (4 x 480lm)
Colour Temperature: 3000K
Lifetime: 25 000 Hours

P811

LAMP TYPE:
Including 1 x 48W Integrated LED

FITTING HEIGHT: *75mm*
LENGTH: *830mm*
DEPTH: *500mm*
CORD LENGTH: *1570mm*

FITTING MATERIAL:
Aluminium
SHADE:
Polycarbonate

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FITTING COLOUR:
WHITE: 6007328382867

LAMP SPECIFICATION:
Power: 48W
Luminous Flux: 2500lm
Colour Temperature: 3000K
Lifetime: 25 000 Hours



P816 LED **LAMP TYPE:** *Including 44W Integrated LED*

FITTING HEIGHT: *1780mm*
DIAMETER: *250mm*
CORD LENGTH: *635mm*

FITTING MATERIAL:
Die Cast Aluminium
SHADE:
Acrylic

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FAMILY:
Senna Series
FITTING COLOUR:
WHITE: 6007328382911
BLACK: 6007328392545

ADDITIONAL INFORMATION:
Adjustable Cord Suspension
Vertical Installation
Matching Floor Lamp: FL209

LAMP SPECIFICATION:
Power: 44W
Luminous Flux: 2200lm
Colour Temperature: 3000K
Lifetime: 25 000 Hours



P817 LED **LAMP TYPE:** *Including 24W Integrated LED*

FITTING HEIGHT: *1085mm*
DIAMETER: *215mm*
CORD LENGTH: *1130mm*

FITTING MATERIAL:
Die Cast Aluminium
SHADE:
Opal Acrylic

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FAMILY:
Senna Series
FITTING COLOUR:
WHITE: 6007328382928
BLACK: 6007328392552

ADDITIONAL INFORMATION:
Adjustable Cord Suspension
Vertical Installation
Matching Floor Lamp: FL209

LAMP SPECIFICATION:
Power: 24W
Luminous Flux: 1000lm
Colour Temperature: 3000K
Lifetime: 25 000 Hours

P818 LED **LAMP TYPE:** *Including 44W Integrated LED*

FITTING HEIGHT: *250mm*
LENGTH: *1790mm*
DEPTH: *250mm*
CORD LENGTH: *1900mm*

FITTING MATERIAL:
Die Cast Aluminium
SHADE:
Opal Acrylic

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FAMILY:
Senna Series
FITTING COLOUR:
WHITE: 6007328382935

ADDITIONAL INFORMATION:
Matching Floor Lamp: FL209

LAMP SPECIFICATION:
Power: 44W
Luminous Flux: 2200lm
Colour Temperature: 3000K
Lifetime: 25 000 Hours

P813 LED **LAMP TYPE:** *Including 1 x 37W Integrated LED*

FITTING HEIGHT: *70mm*
DIAMETER: *590mm*
CORD LENGTH: *1310mm*

FITTING MATERIAL:
Steel
SHADE:
Opal Polycarbonate

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FITTING COLOUR:
WHITE: 6007328382881

ADDITIONAL INFORMATION:
Adjustable Cord Suspension

LAMP SPECIFICATION:
Power: 37W
Luminous Flux: 3570lm
Colour Temperature: 3000K
Lifetime: 25 000 Hours



P812 LED **LAMP TYPE:** *Including 1 x 23W Integrated LED*

FITTING HEIGHT: *70mm*
DIAMETER: *455mm*
CORD LENGTH: *1320mm*

FITTING MATERIAL:
Steel
SHADE:
Opal Polycarbonate

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FITTING COLOUR:
WHITE: 6007328382874

ADDITIONAL INFORMATION:
Adjustable Cord Suspension

LAMP SPECIFICATION:
Power: 23W
Luminous Flux: 2240lm
Colour Temperature: 3000K
Lifetime: 25 000 Hours



P616 LED **LAMP TYPE:** *Including 1 x 35W Integrated LED*

FITTING HEIGHT: *70mm*
DIAMETER: *600mm*
CORD LENGTH: *825mm*

FITTING MATERIAL:
Steel
LENS:
Opal Plastic

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FAMILY:
Hemisphere
FITTING COLOUR:
WHITE: 6007328374534

ADDITIONAL INFORMATION:
Adjustable Cable Suspension

LAMP SPECIFICATION:
Power: 35W
Luminous Flux: 1200lm
Colour Temperature: 3000K
Lifetime: 25 000 Hours



P572 LED **LAMP TYPE:** *Including 3 x 20W Integrated LED*

FITTING HEIGHT: *16mm x 3 rings*
DIAMETER: *855mm*
CABLE LENGTH: *1110mm*

FITTING MATERIAL: *Steel*
LENS: *Opal Plastic*

PRIMARY VOLTAGE: *220V - 240V (50/60Hz)*

IP : *20* : *1*

FAMILY: *Hemisphere*
FITTING COLOUR: *CHROME: 6007328373919*

ADDITIONAL INFORMATION: *Adjustable Cable Suspension*

LAMP SPECIFICATION:
Power: 60W (3 x 20W)
Luminous Flux: 2400lm (3 x 800lm)
Colour Temperature: 3000K
Lifetime: 25 000 Hours

P573 LED **LAMP TYPE:** *Including 3 x 20W Integrated LED*

FITTING HEIGHT: *16mm x 3 rings*
DIAMETER: *800mm*
CABLE LENGTH: *1150mm*

FITTING MATERIAL: *Steel*
LENS: *Opal Plastic*

PRIMARY VOLTAGE: *220V - 240V (50/60Hz)*

IP : *20* : *1*

FAMILY: *Hemisphere*
FITTING COLOUR: *CHROME: 6007328373926*

ADDITIONAL INFORMATION: *Adjustable Cable Suspension*

LAMP SPECIFICATION:
Power: 60W (3 x 20W)
Luminous Flux: 2400lm (3 x 800lm)
Colour Temperature: 3000K
Lifetime: 25 000 Hours



P814 LED **LAMP TYPE:** *Including 111W Integrated LED*

FITTING HEIGHT: *15mm x 6 Rings*
DIAMETER: *765mm*
CORD LENGTH: *1500mm*

FITTING MATERIAL: *Steel*
SHADE: *Frosted Polycarbonate*

PRIMARY VOLTAGE: *220V - 240V (50/60Hz)*

IP : *20* : *1*

FAMILY: *Coral*
FITTING COLOUR: *WHITE: 6007328382898*

ADDITIONAL INFORMATION: *Adjustable Cord Suspension*

LAMP SPECIFICATION:
Power: 111W
Luminous Flux: 6100lm
Colour Temperature: 3000K
Lifetime: 25 000 Hours



P815 LED **LAMP TYPE:** *Including 154W Integrated LED*

FITTING HEIGHT: *15mm x 10 rings*
DIAMETER: *760mm*
CORD LENGTH: *2000mm*

FITTING MATERIAL: *Steel*
SHADE: *Frosted Polycarbonate*

PRIMARY VOLTAGE: *220V - 240V (50/60Hz)*

IP : *20* : *1*

FAMILY: *Coral*
FITTING COLOUR: *WHITE: 6007328382904*

ADDITIONAL INFORMATION: *Adjustable Cord Suspension*

LAMP SPECIFICATION:
Power: 154W
Luminous Flux: 7700lm
Colour Temperature: 3000K
Lifetime: 25 000 Hours



P108 LED **LAMP TYPE:** *Including 2 x 9W Integrated LED*

FITTING HEIGHT: *65mm*
WIDTH: *870mm*
DEPTH: *55mm*
CABLE LENGTH *1120mm*

FITTING MATERIAL:
Steel & Aluminium
LENS:
Opal Plastic

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *4*

FAMILY:
Lasana 2
FITTING COLOUR:
CHROME: 9002759961039

ADDITIONAL INFORMATION:
Adjustable Cable Suspension
Matching Floor Lamp: FL137

LAMP SPECIFICATION:
Power: 18W (2 x 9W)
Luminous Flux: 2000lm
Colour Temperature: 3000K
Lifetime: 25 000 Hours
Not Dimmable



P115 LED **LAMP TYPE:** *Including 2 x 12W Inergrated LEDs*

FITTING HEIGHT: *65mm*
WIDTH: *1200mm*
DEPTH: *55mm*
CABLE LENGTH: *1120mm*

FITTING MATERIAL:
Steel & Aluminium
LENS:
Opal Plastic

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *6*

FAMILY:
Lasana 2
FITTING COLOUR:
CHROME: 9002759961046

ADDITIONAL INFORMATION:
Adjustable Cable Suspension
Matching Floor Lamp: FL137

LAMP SPECIFICATION:
Power: 24W (2 x 12W)
Luminous Flux: 2600lm
Colour Temperature: 3000K
Lifetime: 25 000 Hours
Not Dimmable



P570 LED **LAMP TYPE:** *Including 1 x 28.8W Integrated LED*

FITTING HEIGHT: *110mm*
WIDTH: *970mm*
DEPTH: *65mm*
CORD LENGTH: *1200mm*

FITTING MATERIAL:
Steel
LENS:
Clear Plastic
CRYSTALS:
Clear Glass Crystals

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FAMILY:
Hemisphere
FITTING COLOUR:
CHROME: 6007328373773

ADDITIONAL INFORMATION:
Adjustable Cable Suspension

LAMP SPECIFICATION:
Power: 28.8W
Luminous Flux: 3168lm
Colour Temperature: 3000K
Lifetime: 25 000 Hours



P574 LED **LAMP TYPE:** *Including 1 x 38W Integrated LED*

FITTING HEIGHT: *325mm*
WIDTH: *750mm*
CABLE LENGTH: *1000mm*

FITTING MATERIAL:
Steel
LENS:
Clear Plastic

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FAMILY:
Hemisphere
FITTING COLOUR:
CHROME: 6007328373995

ADDITIONAL INFORMATION:
Adjustable Cable Suspension

LAMP SPECIFICATION:
Power: 38W
Luminous Flux: 1600lm
Colour Temperature: 3000K
Lifetime: 25 000 Hours



P575 LED **LAMP TYPE:** *Including 1 x 28W Integrated LED*

FITTING HEIGHT: *200mm*
LENGTH: *660mm*
DEPTH: *210mm*
CABLE LENGTH: *960mm*

FITTING MATERIAL:
Steel
LENS:
White Plastic

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : **1**

FAMILY:
Hemisphere
FITTING COLOUR:
CHROME: 6007328374008

ADDITIONAL INFORMATION:
Adjustable Rise and Fall Suspension

LAMP SPECIFICATION:
Power: 28W
Colour Temperature: 3000K
Lifetime: 25 000 Hours



P576 LED **LAMP TYPE:** *Including 1 x 30W Integrated LED*

FITTING HEIGHT: *210mm*
LENGTH: *905mm*
DEPTH: *210mm*
CABLE LENGTH: *1000mm*

FITTING MATERIAL:
Steel
LENS:
White Plastic

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FAMILY:
Hemisphere
FITTING COLOUR:
CHROME: 6007328374015

ADDITIONAL INFORMATION:
Adjustable Rise and Fall Suspension

LAMP SPECIFICATION:
Power: 30W
Colour Temperature: 3000K
Lifetime: 25 000 Hours



P1057 LED **LAMP TYPE:** *Including 1 x 5W, 6W & 7W Integrated LED*

FITTING HEIGHT: *410mm*
WIDTH: *470mm*
DEPTH: *540mm*
CORD LENGTH: *1020mm*

FITTING MATERIAL:
Aluminium & Steel
SHADE:
Opal Plastic

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *5*

FAMILY:
Pausia
FITTING COLOUR:
CHROME: 9002759974350

LAMP SPECIFICATION:
Power: 18W (5W + 6W + 7W)
Colour Temperature: 3000K
Lifetime: 25 000 Hours



P804 LED **LAMP TYPE:** *Including 1 x 51W Integrated LED*

FITTING HEIGHT: *30mm*
DIAMETER: *640mm*
CORD LENGTH: *1550mm*

FITTING MATERIAL:
Steel
SHADE:
Opal Acrylic

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FITTING COLOUR:
SILVER: 6007328382799

LAMP SPECIFICATION:
Power: 51W
Colour Temperature: 3000K
Lifetime: 25 000 Hours

P803 LED **LAMP TYPE:** *Including 1 x 45W Integrated LED*

FITTING HEIGHT: *330mm*
DIAMETER: *610mm*
CORD LENGTH: *1680mm*

FITTING MATERIAL:
Aluminium
SHADE:
Black & White Opal Acrylic Lens

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FITTING COLOUR:
WHITE: 6007328382782

LAMP SPECIFICATION:
Power: 45W
Luminous Flux: 4540lm
Colour Temperature: 1300K
Lifetime: 25 000 Hours



P1086 LED **LAMP TYPE:** *Including 3 x 4.6W Integrated LED*

FITTING HEIGHT: *75mm*
LENGTH: *783mm*
DIAMETER: *75mm*
CORD LENGTH: *1500mm*

FITTING MATERIAL:
Aluminium
SHADE:
Frosted Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FAMILY:
Hook
FITTING COLOUR:
BLACK: 6007328396895

LAMP SPECIFICATION:
Power: 13.8W (3 x 4.6W)
Colour Temperature: 3000K
Lifetime: 25 000 Hours



P1087 LED **LAMP TYPE:** *Including 6 x 4.6W Integrated LED*

FITTING HEIGHT: *75mm*
LENGTH: *1050mm*
DIAMETER: *75mm*
CORD LENGTH: *1500mm*

FITTING MATERIAL:
Aluminium
SHADE:
Frosted Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FAMILY:
Hook
FITTING COLOUR:
BLACK: 6007328396994

LAMP SPECIFICATION:
Power: 27.6W (6 x 4.6W)
Colour Temperature: 3000K
Lifetime: 25 000 Hours

P1059 LED **LAMP TYPE:** *Including 1 x GU10 max 5W LED 230V*

FITTING HEIGHT: *360mm*
DIAMETER: *85mm*
CORD LENGTH: *1123mm*

FITTING MATERIAL:
Steel
SHADE:
Black (Outer) & Gold (Inner) Steel

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP: *20* | *24*

FAMILY:
Cortaderas
FITTING COLOUR:
BLACK/GOLD: 9002759976040

ADDITIONAL INFORMATION:
Matching Floor Lamp: FL294
Matching Spotlight: S437
Matching Table Lamp: T574

LAMP SPECIFICATION:
Power: 5W
Luminous Flux: 400lm
Colour Temperature: 3000K
Lifetime: 25 000 Hours



P1060 LED **LAMP TYPE:** *Including 4 x GU10 max 5W LED 230V*

FITTING HEIGHT: *360mm*
LENGTH: *975mm*
DEPTH: *85mm*
CORD LENGTH: *1105mm*

FITTING MATERIAL:
Steel
SHADE:
Black & Gold Steel

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP: *20* | *4*

FAMILY:
Cortaderas
FITTING COLOUR:
BLACK & GOLD: 9002759976057

ADDITIONAL INFORMATION:
Matching Floor Lamp: FL294
Matching Spotlight: S437
Matching Table Lamp: T57

LAMP SPECIFICATION:
Power: 20W (4 x 5W)
Luminous Flux: 1600lm
Colour Temperature: 3000K
Lifetime: 25 000 Hours



P1061 LED **LAMP TYPE:** *Including 5 x GU10 max 5W LED 230V*

FITTING HEIGHT: *360mm*
DIAMETER: *350mm*
CORD LENGTH: *700mm*

FITTING MATERIAL:
Steel
SHADE:
Black (Outer) & Gold (Inner)Steel

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP: *20* | *4*

FAMILY:
Cortaderas
FITTING COLOUR:
BLACK/GOLD: 9002759976064

ADDITIONAL INFORMATION:
Matching Floor Lamp: FL294
Matching Spotlight: S437
Matching Table Lamp: T57

LAMP SPECIFICATION:
Power: 25W (5 x 5W)
Luminous Flux: 2000lm
Colour Temperature: 3000K
Lifetime: 25 000 Hours



P1094 LED **LAMP TYPE:** *Including 12W Integrated LED*

FITTING HEIGHT: *110mm*
DIAMETER: *195mm*
CORD LENGTH: *1550mm*

FITTING MATERIAL:
Aluminium
SHADE:
Frosted Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP: *20* | *1*

FITTING COLOUR:
COPPER & BLACK: 6007328397113

LAMP SPECIFICATION:
Power: 12W
Colour Temperature: 3000K
Lifetime: 25 000 Hours



P1099 LED **LAMP TYPE:** *Including 8 x 5W Integrated LED*

FITTING HEIGHT: *80mm*
LENGTH: *840mm*
DEPTH: *70mm*
CORD LENGTH: *1850mm*

FITTING MATERIAL:
Aluminium
SHADE:
Black (Outer) & Gold (Inner) Aluminium

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FAMILY:
Alva
FITTING COLOUR:
BLACK & GOLD: 6007328397236

LAMP SPECIFICATION:
Power: 40W (8 x 5W)
Colour Temperature: 3000K
Lifetime: 25 000 Hours



P1100 LED **LAMP TYPE:** *Including 12 x 4.16W Integrated LED*

FITTING HEIGHT: *80mm*
LENGTH: *1200mm*
DEPTH: *70mm*
CORD LENGTH: *1850mm*

FITTING MATERIAL:
Aluminium
SHADE:
Black (Outer) & Gold (Inner) Aluminium

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FAMILY:
Alva
FITTING COLOUR:
BLACK & GOLD: 6007328397243

LAMP SPECIFICATION:
Power: 50W (12 x 4.16W)
Colour Temperature: 3000K
Lifetime: 25 000 Hours

P1095 LED **LAMP TYPE:** *Including 4 x 12W Integrated LED*

FITTING HEIGHT: *110mm*
DIAMETER: *195mm*
CORD LENGTH: *1500mm*

FITTING MATERIAL:
Aluminium
SHADE:
Frosted Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FITTING COLOUR:
COPPER & BLACK: 6007328397120

LAMP SPECIFICATION:
Power: 48W (4 x 12W)
Colour Temperature: 3000K
Lifetime: 25 000 Hours



P1098 LED **LAMP TYPE:** *Including 5 x 4W Integrated LED*

FITTING HEIGHT: *105mm*
LENGTH: *805mm*
DEPTH: *50mm*
CORD LENGTH: *2020mm*

FITTING MATERIAL:
Aluminium
SHADE:
Aluminium & Frosted Plastic Lens

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP: *20* : *1*

FAMILY:
Tenso
FITTING COLOUR:
BLACK & GOLD: 6007328397229

ADDITIONAL INFORMATION:
Adjustable Cord Suspension

LAMP SPECIFICATION:
Power: 20W (5 x 4W)
Colour Temperature: 3000K
Lifetime: 25 000 Hours



P1097 LED **LAMP TYPE:** *Including 7 x 4.28W Integrated LED*

FITTING HEIGHT: *105mm*
LENGTH: *1200mm*
DEPTH: *50mm*
CORD LENGTH: *2000mm*

FITTING MATERIAL:
Aluminium
SHADE:
Aluminium & Frosted Plastic Lens

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP: *20* : *5*

FAMILY:
Tenso
FITTING COLOUR:
BLACK & GOLD: 6007328397212

LAMP SPECIFICATION:
Power: 30W (7 x 4.28W)
Colour Temperature: 3000K
Lifetime: 25 000 Hours



P1119AM **LAMP TYPE:** *Excluding 5 x E27 max 40W 230V*

FITTING HEIGHT: *225mm*
LENGTH: *1210mm*
DEPTH: *150mm*
CORD LENGTH: *840mm*

FITTING MATERIAL:
Steel & Wood
SHADE:
Amber Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP: *20* : *2*

FAMILY:
Castralvo
FITTING COLOUR:
AMBER: 9002759985929



P1119W **LAMP TYPE:** *Excluding 5 x E27 max 40W 230V*

FITTING HEIGHT: *225mm*
LENGTH: *1210mm*
DEPTH: *150mm*
CORD LENGTH: *840mm*

FITTING MATERIAL:
Steel & Wood
SHADE:
White Fabric

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP: *20* : *2*

FAMILY:
Castralvo
FITTING COLOUR:
WHITE: 9002759985912



P1116 LED **LAMP TYPE:** *Including 5 x G9 3W LED 230V*

FITTING HEIGHT: *250mm*
LENGTH: *915mm*
DEPTH: *70mm*
CORD LENGTH: *850mm*

FITTING MATERIAL:
Steel
SHADE:
Clear Glass Crystals

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *6*

FAMILY:
Pyton Gold
FITTING COLOUR:
GOLD: 9002759977238

ADDITIONAL INFORMATION:
Matching Ceiling Light: C683, C684
Matching Table Lamp: T597
Matching Wall Light: W625

LAMP SPECIFICATION:
Power: 15W (5 x 3W)
Luminous Flux: 1800lm
Colour Temperature: 3000K
Lifetime: 25 000 Hours



P1016 **LAMP TYPE:** *Excluding 6 x E27 max 60W 230V*

FITTING HEIGHT: *410mm*
LENGTH: *1000mm*
DEPTH: *50mm*
CORD LENGTH: *930mm*

FITTING MATERIAL:
Steel & Wood
SHADE:
Steel

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *4*

FAMILY:
Townshend
FITTING COLOUR:
BLACK/WOOD: 9002759954994

ADDITIONAL INFORMATION:
Adjustable Cord Length

P1125 **LAMP TYPE:** *Excluding 3 x E27 max 60W 230V*

FITTING HEIGHT: *150mm*
LENGTH: *780mm*
DEPTH: *190mm*
CORD LENGTH: *1050mm*

FITTING MATERIAL:
Steel & Brown Oak
SHADE:
Steel

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *2*

FAMILY:
Hornwood
FITTING COLOUR:
BLACK/CREAM: 9002759430450

ADDITIONAL INFORMATION:
Matching fitting floorlight: FL303
Matching fitting Table Lamp: T601
Matching fitting Spotlight: S459



P647 LED **LAMP TYPE:** *Including 5 x 3.3W Integrated LED*

FITTING HEIGHT: *170mm*
DIAMETER: *350mm*
CORD LENGTH: *880mm*

FITTING MATERIAL:
Steel
SHADE:
Frosted & Clear Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP: *20* : *3*

FAMILY:
Fabiana 1
FITTING COLOUR:
CHROME: 9002759939311

ADDITIONAL INFORMATION:
Matching Wall Light: W137

LAMP SPECIFICATION:
Power: 16.5W (5 x 3.3W)
Luminous Flux: 1700lm
Colour Temperature: 3000K
Lifetime: 25 000 Hours



P825 LED **LAMP TYPE:** *Including 3 x 3.3W Integrated LED*

FITTING HEIGHT: *95mm*
DIAMETER: *205mm*
CORD LENGTH: *1050mm*

FITTING MATERIAL:
Steel
SHADE:
Opal & Amber Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP: *20* : *6*

FAMILY:
Ascolese
FITTING COLOUR:
SATIN CHROME: 9002759943189

ADDITIONAL INFORMATION:
Adjustable Cord Suspension
Matching Wall Light: W142

LAMP SPECIFICATION:
Power: 9.9W (3 x 3.3W)
Luminous Flux: 1020lm
Colour Temperature: 3000K
Lifetime: 25 000 Hours

P680 **LAMP TYPE:** *Excluding 1 x E27 max 60W 230V*

FITTING HEIGHT: *285mm*
WIDTH: *150mm*
DEPTH: *150mm*
CORD LENGTH: *800mm*

FITTING MATERIAL:
Steel
SHADE:
Clear & Opal Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP: *20* : *6*

FAMILY:
Loncino 1
FITTING COLOUR:
CHROME: 9002759943776

ADDITIONAL INFORMATION:
Adjustable Cord Suspension

P681 **LAMP TYPE:** *Excluding 3 x E27 max 60W 230V*

FITTING HEIGHT: *312mm*
WIDTH: *745mm*
DEPTH: *150mm*
CORD LENGTH: *788mm*

FITTING MATERIAL:
Steel
SHADE:
Opal And Clear Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP: *20* : *3*

FAMILY:
Loncino 1
FITTING COLOUR:
CHROME: 9002759943783



P1063 **LAMP TYPE:** *Excluding 1 x E27 max 60W 230V*

FITTING HEIGHT: *290mm*
DIAMETER: *110mm*
CORD LENGTH: *770mm*

FITTING MATERIAL:
Steel
SHADE:
Clear Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *12*

FAMILY:
Montefino
FITTING COLOUR:
BLACK: 9002759973667

ADDITIONAL INFORMATION:
Adjustable Cord Suspension



P1064 **LAMP TYPE:** *Excluding 3 x E27 max 60W 230V*

FITTING HEIGHT: *290mm*
LENGTH: *710mm*
DEPTH: *110mm*
CORD LENGTH: *825mm*

FITTING MATERIAL:
Steel
SHADE:
Clear Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *2*

FAMILY:
Montefino
FITTING COLOUR:
BLACK: 9002759973674

ADDITIONAL INFORMATION:
Adjustable Cord Suspension



P1065 **LAMP TYPE:** *Excluding 5 x E27 max 60W 230V*

FITTING HEIGHT: *290mm*
DIAMETER: *350mm*
CORD LENGTH: *1150mm*

FITTING MATERIAL:
Steel
SHADE:
Clear Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *2*

FAMILY:
Montefino
FITTING COLOUR:
BLACK: 9002759973681

ADDITIONAL INFORMATION:
Adjustable Cord Suspension



P664 LED **LAMP TYPE:** *Including 5 x GXS3 7W LED 230V*

FITTING HEIGHT: *263mm*
DIAMETER: *500mm*
CORD LENGTH: *1237mm*

FITTING MATERIAL:
Steel
SHADE:
Clear & Frosted Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *2*

FAMILY:
Olvero
FITTING COLOUR:
SATIN CHROME: 9002759935450

ADDITIONAL INFORMATION:
Adjustable Cord Suspension

LAMP SPECIFICATION:
Power: 35W (5 x 7W)
Luminous Flux: 2750lm (5 x 550lm)
Colour Temperature: 3000K
Lifetime: 15 000 Hours

P389 **LAMP TYPE:** *Excluding 1x E27 max 60W 230V*

FITTING HEIGHT: *330mm*
DIAMETER: *110mm*
CORD LENGTH: *830mm*

FITTING MATERIAL:
Steel
SHADE:
Clear & Opal Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *6*

FAMILY:
Pinto
FITTING COLOUR:
CHROME: 9002759898328

ADDITIONAL INFORMATION:
Adjustable Cord Suspension
Spare Glass: X934 (Outer); X935 (Inner)
Matching Floor Lamp: FL113
Matching Floor Lamp: T329



P390 **LAMP TYPE:** *Excluding 3 x E27 max 60W 230V*

FITTING HEIGHT: *330mm*
WIDTH: *725mm*
DEPTH: *110mm*
CORD LENGTH: *750mm*

FITTING MATERIAL:
Steel
SHADE:
Clear & Opal Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *2*

FAMILY:
Pinto
FITTING COLOUR:
CHROME: 9002759898335

ADDITIONAL INFORMATION:
Adjustable Cord Suspension
Spare Glass: X934 (Outer), X935 (Inner)
Matching Floor Lamp: FL113
Matching Floor Lamp: T329

P398 **LAMP TYPE:** *Excluding 1 x E27 max 60W 230V*

FITTING HEIGHT: *340mm*
DIAMETER: *110mm*
CORD LENGTH: *740mm*

FITTING MATERIAL:
Steel
SHADE:
Black Tinted & Opal Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *6*

FAMILY:
Pinto Nero
FITTING COLOUR:
CHROME: 9002759903046

ADDITIONAL INFORMATION:
Adjustable Cord Suspension

P399 **LAMP TYPE:** *Excluding 3 x E27 max 60W 230V*

FITTING HEIGHT: *340mm*
LENGTH: *725mm*
DEPTH: *110mm*
CORD LENGTH: *720mm*

FITTING MATERIAL:
Steel
SHADE:
Black Tinted & Opal Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *3*

FAMILY:
Pinto Nero
FITTING COLOUR:
CHROME: 9002759903053

ADDITIONAL INFORMATION:
Adjustable Cord Suspension

P239 **LAMP TYPE:** *Excluding 1 x E27 max 60W 230V*

FITTING HEIGHT: *370mm*
DIAMETER: *110mm*
CORD LENGTH: *735mm*

FITTING MATERIAL:
Steel
SHADE:
Opal Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *6*

FAMILY:
Troy 3
FITTING COLOUR:
SATIN CHROME: 9002759859770

ADDITIONAL INFORMATION:
Adjustable Cord Suspension
Matching Wall Light: W142



P260 **LAMP TYPE:** *Excluding 3 x E27 max 60W 230V*

FITTING HEIGHT: *370mm*
WIDTH: *700mm*
DEPTH: *110mm*
CORD LENGTH: *735mm*

FITTING MATERIAL:
Steel
SHADE:
Opal Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *3*

FAMILY:
Troy 3
FITTING COLOUR:
SATIN CHROME: 9002759859787

ADDITIONAL INFORMATION:
Adjustable Cord Suspension



P147 LED **LAMP TYPE:** *Including 5 x 3.3W Integrated LED*

FITTING HEIGHT: *250mm*
LENGTH: *900mm*
DEPTH: *95mm*
CABLE LENGTH: *960mm*

FITTING MATERIAL:
Steel
SHADE:
Opal Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *3*

FAMILY:
Ascolese
FITTING COLOUR:
CHROME: 9002759943196

ADDITIONAL INFORMATION:
Adjustable Cable Suspension

LAMP SPECIFICATION:
Power: 16.5W (5 x 3.3W)
Colour Temperature: 3000K
Lifetime: 25 000 Hours



P109 **LAMP TYPE:** *Excluding 4 x E14 max 60W Candle 230V*

FITTING HEIGHT: *345mm*
LENGTH: *1010mm*
DEPTH: *105mm*
CORD LENGTH: *700mm*

FITTING MATERIAL:
Steel
SHADE:
Chrome, Steel & Clear Glass
CHRYSTALS:
Clear Glass Crystals

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *2*

FAMILY:
Diamond
FITTING COLOUR:
Chrome: 9002759906962

ADDITIONAL INFORMATION:
Adjustable Cord Suspension

P180 **LAMP TYPE:** *Excluding 1 x E27 max 60W 240V*

FITTING HEIGHT: *220mm*
DIAMETER: *135mm*
CORD LENGTH: *900mm*

FITTING MATERIAL:
Steel
SHADE:
Chrome Steel, Crystal Clear

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *18*

FAMILY:
Bonares 1
FITTING COLOUR:
CHROME: 9002759948962

ADDITIONAL INFORMATION:
Adjustable Cord Suspension

P208 **LAMP TYPE:** *Excluding 1 x E27 max 40W 240V*

FITTING HEIGHT: *180mm*
DIAMETER: *190mm*
CORD LENGTH: *890mm*

FITTING MATERIAL:
Steel
SHADE:
Clear Glass (Outer) & Copper (Inner)

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *4*

FAMILY:
Rocamar
FITTING COLOUR:
COPPER: 9002759945893

ADDITIONAL INFORMATION:
Adjustable Cord Suspension

P181 **LAMP TYPE:** *Excluding 5 x E27 max 60W 240V*

FITTING HEIGHT: *225mm*
DIAMETER: *350mm*
CORD LENGTH: *1250mm*

FITTING MATERIAL:
Steel
SHADE:
Chrome Steel, Crystal Clear

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *2*

FAMILY:
Bonares 1
FITTING COLOUR:
CHROME: 9002759948986

ADDITIONAL INFORMATION:
Adjustable Cord Suspension

P194 **LAMP TYPE:** *Excluding 3 x E27 max 40W 240V*

FITTING HEIGHT: *180mm*
FITTING LENGTH: *780mm*
DEPTH: *200mm*
CORD LENGTH: *860mm*

FITTING MATERIAL:
Steel
SHADE:
Clear Glass (Outer) & Copper (Inner)

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *4*

FAMILY:
Rocamar
FITTING COLOUR:
COPPER: 9002759945916

ADDITIONAL INFORMATION:
Adjustable Cord Suspension



P717

LAMP TYPE:
Excluding 1 x E27 max 60W 230V

FITTING HEIGHT: *265mm*
DIAMETER: *130mm*
CORD LENGTH: *720mm*

FITTING MATERIAL:
Steel
SHADE:
Clear Glass & Blue Grey Steel

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *9*

FAMILY:
Cardigan
FITTING COLOUR:
GREY-BLUE: 9002759492021

ADDITIONAL INFORMATION:
Adjustable Cord Suspension



P780

LAMP TYPE:
Excluding 1 x E27 max 60W 230V

FITTING HEIGHT: *295mm*
DIAMETER: *210mm*
CORD LENGTH: *800mm*

FITTING MATERIAL:
Steel
SHADE:
Clear Glass & Brown Wood

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *4*

FAMILY:
Brixham
FITTING COLOUR:
CHROME: 9002759492625

ADDITIONAL INFORMATION:
Adjustable Cord Suspension

P198

LAMP TYPE:
Excluding 1 x E27 max 60W 230V

FITTING HEIGHT: *210mm*
DIAMETER: *200mm*
CORD LENGTH: *810mm*

FITTING MATERIAL:
Steel
SHADE:
Opal Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP: *20* : *9*

FAMILY:
Rondo
FITTING COLOUR:
SATIN CHROME: 9002759852610

ADDITIONAL INFORMATION:
Adjustable Cord Suspension
Matching Ceiling Light: C421
Matching Table Lamp: T445



P199

LAMP TYPE:
Excluding 1 x E27 max 60W 230V

FITTING HEIGHT: *290mm*
DIAMETER: *250mm*
CORD LENGTH: *850mm*

FITTING MATERIAL:
Steel
SHADE:
Opal Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP: *20* : *4*

FAMILY:
Rondo
FITTING COLOUR:
SATIN CHROME: 9002759852627

ADDITIONAL INFORMATION:
Adjustable Cord Suspension
Spare Glass: X719
Matching Ceiling Light: C421
Matching Table Lamp: T445



P200

LAMP TYPE:
Excluding 1 x E27 max 60W 230V

FITTING HEIGHT: *310mm*
DIAMETER: *300mm*
CORD LENGTH: *750mm*

FITTING MATERIAL:
Steel
SHADE:
Opal Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP: *20* : *2*

FAMILY:
Rondo
FITTING COLOUR:
SATIN CHROME: 9002759852634

ADDITIONAL INFORMATION:
Adjustable Cord Suspension
Matching Table Lamp: T445



P235

LAMP TYPE:
Excluding 2 x E27 max 60W 230V

FITTING HEIGHT: *200mm*
DIAMETER: *350mm*
CABLE LENGTH: *900mm*

FITTING MATERIAL:
Steel
SHADE:
Opal Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *2*

FAMILY:
Optica
FITTING COLOUR:
SATIN CHROME: 9002759868147

ADDITIONAL INFORMATION:
Adjustable Cable Suspension
Spare Glass: X882
Matching Ceiling Light: C247, C248
Matching Floor Lamp: FL73



P236

LAMP TYPE:
Excluding 2 x E27 max 60W 230V

FITTING HEIGHT: *225mm*
DIAMETER: *450mm*
CABLE LENGTH: *900mm*

FITTING MATERIAL:
Steel
SHADE:
Opal Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *2*

FAMILY:
Optica
FITTING COLOUR:
SATIN CHROME: 9002759868154

ADDITIONAL INFORMATION:
Adjustable Cable Suspension
Spare Glass: MC054
Matching Ceiling Light: C247, C248
Matching Floor Lamp: FL73



P500

LAMP TYPE:
Excluding 3 x E27 max 60W 230V

DIAMETER: *505mm*
FITTING HEIGHT: *200mm*
CORD LENGTH: *900mm*

FITTING MATERIAL:
Steel
SHADE:
Clear Outer & Opal Inner Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *3*

FAMILY:
Bolsano
FITTING COLOUR:
CHROME: 9002759927622

ADDITIONAL INFORMATION:
Adjustable Cord Suspension



P499

LAMP TYPE:
Excluding 1 x E27 max 60W 230V

FITTING HEIGHT: *200mm*
DIAMETER: *200mm*
CORD LENGTH: *1045mm*

FITTING MATERIAL:
Steel
SHADE:
Clear Outer & Opal Inner Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *6*

FAMILY:
Bolsano
FITTING COLOUR:
CHROME: 9002759927615

ADDITIONAL INFORMATION:
Adjustable Cord Suspension



P431

LAMP TYPE:
Excluding 1 x E27 max 60W 230V

DIAMETER: *300mm*
FITTING HEIGHT: *325mm*
CORD LENGTH: *1230mm*

FITTING MATERIAL:
Steel
SHADE:
Copper or Clear Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FAMILY:
Mercury
FITTING COLOUR:
COPPER: 6007328358077
CLEAR: 6007328358060

ADDITIONAL INFORMATION:
Adjustable Cord Suspension
Spare Glass: X1623

P1111 LED **LAMP TYPE:**
Including 1 x 3W Integrated LED

FITTING HEIGHT: *450mm*
DIAMETER: *300mm*
CORD LENGTH: *1170mm*

FITTING MATERIAL:
Steel
SHADE:
Clear Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FITTING COLOUR:
CHROME: 6007328399384
FRENCH GOLD: 6007328399391

LAMP SPECIFICATION:
Power: 3W
Colour Temperature: 3000K
Lifetime: 25 000 Hours



P559 LED **LAMP TYPE:** *Including 1 x 5W Integrated SMD LED*

FITTING HEIGHT: *230mm*
DIAMETER: *135mm*
CORD LENGTH: *870mm*

FITTING MATERIAL:
Steel
SHADE:
Frosted/Clear Glass With Clear Crystals

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP: *20* : *8*

FAMILY:
Montefio 1
FITTING COLOUR:
CHROME: 9002759937089

ADDITIONAL INFORMATION:
Adjustable Cord Suspension

LAMP SPECIFICATION:
Power: 5W
Luminous Flux: 480lm
Colour Temperature: 3000K
Lifetime: 25 000 Hours



P1012 LED **LAMP TYPE:** *Including 3 x 5W Integrated SMD LED*

FITTING HEIGHT: *230mm*
LENGTH: *840mm*
CORD LENGTH: *790mm*

FITTING MATERIAL:
Steel
SHADE:
Frosted/Clear Glass With Clear Crystals

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP: *20* : *3*

FAMILY:
Montefio 1
FITTING COLOUR:
CHROME: 9002759937843

ADDITIONAL INFORMATION:
Adjustable Cord Suspension

LAMP SPECIFICATION:
Power: 15W (3 x 5W)
Luminous Flux: 480lm
Colour Temperature: 3000K
Lifetime: 25 000 Hours

P1081 LED **LAMP TYPE:** *Including 1 x 9.6W Integrated SMD LED*

FITTING HEIGHT: *200mm*
DIAMETER: *200mm*
CORD LENGTH: *1360mm*

FITTING MATERIAL:
Steel
SHADE:
Clear Polycarbonate & Crystal Effect

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FITTING COLOUR:
COPPER: 6007328394815
CHROME: 6007328394792
SATIN BRASS: 6007328394808

LAMP SPECIFICATION:
Power: 9.6W
Colour Temperature: 3000K
Lifetime: 25 000 Hours



P871 LED **LAMP TYPE:** *Including 9 x 6W Integrated SMD LED*

FITTING HEIGHT: *a - 100mm b - 120mm c - 200mm*
DIAMETER: *450mm*
CORD LENGTH: *1260mm*

FITTING MATERIAL:
Steel
SHADE:
Chrome, Copper & Brass Polycarbonate & Crystal Effect

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FAMILY:
Halola
FITTING COLOUR:
CHROME/COPPER/BRASS: 6007328394372

ADDITIONAL INFORMATION:
Adjustable Cord Suspension

LAMP SPECIFICATION:
Power: 54W (9 x 6W)
Colour Temperature: 3000K
Lifetime: 25 000 Hours



P872 LED **LAMP TYPE:** *Including 14 x 5.47W Integrated SMD LED*

FITTING HEIGHT: *a - 100mm b - 120mm c - 200mm*
DIAMETER: *550mm*
CORD LENGTH: *2700mm*

FITTING MATERIAL:
Steel
SHADE:
Chrome, Copper & Brass Polycarbonate & Crystal Effect

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FAMILY:
Halola
FITTING COLOUR:
CHROME/COPPER/BRASS: 6007328394389

ADDITIONAL INFORMATION:
Adjustable Cord Suspension

LAMP SPECIFICATION:
Power: 80.4W (14 x 5.47W)
Colour Temperature: 3000K
Lifetime: 25 000 Hours



P562 LED **LAMP TYPE:** *Including 27 x 5.5W Integrated SMD LED*

FITTING HEIGHT: *a - 100mm/b - 120mm/c - 200mm*
DIAMETER: *850mm*
CORD LENGTH: *2400mm*

FITTING MATERIAL:
Steel
SHADE:
Chrome & Copper & Brass Polycarbonate & Crystal

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FAMILY:
Halola
FITTING COLOUR:
CHROME/COPPER/BRASS: 6007328393092

ADDITIONAL INFORMATION:
Adjustable Cord Suspension

LAMP SPECIFICATION:
Power: 148.5W (27 x 5.5W)
Colour Temperature: 3000K
Lifetime: 25 000 Hours

P561 LED **LAMP TYPE:** *Including 3 x 4.8W Integrated LED*

FITTING HEIGHT: *150mm*
DIAMETER: *250mm*
CORD LENGTH: *1355mm*

FITTING MATERIAL:
Steel
SHADE:
Opal Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *12*

FAMILY:
Dew Drop
FITTING COLOUR:
GOLD: 6007328373612

ADDITIONAL INFORMATION:
Adjustable Cord Suspension

LAMP SPECIFICATION:
Power: 14.4W (3 x 4.8W)
Luminous Flux: 1152lm
Colour Temperature: 3000K
Lifetime: 25 000 Hours

P562G LED **LAMP TYPE:** *Including 5 x 4.8W Integrated LED*

FITTING HEIGHT: *150mm*
DIAMETER: *300mm*
CORD LENGTH: *1380mm*

FITTING MATERIAL:
Steel
SHADE:
Clear Glass &
Chrome or Gold Steel

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FAMILY:
Dew Drop
FITTING COLOUR:
CHROME: 6007328373629
GOLD: 6007328373636

ADDITIONAL INFORMATION:
Adjustable Cord Suspension

LAMP SPECIFICATION:
Power: 24W (5 x 4.8W)
Luminous Flux: 1920lm
Colour Temperature: 3000K
Lifetime: 25 000 Hours



P563 LED **LAMP TYPE:** *Including 7 x 4.8W Integrated LED*

FITTING HEIGHT: *150mm*
DIAMETER: *350mm*
CORD LENGTH: *1560mm*

FITTING MATERIAL:
Steel
SHADE:
Clear Glass &
Chrome or Gold Steel

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FAMILY:
Dew Drop
FITTING COLOUR:
CHROME: 6007328373643
GOLD: 6007328373650

ADDITIONAL INFORMATION:
Adjustable Cord Suspension

LAMP SPECIFICATION:
Power: 33.6W (7 x 4.8W)
Luminous Flux: 2688lm (7 x 384lm)
Colour Temperature: 3000K
Lifetime: 25 000 Hours



P564 LED **LAMP TYPE:** *Including 14 x 4.8W Integrated LED*

FITTING HEIGHT: *145mm*
DIAMETER: *500mm*
CORD LENGTH: *2000mm*

FITTING MATERIAL:
Steel
SHADE:
Clear Glass &
Chrome or Gold Steel

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FAMILY:
Dew Drop
FITTING COLOUR:
CHROME: 6007328373667
GOLD: 6007328373674

ADDITIONAL INFORMATION:
Adjustable Cable Suspension

LAMP SPECIFICATION:
Power: 67.2W (14 x 4.8W)
Luminous Flux: 5376lm (14 x 384lm)
Colour Temperature: 3000K
Lifetime: 30 000 Hours

P743 LED **LAMP TYPE:** *Including 1 x 4.8W Integrated LED*

FITTING HEIGHT: *150mm*
DIAMETER: *120mm*
CORD LENGTH: *1200mm*

FITTING MATERIAL:
Steel
SHADE:
Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *8*

FAMILY:
Dew Drop
FITTING COLOUR:
CHROME: 6007328380474
GOLD: 6007328380467

ADDITIONAL INFORMATION:
Adjustable Cord Suspension

LAMP SPECIFICATION:
Power: 4.8W
Luminous Flux: 384lm
Colour Temperature: 3000K
Lifetime: 25 000 Hours



P423 **LAMP TYPE:** *Excluding 9 x G4 max 20W Bi-pin 12V*

FITTING HEIGHT: *280mm*
DIAMETER: *400mm*
CORD LENGTH: *1335mm*

FITTING MATERIAL:
Steel
SHADE:
Frosted Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP: *20* : *1*

FAMILY:
Nebula
FITTING COLOUR:
CHROME/FROSTED: 6007328357964

ADDITIONAL INFORMATION:
Adjustable Cord Suspension
Not Dimmable





P422 **LAMP TYPE:** *Excluding 12 x G4 max 20W Bi-pin 12V*

FITTING HEIGHT: *280mm*
DIAMETER: *400mm*
CORD LENGTH: *1400mm*

FITTING MATERIAL:
Steel
SHADE:
Amber or Frosted Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP: *20* : *1*

FAMILY:
Nebula
FITTING COLOUR:
CHROME/AMBER: 6007328357957
CHROME/FROSTED: 6007328357940

ADDITIONAL INFORMATION:
Adjustable Cord Suspension
Not Dimmable

P430 **LAMP TYPE:** *Excluding 12 x G4 max 10W Bi-pin 12V*

FITTING HEIGHT: *335mm*
DIAMETER: *580mm*
CABLE LENGTH: *1050mm*

FITTING MATERIAL:
Steel
SHADE:
Smokey Grey & Frosted Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP: *20* : *1*

FAMILY:
Fire & Ice
FITTING COLOUR:
CHROME/SMOKEY GREY: 6007328358053

ADDITIONAL INFORMATION:
Adjustable Cable Suspension
Not Dimmable
Spare Glass: X1564

P425 **LAMP TYPE:** *Excluding 1 x G4 max 20W Bi-pin 12V*

FITTING HEIGHT: *195mm*
DIAMETER: *165mm*
CABLE LENGTH: *1300mm*

FITTING MATERIAL:
Steel
SHADE:
Electro Plated Amber or Smokey Black & Frosted Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FAMILY:
Nebula
FITTING COLOUR:
CHROME/AMBER: 6007328357988
CHROME/SMOKEY BLACK: 6007328357995

ADDITIONAL INFORMATION:
Adjustable Cable Suspension

P426 **LAMP TYPE:** *Excluding 1 x G4 max 20W Bi-pin 12V*

FITTING HEIGHT: *215mm*
DIAMETER: *130mm*
CABLE LENGTH: *1120mm*

FITTING MATERIAL:
Steel
SHADE:
Electro Plated Amber or Clear & Frosted Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FAMILY:
Nebula
FITTING COLOUR:
CHROME/AMBER: 6007328358015
CHROME/CLEAR: 6007328358008

ADDITIONAL INFORMATION:
Adjustable Cable Suspension

P428 **LAMP TYPE:** *Excluding 6 x G4 max 20W Bi-pin 12V*

FITTING HEIGHT: *250mm*
DIAMETER: *300mm*
CABLE LENGTH: *1220mm*

FITTING MATERIAL:
Steel
SHADE:
Amber & Frosted Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FAMILY:
Nebula
FITTING COLOUR:
CHROME/AMBER: 6007328358039

ADDITIONAL INFORMATION:
Adjustable Cable Suspension.
Spare Inner Glass: X1214



P427 **LAMP TYPE:** *Excluding 12 x G4 max 20W Bi-pin 12V*

FITTING HEIGHT: *250mm*
DIAMETER: *450mm*
CABLE LENGTH: *1400mm*

FITTING MATERIAL:
Steel
SHADE:
Frosted inner & Outer Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FAMILY:
Nebula
FITTING COLOUR:
CHROME/FROSTED: 6007328358022

ADDITIONAL INFORMATION:
Adjustable Cable Suspension
Spare Inner Glass: X1213



P1140 LED **LAMP TYPE:** *Including 1 x 5W Integrated LED*

FITTING HEIGHT: *330mm*
DIAMETER: *145mm*
CORD LENGTH: *1165mm*

FITTING MATERIAL:
Steel & Aluminium
SHADE:
Glass & Frosted Clear Plastic

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP: *20* : *4*

FAMILY:
Candle
FITTING COLOUR:
GOLD: 6007328398653
GREY: 6007328398646

ADDITIONAL INFORMATION:
Adjustable Cord Suspension

LAMP SPECIFICATION:
Power: 5W
Luminous Flux: 1800lm
Colour Temperature: 3000K
Lifetime: 25 000 Hours



P1142 LED **LAMP TYPE:** *Including 1 x 5W Integrated LED*

FITTING HEIGHT: *230mm*
DIAMETER: *160mm*
CORD LENGTH: *1135mm*

FITTING MATERIAL:
Aluminium & Steel
SHADE:
Frosted & Clear Acrylic Lens

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP: *20* : *4*

FAMILY:
Candle
FITTING COLOUR:
GOLD: 6007328398691
WHITE: 6007328398684

ADDITIONAL INFORMATION:
Adjustable Cord Suspension

LAMP SPECIFICATION:
Power: 5W
Colour Temperature: 3000K
Lifetime: 25 000 Hours



P1141 LED **LAMP TYPE:** *Including 1 x 5W Integrated LED*

FITTING HEIGHT: *250mm*
DIAMETER: *150mm*
CORD LENGTH: *1180mm*

FITTING MATERIAL:
Aluminium & Steel
SHADE:
Frosted & Clear Acrylic Lens

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP: *20* : *4*

FAMILY:
Candle
FITTING COLOUR:
GREY: 6007328398660
WHITE: 6007328398677

ADDITIONAL INFORMATION:
Adjustable Cord Suspension

LAMP SPECIFICATION:
Power: 5W
Colour Temperature: 3000K
Lifetime: 25 000 Hours

P433 **LAMP TYPE:** *Excluding 1 x E27 max 60W 230V*

FITTING HEIGHT: *185mm*
DIAMETER: *265mm*
CORD LENGTH: *1185mm*

FITTING MATERIAL:
Steel
SHADE:
Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FAMILY:
Elixir
FITTING COLOUR:
BLACK/CHAMPAGNE: 6007328358091
BLACK/SMOKY: 6007328366034

ADDITIONAL INFORMATION:
Adjustable Cord Suspension
Champagne Spare Glass: X1607
Matching Wall Lights: W458, W459



P432 **LAMP TYPE:** *Excluding 1 x E27 max 60W 230V*

FITTING HEIGHT: *220mm*
DIAMETER: *240mm*
CORD LENGTH: *1280mm*

FITTING MATERIAL:
Steel
SHADE:
Champagne Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FAMILY:
Elixir
FITTING COLOUR:
BLACK/CHAMPAGNE: 6007328358084

ADDITIONAL INFORMATION:
Adjustable Cord Suspension
Spare Glass: X1671
Matching Wall Lights: W458, W459



P486 **LAMP TYPE:** *Excluding 1 x E27 max 60W 230V*

FITTING HEIGHT: *310mm*
DIAMETER: *175mm*
CORD LENGTH: *1210mm*

FITTING MATERIAL:
Steel
SHADE:
Champagne Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *8*

FAMILY:
Elixir
FITTING COLOUR:
BLACK/CHAMPAGNE: 6007328367253

ADDITIONAL INFORMATION:
Adjustable Cord Suspension
Matching Wall Lights: W458, W459



P424 **LAMP TYPE:** *Excluding 1 x E27 max 60W 230V*

FITTING HEIGHT: *355mm*
DIAMETER: *245mm*
CORD LENGTH: *1300mm*

FITTING MATERIAL:
Steel
SHADE:
Champagne Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FAMILY:
Elixir
FITTING COLOUR:
BLACK/CHAMPAGNE: 6007328358107

ADDITIONAL INFORMATION:
Adjustable Cord Suspension
Spare Glass: X1218
Matching Wall Lights: W458, W459



P488 **LAMP TYPE:** *Excluding 1 x E27 max 60W 230V*

FITTING HEIGHT: *310mm*
DIAMETER: *155mm*
CORD LENGTH: *1300mm*

FITTING MATERIAL:
Steel
SHADE:
Clear Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *4*

FAMILY:
Farmhouse
FITTING COLOUR:
BLACK/CLEAR: 6007328367277

ADDITIONAL INFORMATION:
Adjustable cord suspension
Matching Wall Lights: W456, W457, W460



P489 **LAMP TYPE:** *Excluding 1 x E27 max 60W 230V*

FITTING HEIGHT: *230mm*
DIAMETER: *140mm*
CORD LENGTH: *1155mm*

FITTING MATERIAL:
Steel
SHADE:
Clear Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *4*

FAMILY:
Farmhouse
FITTING COLOUR:
ANTIQUE BRASS/CLEAR: 6007328367284

ADDITIONAL INFORMATION:
Adjustable Cord Suspension
Matching Wall Lights: W456, W457, W460

P484 **LAMP TYPE:** *Excluding 1 x E27 max 60W 230V*

FITTING HEIGHT: *190mm*
DIAMETER: *200mm*
CORD LENGTH: *1235mm*

FITTING MATERIAL:
Steel
SHADE:
Clear Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *4*

FAMILY:
Farmhouse
FITTING COLOUR:
ANTIQUE BRASS/CLEAR: 6007328367239

ADDITIONAL INFORMATION:
Adjustable Cord Suspension
Spare Glass: X1625
Matching Wall Lights: W456, W457, W460



P485 **LAMP TYPE:** *Excluding 1 x E27 max 60W 230V*

FITTING HEIGHT: *240mm*
DIAMETER: *280mm*
CORD LENGTH: *1255mm*

FITTING MATERIAL:
Steel
SHADE:
Amber Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *4*

FAMILY:
Farmhouse
FITTING COLOUR:
ANTIQUE BRASS/AMBER: 6007328367246

ADDITIONAL INFORMATION:
Adjustable Cord Suspension
Spare Glass: X1615
Matching Wall Lights: W456, W457, W460



P557 **LAMP TYPE:** *Excluding 1 x E27 max 60W 230V*

FITTING HEIGHT: *210mm*
DIAMETER: *230mm*
CHAIN LENGTH: *400mm*

FITTING MATERIAL:
Steel
SHADE:
Clear Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP: *20* : *1*

FAMILY:
Funnello
FITTING COLOUR:
BLACK/CLEAR: 6007328371205

ADDITIONAL INFORMATION:
Adjustable Chain Suspension
Matching Wall Lights: W462, W463



P482 **LAMP TYPE:** *Excluding 1 x E27 max 60W 230V*

FITTING HEIGHT: *240mm*
DIAMETER: *240mm*
CORD LENGTH: *1000mm*

FITTING MATERIAL:
Steel
SHADE:
Clear Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP: *20* : *4*

FAMILY:
Funnello
FITTING COLOUR:
BLACK/CLEAR: 6007328367215

ADDITIONAL INFORMATION:
Adjustable Cord Suspension
Matching Wall Lights: W462, W463



P487 **LAMP TYPE:** *Excluding 1 x E27 max 60W 230V*

FITTING HEIGHT: *270mm*
DIAMETER: *210mm*
CABLE LENGTH: *1100mm*

FITTING MATERIAL:
Steel
SHADE:
Clear Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP: *20* : *4*

FAMILY:
Vino
FITTING COLOUR:
BLACK/CLEAR: 6007328367260

ADDITIONAL INFORMATION:
Adjustable Cable Suspension
Matching Wall Lights: W461



P590 **LAMP TYPE:** *Excluding 1 x E27 max 60W 230V*

FITTING HEIGHT: *310mm*
DIAMETER: *200mm*
CORD LENGTH: *960mm*

FITTING MATERIAL:
Steel & Wood
SHADE:
Clear Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP: *20* : *1*

FAMILY:
Bijou
FITTING COLOUR:
BLACK/BROWN WOOD: 6007328374190

ADDITIONAL INFORMATION:
Adjustable Cord Suspension

P472

LAMP TYPE:
Excluding 1 x E27 max 60W 230V

FITTING HEIGHT: *110mm*
WIDTH: *260mm*
CORD LENGTH: *1300mm*

FITTING MATERIAL:
Steel & Aluminium
SHADE:
Black Steel & Antique Brass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FAMILY:
Farmhouse
FITTING COLOUR:
BLACK/ANTIQUE BRASS: 6007328367116

ADDITIONAL INFORMATION:
Adjustable Cord Suspension

P471

LAMP TYPE:
Excluding 1 x E27 max 60W 230V

FITTING HEIGHT: *160mm*
DIAMETER: *260mm*
CORD LENGTH: *1080mm*

FITTING MATERIAL:
Steel
SHADE:
Black Steel

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *4*

FAMILY:
Farmhouse
FITTING COLOUR:
BLACK: 6007328367109

ADDITIONAL INFORMATION:
Adjustable Cord Suspension

P604

LAMP TYPE:
Excluding 1 x E27 max 60W 230V

FITTING HEIGHT: *240mm*
DIAMETER: *290mm*
CORD LENGTH: *1100mm*

FITTING MATERIAL:
Steel
SHADE:
Black Silver Steel

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FAMILY:
Farmhouse
FITTING COLOUR:
BLACK/SILVER: 6007328374336

ADDITIONAL INFORMATION:
Adjustable Cord Suspension

P64ABR

LAMP TYPE:
Excluding 1 x B22 max 100W 230V

FITTING HEIGHT: *330mm*
DIAMETER: *335mm*
CORD LENGTH: *600mm*

FITTING MATERIAL:
Steel
SHADE:
Antique Brass Steel & Clear Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FAMILY:
Fisherman's Hat
FITTING COLOUR:
ANTIQUE BRASS: 6007328018261

ADDITIONAL INFORMATION:
Adjustable Cord Suspension
Spare Glass: X334

P694

LAMP TYPE:
Excluding 2 x E27 max 60W 230V

FITTING HEIGHT: *155mm*
WIDTH: *800mm*
CORD LENGTH: *940mm*

FITTING MATERIAL:
Steel
SHADE:
Antique Brown Steel (Outer) & White (Inner)

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *4*

FAMILY:
Stockbury
FITTING COLOUR:
ANTIQUE BROWN: 9002759494575

ADDITIONAL INFORMATION:
Adjustable Cord Suspension
Matching Wall Light: W493
Matching Table Lamp: T486

P693

LAMP TYPE:
Excluding 1x E27 max 60W 230V

FITTING HEIGHT: *150mm*
DIAMETER: *360mm*
CORD LENGTH: *900mm*

FITTING MATERIAL:
Steel
SHADE:
Antique Brown Steel (Outer) & White (Inner)

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *4*

FAMILY:
Stockbury
FITTING COLOUR:
ANTIQUE BROWN: 9002759494568

ADDITIONAL INFORMATION:
Adjustable Cord Suspension
Matching Wall Light: W493
Matching Table Lamp: T486

P473

LAMP TYPE:
Excluding 1 x E27 max 60W 230V

FITTING HEIGHT: *280mm*
DIAMETER: *265mm*
CORD LENGTH: *1155mm*

FITTING MATERIAL:
Steel
SHADE:
Black Steel
LENS:
Clear Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FAMILY:
Vibrato
FITTING COLOUR:
BLACK: 6007328367123

ADDITIONAL INFORMATION:
Adjustable Cord Suspension

P474

LAMP TYPE:
Excluding 1 x E27 max 60W 230V

FITTING HEIGHT: *250mm*
DIAMETER: *360mm*
CHAIN LENGTH: *800mm*

FITTING MATERIAL:
Steel
SHADE:
Black Steel

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FAMILY:
Vibrato
FITTING COLOUR:
BLACK: 6007328367130

ADDITIONAL INFORMATION:
Adjustable Chain Suspension



P705

LAMP TYPE:
Excluding 1x E27 max 60W 230V

FITTING HEIGHT: *350mm*
DIAMETER: *190mm*
CORD LENGTH: *780mm*

FITTING MATERIAL:
Steel
LENS:
Clear Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *6*

FAMILY:
Redford 1
FITTING COLOUR:
ANTIQUE COPPER: 9002759492243

ADDITIONAL INFORMATION:
Adjustable Cord Suspension



P707

LAMP TYPE:
Excluding 1 x E27 max 60W 230V

FITTING HEIGHT: *310mm*
DIAMETER: *145mm*
CORD LENGTH: *780mm*

FITTING MATERIAL:
Steel
LENS:
Clear Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *8*

FAMILY:
Bradford
FITTING COLOUR:
ANTIQUE SILVER: 9002759492144

ADDITIONAL INFORMATION:
Adjustable Cord Suspension



P654

LAMP TYPE:
Excluding 1 x E27 max 60W 230V

FITTING HEIGHT: *450mm*
DIAMETER: *380mm*
CHAIN LENGTH: *700mm*

FITTING MATERIAL:
Steel
SHADE:
Alabaster Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *2*

FAMILY:
Vinovo
FITTING COLOUR:
DARK BROWN: 9002759914325

ADDITIONAL INFORMATION:
Adjustable Chain Suspension
Matching Wall Light: W478



P655

LAMP TYPE:
Excluding 2 x E27 max 60W 230V

FITTING HEIGHT: *210mm*
WIDTH: *780mm*
CORD LENGTH: *898mm*

FITTING MATERIAL:
Steel
SHADE:
Alabaster Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *2*

FAMILY:
Vinovo
FITTING COLOUR:
DARK BROWN: 9002759914332

ADDITIONAL INFORMATION:
Adjustable Cord Suspension
Spare Glass: X1366

O411 **LAMP TYPE:** *Excluding 6 x E14 max 60W Candle 230V*

FITTING HEIGHT: *570mm*
DIAMETER: *350mm*
CHAIN LENGTH: *400mm*

FITTING MATERIAL:
Steel
LENS:
Frosted Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FAMILY:
Iron Age
FITTING COLOUR:
BLACK: 6007328374077

ADDITIONAL INFORMATION:
Adjustable Chain Suspension



P952 **LAMP TYPE:** *Excluding 3 x E14 max 40W Candle 230V*

FITTING HEIGHT: *470mm*
DIAMETER: *270mm*
CHAIN LENGTH: *1160mm*

FITTING MATERIAL:
Steel
SHADE:
Clear Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FAMILY:
Spencer
FITTING COLOUR:
BRASS: 6007328388067

ADDITIONAL INFORMATION:
Adjustable Chain Suspension



P940 **LAMP TYPE:** *Excluding 4 x E27 max 40W Candle 230V*

FITTING HEIGHT: *280mm*
DIAMETER: *350mm*
CHAIN LENGTH: *960mm*

FITTING MATERIAL:
Steel
SHADE:
Steel Black

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FITTING COLOUR:
BLACK: 6007328387749

ADDITIONAL INFORMATION:
Adjustable Chain Suspension

P611 **LAMP TYPE:** *Excluding 1 x E27 max 60W 230V*

FITTING HEIGHT: *550mm*
DIAMETER: *530mm*
CHAIN LENGTH: *1055mm*

FITTING MATERIAL:
Steel
SHADE:
Black Steel
LENS:
Frosted Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FAMILY:
Starboard
FITTING COLOUR:
BLACK: 6007328374404

ADDITIONAL INFORMATION:
Adjustable Chain Suspension

P612 **LAMP TYPE:** *Excluding 1 x E27 max 60W 230V*

FITTING HEIGHT: *565mm*
DIAMETER: *360mm*
CHAIN LENGTH: *890mm*

FITTING MATERIAL:
Steel
SHADE:
Chrome Steel
LENS:
Frosted Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FAMILY:
Starboard
FITTING COLOUR:
CHROME: 6007328374411

ADDITIONAL INFORMATION:
Adjustable Chain Suspension

P609 **LAMP TYPE:** *Excluding 1 x E27 max 60W 230V*

FITTING HEIGHT: *255mm*
DIAMETER: *160mm*
CORD LENGTH: *920mm*

FITTING MATERIAL:
Steel
SHADE:
Copper Steel

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FAMILY:
Vibrato
FITTING COLOUR:
COPPER/BLACK : 6007328374381

ADDITIONAL INFORMATION:
Adjustable Cord Suspension

P610 **LAMP TYPE:** *Excluding 1 x E27 max 60W 230V*

FITTING HEIGHT: *215mm*
DIAMETER: *205mm*
CORD LENGTH: *1000mm*

FITTING MATERIAL:
Steel
SHADE:
Antique Brass Steel

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *50*

FAMILY:
Vibrato
FITTING COLOUR:
BLACK/ANTIQUE BRASS: 6007328374398

ADDITIONAL INFORMATION:
Adjustable Cord Suspension

P830 **LAMP TYPE:** *Excluding 1 x E27 max 60W 230V*

FITTING HEIGHT: *220mm*
DIAMETER: *155mm*
CORD LENGTH: *800mm*

FITTING MATERIAL:
Steel
SHADE:
Black (Outer) & White (Inner) Steel

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP: *20* : *12*

FAMILY:
Priddy
FITTING COLOUR:
BLACK/WHITE: 9002759494643

ADDITIONAL INFORMATION:
Adjustable Cord Suspension
Matching Floor Lamp: FL189
Matching Table Lamp: T487
Matching Wall: W494

P831 **LAMP TYPE:** *Excluding 1 x E27 max 60W 230V*

FITTING HEIGHT: *225mm*
DIAMETER: *155mm*
CORD LENGTH: *900mm*

FITTING MATERIAL:
Steel
SHADE:
Copper (Outer) & White (Inner) Steel

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP: *20* : *12*

FAMILY:
Priddy 1
FITTING COLOUR:
COPPER: 9002759494926

ADDITIONAL INFORMATION:
Adjustable Cord Suspension
Matching Floor Lamp: FL189
Matching Table Lamp: T487
Matching Wall: W494

P696 **LAMP TYPE:** *Excluding 3 x E27 max 60W 230V*

FITTING HEIGHT: *220mm*
DIAMETER: *325mm*
CORD LENGTH: *880mm*

FITTING MATERIAL:
Steel
SHADE:
Black/Copper (Outer) & White (Inner) Steel

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP: *20* : *6*

FAMILY:
Priddy
FITTING COLOUR:
ANTIQUE COPPER: 9002759494933
BLACK: 9002759494650

ADDITIONAL INFORMATION:
Adjustable Cord Suspension
Matching Floor Lamp: FL189
Matching Table Lamp: T487
Matching Wall: W494

P695 **LAMP TYPE:** *Excluding 7 x E27 max 60W 230V*

FITTING HEIGHT: *220mm*
DIAMETER: *385mm*
CORD LENGTH: *880mm*

FITTING MATERIAL:
Steel
SHADE:
Black (Outer) & White (Inner) Steel

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP: *20* : *4*

FAMILY:
Priddy
FITTING COLOUR:
BLACK: 9002759494674

ADDITIONAL INFORMATION:
Adjustable Cord Suspension
Matching Floor Lamp: FL189
Matching Table Lamp: T487
Matching Wall: W494

P821

LAMP TYPE:
Excluding 4 x E27 max 60W 230V

FITTING HEIGHT: *230mm*
LENGTH: *975mm*
DEPTH: *150mm*
CORD LENGTH: *830mm*

FITTING MATERIAL:
Steel
SHADE:
Black Steel

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *2*

FAMILY:
Priddy
FITTING COLOUR:
BLACK: 9002759494667

ADDITIONAL INFORMATION:
Matching Floor Lamp: FL189
Matching Table Lamp: T487
Matching Wall Light: W494



P475

LAMP TYPE:
Excluding 1 x E27 max 60W 230V

FITTING HEIGHT: *645mm*
DIAMETER: *400mm*
CORD LENGTH: *1300mm*

FITTING MATERIAL:
Aluminium
SHADE:
Gloss Black (Outer) & White (Inner) Aluminium

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FAMILY:
Memphis
FITTING COLOUR:
BLACK/WHITE: 6007328367147

ADDITIONAL INFORMATION:
Adjustable Cord Suspension



P477

LAMP TYPE:
Excluding 1 x E27 max 60W 230V

FITTING HEIGHT: *350mm*
DIAMETER: *350mm*
CORD LENGTH: *1115mm*

FITTING MATERIAL:
Steel & Aluminium
SHADE:
Anthracite (Outer) & White (Inner)

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FAMILY:
Audion
FITTING COLOUR:
ANTHRACITE: 6007328367161

ADDITIONAL INFORMATION:
Adjustable Cord Suspension



P476

LAMP TYPE:
Excluding 1 x E27 max 60W 230V

FITTING HEIGHT: *280mm*
DIAMETER: *230mm*
CORD LENGTH: *1260mm*

FITTING MATERIAL:
Steel & Aluminium
SHADE:
Anthracite (Outer) & White (Inner)

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FAMILY:
Hugo
FITTING COLOUR:
BLACK: 6007328367154

ADDITIONAL INFORMATION:
Adjustable Cord Suspension



P701 LED **LAMP TYPE:** *Including 1 x 24W Integrated LED*

FITTING HEIGHT: *300mm*
DIAMETER: *530mm*
CORD LENGTH: *760mm*

FITTING MATERIAL:
Steel
SHADE:
Black (Outer) &
Gold (Inner) Steel

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *2*

FAMILY:
Gaetano
FITTING COLOUR:
BLACK/GOLD: 9002759942281

ADDITIONAL INFORMATION:
Adjustable Cord Suspension

LAMP SPECIFICATION:
Power: 24W
Luminous Flux: 2210lm
Colour Temperature: 3000K
Lifetime: 25 000 Hours



P700 **LAMP TYPE:** *Excluding 1 x E27 max 60W 230V*

FITTING HEIGHT: *235mm*
DIAMETER: *370mm*
CORD LENGTH: *865mm*

FITTING MATERIAL:
Steel
SHADE:
Black (Outer) &
Copper (Inner) Steel

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *2*

FAMILY:
Truro 2
FITTING COLOUR:
BLACK/COPPER: 9002759492472

ADDITIONAL INFORMATION:
Adjustable Cord Suspension

P439

LAMP TYPE:
Excluding 1 x E27 max 60W 230V

FITTING HEIGHT: *210mm*
DIAMETER: *405mm*
CORD LENGTH: *1300mm*

FITTING MATERIAL:
Aluminium & Steel
SHADE:
Steel (Outer) Aluminium (Inner)

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *2*

FAMILY:
Modernica
FITTING COLOUR:
BLACK/SILVER: 6007328358169
WHITE: 6007328389286

ADDITIONAL INFORMATION:
Adjustable Cord Suspension



P440

LAMP TYPE:
Excluding 1 x E27 max 60W 230V

FITTING HEIGHT: *280mm*
DIAMETER: *160mm*
CORD LENGTH: *1260mm*

FITTING MATERIAL:
Aluminium
SHADE:
Coated White (Outer) with Brushed Aluminium (Inner)

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *4*

FAMILY:
Modernica
FITTING COLOUR:
WHITE: 6007328358176

ADDITIONAL INFORMATION:
Adjustable Cord Suspension



P441

LAMP TYPE:
Excluding 1 x E27 max 60W 230V

FITTING HEIGHT: *310mm*
DIAMETER: *300mm*
CORD LENGTH: *1200mm*

FITTING MATERIAL:
Aluminium
SHADE:
Coated White (Outer) with Brushed Aluminium (Inner)

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *4*

FAMILY:
Modernica
FITTING COLOUR:
WHITE: 6007328358183

ADDITIONAL INFORMATION:
Adjustable Cord Suspension



P480

LAMP TYPE:
Excluding 1 x E27 max 60W 230V

FITTING HEIGHT: *180mm*
DIAMETER: *380mm*
CORD LENGTH: *1300mm*

FITTING MATERIAL:
Aluminium
SHADE:
Black (Outer) & White (Inner) or White (Outer) & Gold (Inner) Aluminium or Black (Outer) & Gold (Inner)

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *2*

FAMILY:
Vortex
FITTING COLOUR:
BLACK/WHITE: 6007328367192
WHITE/GOLD: 6007328375661
BLACK/GOLD: 6007328385219

ADDITIONAL INFORMATION:
Adjustable Cord Suspension



P827

LAMP TYPE:
Excluding 1 x E27 max 60W 230V

FITTING HEIGHT: *200mm*
DIAMETER: *210mm*
CORD LENGTH: *900mm*

FITTING MATERIAL:
Steel
SHADE:
Black (Outer) & Copper (Inner)

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *12*

FAMILY:
Truro 1
FITTING COLOUR:
BLACK: 9002759492380

P685

LAMP TYPE:
Excluding 1 x E27 max 60W 230V

FITTING HEIGHT: *175mm*
DIAMETER: *400mm*
CORD LENGTH: *925mm*

FITTING MATERIAL:
Steel
SHADE:
White or Black (Outer) & Copper (Inner) steel

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *3*

FAMILY:
Mogano 1
FITTING COLOUR:
BLACK: 9002759946050
WHITE: 9002759946067

ADDITIONAL INFORMATION:
Adjustable Cord Suspension

P826 **LAMP TYPE:** *Excluding 1 x E27 max 60W 230V*

FITTING HEIGHT: *245mm*
DIAMETER: *195mm*
CORD LENGTH: *860mm*

FITTING MATERIAL:
Steel
SHADE:
Copper Steel (Outer) & White (Inner)

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *8*

FAMILY:
Coretto 2
FITTING COLOUR:
COPPER: 9002759947446

ADDITIONAL INFORMATION:
Adjustable Cord Suspension

P823 **LAMP TYPE:** *Excluding 1 x E27 max 60W 230V*

FITTING HEIGHT: *205mm*
DIAMETER: *170mm*
CORD LENGTH: *850mm*

FITTING MATERIAL:
Steel
SHADE:
Copper Steel (Outer) & White (Inner)

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *4*

FAMILY:
Coretto 2
FITTING COLOUR:
COPPER: 9002759947439

ADDITIONAL INFORMATION:
Adjustable Cord Suspension

P513 **LAMP TYPE:** *Excluding 1 x E27 max 60W 230V*

FITTING HEIGHT: *205mm*
DIAMETER: *170mm*
CORD LENGTH: *870mm*

FITTING MATERIAL:
Steel
SHADE:
Brushed Copper Steel (Outer) & White (Inner)

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *4*

FAMILY:
Coretto
FITTING COLOUR:
BRUSHED COPPER: 9002759938369

ADDITIONAL INFORMATION:
Adjustable Cord Suspension

P702 **LAMP TYPE:** *Excluding 1 x E27 max 60W 230V*

FITTING HEIGHT: *280mm*
DIAMETER: *290mm*
CORD LENGTH: *880mm*

FITTING MATERIAL:
Steel
SHADE:
Copper Steel

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *3*

FAMILY:
Hapton
FITTING COLOUR:
COPPER: 9002759494490

ADDITIONAL INFORMATION:
Adjustable Cord Suspension

P444 **LAMP TYPE:** *Excluding 1 x E27 max 60W 230V*

FITTING HEIGHT: *305mm*
DIAMETER: *240mm*
CORD LENGTH: *1300mm*

FITTING MATERIAL:
Aluminium
SHADE:
Black or White (Outer) & Gold (Inner) Aluminium

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP: *20* : *4*

FAMILY:
Industria
FITTING COLOUR:
BLACK/GOLD: 6007328358213
WHITE/GOLD: 6007328375654

ADDITIONAL INFORMATION:
Adjustable Cord Suspension

P481 **LAMP TYPE:** *Excluding 1 x E27 max 60W 230V*

FITTING HEIGHT: *310mm*
DIAMETER: *350mm*
CORD LENGTH: *1300mm*

FITTING MATERIAL:
Aluminium
SHADE:
Black (Outer) & Gold (Inner) Aluminium

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP: *20* : *2*

FAMILY:
Industria
FITTING COLOUR:
BLACK/GOLD: 6007328367208

ADDITIONAL INFORMATION:
Adjustable Cord Suspension



P442 **LAMP TYPE:** *Excluding 1 x E27 max 60W 230V*

FITTING HEIGHT: *385mm*
DIAMETER: *190mm*
CORD LENGTH: *1300mm*

FITTING MATERIAL:
Aluminium
SHADE:
Black or White (Outer) & Gold (Inner) Aluminium

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP: *20* : *1*

FAMILY:
Industria
FITTING COLOUR:
BLACK/GOLD: 6007328358190
WHITE/GOLD: 6007328375630

ADDITIONAL INFORMATION:
Adjustable Cord Suspension
Black/Gold: Red Cord

P443 **LAMP TYPE:** *Excluding 1 x E27 max 60W 230V*

FITTING HEIGHT: *445mm*
DIAMETER: *295mm*
CORD LENGTH: *1230mm*

FITTING MATERIAL:
Aluminium
SHADE:
Black or White (Outer) & Gold (Inner) Aluminium

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP: *20* : *1*

FAMILY:
Industria
FITTING COLOUR:
BLACK/GOLD: 6007328358206
WHITE/GOLD: 6007328375647

ADDITIONAL INFORMATION:
Adjustable Cord Suspension
White/Gold: White Cord
Black/Gold: Red Cord

P580

LAMP TYPE:
Excluding 1 x E27 max 60W 230V

FITTING HEIGHT: *250mm*
DIAMETER: *300mm*
CORD LENGTH: *940mm*

FITTING MATERIAL:
Steel
SHADE:
White Aluminium & Faux Wood

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *4*

FAMILY:
Fjord
FITTING COLOUR:
WHITE: 6007328374084

ADDITIONAL INFORMATION:
Adjustable Cord Suspension

P581

LAMP TYPE:
Excluding 1 x E27 max 60W 230V

FITTING HEIGHT: *285mm*
DIAMETER: *340mm*
CORD LENGTH: *1300mm*

FITTING MATERIAL:
Steel
SHADE:
White Aluminium & Faux Wood

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *2*

FAMILY:
Fjord
FITTING COLOUR:
WHITE: 6007328374091

ADDITIONAL INFORMATION:
Adjustable Cord Suspension

P582

LAMP TYPE:
Excluding 1 x E27 max 60W 230V

FITTING HEIGHT: *345mm*
DIAMETER: *280mm*
CORD LENGTH: *1300mm*

FITTING MATERIAL:
Steel
SHADE:
White Aluminium & Faux Wood

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *2*

FAMILY:
Fjord
FITTING COLOUR:
WHITE: 6007328374107

ADDITIONAL INFORMATION:
Adjustable Cord Suspension

P583

LAMP TYPE:
Excluding 1 x E27 max 60W 230V

FITTING HEIGHT: *400mm*
DIAMETER: *420mm*
CORD LENGTH: *1300mm*

FITTING MATERIAL:
Steel
SHADE:
Black or White Aluminium & Faux Wood

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *2*

FAMILY:
Fjord
FITTING COLOUR:
WHITE: 6007328374114

ADDITIONAL INFORMATION:
Adjustable Cord Suspension



P711

LAMP TYPE:
Excluding 1 x E27 max 60W 230V

FITTING HEIGHT: *260mm*
DIAMETER: *380mm*
CORD LENGTH: *800mm*

FITTING MATERIAL:
Steel
SHADE:
Black (Outer) Fabric & Gold (Inner)
Taupe (Outer) Fabric & Gold (Inner)

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *2*

FAMILY:
Maserlo
FITTING COLOUR:
BLACK/GOLD: 9002759315993
TAUPE/GOLD: 9002759316020

ADDITIONAL INFORMATION:
Adjustable Cord Suspension
Matching Wall Light: W301
Matching Table Lamp: T367
Matching Floor Lamp: FL206



P712

LAMP TYPE:
Excluding 3 x E27 max 60W 230V

FITTING HEIGHT: *260mm*
DIAMETER: *530mm*
CORD LENGTH: *900mm*

FITTING MATERIAL:
Steel
SHADE:
Black (Outer) Fabric & Gold (Inner)
Taupe (Outer) Fabric & Gold (Inner)

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *2*

FAMILY:
Maserlo
FITTING COLOUR:
BLACK/GOLD: 9002759316051
TAUPE/GOLD: 9002759316075

ADDITIONAL INFORMATION:
Adjustable Cord Suspension
Matching Wall Light: W301
Matching Table Lamp: T367
Matching Floor Lamp: FL206



P807 LED **LAMP TYPE:** *Including 1 x max 28W Integrated COB LED*

FITTING HEIGHT: *330mm*
DIAMETER: *270mm*
CORD LENGTH: *1150mm*

FITTING MATERIAL:
Steel
SHADE:
Black (Outer) & Green (Inner)

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP: *20* : *1*

FAMILY:
Alba
FITTING COLOUR:
BLACK: 6007328382829

ADDITIONAL INFORMATION:
Adjustable Cord Suspension

LAMP SPECIFICATION:
Power: 28W
Luminous Flux: 1120lm
Colour Temperature: 3000K
Lifetime: 25 000 Hours



P362 **LAMP TYPE:** *Excluding 1 x E27 max 60W 230V*

FITTING HEIGHT: *265mm*
DIAMETER: *360mm*
CORD LENGTH: *1340mm*

FITTING MATERIAL:
Steel
SHADE:
Silver Fabric & Frosted PVC

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP: *20* : *1*

FAMILY:
Race
FITTING COLOUR:
CHROME: 6007328342465

ADDITIONAL INFORMATION:
Adjustable Cord Suspension
Matching Floor Lamp FL131
Matching Table Lamp T249



P794

LAMP TYPE:
Excluding 1 x E27 max 60W 240V

FITTING HEIGHT: *220mm*
DIAMETER: *350mm*
CORD LENGTH: *1500mm*

FITTING MATERIAL:
Steel
SHADE:
Fabric

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *6*

FAMILY:
Romano 1
FITTING COLOUR:
GREY: 9002759961565
BROWN: 9002759961572
TAUPE: 9002759961589
WHITE: 9002759961596

ADDITIONAL INFORMATION:
Adjustable Rise & Fall Cord Suspension, 300mm - 1500mm
Cord Switch

P527

LAMP TYPE:
Excluding 3 x E27 max 60W 230V

FITTING HEIGHT: *230mm*
DIAMETER: *545mm*
CORD LENGTH: *870mm*

FITTING MATERIAL:
Steel
SHADES:
Cream, Taupe &
Brown Fabric

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *3*

FAMILY:
Tombolo
FITTING COLOUR:
SATIN CHROME: 9002759927554

ADDITIONAL INFORMATION:
Adjustable Cord Suspension



P938 **LAMP TYPE:** *Excluding 1 x E27 max 40W 230V*

FITTING HEIGHT: *205mm*
DIAMETER: *250mm*
CORD LENGTH: *1080mm*

FITTING MATERIAL:
Steel
SHADE:
Steel White Grid

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FAMILY:
Fuji
FITTING COLOUR:
WHITE: 6007328387725

ADDITIONAL INFORMATION:
Adjustable Cord Suspension



P937 **LAMP TYPE:** *Excluding 1 x E27 max 40W 230V*

FITTING HEIGHT: *200mm*
DIAMETER: *200mm*
CORD LENGTH: *960mm*

FITTING MATERIAL:
Steel
SHADE:
Steel White Grid

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FAMILY:
Fuji
FITTING COLOUR:
WHITE: 6007328387718

ADDITIONAL INFORMATION:
Adjustable Cord Suspension



P941 **LAMP TYPE:** *Excluding 1 x E27 max 40W 230V*

FITTING HEIGHT: *280mm*
DIAMETER: *205mm*
CORD LENGTH: *1040mm*

FITTING MATERIAL:
Steel
SHADE:
Antique Bronze Steel

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FAMILY:
Artemis
FITTING COLOUR:
ANTIQUE BRONZE 6007328387756

ADDITIONAL INFORMATION:
Adjustable Cord Suspension



P942 **LAMP TYPE:** *Excluding 1 x E27 max 40W 230V*

FITTING HEIGHT: *275mm*
DIAMETER: *215mm*
CORD LENGTH: *1030mm*

FITTING MATERIAL:
Steel
SHADE:
Red Bronze Steel

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FAMILY:
Artemis
FITTING COLOUR:
RED BRONZE: 6007328387763

ADDITIONAL INFORMATION:
Adjustable Cord Suspension

P926GL **LAMP TYPE:** *Excluding 1 x E27 max 40W 230V*

FITTING HEIGHT: *200mm*
DIAMETER: *200mm*
CORD LENGTH: *1200mm*

FITTING MATERIAL:
Steel
SHADE:
Steel Gold Grid

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FAMILY:
Mika
FITTING COLOUR:
GOLD: 6007328387688

ADDITIONAL INFORMATION:
Adjustable Cord Suspension

P939 **LAMP TYPE:** *Excluding 1 x E27 max 40W 230V*

FITTING HEIGHT: *250mm*
DIAMETER: *350mm*
CORD LENGTH: *1170mm*

FITTING MATERIAL:
Steel
SHADE:
Black Pattern Steel

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FAMILY:
Kita
FITTING COLOUR:
BLACK: 6007328387732

ADDITIONAL INFORMATION:
Adjustable Cord Suspension



P946 **LAMP TYPE:** *Excluding 1 x E27 max 40W 230V*

FITTING HEIGHT: *300mm*
DIAMETER: *310mm*
CORD LENGTH: *1100mm*

FITTING MATERIAL:
Steel
SHADE:
Gold Steel

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FAMILY:
Mito
FITTING COLOUR:
GOLD: 6007328387800

ADDITIONAL INFORMATION:
Adjustable Cord Suspension

P434

LAMP TYPE:
Excluding 1 x E27 max 60W 230V

FITTING HEIGHT: *120mm*
DIAMETER: *400mm*
CABLE LENGTH: *1000mm*

FITTING MATERIAL:
Steel
SHADE:
Opal Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FAMILY:
Milkyway
FITTING COLOUR:
CHROME: 6007328358114

ADDITIONAL INFORMATION:
Adjustable Cable Suspension



P956 **LAMP TYPE:** *Excluding 1 x E27 60W max 230V*

FITTING HEIGHT: *345mm*
DIAMETER: *260mm*
CORD LENGTH: *1020mm*

FITTING MATERIAL:
Steel
SHADE:
Steel Grid

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FAMILY:
Ingrid
FITTING COLOUR:
COPPER: 6007328388104

ADDITIONAL INFORMATION:
Adjustable Cord Suspension



P947 **LAMP TYPE:** *Excluding 1 x E27 max 40W 230V*

FITTING HEIGHT: *315mm*
DIAMETER: *265mm*
CORD LENGTH: *1100mm*

FITTING MATERIAL:
Steel
SHADE:
Steel Grid

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FAMILY:
Nara
FITTING COLOUR:
BLACK: 6007328387824
RUST: 6007328387817

ADDITIONAL INFORMATION:
Adjustable Cord Suspension



P1144 **LAMP TYPE:** *Excluding 1 x G9 Bi-pin max 28W 230V*

FITTING HEIGHT: *325mm*
DIAMETER: *375mm*
CORD LENGTH: *1230mm*

FITTING MATERIAL:
Steel
SHADE:
Opal Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *4*

FAMILY:
Memory
FITTING COLOUR:
BLACK: 6007328398592
GOLD: 6007328398721
WHITE: 6007328398738

ADDITIONAL INFORMATION:
Adjustable Cord Suspension



P1145 **LAMP TYPE:** *Excluding 1 x G9 Bi-pin max 28W 230V*

FITTING HEIGHT: *415mm*
DIAMETER: *500mm*
CORD LENGTH: *1200mm*

FITTING MATERIAL:
Steel
SHADE:
Opal Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FAMILY:
Memory
FITTING COLOUR:
BLACK: 6007328398745
GOLD: 6007328398752

ADDITIONAL INFORMATION:
Adjustable Cord Suspension



P1143 **LAMP TYPE:** *Excluding 1 x G9 Bi-pin max 28W 230V*

FITTING HEIGHT: *220mm*
DIAMETER: *245mm*
CORD LENGTH: *1200mm*

FITTING MATERIAL:
Steel
SHADE:
Opal Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *4*

FAMILY:
Memory
FITTING COLOUR:
BLACK: 6007328398714
GOLD: 6007328398707

ADDITIONAL INFORMATION:
Adjustable Cord Suspension



P892CP **LAMP TYPE:** *Excluding 1 x E27 max 40W 230V*

FITTING HEIGHT: *420mm*
DIAMETER: *445mm*
CORD LENGTH: *1130mm*

FITTING MATERIAL:
Steel
SHADE:
Copper Grid

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FAMILY:
Anthea
FITTING COLOUR:
COPPER: 6007328386643

ADDITIONAL INFORMATION:
Adjustable Cord Suspension



P957 **LAMP TYPE:** *Excluding 1 x E27 max 60W 230V*

FITTING HEIGHT: *390mm*
DIAMETER: *320mm*
CORD LENGTH: *1180mm*

FITTING MATERIAL:
Steel
SHADE:
Wire Grid Shade with Clear Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FAMILY:
Loren
FITTING COLOUR:
BLACK: 6007328388111

ADDITIONAL INFORMATION:
Adjustable Cord Suspension



P891CP **LAMP TYPE:** *Excluding 1 x E27 max 40W 230V*

FITTING HEIGHT: *370mm*
DIAMETER: *310mm*
CORD LENGTH: *1030mm*

FITTING MATERIAL:
Steel
SHADE:
Copper Grid

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FAMILY:
Anthea
FITTING COLOUR:
COPPER: 6007328386636

ADDITIONAL INFORMATION:
Adjustable Cord Suspension



P890CP **LAMP TYPE:** *Excluding 1 x E27 max 40W 230V*

FITTING HEIGHT: *230mm*
DIAMETER: *220mm*
CORD LENGTH: *1100mm*

FITTING MATERIAL:
Steel
SHADE:
Steel
PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FAMILY:
Anthea
FITTING COLOUR:
COPPER: 6007328386612

ADDITIONAL INFORMATION:
Adjustable Cord Suspension



P691 **LAMP TYPE:** *Excluding 3 x E27 max 60W 230V*

FITTING HEIGHT: *265mm*
DIAMETER: *310mm*
CORD LENGTH: *790mm*

FITTING MATERIAL:
Steel
SHADE:
Steel

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *4*

FAMILY:
Tarbes
FITTING COLOUR:
BLACK: 9002759941918
COPPER: 9002759941963

ADDITIONAL INFORMATION:
Adjustable Cord Suspension



P778 **LAMP TYPE:** *Excluding 1 x E27 max 60W 230V*

FITTING HEIGHT: *200mm*
DIAMETER: *455mm*
CORD LENGTH: *890mm*

FITTING MATERIAL:
Steel
SHADE:
Steel

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *3*

FAMILY:
Carlton 2
FITTING COLOUR:
BLACK: 9002759494872
COPPER: 9002759494889

ADDITIONAL INFORMATION:
Adjustable Cord Suspension



P689 **LAMP TYPE:** *Excluding 1 x E27 max 60W 230V*

FITTING HEIGHT: *264mm*
DIAMETER: *175mm*
CORD LENGTH: *800mm*

FITTING MATERIAL:
Steel
SHADE:
Steel

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *12*

FAMILY:
Tarbes
FITTING COLOUR:
BLACK: 9002759941871
COPPER: 9002759941932

ADDITIONAL INFORMATION:
Adjustable Cord Suspension



P690 **LAMP TYPE:** *Excluding 1 x E27 max 60W 230V*

FITTING HEIGHT: *300mm*
DIAMETER: *325mm*
CORD LENGTH: *800mm*

FITTING MATERIAL:
Steel
SHADE:
Steel

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *2*

FAMILY:
Tarbes
FITTING COLOUR:
BLACK: 9002759941888
COPPER: 9002759941949

ADDITIONAL INFORMATION:
Adjustable Cord Suspension

P704

LAMP TYPE:
Excluding 1 x E27 max 60W 230V

FITTING HEIGHT: *390mm*
DIAMETER: *300mm*
CORD LENGTH: *710mm*

FITTING MATERIAL:
Steel
SHADE:
Steel

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *2*

FAMILY:
Carlton
FITTING COLOUR:
BLACK: 9002759492571
COPPER: 9002759492588

ADDITIONAL INFORMATION:
Adjustable Cord Suspension



P478

LAMP TYPE:
Excluding 1 x E27 max 60W 230V

FITTING HEIGHT: *390mm*
DIAMETER: *375mm*
CORD LENGTH: *960mm*

FITTING MATERIAL:
Steel
SHADE:
Black Steel & White Fabric

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FAMILY:
Diamante
FITTING COLOUR:
BLACK: 6007328367178

ADDITIONAL INFORMATION:
Adjustable Cord Suspension



P600

LAMP TYPE:
Excluding 1 x E27 max 60W 230V

FITTING HEIGHT: *365mm*
DIAMETER: *300mm*
CORD LENGTH: *1100mm*

FITTING MATERIAL:
Steel
SHADE:
Black Caged Steel

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FAMILY:
Diamante
FITTING COLOUR:
BLACK: 6007328374299

ADDITIONAL INFORMATION:
Adjustable Cord Suspension

P1068

LAMP TYPE:
Excluding 1 x E27 max 60W 230V

FITTING HEIGHT: *375mm*
DIAMETER: *190mm*
CORD LENGTH: *900mm*

FITTING MATERIAL:
Steel
SHADE:
Opal Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *4*

FAMILY:
Razoni
FITTING COLOUR:
BLACK: 9002759922528

ADDITIONAL INFORMATION:
Adjustable Cord Suspension

P465

LAMP TYPE:
Excluding 1 x E27 max 60W 230V

FITTING HEIGHT: *370mm*
DIAMETER: *200mm*
CORD LENGTH: *900mm*

FITTING MATERIAL:
Steel
SHADE:
White Steel & Opal Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *4*

FAMILY:
Razoni
FITTING COLOUR:
WHITE: 9002759922511

ADDITIONAL INFORMATION:
Adjustable Cord Suspension

P599 **LAMP TYPE:** *Excluding 1 x E27 max 60W 230V*

FITTING HEIGHT: *315mm*
DIAMETER: *150mm*
CORD LENGTH: *1100mm*

FITTING MATERIAL:
Steel
SHADE:
Black Steel & Brown Wood

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *10*

FAMILY:
Vibrato
FITTING COLOUR:
BLACK/BROWN WOOD: 6007328374282

ADDITIONAL INFORMATION:
Adjustable Cord Suspension

P596 **LAMP TYPE:** *Excluding 1 x E27 max 40W 230V*

FITTING HEIGHT: *290mm*
DIAMETER: *175mm*
CORD LENGTH: *1100mm*

FITTING MATERIAL:
Steel
SHADE:
Black Steel & Brown Wood

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FAMILY:
Vibrato
FITTING COLOUR:
BLACK & LIGHT BROWN: 6007328374251

ADDITIONAL INFORMATION:
Adjustable Cord Suspension

P597 **LAMP TYPE:** *Excluding 1 x E27 max 60W 230V*

FITTING HEIGHT: *310mm*
DIAMETER: *125mm*
CORD LENGTH: *1100mm*

FITTING MATERIAL:
Steel
SHADE:
Black Steel & Brown Wood

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *10*

FAMILY:
Vibrato
FITTING COLOUR:
BLACK/BROWN WOOD: 6007328374268

ADDITIONAL INFORMATION:
Adjustable Cord Suspension

P587 **LAMP TYPE:** *Excluding 1 x E27 max 60W*

FITTING HEIGHT: *220mm*
DIAMETER: *150mm*
CORD LENGTH: *1300mm*

FITTING MATERIAL:
Steel
SHADE:
Steel

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *4*

FITTING COLOUR:
COPPER: 6007328374169
ROSE GOLD: 6007328374152

ADDITIONAL INFORMATION:
Adjustable Cord Suspension

P602 **LAMP TYPE:** *Excluding 1 x E27 max 60W 230V*

FITTING HEIGHT: *245mm*
DIAMETER: *180mm*
CORD LENGTH: *1100mm*

FITTING MATERIAL:
Steel
SHADE:
Black Steel Mesh

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FAMILY:
Syphen
FITTING COLOUR:
BLACK: 6007328374312

ADDITIONAL INFORMATION:
Adjustable Cord Suspension

P601 **LAMP TYPE:** *Excluding 1 x E27 max 60W 230V*

FITTING HEIGHT: *280mm*
DIAMETER: *170mm*
CORD LENGTH: *1100mm*

FITTING MATERIAL:
Steel
SHADE:
Black Steel Mesh

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FAMILY:
Syphen
FITTING COLOUR:
BLACK: 6007328374305

ADDITIONAL INFORMATION:
Adjustable Cord Suspension

P603 **LAMP TYPE:** *Excluding 1 x E27 max 40W 230V*

FITTING HEIGHT: *335mm*
DIAMETER: *110mm*
CORD LENGTH: *1080mm*

FITTING MATERIAL:
Steel
SHADE:
Black Steel Mesh

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FAMILY:
Syphen
FITTING COLOUR:
BLACK: 6007328374329

ADDITIONAL INFORMATION:
Adjustable Cord Suspension

P1015 **LAMP TYPE:** *Excluding 1 x E27 max 60W 230V*

FITTING HEIGHT: *335mm*
DIAMETER: *280mm*
CORD LENGTH: *750mm*

FITTING MATERIAL:
Steel
SHADE:
Steel Mesh

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *4*

FAMILY:
Straiton
FITTING COLOUR:
BLACK: 9002759497361
COPPER: 9002759497385

ADDITIONAL INFORMATION:
Adjustable Cord Suspension



P768

LAMP TYPE:
Excluding 1 x E27 max 40W 230V

FITTING HEIGHT: *350mm*
DIAMETER: *315mm*
CABLE LENGTH: *1000mm*

FITTING MATERIAL:
Steel with Copper Finish
SHADE:
Matt Black Mesh

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP: *20* : *1*

FITTING COLOUR:
COPPER/BLACK: 6007328382645

ADDITIONAL INFORMATION:
Adjustable Cord Suspension



P770

LAMP TYPE:
Excluding 1 x E27 max 40W 230V

FITTING HEIGHT: *465mm*
DIAMETER: *480mm*
CABLE LENGTH: *1080mm*

FITTING MATERIAL:
Steel with Copper Finish
SHADE:
Matt Black Screen

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP: *20* : *1*

FITTING COLOUR:
COPPER/BLACK: 6007328382652

ADDITIONAL INFORMATION:
Adjustable Cord Suspension



P935

LAMP TYPE:
Excluding 1 x E27 max 40W 230V

FITTING HEIGHT: *320mm*
DIAMETER: *180mm*
CORD LENGTH: *1050mm*

FITTING MATERIAL:
Steel
SHADE:
Steel Black Grid

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FAMILY:
Namada
FITTING COLOUR:
BLACK: 6007328387695

ADDITIONAL INFORMATION:
Adjustable Cord Suspension



P936

LAMP TYPE:
Excluding 1 x E27 max 40W 230V

FITTING HEIGHT: *285mm*
DIAMETER: *220mm*
CORD LENGTH: *1160mm*

FITTING MATERIAL:
Steel
SHADE:
Steel Black Grid

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FAMILY:
Namada
FITTING COLOUR:
BLACK: 6007328387701

ADDITIONAL INFORMATION:
Adjustable Cord Suspension



P174

LAMP TYPE:
Excluding 1 x E27 max 60W 230V

FITTING HEIGHT: *380mm*
DIAMETER: *380mm*
CORD LENGTH: *850mm*

FITTING MATERIAL:
Steel
SHADE:
Maple Wood

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *7*

FAMILY:
Sendero
FITTING COLOUR:
SATIN CHROME: 9002759961923

ADDITIONAL INFORMATION:
Adjustable Cord Suspension
Matching Table Lamp: T109
Matching Wall Light: W114



P176

LAMP TYPE:
Excluding 2 x E27 max 60W 230V

FITTING HEIGHT: *300mm*
LENGTH: *775mm*
DEPTH: *250mm*
CORD LENGTH: *1300mm*

FITTING MATERIAL:
Steel
SHADE:
Wood

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *6*

FAMILY:
Sendero
FITTING COLOUR:
MAPLE: 9002759961947
BROWN WOOD: 9002759962012

ADDITIONAL INFORMATION:
Adjustable Cord Suspension
Matching Table Lamp: T109
Matching Wall Light: W114



P142 **LAMP TYPE:** *Excluding 1 x E27 max 60W 230V*

FITTING HEIGHT: *265mm*
DIAMETER: *405mm*
CABLE LENGTH: *980mm*

FITTING MATERIAL:
Steel
SHADE:
Maple, White, Dark Wood & Opal Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *8*

FAMILY:
Stellato 1
FITTING COLOUR:
MAPLE: 9002759955984
WHITE: 9002759956066
DARK: 9002759955915

ADDITIONAL INFORMATION:
Adjustable Cord Suspension
Matching Ceiling Light: C135
Matching Floor Lamp: FL104
Matching Wall Light: W102



P144 **LAMP TYPE:** *Excluding 1 x E27 max 60W 230V*

FITTING HEIGHT: *470mm*
DIAMETER: *700mm*
CORD LENGTH: *1500mm*

FITTING MATERIAL:
Steel
SHADE:
White & Opal Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *2*

FAMILY:
Stellato 1/ Stellato 3
FITTING COLOUR:
WHITE: 9002759956080
DARK WOOD: 9002759955939

ADDITIONAL INFORMATION:
Adjustable Cord Suspension

P143 **LAMP TYPE:** *Excluding 1 x E27 max 60W 230V*

FITTING HEIGHT: *300mm*
DIAMETER: *500mm*
CABLE LENGTH: *1600mm*

FITTING MATERIAL:
Steel
SHADE:
Maple Wood, White Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *6*

FAMILY:
Stellato 1
FITTING COLOUR:
MAPLE: 9002759955991

ADDITIONAL INFORMATION:
Adjustable Cable Suspension

P670 **LAMP TYPE:** *Excluding 1 x E27 max 60W 230V*

FITTING HEIGHT: *321mm*
DIAMETER: *300mm*
CORD LENGTH: *960mm*

FITTING MATERIAL:
Steel
SHADE:
Maple or White Wood

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP: *20* : *16*

FAMILY:
Cossano
FITTING COLOUR:
MAPLE/SATIN CHROME: 9002759947644
WHITE/WHITE: 9002759944384

ADDITIONAL INFORMATION:
Adjustable Cord Suspension

P674 **LAMP TYPE:** *Excluding 1 x E27 max 60W 230V*

FITTING HEIGHT: *300mm*
DIAMETER: *465mm*
CORD LENGTH: *1185mm*

FITTING MATERIAL:
Steel
SHADE:
Dark Brown, Maple or White Wood

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP: *20* : *12*

FAMILY:
Cossano
FITTING COLOUR:
DARK BROWN/SATIN CHROME: 9002759946388
MAPLE/SATIN CHROME: 9002759947675
WHITE/WHITE: 9002759944421

ADDITIONAL INFORMATION:
Adjustable Cord Suspension

P671 **LAMP TYPE:** *Excluding 1 x E27 max 60W 230V*

FITTING HEIGHT: *505mm*
DIAMETER: *500mm*
CORD LENGTH: *900mm*

FITTING MATERIAL:
Steel
SHADE:
Maple or White Wood

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP: *20* : *1*

FAMILY:
Cossano
FITTING COLOUR:
MAPLE/SATIN CHROME: 9002759947651
WHITE/WHITE: 9002759944391

ADDITIONAL INFORMATION:
Adjustable Cord Suspension

P672 **LAMP TYPE:** *Excluding 1 x E27 max 60W 230V*

FITTING HEIGHT: *680mm*
DIAMETER: *700mm*
CORD LENGTH: *1400mm*

FITTING MATERIAL:
Steel
SHADE:
Dark Brown, Maple or White Wood

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP: *20* : *3*

FAMILY:
Cossana
FITTING COLOUR:
DARK BROWN/SATIN CHROME: 9002759946371
MAPLE/SATIN CHROME: 9002759947668
WHITE: 9002759944414

ADDITIONAL INFORMATION:
Adjustable Cord Suspension

P139

LAMP TYPE:
Excluding 1 x E27 max 60W 230V

FITTING HEIGHT: *260mm*
DIAMETER: *510mm*
CORD LENGTH: *1230mm*

FITTING MATERIAL:
Steel
SHADE:
Maple Wood

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *8*

FAMILY:
Cossano 2
FITTING COLOUR:
MAPLE: 9002759952570

ADDITIONAL INFORMATION:
Adjustable Cord Suspension

P138

LAMP TYPE:
Excluding 1 x E27 max 60W 230V

FITTING HEIGHT: *375mm*
DIAMETER: *385mm*
CORD LENGTH: *1070mm*

FITTING MATERIAL:
Steel
SHADE:
White Wood

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *12*

FAMILY:
Cossano 2
FITTING COLOUR:
WHITE: 9002759952532

ADDITIONAL INFORMATION:
Adjustable Cord Suspension

P125

LAMP TYPE: *Excluding 1 x E27 max 60W 230V*

FITTING HEIGHT: *400mm*
DIAMETER: *380mm*
CORD LENGTH: *900mm*

FITTING MATERIAL: *Steel*
SHADE: *Wood*

PRIMARY VOLTAGE: *220V - 240V (50/60Hz)*

IP: *20* : *12*

FAMILY: *Tindori*
FITTING COLOUR:
MAPLE: 90027599562586
WHITE: 9002759962579

ADDITIONAL INFORMATION: *Adjustable Cord Suspension*

P129

LAMP TYPE: *Excluding 1 x E27 max 60W 230V*

FITTING HEIGHT: *525mm*
DIAMETER: *500mm*
CORD LENGTH: *960mm*

FITTING MATERIAL: *Steel*
SHADE: *Wood & Opal Glass*

PRIMARY VOLTAGE: *220V - 240V (50/60Hz)*

IP: *20* : *2*

FAMILY: *Tindori*
FITTING COLOUR:
MAPLE: 9002759962142
WHITE: 9002759962111

ADDITIONAL INFORMATION: *Adjustable Cord Suspension*

P130

LAMP TYPE: *Excluding 1 x E27 max 60W 230V*

FITTING HEIGHT: *600mm*
DIAMETER: *600mm*
CORD LENGTH: *1400mm*

FITTING MATERIAL: *Steel*
SHADE: *Wood & Opal Glass*

PRIMARY VOLTAGE: *220V - 240V (50/60Hz)*

IP: *20* : *2*

FAMILY: *Tindori*
FITTING COLOUR:
MAPLE: 9002759962159

ADDITIONAL INFORMATION: *Adjustable Cord Suspension*

P131

LAMP TYPE: *Excluding 1 x E27 max 60W 230V*

FITTING HEIGHT: *880mm*
DIAMETER: *800mm*
CORD LENGTH: *2180mm*

FITTING MATERIAL: *Steel*
SHADE: *Maple Wood & Opal Glass*

PRIMARY VOLTAGE: *220V - 240V (50/60Hz)*

IP: *20* : *1*

FAMILY: *Tindori*
FITTING COLOUR:
MAPLE: 9002759962166

ADDITIONAL INFORMATION: *Adjustable Cord Suspension*

P436

LAMP TYPE: *Excluding 1 x E27 max 60W 230V*

FITTING HEIGHT: *425mm*
DIAMETER: *250mm*
CORD LENGTH: *1210mm*

FITTING MATERIAL: *Steel*
SHADE: *Cream Cane & Silk*

PRIMARY VOLTAGE: *220V - 240V (50/60Hz)*

IP : *20* : *4*

FAMILY: *Khoi San*
FITTING COLOUR: *CREAM/CHROME: 6007328358138*

ADDITIONAL INFORMATION: *Adjustable Cord Suspension*

P210

LAMP TYPE: *Excluding 1 x E27 max 60W 230V*

FITTING HEIGHT: *240mm*
DIAMETER: *275mm*
CORD LENGTH: *870mm*

FITTING MATERIAL: *Steel*
SHADE: *Grey Steel*

PRIMARY VOLTAGE: *220V - 240V (50/60Hz)*

IP : *20* : *4*

FAMILY: *Sarabia*
FITTING COLOUR: *GREY: 9002759943530*

ADDITIONAL INFORMATION: *Adjustable Cord Suspension*

P1009

LAMP TYPE: *Excluding 1 x E27 max 60W 230V*

FITTING HEIGHT: *400mm*
DIAMETER: *405mm*
CORD LENGTH: *1590mm*

FITTING MATERIAL: *Steel*
SHADE: *Grey Steel*

PRIMARY VOLTAGE: *220V - 240V (50/60Hz)*

IP : *20* : *2*

FAMILY: *Sarabia*
FITTING COLOUR: *GREY: 9002759943547*

ADDITIONAL INFORMATION: *Adjustable Cord Suspension*

P615

LAMP TYPE: *Excluding 1 x E27 max 60W 230V*

FITTING HEIGHT: *255mm*
DIAMETER: *250mm*
CORD LENGTH: *1160mm*

FITTING MATERIAL: *Steel*
SHADE: *White & Grey Marble Steel*

PRIMARY VOLTAGE: *220V - 240V (50/60Hz)*

IP : *20* : *1*

FITTING COLOUR: *WHITE/GREY MARBLE: 6007328374442*

ADDITIONAL INFORMATION: *Adjustable Cord Suspension*

P613 **LAMP TYPE:** *Excluding 1 x E27 max 60W 230V*

FITTING HEIGHT: *180mm*
DIAMETER: *120mm*
CORD LENGTH: *1000mm*

FITTING MATERIAL:
Steel
SHADE:
Grey Ceramic & Brown Wood

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FITTING COLOUR:
BLACK/BROWN WOOD/GREY: 6007328374428

ADDITIONAL INFORMATION:
Adjustable Cord Suspension

P184 **LAMP TYPE:** *Excluding 1 x E27 max 60W 230V*

FITTING HEIGHT: *185mm*
DIAMETER: *150mm*
CORD LENGTH: *920mm*

FITTING MATERIAL:
Steel
SHADE:
Grey Concrete & Brown Wood

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *9*

FAMILY:
Tarega
FITTING COLOUR:
GREY: 9002759955250

ADDITIONAL INFORMATION:
Adjustable Cord Suspension
Matching Table Lamp: T234

P1062 **LAMP TYPE:** *Excluding 3 x E27 max 60W 230V*

FITTING HEIGHT: *180mm*
DIAMETER: *200mm*
CORD LENGTH: *1300mm*

FITTING MATERIAL:
Steel
SHADE:
Grey Concrete & Brown Wood

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *2*

FAMILY:
Tarega
FITTING COLOUR:
GREY: 9002759955267

ADDITIONAL INFORMATION:
Adjustable Cord Suspension
Matching Table Lamp: T234

P182 **LAMP TYPE:** *Excluding 1 x E27 max 60W 230V*

FITTING HEIGHT: *75mm*
DIAMETER: *60mm*
CORD LENGTH: *810mm*

FITTING MATERIAL:
Steel & Concrete

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *32*

FAMILY:
Silvares
FITTING COLOUR:
GREY: 9002759955229

ADDITIONAL INFORMATION:
Adjustable Cord Suspension



P1003 **LAMP TYPE:** *Excluding 3 x E27 max 60W 230V*

FITTING HEIGHT: *75mm*
DIAMETER: *60mm*
CORD LENGTH: *810mm*

FITTING MATERIAL:
Steel & Concrete

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP: *20* : *12*

FAMILY:
Silvares
FITTING COLOUR:
GREY: 9002759955236

ADDITIONAL INFORMATION:
Adjustable Cord Suspension



P1006 **LAMP TYPE:** *Excluding 5 x E27 max 60W 230V*

FITTING HEIGHT: *75mm*
DIAMETER: *60mm*
CORD LENGTH: *810mm*

FITTING MATERIAL:
Steel & Concrete

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP: *20* : *6*

FAMILY:
Silvares
FITTING COLOUR:
GREY: 9002759955243

ADDITIONAL INFORMATION:
Adjustable Cord Suspension



P747 **LAMP TYPE:** *Excluding 1 x E27 max 25W 230V*

FITTING HEIGHT: *270mm*
DIAMETER: *250mm*
CORD LENGTH: *1600mm*

FITTING MATERIAL:
Smooth Cement
SHADE:
Grey Cement

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP: *20* : *1*

FITTING COLOUR:
GREY: 6007328380979

ADDITIONAL INFORMATION:
Adjustable Cord Suspension



P748 **LAMP TYPE:** *Excluding 1 x E27 max 25W 230V*

FITTING HEIGHT: *165mm*
DIAMETER: *235mm*
CORD LENGTH: *1620mm*

FITTING MATERIAL:
Smooth Cement
SHADE:
Grey Cement

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP: *20* : *4*

FITTING COLOUR:
GREY: 6007328381006

ADDITIONAL INFORMATION:
Adjustable Cord Suspension

P750

LAMP TYPE: *Excluding 1 x E27 max 25W 230V*

FITTING HEIGHT: *180mm*
DIAMETER: *200mm*
CORD LENGTH: *1545mm*

FITTING MATERIAL:
Smooth Cement
SHADE:
Grey Cement

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *4*

FITTING COLOUR:
GREY: 6007328381020

ADDITIONAL INFORMATION:
Adjustable Cord Suspension

P755

LAMP TYPE: *Excluding 1 x E27 max 25W 230V*

FITTING HEIGHT: *155mm*
DIAMETER: *280mm*
CORD LENGTH: *1575mm*

FITTING MATERIAL:
Smooth Cement
SHADE:
Grey Cement
PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *4*

FITTING COLOUR:
GREY: 6007328380993

ADDITIONAL INFORMATION:
Adjustable Cord Suspension

P756

LAMP TYPE: *Excluding 1 x E27 max 25W 230V*

FITTING HEIGHT: *260mm*
DIAMETER: *220mm*
CORD LENGTH: *1600mm*

FITTING MATERIAL:
Sandstone Cement
SHADE:
White Sandstone Cement

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *4*

FITTING COLOUR:
WHITE: 6007328381143

ADDITIONAL INFORMATION:
Adjustable Cord Suspension

P754

LAMP TYPE: *Excluding 1 x E27 max 25W 230V*

FITTING HEIGHT: *150mm*
DIAMETER: *180mm*
CORD LENGTH: *1600mm*

FITTING MATERIAL:
Sandstone Cement
SHADE:
White Sandstone Cement

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *4*

FITTING COLOUR:
WHITE: 6007328380986

ADDITIONAL INFORMATION:
Adjustable Cord Suspension



P752

LAMP TYPE:
Excluding 1 x E27 max 25W 230V

FITTING HEIGHT: *370mm*
DIAMETER: *160mm*
CORD LENGTH: *1600mm*

FITTING MATERIAL:
Sandstone Cement
SHADE:
White Sandstone Cement

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *4*

FITTING COLOUR:
WHITE: 6007328381044

ADDITIONAL INFORMATION:
Adjustable Cord Suspension

P751

LAMP TYPE:
Excluding 1x E27 max 25W 230V

FITTING HEIGHT: *190mm*
DIAMETER: *170mm*
CORD LENGTH: *1600mm*

FITTING MATERIAL:
Sandstone Cement
SHADE:
Grey Sandstone Cement

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *4*

FITTING COLOUR:
GREY: 6007328381037

ADDITIONAL INFORMATION:
Adjustable Cord Suspension

P614

LAMP TYPE:
Excluding 1 x E27 max 60W 230V

FITTING HEIGHT: *210mm*
DIAMETER: *240mm*
CORD LENGTH: *1000mm*

FITTING MATERIAL:
Steel
SHADE:
Grey Ceramic

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FITTING COLOUR:
BLACK/GREY: 6007328374435

ADDITIONAL INFORMATION:
Adjustable Cord Suspension



P464

LAMP TYPE:
Excluding 1 x E27 max 60W 230V

FITTING HEIGHT: *205mm*
DIAMETER: *205mm*
CORD LENGTH: *930mm*

FITTING MATERIAL:
Ceramic
SHADE:
Grey Ceramic

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *4*

FAMILY:
Pratella
FITTING COLOUR:
GREY: 9002759925215

ADDITIONAL INFORMATION:
Adjustable Cord Suspension



P753 LED **LAMP TYPE:** *Including 1 x 6W Integrated LED*

FITTING HEIGHT: *100mm*
DIAMETER: *126mm*
CORD LENGTH: *1160mm*

FITTING MATERIAL:
Gypsum
SHADE:
White (Outer) & Gold (Inner) Aluminium

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP: *20* : *8*

FITTING COLOUR:
WHITE: 6007328381051

ADDITIONAL INFORMATION:
Adjustable Cord Suspension

LAMP SPECIFICATION:
Power: 6W
Colour Temperature: 3000K
Lifetime: 25 000 Hours



P749 **LAMP TYPE:** *Excluding 1 x E27 max 40W 230V*

FITTING HEIGHT: *150mm*
DIAMETER: *255mm*
CORD LENGTH: *1505mm*

FITTING MATERIAL:
Gypsum
SHADE:
White Gypsum

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP: *20* : *4*

FITTING COLOUR:
WHITE: 6007328381013

ADDITIONAL INFORMATION:
Adjustable Cord Suspension

P606

LAMP TYPE:
Excluding 1 x E27 max 60W 230V

FITTING HEIGHT: *285mm*
WIDTH: *170mm*
DEPTH: *140mm*
CORD LENGTH: *1125mm*

FITTING MATERIAL:
Steel
LENS:
Clear Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FAMILY:
Iron Age
FITTING COLOUR:
BLACK: 6007328374350

ADDITIONAL INFORMATION:
Adjustable Cord Suspension

P605

LAMP TYPE:
Excluding 1 x E27 max 60W 230V

FITTING HEIGHT: *225mm*
WIDTH: *245mm*
DEPTH: *245mm*
Cord LENGTH: *1130mm*

FITTING MATERIAL:
Steel
LENS:
Clear Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FAMILY:
Iron Age
FITTING COLOUR:
BLACK: 6007328374343

ADDITIONAL INFORMATION:
Adjustable Cord Suspension



P608

LAMP TYPE:
Excluding 1 x E27 max 60W 230V

FITTING HEIGHT: *295mm*
WIDTH: *350mm*
DEPTH: *350mm*
STEM LENGTH: *940mm*

FITTING MATERIAL:
Steel
LENS:
Clear Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FAMILY:
Iron Age
FITTING COLOUR:
BLACK: 6007328374374

ADDITIONAL INFORMATION:
Not Adjustable Stem Suspension

P261

LAMP TYPE:
Excluding 3 x E27 max 60W 240V

FITTING HEIGHT: *280mm*
WIDTH: *730mm*
DEPTH: *200mm*
CABLE LENGTH: *810mm*

FITTING MATERIAL:
Steel
SHADE:
Clear Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FAMILY:
Charterhouse
FITTING COLOUR:
BLACK: 9002759493936

ADDITIONAL INFORMATION:
Adjustable Cable Suspension
Matching Ceiling Light: C471



P607

LAMP TYPE:
Excluding 1 x E27 max 60W 230V

FITTING HEIGHT: *390mm*
DIAMETER: *300mm*
CHAIN LENGTH: *1000mm*

FITTING MATERIAL:
Steel
SHADE:
Black Steel

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FAMILY:
Iron Age
FITTING COLOUR:
BLACK: 6007328374367

ADDITIONAL INFORMATION:
Adjustable Chain Suspension



P579

LAMP TYPE:
Excluding 8 x E27 max 40W 230V

FITTING HEIGHT: *1135mm*
DIAMETER: *900mm*
STEM LENGTH: *670mm*

FITTING MATERIAL:
Steel

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FITTING COLOUR:
BLACK: 6007328374053

P53 **LAMP TYPE:** *Excluding 1 x E27 max 60W 230V*

DIAMETER: *300mm*

FITTING MATERIAL: *Steel Wire*
SHADE: *White Rice Paper*

PRIMARY VOLTAGE: *220V - 240V (50/60Hz)*

IP : *20* : *120*

FITTING COLOUR: *WHITE: 6007328014133*

ADDITIONAL INFORMATION: ***Excluding*** *Cord (CO29W)*

P55 **LAMP TYPE:** *Excluding 1 x E27 max 60W 230V*

DIAMETER: *400mm*

FITTING MATERIAL: *Steel Wire*
SHADE: *White Rice Paper*

PRIMARY VOLTAGE: *220V - 240V (50/60Hz)*

IP : *20* : *120*

FITTING COLOUR: *WHITE: 6007328012474*

ADDITIONAL INFORMATION: ***Excluding*** *Cord (CO29W)*

P57 **LAMP TYPE:** *Excluding 1 E27 x max 60W 230V*

DIAMETER: *500mm*

FITTING MATERIAL: *Steel Wire*
SHADE: *White Rice Paper*

PRIMARY VOLTAGE: *220V - 240V (50/60Hz)*

IP : *20* : *120*

FITTING COLOUR: *WHITE: 6007328014140*

ADDITIONAL INFORMATION: ***Excluding*** *Cord (CO29W)*



P151 **LAMP TYPE:** *Excluding 1 x E27 max 60W 230V*

FITTING HEIGHT: *275mm*
DIAMETER: *110mm*
CORD LENGTH: *1300mm*

FITTING MATERIAL:
Aluminium
SHADE:
Aluminium (Outer) with White (Inner)

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *4*

FITTING COLOUR:
SILVER: 6007328030454

ADDITIONAL INFORMATION:
Adjustable Cord Suspension



P321 **LAMP TYPE:** *Excluding 1 x E27 max 60W 230V*

FITTING HEIGHT: *285mm*
DIAMETER: *150mm*
CORD LENGTH: *1300mm*

FITTING MATERIAL:
Aluminium
SHADE:
Aluminium (Outer) with White (Inner)

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *4*

FITTING COLOUR:
SILVER: 6007328340522

ADDITIONAL INFORMATION:
Adjustable Cord Suspension

P3AL **LAMP TYPE:** *Excluding 1 x E27 max 60W 230V*

FITTING HEIGHT: *295mm*
DIAMETER: *255mm*
CORD LENGTH: *1230mm*

FITTING MATERIAL:
Aluminium
SHADE:
Aluminium (Outer) with White (Inner)

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FITTING COLOUR:
SILVER: 6007328016113

ADDITIONAL INFORMATION:
Adjustable Cord Suspension

P498 LED **LAMP TYPE:** *Including 1 x 18W Integrated LED*

FITTING HEIGHT: *210mm*
DIAMETER: *380mm*
CORD LENGTH: *890mm*

FITTING MATERIAL:
Steel
SHADE:
Silver Steel & Opal Plastic

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : 20 : 2

FAMILY:
Gaetano
FITTING COLOUR:
SILVER: 9002759929510

ADDITIONAL INFORMATION:
Adjustable Cord Suspension

LAMP SPECIFICATION:
Power: 18W
Luminous Flux: 1380lm
Colour Temperature: 3000K
Lifetime: 25 000 Hours
Not Dimmable

P299 **LAMP TYPE:** *Excluding 1 x E27 max 60W 230V*

FITTING HEIGHT: *160mm*
DIAMETER: *300mm*
CORD LENGTH: *940mm*

FITTING MATERIAL:
Plastic
SHADE:
Alabaster Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *4*

FAMILY:
Alessandra
FITTING COLOUR:
WHITE: 9002759336202

ADDITIONAL INFORMATION:
Adjustable Cord Suspension
Spare Glass: X825

P338 **LAMP TYPE:** *Excluding 1 x E27 max 60W 230V*

FITTING HEIGHT: *210mm*
DIAMETER: *355mm*
CORD LENGTH: *880mm*

FITTING MATERIAL:
Steel
SHADE:
Frosted Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *4*

FAMILY:
Lord 3
FITTING COLOUR:
SATIN CHROME: 9002759884918

ADDITIONAL INFORMATION:
Adjustable Cord Suspension



P289 **LAMP TYPE:** *Excluding 1 x E27 max 60W 230V*

DIAMETER: *360mm*
FITTING HEIGHT: *200mm*
CORD LENGTH: *900mm*

FITTING MATERIAL:
Plastic & Steel
SHADE:
Alabaster Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *2*

FAMILY:
Lord 2
FITTING COLOUR:
SATIN CHROME: 9002759870089

ADDITIONAL INFORMATION:
Adjustable Flexi Cord Suspension



P305

LAMP TYPE:
Including 48 x G4 max 10W Bi-pin 12V

FITTING HEIGHT: *1335mm*
DIAMETER: *1200mm*
CABLE LENGTH: *1350mm*

FITTING MATERIAL:
Steel
CRYSTALS:
Clear Egyptian Crystals

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FAMILY:
Meteor
FITTING COLOUR:
CHROME: 6007328336181

ADDITIONAL INFORMATION:
Adjustable Cable Suspension
Not Dimmable
Matching Table Lamp: T198





P304

LAMP TYPE:
Including 72 x G4 max 10W Bi-pin 12V

FITTING HEIGHT: *1600mm*
DIAMETER: *1470mm*
CABLE LENGTH: *1400mm*

FITTING MATERIAL:
Steel
CRYSTALS:
Clear Egyptian Crystals

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FAMILY:
Meteor
FITTING COLOUR:
CHROME: 6007328336174

ADDITIONAL INFORMATION:
Adjustable Cable Suspension
Not Dimmable
Matching Table Lamp: T198



P309

LAMP TYPE:
Including 12 x G4 max 10W Bi-pin 12V

FITTING HEIGHT: *700mm*
LENGTH: *1240mm*
CABLE LENGTH: *900mm*

FITTING MATERIAL:
Steel
CRYSTALS:
Clear Egyptian Crystals

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FAMILY:
Garden of Eden
FITTING COLOUR:
CHROME: 6007328336228

ADDITIONAL INFORMATION:
Adjustable Cable Suspension
Not Dimmable
Matching Floor Lamp: FL103
Matching Table Lamp: T199



P308

LAMP TYPE:
Including 12 x G4 max 10W Bi-pin 12V

FITTING HEIGHT: *310mm*
DIAMETER: *1050mm*
CABLE LENGTH: *730mm*

FITTING MATERIAL:
Steel
CRYSTALS:
Clear Egyptian Crystals

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FAMILY:
Garden of Eden
FITTING COLOUR:
CHROME: 6007328336211

ADDITIONAL INFORMATION:
Adjustable Cable Suspension
Not Dimmable
Matching Floor Lamp: FL103
Matching Table Lamp: T199



P158

LAMP TYPE:
Excluding 1 x E27 max 60W 230V

FITTING HEIGHT: *250mm*
DIAMETER: *340mm*
CORD LENGTH: *850mm*

FITTING MATERIAL:
Steel
SHADE:
Clear Crystal

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *2*

FAMILY:
Clemente
FITTING COLOUR:
CHROME: 9002759952860

ADDITIONAL INFORMATION:
Adjustable Cord Suspension
Matching Ceiling Light: C143, C145



P160

LAMP TYPE:
Excluding 3 x E27 max 60W 230V

FITTING HEIGHT: *250mm*
DIAMETER: *540mm*
CORD LENGTH: *670mm*

FITTING MATERIAL:
Steel
SHADE:
Clear Crystal

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *2*

FAMILY:
Clemente
FITTING COLOUR:
CHROME: 9002759952877

ADDITIONAL INFORMATION:
Adjustable Cord Suspension
Matching Ceiling Light: C143, C145



P1004 **LAMP TYPE:** *Excluding 3 x E27 max 60W 230V*

FITTING HEIGHT: *390mm*
DIAMETER: *250mm*
CORD LENGTH: *620mm*

FITTING MATERIAL:
Steel
SHADE:
Film Crystal

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *16*

FAMILY:
Fedra 2
FITTING COLOUR:
CHROME: 9002759930929

ADDITIONAL INFORMATION:
Adjustable Cord Suspension



P373 **LAMP TYPE:** *Including 16 x G4 max 10W Bi-pin 12V*

FITTING HEIGHT: *290mm*
WIDTH: *480mm*
DEPTH: *480mm*
CABLE LENGTH: *900mm*

FITTING MATERIAL:
Steel
SHADE:
Steel
CRYSTALS:
Clear Egyptian Crystals

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FITTING COLOUR:
CHROME: 6007328344162

ADDITIONAL INFORMATION:
Adjustable Cable Suspension
Not Dimmable



P469 **LAMP TYPE:** *Excluding 1 x E27 max 60W 230V*

FITTING HEIGHT: *410mm*
DIAMETER: *320mm*
CABLE LENGTH: *780mm*

FITTING MATERIAL:
Metal
CRYSTALS:
Clear Plastic Crystals

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *4*

FAMILY:
Pali
FITTING COLOUR:
BLACK: 6007328362104

ADDITIONAL INFORMATION:
Adjustable Cable Suspension

CANDLE REPLACEMENT GUIDE

Become more energy efficient

Colour Temperature

With LEDs and CFLs, you can now choose between Warm White or Cool White. Warm White is best suited for living spaces, recreational spaces and bedrooms. All Eurolux Candle options are available in Warm White only, which is ideal for use in chandeliers and wall lights.

Lifetime

The importance of lamp life is realising the cost of replacing the lamp.



Halogen lamps normally last around 2000 hours, whilst LED lamps can last up to 30 000 hours. This means that you have to replace 15 Halogen lamps for only 1 LED lamp!

Dimmability

Based on early candelabras, candle shaped lamps are the aesthetic choice for modern day chandeliers. For this application the ability for these candles to dim is essential. There are now a variety of dimmable LED and Halogen options available to consumers to set the perfect ambiance in your living space.

Lumens and Wattage

The performance/efficacy of a lamp is measured by lumens per watt. Ensure you buy bulbs with the most lumens per watt.

For example:

28W = 13lm/W	4W = 85lm/W
28W Halogen produces 370 lumens = 13lm/W	4W Warm LED produces 340 lumens = 85lm/W

Lamp Type	Incandescent	HALOGEN SAVER DIMMABLE	CFL	LED
Flame Candle	40W	28W E14 E27 B15 B22	N/A	4W E14 E27 B15 B22
Standard Candle	40W & 60W	28W & 42W E14 E27 B15 B22	3W E14 E27 B15 B22	3W & 4W 6W E14 E27 B22 DIMMABLE

CHANDELIERS

CHANDELIERS

CH242 *pg388*

CH244 *pg388*

CH192 *pg389*

CH191 *pg389*

CH263 *pg390*

CH264 *pg390*

CH248 *pg391*

CH250 *pg391*

CH36 *pg392*

CH37 *pg392*

CH233 *pg392*

CH245 *pg392*

CH247 *pg393*

CH271 *pg393*

CH272 *pg393*

CH273 *pg393*

CH246 *pg394*

CH249 *pg394*

CH266 *pg395*

CH265 *pg395*

CH225 *pg396*

CH226 *pg396*

CH105 *pg397*

CH216 *pg398*

CH166 *pg398*

CH238 *pg398*

CH239 *pg398*

CH240 *pg399*

CH240 *pg399*

CH4 *pg400*

CH1 *pg400*

CH2 *pg400*

CH3 *pg400*

CH108 *pg401*

CH109 *pg401*

CH110 *pg401*

CH113 *pg401*

CH209 *pg402*

CH278 *pg402*

CH279 *pg402*

CH113



COLOUR changing

CH242 LED **LAMP TYPE 1:** *Including 1 x 24W Integrated LED*
LAMP TYPE 2: *Including 1 x 12W Integrated LED*

DIAMETER: *510mm*
FITTING HEIGHT: *30mm*
CABLE LENGTH: *570mm*

FITTING MATERIAL:
Steel
CRYSTALS:
Clear Glass Crystals

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP: *20* : *1*

FAMILY:
Orbit
FITTING COLOUR:
CHROME: 6007328360667

ADDITIONAL INFORMATION:
Adjustable Cable Suspension
Including Remote
Includes 2 Spare Crystals

OPERATING FUNCTIONS:
A: Outer Ring, B: Inner Ring, D: ON/OFF

LAMP SPECIFICATION:
Power: 36W (24W + 12W)
Luminous Flux: 1126lm
Colour Temperature: 4000K
Lifetime: 25 000 Hours



CH244 LED **LAMP TYPE 1:** *Including 1 x 36W Integrated Cool White LED (Outer Ring)*
LAMP TYPE 2: *Including 1 x 24W Integrated Cool White LED (Middle Ring)*
LAMP TYPE 3: *Including 1 x 12W Integrated Cool White LED (Inner Ring)*

DIAMETER: *700mm*
FITTING HEIGHT: *30mm*
CABLE LENGTH: *790mm*

FITTING MATERIAL:
Steel
CRYSTALS:
Clear Glass Crystals

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP: *20* : *1*

FAMILY:
Orbit
FITTING COLOUR:
CHROME: 6007328360681

ADDITIONAL INFORMATION:
Adjustable Cable Suspension
Including Remote

OPERATING FUNCTIONS:
A: Outer Ring, B: Middle Ring, C: Inner Ring, D: ON/OFF

LAMP SPECIFICATION:
Power: 72W (36W + 24W + 12W)
Luminous Flux: 1483lm
Colour Temperature: 4000K
Lifetime: 25 000 Hours



CH192 **LAMP TYPE:** *Excluding 3 x G9 max 40W Bi-pin 230V*

DIAMETER: *460mm*
FITTING HEIGHT: *410mm*
CHAIN LENGTH: *880mm*

FITTING MATERIAL:
Steel
SHADE MATERIAL:
Frosted Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FAMILY:
Martini Twist
FITTING COLOUR:
SATIN CHROME: 6007328340041

ADDITIONAL INFORMATIONRMATION:
Adjustable Chain Suspension
Matching Wall Light: W355
Matching Table Lamp: T309



CH191 **LAMP TYPE:** *Excluding 5 x G9 max 40W Bi-pin 230V*

DIAMETER: *500mm*
FITTING HEIGHT: *410mm*
CHAIN LENGTH: *920mm*

FITTING MATERIAL:
Steel
SHADE MATERIAL:
Frosted Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FAMILY:
Martini Twist
FITTING COLOUR:
SATIN CHROME: 6007328340034

ADDITIONAL INFORMATIONRMATION:
Adjustable Chain Suspension
Matching Wall Light: W355
Matching Table Lamp: T309





CH263

LAMP TYPE:
Excluding 10 x E14 max 40W Candles 230V

DIAMETER: *615mm*
FITTING HEIGHT: *500mm*
CHAIN LENGTH: *600mm*

FITTING MATERIAL:
Steel
CRYSTALS:
Clear Crystals

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FITTING COLOUR:
BRASS: 6007328388036

ADDITIONAL INFORMATION:
Adjustable Chain Suspension



CH264

LAMP TYPE:
Excluding 5 x E27 max 60W Candles 230V

DIAMETER: *580mm*
FITTING HEIGHT: *410mm*
CHAIN LENGTH: *1060mm*

FITTING MATERIAL:
Steel
SHADE:
Clear Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FAMILY:
Chaplin
FITTING COLOUR:
BLACK: 6007328388029

ADDITIONAL INFORMATION:
Adjustable Chain Suspension



CH248 **LAMP TYPE:** *Excluding 3 x E14 max 40W Candles 230V*

DIAMETER: *350mm*
FITTING HEIGHT: *315mm*
CHAIN LENGTH: *500mm*

FITTING MATERIAL:
Steel
CRYSTALS:
Clear Acrylic Crystals

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FAMILY:
Otis
FITTING COLOUR:
CHROME: 6007328362388

ADDITIONAL INFORMATION:
Adjustable Chain Suspension



CH250 **LAMP TYPE:** *Excluding 5 x E14 max 40W Candles 230V*

DIAMETER: *415mm*
FITTING HEIGHT: *320mm*
CHAIN LENGTH: *550mm*

FITTING MATERIAL:
Steel
CRYSTALS:
Clear Acrylic Crystals

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FAMILY:
Otis
FITTING COLOUR:
CHROME: 6007328365945

ADDITIONAL INFORMATION:
Adjustable Chain Suspension



CH36 **LAMP TYPE:** *Excluding 6 x E14 max 40W Candles 230V*

DIAMETER: *620mm*
FITTING HEIGHT: *530mm*
CHAIN LENGTH: *600mm*

FITTING MATERIAL:
Steel
CRYSTALS:
Clear Glass Crystals

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FITTING COLOUR:
COUNTRY BROWN: 6007328356707
CHROME: 6007328356691

ADDITIONAL INFORMATION:
Adjustable Chain Suspension



CH37 **LAMP TYPE:** *Excluding 8 x E14 max 40W Candles 230V*

DIAMETER: *820mm*
FITTING HEIGHT: *510mm*
CHAIN LENGTH: *600mm*

FITTING MATERIAL:
Steel
CRYSTALS:
Clear Glass Crystals

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FITTING COLOUR:
COUNTRY BROWN: 6007328356721
CHROME: 6007328356714

ADDITIONAL INFORMATION:
Adjustable Chain Suspension



CH233 **LAMP TYPE:** *Excluding 5 x E14 max 40W Candle 230V*

DIAMETER: *525mm*
FITTING HEIGHT: *620mm*
CHAIN LENGTH: *310mm*

FITTING MATERIAL:
Steel
CRYSTALS:
Clear Glass Crystals

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FAMILY:
Erin
FITTING COLOUR:
POLISHED BRASS: 6007328358466

ADDITIONAL INFORMATION:
Adjustable Chain Suspension



CH245 **LAMP TYPE:** *Excluding 5 x E14 max 40W Candles 230V*

DIAMETER: *440mm*
FITTING HEIGHT: *410mm*
CHAIN LENGTH: *870mm*

FITTING MATERIAL:
Steel
CRYSTALS:
Acrylic Crystals

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FAMILY:
Odile
FITTING COLOUR:
CLEAR ACRYLIC : 6007328362296
MULTI COLOURED : 6007328362302

ADDITIONAL INFORMATION:
Adjustable Chain Suspension



CH247 **LAMP TYPE:** *Excluding 5 x E14 max 40W Candles 230V*

DIAMETER: *530mm*
FITTING HEIGHT: *500mm*
CHAIN LENGTH: *800mm*

FITTING MATERIAL:
Steel
CRYSTALS:
Acrylic Crystals

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP: *20* : *1*

FAMILY:
Orlene
FITTING COLOUR:
BLACK: 6007328362364
RED: 6007328362357
CLEAR: 6007328362340

ADDITIONAL INFORMATION:
Adjustable Chain Suspension



CH271 **LAMP TYPE:** *Excluding 3 x E14 max 40W Candles 230V*

DIAMETER: *540mm*
FITTING HEIGHT: *590mm*
CHAIN LENGTH: *700mm*

FITTING MATERIAL:
Steel & Glass
CRYSTALS:
Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP: *20* : *1*

FAMILY:
Carpento
FITTING COLOUR:
CHROME/WHITE: 9002759391126

ADDITIONAL INFORMATION:
Adjustable Chain Suspension



CH272 **LAMP TYPE:** *Excluding 5 x E14 max 40W Candles 230V*

DIAMETER: *600mm*
FITTING HEIGHT: *460mm*
CHAIN LENGTH: *700mm*

FITTING MATERIAL:
Steel & Glass
CRYSTALS:
Glass
PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP: *20* : *1*

FAMILY:
Carpento
FITTING COLOUR:
CHROME/WHITE: 9002759391133

ADDITIONAL INFORMATION:
Adjustable Chain Suspension



CH273 **LAMP TYPE:** *Excluding 8 x E14 max 40W Candles 230V*

DIAMETER: *700mm*
FITTING HEIGHT: *700mm*
CHAIN LENGTH: *700mm*

FITTING MATERIAL:
Steel & Glass
CRYSTALS:
Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP: *20* : *1*

FAMILY:
Carpento
FITTING COLOUR:
CHROME/WHITE: 9002759391140

ADDITIONAL INFORMATION:
Adjustable Chain Suspension



CH246

LAMP TYPE:
Excluding 5 x E14 max 40W Candles 230V

DIAMETER: *545mm*
FITTING HEIGHT: *580mm*
CHAIN LENGTH: *865mm*

FITTING MATERIAL:
Steel & Acrylic
CRYSTALS:
Acrylic Crystals

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FAMILY:
Olaf
FITTING COLOUR:
BLACK: 6007328362326
CLEAR: 6007328362319
MULTI COLOURED : 6007328362333

ADDITIONAL INFORMATION:
Adjustable Chain Suspension



CH249

LAMP TYPE:
Excluding 6 x E14 max 40W Candles 230V

DIAMETER: *550mm*
FITTING HEIGHT: *800mm*
CHAIN LENGTH: *580mm*

FITTING MATERIAL:
Steel & Acrylic
CRYSTALS:
Acrylic Crystals

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FAMILY:
Octave
FITTING COLOUR:
BLACK: 6007328362418
CLEAR: 6007328362401

ADDITIONAL INFORMATION:
Adjustable Chain Suspension



CH266 **LAMP TYPE:** *Excluding 3 x E14 max 40W Candles 230V*

DIAMETER: *255mm*
FITTING HEIGHT: *420mm*
CHAIN LENGTH: *750mm*

FITTING MATERIAL:
Steel
CRYSTALS:
Glass Crystals

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FAMILY:
Cleo
FITTING COLOUR:
BLACK: 6007328389422
CHROME: 6007328389439

ADDITIONAL INFORMATION:
Adjustable Chain Suspension



CH265 **LAMP TYPE:** *Excluding 5 x E14 max 40W Candles 230V*

DIAMETER: *420mm*
FITTING HEIGHT: *400mm*
CABLE LENGTH: *445mm*

FITTING MATERIAL:
Steel
CRYSTALS:
Glass Crystals

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FAMILY:
Cleo
FITTING COLOUR:
BLACK: 6007328389392
CHROME: 6007328389408
WHITE: 6007328389385

ADDITIONAL INFORMATION:
Adjustable Chain Suspension



CH225 **LAMP TYPE:** *Excluding 6 x E14 max 60W Candle 230V*

DIAMETER: *560mm*
FITTING HEIGHT: *590mm*
CHAIN LENGTH: *560mm*

FITTING MATERIAL:
Steel
CRYSTALS:
Clear Glass Crystals

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FITTING COLOUR:
CHROME: 6007328344568

ADDITIONAL INFORMATION:
Adjustable Chain Suspension



CH226 **LAMP TYPE:** *Excluding 8 x E14 max 60W Candle 230V*

DIAMETER: *670mm*
FITTING HEIGHT: *625mm*
CHAIN LENGTH: *560mm*

FITTING MATERIAL:
Steel
CRYSTALS:
Clear Glass Crystals

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FITTING COLOUR:
CHROME: 6007328344575

ADDITIONAL INFORMATION:
Adjustable Chain Suspension



CH105

LAMP TYPE:
Excluding 5 x B22 max 60W Candle 230V

DIAMETER: *480mm*
FITTING HEIGHT: *400mm*
CHAIN LENGTH: *490mm*

FITTING MATERIAL:
Steel
CRYSTALS:
Clear Glass Crystals

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FITTING COLOUR:
ANTIQUE BRASS: 6007328030560

ADDITIONAL INFORMATION:
Adjustable Chain Suspension



CH216 **LAMP TYPE:** *Including 8 x G4 max 20W Bi-pin 12V*

DIAMETER: *730mm*
FITTING HEIGHT: *675mm*
CHAIN LENGTH: *600mm*

FITTING MATERIAL:
Steel
SHADE:
Black String
CRYSTALS:
Clear Glass Crystals

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP: *20* : *1*

FAMILY:
Opulence
FITTING COLOUR:
CHROME: 6007328344308

ADDITIONAL INFORMATION:
Adjustable Chain Suspension
Not Dimmable
Matching Wall Light: W373
Matching Chandeliers: CH207, CH220



CH238 **LAMP TYPE:** *Excluding 3 x E14 max 40W Candle 230V*

DIAMETER: *385mm*
FITTING HEIGHT: *390mm*
CABLE LENGTH: *400mm*

FITTING MATERIAL:
Steel

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP: *20* : *1*

FAMILY:
Emma
FITTING COLOUR:
ANTIQUE BRASS: 6007328358534
CREAM: 6007328358527

ADDITIONAL INFORMATION:
Adjustable Chain Suspension



CH166 **LAMP TYPE:** *Excluding 9 x E27 max 60W Golfball 230V*

DIAMETER: *875mm*
FITTING HEIGHT: *710mm*
CHAIN LENGTH: *500mm*

FITTING MATERIAL:
Steel
SHADE MATERIAL:
Alabaster Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP: *20* : *1*

FAMILY:
Agrimony
FITTING COLOUR:
BLACK/GOLD: 6007328335610

ADDITIONAL INFORMATION:
Adjustable Chain Suspension
Spare Glass: MC351
Matching Wall Light: W296



CH239 **LAMP TYPE:** *Excluding 5 x E14 max 40W Candle 230V*

DIAMETER: *450mm*
FITTING HEIGHT: *390mm*
CHAIN LENGTH: *260mm*

FITTING MATERIAL:
Steel

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP: *20* : *1*

FAMILY:
Olivia
FITTING COLOUR:
ANTIQUE BRASS: 6007328358558
CREAM: 6007328358541

ADDITIONAL INFORMATION:
Adjustable Chain Suspension



CH240 **LAMP TYPE:** *Excluding 7 x E14 max 40W Candle 230V*

DIAMETER: *575mm*
FITTING HEIGHT: *390mm*
CHAIN LENGTH: *250mm*

FITTING MATERIAL:
Steel

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FAMILY:
Bella
FITTING COLOUR:
ANTIQUE BRASS: 6007328358572
CREAM: 6007328358565

ADDITIONAL INFORMATION:
Adjustable Chain Suspension



CH128 **LAMP TYPE:** *Excluding 5 x E14 max 40W Candle 230V*

DIAMETER: *540mm*
FITTING HEIGHT: *340mm*
CHAIN LENGTH: *700mm*

FITTING MATERIAL:
Steel

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FAMILY:
Caposile
FITTING COLOUR:
WHITE: 9002759498511

ADDITIONAL INFORMATION:
Adjustable Chain Suspension



CH4

LAMP TYPE: *Excluding 3 x E14 max 40W Candle 230V*

DIAMETER: *450mm*
FITTING HEIGHT: *400mm*
CHAIN LENGTH: *550mm*

FITTING MATERIAL: *Steel*

PRIMARY VOLTAGE: *220V - 240V (50/60Hz)*

IP : *20* : *1*

FAMILY: *Flemmish*
FITTING COLOUR: *POLISHED BRASS: 6007328004783*

ADDITIONAL INFORMATION: *Adjustable Chain Suspension*



CH1

LAMP TYPE: *Excluding 5 x E14 max 40W Candle 230V*

DIAMETER: *600mm*
FITTING HEIGHT: *405mm*
CHAIN LENGTH: *700mm*

FITTING MATERIAL: *Steel*

PRIMARY VOLTAGE: *220V - 240V (50/60Hz)*

IP : *20* : *1*

FAMILY: *Flemmish*
FITTING COLOUR: *POLISHED BRASS: 6007328004790*

ADDITIONAL INFORMATION: *Adjustable Chain Suspension*



CH2

LAMP TYPE: *Excluding 8 x E14 max 40W Candles 230V*

DIAMETER: *620mm*
FITTING HEIGHT: *350mm*
CHAIN LENGTH: *760mm*

FITTING MATERIAL: *Steel*

PRIMARY VOLTAGE: *220V - 240V (50/60Hz)*

IP : *20* : *1*

FAMILY: *Flemmish*
FITTING COLOUR: *POLISHED BRASS: 6007328004806*

ADDITIONAL INFORMATION: *Adjustable Chain Suspension*



CH3

LAMP TYPE: *Excluding 10 x E14 max 40W Candle 230V*

DIAMETER: *650mm*
FITTING HEIGHT: *500mm*
CHAIN LENGTH: *750mm*

FITTING MATERIAL: *Steel*

PRIMARY VOLTAGE: *220V - 240V (50/60Hz)*

IP : *20* : *1*

FAMILY: *Flemmish*
FITTING COLOUR: *POLISHED BRASS: 6007328004813*

ADDITIONAL INFORMATION: *Adjustable Chain Suspension*



CH108 **LAMP TYPE:** *Excluding 9 x E27 max 60W 230V*

DIAMETER: *770mm*
FITTING HEIGHT: *870mm*
CHAIN LENGTH: *400mm*

FITTING MATERIAL: *Steel*
SHADE MATERIAL: *Alabaster Glass*

PRIMARY VOLTAGE: *220V - 240V (50/60Hz)*

IP : *20* : *1*

FITTING COLOUR:
SATIN CHROME: 6007328331117
ANTIQUE BRASS: 6007328030201

ADDITIONAL INFORMATION:
Adjustable Chain Suspension
Spare Glass: X526



CH109 **LAMP TYPE:** *Excluding 3 x E27 max 60W 230V*

DIAMETER: *590mm*
FITTING HEIGHT: *610mm*
CHAIN LENGTH: *520mm*

FITTING MATERIAL: *Steel*
SHADE MATERIAL: *Alabaster Glass*

PRIMARY VOLTAGE: *220V - 240V (50/60Hz)*

IP : *20* : *1*

FAMILY:
Aria
FITTING COLOUR:
BROWN RUST: 6007328030157

ADDITIONAL INFORMATION:
Adjustable Chain Suspension



CH110 **LAMP TYPE:** *Excluding 6 x E27 max 60W 230V*

DIAMETER: *745mm*
FITTING HEIGHT: *740mm*
CHAIN LENGTH: *520mm*

FITTING MATERIAL: *Steel*
SHADE MATERIAL: *Alabaster Glass*

PRIMARY VOLTAGE: *220V - 240V (50/60Hz)*

IP : *20* : *1*

FAMILY:
Aria
FITTING COLOUR:
BROWN RUST: 6007328030140

ADDITIONAL INFORMATION:
Adjustable Chain Suspension



CH113 **LAMP TYPE:** *Excluding 9 x E27 max 60W 230V*

DIAMETER: *728mm*
FITTING HEIGHT: *730mm*
CHAIN LENGTH: *510mm*

FITTING MATERIAL: *Steel*
SHADE MATERIAL: *Alabaster Glass*

PRIMARY VOLTAGE: *220V - 240V (50/60Hz)*

IP : *20* : *1*

FAMILY:
Grand Budapest
FITTING COLOUR:
ANTIQUE BRASS: 6007328030119
SATIN CHROME: 6007328331148

ADDITIONAL INFORMATION:
Adjustable Chain Suspension
Matching Pendant: P159
Spare Glass: X533



CH209 **LAMP TYPE:** *Excluding 6 x E14 max 40W Candle 230V*

DIAMETER: *800mm*
FITTING HEIGHT: *515mm*
CABLE LENGTH: *1000mm*

FITTING MATERIAL:
Steel
SHADE:
Black String
CRYSTALS:
Clear Glass Crystals

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FAMILY:
Le Fleur
FITTING COLOUR:
CHROME: 6007328342922

ADDITIONAL INFORMATION:
Adjustable Cable Suspension



CH278 **LAMP TYPE:** *Excluding 4 x E14 max 40W Candle 230V*

DIAMETER: *500mm*
FITTING HEIGHT: *1010mm*
CHAIN LENGTH: *930mm*

FITTING MATERIAL:
Steel
SHADE MATERIAL:
Steel Cage

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FAMILY:
Sparta
FITTING COLOUR:
BLACK: 6007328387664

ADDITIONAL INFORMATION:
Adjustable Chain Suspension



CH279 **LAMP TYPE:** *Excluding 6 x E14 max 40W Candle 230V*

DIAMETER: *600mm*
FITTING HEIGHT: *1200mm*
CHAIN LENGTH: *1000mm*

FITTING MATERIAL:
Steel
SHADE MATERIAL:
Steel Cage

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FAMILY:
Sparta
FITTING COLOUR:
BLACK: 6007328387671

ADDITIONAL INFORMATION:
Adjustable Chain Suspension

SHADES





SH1 Beige | Cream | Tan | White | Grey | Charcoal

DIAMETER: *200mm / 275mm*
HEIGHT: *200mm*

SHADE MATERIAL:
Polysilk Fabric

SHADE COLOUR:
Beige, Cream, Tan, White, Grey or Charcoal

: *4*

FITTING COLOUR:
BEIGE (SH1BE): 600732852440
CREAM (SH1CR): 6007328352457
TAN (SH1TA): 6007328352464
WHITE (SH1W): 6007328352471
GREY (SH1GY): 6007328384311
CHARCOAL (SH1CH): 6007328399995

ADDITIONAL INFORMATION:
Cone Shape
Suitable for E14 & B22 Lamp Bases

SH2 Beige | Cream | Tan | White | Grey | Charcoal | Rafia

DIAMETER: *250mm / 350mm*
HEIGHT: *230mm*

SHADE MATERIAL:
Polysilk Fabric

SHADE COLOUR:
Beige, Cream, Tan, White, Grey, Charcoal or Rafia

: *4*

FITTING COLOUR:
BEIGE (SH2BE): 6007328352488
CREAM (SH2CR): 6007328352495
TAN (SH2TA): 6007328352501
WHITE (SH2W): 6007328352518
GREY (SH2GY): 6007328384328
CHARCOAL (SH2CH): 6009551800002
RAFIA (SH2RAF): 6007328399957

ADDITIONAL INFORMATION:
Cone Shape
Suitable for E14 & B22 Lamp Bases





SH3 Beige | Blue | Cream | Tan | White | Grey | Charcoal | Rafia | Black

DIAMETER: *350mm / 450mm*
HEIGHT: *290mm*

SHADE MATERIAL:
Polysilk Fabric

SHADE COLOUR:
Beige, Blue, Cream, Tan, White, Grey, Charcoal, Rafia or Black

: *4*

FITTING COLOUR:
BEIGE (SH3BE): 6007328352525
BLUE (SH3BL): 6007328365471
CREAM (SH3CR): 6007328352532
TAN (SH3TA): 6007328352549
WHITE (SH3W): 6007328352556
GREY (SH3GY): 6007328384335
CHARCOAL (SH3CH): 6009551800019
RAFIA (SH3RAF): 6007328399971
BLACK (SH3B): 6007328385882

ADDITIONAL INFORMATION:
Cone Shape
Suitable for E27 Lamp Bases

SH6 Beige | Cream | Duck Egg | White | Grey | Charcoal | Rafia

DIAMETER: *375mm / 400mm*
HEIGHT: *220mm*

SHADE MATERIAL:
Polysilk Fabric

SHADE COLOUR:
Beige, Cream, Duck Egg, White, Grey, Charcoal or Rafia

: *4*

FITTING COLOUR:
BEIGE (SH6BE): 6007328365549
CREAM (SH6CR): 6007328365556
DUCK EGG (SH6DE): 6007328365570
WHITE (SH6W): 6007328365563
GREY (SH6GY): 6007328384359
CHARCOAL (SH6CH): 6009551800071
RAFIA (SH6RAF): 6007328399988

ADDITIONAL INFORMATION:
Tapered Drum Shape
Suitable for E14 & B22 Lamp Bases





SH4 Beige | Cobble-Stone | Cream | White | Grey | Charcoal

DIAMETER: *425mm / 425mm*
HEIGHT: *230mm*

SHADE MATERIAL:
Polysilk Fabric

SHADE COLOUR:
Beige, Cobblestone, Cream, White, Grey or Charcoal

: *4*

FITTING COLOUR:
BEIGE (SH4BE): 6007328365495
COBBLESTONE (SH4CS): 6007328365518
CREAM (SH4CR): 6007328365501
WHITE (SH4W): 6007328365488
GREY (SH4GY): 6007328384342
CHARCOAL (SH4CH): 6009551800026

ADDITIONAL INFORMATION:
Barrel Shape
Suitable for E14 & B22 Lamp Bases

SH5 Beige | Duck Egg

DIAMETER: *250mm / 350mm*
HEIGHT: *230mm*

SHADE MATERIAL:
Polysilk Fabric

SHADE COLOUR:
Beige or Duck Egg

: *4*

FITTING COLOUR:
BEIGE (SH5BE): 6007328365525
DUCK EGG (SH5DE): 6007328365532

ADDITIONAL INFORMATION:
Cone Shape
Suitable for E27 Lamp Bases

SHADE SELECTION GUIDE

Shapes

Barrel

Cone

Tapered Drum

Bases



Swatches

TABLE LAMPS

TABLE LAMPS

T535 *pg410*

T198 *pg410*

T148 *pg411*

T159 *pg411*

T557 *pg412*

T560 *pg412*

T306 *pg413*

T572 *pg414*

T537 *pg414*

T308 *pg415*

T249 *pg415*

T552 *pg416*

T367 *pg416*

T554 *pg417*

T254 *pg418*

T593 *pg418*

T109 *pg418*

T579 *pg418*

T71 *pg419*

T234 *pg420*

T137 *pg421*

T401 *pg421*

T96 *pg422*

T97 *pg422*

T157 *pg423*

T329 *pg423*

T445 *pg424*

T570 *pg424*

T578 *pg424*

T536 *pg425*

T598 *pg425*

T577 *pg426*

T573 *pg426*

T595 *pg427*

T596 *pg427*

T602 *pg427*

T597 *pg427*

T542 *pg428*

T545 *pg428*

T574 *pg429*

T553 *pg429*

T375 *pg429*

T549 *pg430*

T548 *pg431*

T547 *pg431*

T558 *pg431*

T559 *pg431*

T556 *pg432*

T555 *pg432*

T601 *pg433*

T551 *pg433*

T418 *pg434*

T167 *pg434*

T487 *pg435*

T550 *pg435*

T511 *pg436*

T512 *pg436*

T508 *pg437*

T514 *pg437*

T510 *pg438*

T590 *pg438*

T473 *pg438*

T592 *pg438*

T513 *pg439*

T9 *pg440*

T104 *pg440*

T1 *pg441*

T146 *pg441*

T309 *pg441*

T72 *pg441*

T23 *pg442*

T30 *pg442*

T27 *pg442*

T24 *pg442*

T517 *pg443*

T515 *pg443*

T79 *pg444*

T307 *pg444*

T135 *pg444*

T63 *pg444*

T70 *pg445*

T20 *pg445*



T535 LED **LAMP TYPE:** *Including 1 x 8W Integrated LED*

HEIGHT: *460mm*
WIDTH: *140mm*
DEPTH: *140mm*

FITTING MATERIAL:
Wood & Steel
SHADE:
Opal

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP: *20* : *1*

FAMILY:
Carini
FITTING COLOUR:
WOOD: 6007328383130

SWITCH:
Inline Rocker Switch

LAMP SPECIFICATION:
Power: 8W
Lumens: 240lm
Colour Temperature: 3000K
Lifetime: 25000 Hours
Not Dimmable



T198 **LAMP TYPE:** *Including 9 x G4 max 10W Bi-Pin 12V*

HEIGHT: *730mm*
DIAMETER: *550mm*

FITTING MATERIAL:
Steel
CRYSTALS:
Clear Egyptian Crystals

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP: *20* : *1*

FAMILY:
Meteor
FITTING COLOUR:
CHROME: 6007328336150

ADDITIONAL INFORMATION:
Dimmable
Matching Pendants: P306, P304, P307, P305

SWITCH:
Inline Dimmer Switch



T148

LAMP TYPE:
Excluding 1 x E27 max 40W 230V

HEIGHT: *630mm*
DIAMETER: *345mm*

FITTING MATERIAL:
Steel
SHADE:
Fabric

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *2*

FAMILY:
Pedregal 1
FITTING COLOUR:
BLACK COPPER: 9002759951856
WHITE: 9002759951870

SWITCH:
Inline Rocker Switch



T159

LAMP TYPE:
Excluding 1 x E14 max 60W 230V

HEIGHT: *305mm*
DIAMETER: *165mm*

FITTING MATERIAL:
Steel
SHADE:
Black Outer & Gold Inner
Black Outer & Copper Inner

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *18*

FAMILY:
Carlton 2
FITTING COLOUR:
BLACK COPPER: 9002759957872
BLACK GOLD: 9022759957889

ADDITIONAL INFORMATION:
Matching Pendants: P778B, P778C, P703, P704

SWITCH:
Inline Rocker Switch



T557

LAMP TYPE:
Excluding 1 x E27 max 60W 230V

HEIGHT: *605mm*
DIAMETER: *330mm*

FITTING MATERIAL:
Metal
SHADE:
Black Fabric

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *6*

FAMILY:
Sinatra
FITTING COLOUR:
BRASS: 6007328387626

SWITCH:
Inline Switch



T560

LAMP TYPE:
Excluding 1 x E14 max 40W 230V

HEIGHT: *530mm*
DIAMETER: *320mm*

FITTING MATERIAL:
Metal
SHADE:
Fabric

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FAMILY:
Taylor
FITTING COLOUR:
BLACK: 6007328388005

SWITCH:
Inline Rocker Switch

T306

LAMP TYPE:
Excluding 1 x E14 max 60W 230V

HEIGHT: *480mm*
WIDTH: *260mm*
DEPTH: *210mm*

FITTING MATERIAL:
Steel
SHADE:
Cream Fabric

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *8*

FAMILY:
Pueblo
FITTING COLOUR:
SATIN CHROME: 9002759875985

SWITCH:
Touch Dimmer



T572 **LAMP TYPE:** *Excluding 1 x E27 max 60W 230V*

HEIGHT: *400mm*
DIAMETER: *180mm*

FITTING MATERIAL:
Steel
SHADE:
White Fabric

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *8*

FAMILY:
Pasteri
FITTING COLOUR:
SATIN CHROME: 9002759315948

ADDITIONAL INFORMATION:
Matching Wall Light: W353, W350
Matching Ceiling Light: C122
Matching Floorlight: FL293
Matching Table Light: T537

SWITCH
Inline Switch



T537 **LAMP TYPE:** *Excluding 1 x E14 max 40W 230V*

HEIGHT: *270mm*
DIAMETER: *140mm*

FITTING MATERIAL:
Steel
SHADE:
White/Taupe Fabric

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *18*

FAMILY:
Pasteri
FITTING COLOUR:
TAUPE: 9002759957261
WHITE: 9002759957254

ADDITIONAL INFORMATION:
Matching Wall Light: W353, W350
Matching Ceiling Light: C122
Matching Floorlight: FL293
Matching Table Light: T572

SWITCH:
Inline Switch



T308

LAMP TYPE:
Excluding 1 x E14 max 60W 230V

HEIGHT: *440mm*
DIAMETER: *280mm*

FITTING MATERIAL:
Steel
SHADE:
White Fabric

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FAMILY:
Hampshire
FITTING COLOUR:
SATIN CHROME: 6007328340010

ADDITIONAL INFORMATION:
Matching Floor Light: FL120

SWITCH:
Inline Rocker Switch



T249

LAMP TYPE:
Excluding 1 x E27 max 60W 230V

HEIGHT: *575mm*
DIAMETER: *300mm*

FITTING MATERIAL:
Steel
SHADE:
Silver Fabric & Clear PVC

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *4*

FAMILY:
Race
FITTING COLOUR:
CHROME: 6007328342526

ADDITIONAL INFORMATION:
Matching Floor Light: FL131
Matching Pendant: P362

SWITCH:
Inline Rocker Switch



T552

LAMP TYPE:
Excluding 1 x E27 max 60W 230V

HEIGHT: *440mm*
DIAMETER: *280mm*

FITTING MATERIAL:
Steel & Wood
SHADE:
Black Fabric

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FITTING COLOUR:
BLACK: 6007328387572

SWITCH:
Inline Rocker Switch



T367

LAMP TYPE:
Excluding 1 x E27 max 60W 230V

HEIGHT: *310mm*
DIAMETER: *230mm*

FITTING MATERIAL:
Steel
SHADE:
Black (Outer) & Gold (Inner)
Taupe (Outer) & Gold (Inner)

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *4*

FAMILY:
Maserlo
FITTING COLOUR:
BLACK/GOLD: 9002759316273
TAUPE/GOLD: 9002759316297

ADDITIONAL INFORMATION:
Matching Floor Light: FL206
Matching Pendant: P711, P712
Matching Wall Light: W301

SWITCH:
Inline Rocker Switch



T554

LAMP TYPE:
Excluding 1 x E27 max 60W 230V

HEIGHT: *430mm*
DIAMETER: *200mm*

FITTING MATERIAL:
Steel
SHADE:
Steel

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FITTING COLOUR:
BLACK: 6007328387596

ADDITIONAL INFORMATION:
Matching Floor Light: FL219

SWITCH:
Inline Switch



T254 **LAMP TYPE:** *Excluding 1 x E27 max 60W 230V*

HEIGHT: *600mm*
DIAMETER: *300mm*

FITTING MATERIAL:
Steel & Acrylic Orbs
SHADE:
White Fabric

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FAMILY:
Le Fleur
FITTING COLOUR:
CHROME: 6007328342601

ADDITIONAL INFORMATION:
Matching Floor Light: FL132

SWITCH:
Inline Rocker Switch



T593 **LAMP TYPE:** *Excluding 1 x E27 max 60W 230V*

HEIGHT: *520-640mm max*
WIDTH: *230mm*
DEPTH: *650mm*

FITTING MATERIAL:
Steel & Wood
SHADE:
Black or White Fabric

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FAMILY:
Bow
FITTING COLOUR:
BLACK: 6007328398776
WHITE: 6007328398783

ADDITIONAL INFORMATION:
Matching Floor Light: FL226

SWITCH:
Inline Switch



T109 **LAMP TYPE:** *Excluding 1 x E27 max 60W 240V*

HEIGHT: *415mm*
DIAMETER: *180mm*

FITTING MATERIAL:
Steel
SHADE:
Maple Wood

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *8*

FAMILY:
Sendero
FITTING COLOUR:
MAPLE: 9002759961961

ADDITIONAL INFORMATION:
Matching Floor Light: P174M, P176M
Matching Wall Light: W114

SWITCH
Inline Switch



T579 **LAMP TYPE:** *Excluding 1 x E27 max 60W 230V*

HEIGHT: *440mm*
DIAMETER: *260mm*

FITTING MATERIAL:
Wood & Steel
SHADE:
White Fabric

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *4*

FAMILY:
Chietino 1
FITTING COLOUR:
NATURAL: 9002759975166

SWITCH
Inline Switch



T71

LAMP TYPE:
Excluding 1 x E27 max 60W 230V

HEIGHT: *345mm*
DIAMETER: *230mm*

FITTING MATERIAL:
Steel
SHADE:
Opal Painted Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *4*

FITTING COLOUR:
ANTIQUE BRASS: 6007328027973
POLISHED BRASS: 6007328027966

ADDITIONAL INFORMATION:
Dimmable
Spare Glass: X167 (Leaf Design), X168 (Rose Design)

SWITCH:
Touch Dimmer

T234

LAMP TYPE:
Excluding 1 x E27 max 60W 230V

HEIGHT: *365mm*
DIAMETER: *250mm*

FITTING MATERIAL:
Wood & Concrete
SHADE:
Brown Fabric

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *4*

FAMILY:
Tarega
FITTING COLOUR:
BROWN/GREY: 9002759955274

ADDITIONAL INFORMATION:
Matching Pendants: P184, P1062

SWITCH:
Inline Rocker Switch



T137

LAMP TYPE:
Excluding 2 x E14 max 40W 230V

HEIGHT: *475mm*
DIAMETER: *380mm*

FITTING MATERIAL:
Steel
SHADE:
Whote & Anthracite Fabric

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *4*

FAMILY:
Almeida
FITTING COLOUR:
BLACK: 9002759951948

ADDITIONAL INFORMATION:
Matching Ceiling Light: C146
Matching Wall Light: W139

SWITCH:
Inline Rocker Switch



T401

LAMP TYPE:
Excluding 1 x B22 max 60W 230V

HEIGHT: *440mm*
DIAMETER: *125mm*

FITTING MATERIAL:
Ceramic

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *8*

FITTING COLOUR:
CHROME: 6007328356882

ADDITIONAL INFORMATION:
Excluding Shade, for Shades refer to Shade section

SWITCH:
Mounted Lamp Holder Switch



T96

LAMP TYPE:
Excluding 1 x E14 max 60W 230V

HEIGHT: *200mm*
DIAMETER: *100mm*

FITTING MATERIAL:
Opal Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP: *20* : *15*

FAMILY:
Geo
FITTING COLOUR:
OPAL: 9002759818272

SWITCH:
Inline Rocker Switch



T97

LAMP TYPE:
Excluding 1 x E27 max 60W 230V

HEIGHT: *350mm*
DIAMETER: *120mm*

FITTING MATERIAL:
Opal Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP: *20* : *6*

FAMILY:
Geo
FITTING COLOUR:
OPAL: 9002759818289

ADDITIONAL INFORMATION:
Spare Glass: X1172

SWITCH:
Inline Rocker Switch



T157

LAMP TYPE:
Excluding 1 x E27 max 60W 230V

HEIGHT: *460mm*
DIAMETER: *120mm*

FITTING MATERIAL:
Steel
SHADE:
Opal Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *6*

FAMILY:
Troy 3
FITTING COLOUR:
SATIN CHROME: 9002759859817

ADDITIONAL INFORMATION:
Spare Glass: X845
Matching Wall Light: W281
Matching Pendant: P260, P239
Matching Floor Light: FL75

SWITCH:
Inline Rocker Switch



T329

LAMP TYPE:
Excluding 1 x E27 max 60W 230V

HEIGHT: *500mm*
DIAMETER: *155mm*

FITTING MATERIAL:
Steel
SHADE:
Clear Outer & Opal Inner Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *6*

FAMILY:
Pinto
FITTING COLOUR:
CHROME: 9002759898359

ADDITIONAL INFORMATION:
Spare Glass: X935 (Opal), X934 (Clear)
Matching Pendant: P389, P390, P399
Matching Floor Light: FL113

SWITCH:
Inline Rocker Switch

T445

LAMP TYPE:
Excluding 1 x E27 max 60W 230V

HEIGHT: *200mm*
DIAMETER: *200mm*

FITTING MATERIAL:
Plastic
SHADE:
Opal Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *9*

FAMILY:
Rondo
FITTING COLOUR:
SATIN CHROME: 9002759852641
ADDITIONAL INFORMATION:
Matching Pendants: P198, P199, P200
Matching Ceiling: C421

SWITCH:
Inline Rocker Switch

Bluetooth device on the fitting. Fitting is connectable with smart phones. Max distance to connect is estimated at 5-10 meters. Excludes Remote. Install app on phone (awoX) to control the light & colour changing of the fitting.



T570

LAMP TYPE:
Including 1 x 18W Integrated RGB LED

HEIGHT: *115mm*
DIAMETER: *290mm*

FITTING MATERIAL:
Steel
SHADE:
Opal Plastic

PRIMARY VOLTAGE:
220V - 240V ~ 50Hz

IP : *20* : *6*

FAMILY:
Torvisco
FITTING COLOUR:
SATIN CHROME: 9002759978136

ADDITIONAL INFORMATION:
Dimmable
Eglo Connect Remote Available (CO341)

SWITCH:
Inline Rocker Switch

LAMP SPECIFICATION:
Power: 18W
Lumens: 2300lm
Colour Temperature: 2700K - 6500K + RGB
Lifetime: 25000 Hours



T578

LAMP TYPE:
Excluding 1 x E27 max 60W 230V

HEIGHT: *500mm*
DIAMETER: *160mm*

FITTING MATERIAL:
Wood
SHADE:
Beige Fabric

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *6*

FAMILY:
Campodino
FITTING COLOUR:
MAPLE: 9002759978921

SWITCH:
Inline Switch



T536

LAMP TYPE:
Excluding 1 x E27 max 60W 230V

HEIGHT: *270mm*
DIAMETER: *100mm*

FITTING MATERIAL:
Steel
SHADE:
Clear Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *12*

FAMILY:
Torvisco
FITTING COLOUR:
CLEAR: 9002759945497

SWITCH:
Inline Switch



T598

LAMP TYPE:
Excluding 1 x E27 max 60W 230V

HEIGHT: *400mm*
DIAMETER: *175mm*

FITTING MATERIAL:
Steel
SHADE:
Grey Fabric

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *8*

FAMILY:
Siponto
FITTING COLOUR:
SATIN CHROME: 9002759982867

SWITCH:
Inline Switch



T577

LAMP TYPE:
Excluding 1 x E27 max 40W 230V

HEIGHT: *305mm*
WIDTH: *200mm*
DEPTH: *200mm*

FITTING MATERIAL:
Steel
SHADE:
Smoked Black Transparent Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *2*

FAMILY:
Olival
FITTING COLOUR:
BLACK: 9002759972097

SWITCH:
Inline Switch



T573

LAMP TYPE:
Excluding 1 x E14 max 40W 230V

HEIGHT: *165mm*
WIDTH: *190mm*
DEPTH: *190mm*

FITTING MATERIAL:
Steel
SHADE:
Opal Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *8*

FAMILY:
Vallaspra
FITTING COLOUR:
CHAMPAGNE: 9002759977948

ADDITIONAL INFORMATION:
Matching Pendant: P1058
Matching Ceiling: C619, C620

SWITCH:
Inline Rocker Switch



T595 **LAMP TYPE:** *Excluding 1 x E27 max 60W 230V*

HEIGHT: *420mm*
DIAMETER: *225mm*

FITTING MATERIAL:
Steel & Glass
SHADE:
Cognac or Smokey Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FITTING COLOUR:
COGNAC: 6007328399179
SMOKEY GREY: 6007328399162

ADDITIONAL INFORMATION:
Matching Pendant: P1103

SWITCH:
Inline Switch



T596 **LAMP TYPE:** *Excluding 1 x E27 max 60W 230V*

HEIGHT: *295mm*
DIAMETER: *340mm*

FITTING MATERIAL:
Steel & Glass
SHADE:
Opal Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FITTING COLOUR:
CHROME: 6007328399339

ADDITIONAL INFORMATION:
Matching Pendants: P1107, P1108

SWITCH:
Inline Switch



T602 LED **LAMP TYPE:** *Including 1 x 12W Integrated SMD LED*

HEIGHT: *340mm*
WIDTH: *230mm*
DEPTH: *70mm*

FITTING MATERIAL:
Aluminium, Steel & Plastic
SHADE:
Opal Silicone

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *4*

FAMILY:
Aurora
FITTING COLOUR:
BLACK: 600728399629
WHITE: 6007328399612

ADDITIONAL INFORMATION:
Matching Pendants: P1146, P1139

SWITCH:
On/Off Switch

LAMP SPECIFICATION:
Power: 12W
Colour Temperature: 3000K
Lifetime: 25 000 hours
Not Dimmable



T597 LED **LAMP TYPE:** *Including 1 x G9 max 3W LED 230V*

HEIGHT: *375mm*
WIDTH: *95mm*
DEPTH: *95mm*

FITTING MATERIAL:
Steel
SHADE:
Clear Crystals

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *10*

FAMILY:
Pyton Gold
FITTING COLOUR:
GOLD: 9002759977252

ADDITIONAL INFORMATION:
Matching Ceiling Light: C683, C684
Matching Pendant: P1116

SWITCH:
Inline Switch

LAMP SPECIFICATION:
Power: 3W
Colour Temperature: 3000K
Not Dimmable



T542

LAMP TYPE:
Excluding 1 x E27 max 40W 230V

HEIGHT: *580mm*
DIAMETER: *390mm*

FITTING MATERIAL:
Black Steel
SHADE:
Clear Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP: *20* : *1*

FAMILY:
Hallstat
FITTING COLOUR:
BLACK: 6007328386988

ADDITIONAL INFORMATION:
Matching Pendant: P899, P900, P901, P930

SWITCH:
Inline Switch



T545

LAMP TYPE:
Excluding 1 x E27 max 40W 230V

HEIGHT: *580mm*
DIAMETER: *390mm*

FITTING MATERIAL:
Steel
SHADE:
Opal Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP: *20* : *1*

FAMILY:
Hallstat

FITTING COLOUR:
BLACK: 6007328387015

SWITCH:
Inline Switch



T574 LED **LAMP TYPE:** *Including 1 x GU10 max 5W LED 230V*

HEIGHT: *445mm*
DEPTH: *235mm*

FITTING MATERIAL:
Steel
SHADE:
Black Outer & Gold Inner

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP: *20* | *:6*

FAMILY:
Cortaderas
FITTING COLOUR:
BLACK & GOLD: 9002759978051

ADDITIONAL INFORMATION:
Dimmable
Matching Floor Light: FL294
Matching Pendant: P1059, P1060, P1061
Matching Spotlight: S437

SWITCH:
Inline Switch

LAMP SPECIFICATION:
Power: 5W
Colour Temperature: 3000K
Lifetime: 25 000 Hours



T553 **LAMP TYPE:** *Excluding 1 x E27 max 60W 230V*

HEIGHT: *420mm*
WIDTH: *130mm*
DEPTH: *280mm*

FITTING MATERIAL:
Metal
SHADE:
Steel

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP: *20* | *:6*

FAMILY:
Charisse

FITTING COLOUR:
COPPER: 6007328387589

SWITCH:
Inline Switch



T375 LED **LAMP TYPE:** *Excluding 1 x 6W Integrated LED*

HEIGHT: *305mm*
DIAMETER: *150mm*

FITTING MATERIAL:
Aluminium & Steel
SHADE:
Opal Plastic Lens

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP: *20* | *:14*

FAMILY:
Pickman
FITTING COLOUR:
BLACK: 6007328398493
WHITE: 6007328398509

ADDITIONAL INFORMATION:
Matching Pendant: P1137
Matching Wall Light: W607

SWITCH:
Inline Switch

LAMP SPECIFICATION:
Power: 6W
Colour Temperature: 3000K
Lifetime: 20 000 Hours
Not Dimmable

T549

LAMP TYPE:
Excluding 1 x E27 max 40W 230V

HEIGHT: *630mm*
DIAMETER: *175mm*

FITTING MATERIAL:
Steel
SHADE:
Steel

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FAMILY:
Lofoten
FITTING COLOUR:
BLACK: 6007328387053
WHITE: 6007328387060

ADDITIONAL INFORMATION:
Matching Floor Lamp: FL217

SWITCH:
Inline Switch



T548 **LAMP TYPE:** *Excluding 1 x E27 max 40W 230V*

HEIGHT: *520mm*
WIDTH: *150mm*
DEPTH: *170mm*

FITTING MATERIAL:
Steel

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FAMILY:
Seville
FITTING COLOUR:
BLACK/COPPER: 6007328387046

SWITCH:
Inline Switch



T547 LED **LAMP TYPE:** *Excluding 1 x G9 max 5W LED*

HEIGHT: *520mm*
WIDTH: *150mm*
DEPTH: *190mm*

FITTING MATERIAL:
Steel
SHADE:
Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FAMILY:
Seville
FITTING COLOUR:
BLACK: 6007328387039

SWITCH:
Inline Switch



T558 **LAMP TYPE:** *Excluding 1 x E14 max 40W Candle 230V*

HEIGHT: *480mm*
WIDTH: *150mm*
DEPTH: *160mm*

FITTING MATERIAL:
Steel
SHADE:
Steel

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *4*

FAMILY:
Brando
FITTING COLOUR:
COPPER: 6007328387633

SWITCH:
Inline Switch



T559 **LAMP TYPE:** *Excluding 1 x E27 max 60W 230V*

HEIGHT: *480mm*
WIDTH: *165mm*
DEPTH: *210mm*

FITTING MATERIAL:
Steel
SHADE:
Steel

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *4*

FAMILY:
Brando
FITTING COLOUR:
SATIN CHROME: 6007328387992

SWITCH:
Inline Switch



T556

LAMP TYPE:
Excluding 1 x E27 max 60W 230V

HEIGHT: *450mm*
WIDTH: *160mm*
DEPTH: *350mm*

FITTING MATERIAL:
Metal & Wood
SHADE:
White Steel

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP: *20* : *6*

FAMILY:
Heston
FITTING COLOUR:
WHITE/NATURAL WOOD: 6007328387619

SWITCH:
Inline Switch



T555

LAMP TYPE:
Excluding 1 x E27 max 60W 230V

HEIGHT: *620mm*
WIDTH: *160mm*
DEPTH: *330mm*

FITTING MATERIAL:
Metal & Wood
SHADE:
Black Steel

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP: *20* : *1*

FAMILY:
Heston
FITTING COLOUR:
BLACK/NATURAL WOOD: 6007328387602

SWITCH:
Inline Switch



T601

LAMP TYPE:
Excluding 1 x E27 max 28W 230V

HEIGHT: *420mm*
WIDTH: *180mm*
DEPTH: *200mm*

FITTING MATERIAL:
Steel & Wood
SHADE:
Black Outer & Cream Inner

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *4*

FAMILY:
Hornwood
FITTING COLOUR:
BLACK/OAK: 9002759430474

ADDITIONAL INFORMATION:
Matching Pendant: P1125
Matching Floor Light: FL303
Matching Spotlight: S459

SWITCH:
Inline Switch



T551

LAMP TYPE:
Excluding 1 x E27 max 40W 230V

HEIGHT: *520mm*
WIDTH: *150mm*
DEPTH: *700mm*

FITTING MATERIAL:
Steel & Wood
SHADE:
Black Outer & White Inner
Pink Outer & White Inner
White Outer & White Inner

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *12*

FAMILY:
Tai
FITTING COLOUR:
BLACK: 6007328387831
WHITE: 6007328387848
PINK: 6007328387855

ADDITIONAL INFORMATION:
Matching Floor Light: FL218

SWITCH:
Inline Switch



T418

LAMP TYPE:
Excluding 1 x E27 max 40W 230V

HEIGHT: *670mm*
WIDTH: *180mm*
DEPTH: *590mm*

FITTING MATERIAL:
Steel
SHADE:
Satin Chrome Steel

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *4*

FAMILY:
Contempo
FITTING COLOUR:
SATIN CHROME: 6007328358244

SWITCH:
Inline Rocker Switch



T167

LAMP TYPE:
Excluding 1 x E27 max 40W 230V

HEIGHT: *800mm*
WIDTH: *190mm*
DEPTH: *600mm*

FITTING MATERIAL:
Steel
SHADE:
Copper or Black Steel

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *4*

FAMILY:
Borgillio
FITTING COLOUR:
BLACK: 9002759946975
COPPER: 9002759947040

ADDITIONAL INFORMATION:
Matching Floor Light: FL118

SWITCH:
Inline Switch



T487

LAMP TYPE:
Excluding 1 x E27 max 40W 230V

HEIGHT: *590mm*
WIDTH: *160mm*
DEPTH: *350mm*

FITTING MATERIAL:
Steel
SHADE:
Steel Black (Outer) & White (Inner)

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *4*

FAMILY:
Priddy
FITTING COLOUR:
BLACK: 9002759494698

ADDITIONAL INFORMATION:
Matching Pendant: P695, P696, P821, P830, P831
Matching Floor Light: FL189
Matching Wall Light: W494

SWITCH:
Inline Switch



T550

LAMP TYPE:
Excluding 1 x E14 max 40W 230V

HEIGHT: *680mm*
WIDTH: *180mm*
DEPTH: *300mm*

FITTING MATERIAL:
Steel
SHADE:
Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FAMILY:
Siena
FITTING COLOUR:
COPPER: 6007328387091
OPAL: 6007328387077
SMOKE: 6007328387084

ADDITIONAL INFORMATION:
Adjustable Arm
Matching Pendant: P904, P934
Matching Wall Light: W562, W569

SWITCH:
Inline Switch

T511

LED **LAMP TYPE:**
Including 12 x 0.41W Integrated SMD LED

HEIGHT: *545mm*
WIDTH: *140mm*
DEPTH: *540mm*

FITTING MATERIAL:
Plastic, Steel & Aluminium
SHADE:
Frosted & Black Steel

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP: *20* : *4*

FAMILY:
Empire
FITTING COLOUR:
BLACK: 6007328380627

ADDITIONAL INFORMATION:
Study/Hobby Light
USB Socket
Dimmable

SWITCH:
Touch Switch & Dimmer

LAMP SPECIFICATION:
Power: 4.92W (12 x 0.41W)
Luminous Flux: 450lm
Colour Temperature: 3000K
Lifetime: 25 000 Hours

T512

LED **LAMP TYPE:**
Including 12 x 0.41W Integrated SMD LED

HEIGHT: *500mm*
WIDTH: *98mm*
DEPTH: *145mm*

FITTING MATERIAL:
Plastic, Aluminium & Silicone
SHADE:
Metal & Plastic

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP: *20* : *6*

FITTING COLOUR:
BRONZE: 6007328380634

ADDITIONAL INFORMATION:
Silicone Gooseneck
Study/Hobby Light
USB Socket
Dimmable

SWITCH:
Touch Switch & Dimmer

LAMP SPECIFICATION:
Power: 4.92W (12 x 0.41W)
Luminous Flux: 450lm
Colour Temperature: 3000K
Lifetime: 25 000 Hours



T508 LED **LAMP TYPE:** *Including 12 x 0.33W Integrated SMD LED*

HEIGHT: *520mm*
WIDTH: *110mm*
DEPTH: *240mm*

FITTING MATERIAL:
Plastic & Metal
SHADE:
Metal

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *6*

FAMILY:
Eiffel
FITTING COLOUR:
IRON GREY: 6007328380597

ADDITIONAL INFORMATION:
Silicone Gooseneck
Study/Hobby Light
USB Socket
Dimmable

SWITCH:
Touch Switch & Dimmer

LAMP SPECIFICATION:
Power: 3.96W (12 x 0.33W)
Luminous Flux: 350lm
Colour Temperature: 3000K
Lifetime: 25 000 Hours



T514 LED **LAMP TYPE:** *Including 14 x 0.39W Integrated SMD LED*

HEIGHT: *350mm*
WIDTH: *141mm*
DEPTH: *100mm*

FITTING MATERIAL:
Plastic & Metal
SHADE:
Plastic

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *12*

FAMILY:
Burj
FITTING COLOUR:
BLACK: 6007328380658
WHITE: 6007328380665

ADDITIONAL INFORMATION:
Silicone Gooseneck
Study/Hobby Light
Matching Wall Light: WS23

SWITCH:
Rocker Switch

LAMP SPECIFICATION:
Power: 5.5W (14 x 0.39W)
Luminous Flux: 500lm
Colour Temperature: 4000K
Lifetime: 25 000 Hours
Not Dimmable

T510 LED **LAMP TYPE:** *Including 36 x 0.83W Integrated SMD LED*

HEIGHT: *460mm*
WIDTH: *160mm*
DEPTH: *460mm*

FITTING MATERIAL:
Plastic & Metal
SHADE:
Metal

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP: *20* | *6*

FAMILY:
Shard
FITTING COLOUR:
SILVER: 6007328380610

ADDITIONAL INFORMATION:
Silicone Gooseneck
Study/Hobby Light
USB Socket
Dimmable

SWITCH:
Touch Switch & Dimmer

LAMP SPECIFICATION:
Power: 10W (36 x 0.83W)
Luminous Flux: 900lm
Colour Temperature: 4000K
Lifetime: 25 000 Hours

T590 LED **LAMP TYPE:** *Including 1 x 7W Integrated LED*

HEIGHT: *385mm*
WIDTH: *160mm*
DEPTH: *220mm*

FITTING MATERIAL:
Plastic
SHADE:
Frosted Plastic

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP: *20* | *1*

FITTING COLOUR:
BEIGE: 6007328398073
BLUE: 6007328398066
PINK: 6007328398080

ADDITIONAL INFORMATION:
Rotational Stationary Holder

SWITCH:
Rocker Switch

LAMP SPECIFICATION:
Power: 7W
Luminous Flux: 360lm
Colour Temperature: 4000K
Beam Angle: 120˚
Lifetime: 20 000 Hours
Not Dimmable



T473 LED **LAMP TYPE:** *Including 1 x 5W Integrated LED*

HEIGHT: *330mm*
WIDTH: *150mm*
DEPTH: *260mm*

FITTING MATERIAL:
Steel & Aluminium
SHADE:
White Plastic

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP: *20* | *16*

FAMILY:
Caupo
FITTING COLOUR:
WHITE: 9002759939656

ADDITIONAL INFORMATION:
Dimmable

SWITCH:
Mounted Touch Dimmer

LAMP SPECIFICATION:
Power: 5W
Luminous Flux: 280lm
Colour Temperature: 3000K - 6500K Tuneable
Lifetime: 25 000 Hours

T592 LED **LAMP TYPE:** *Including 1 x 3W Integrated LED*

HEIGHT: *360mm*
WIDTH: *170mm*
DEPTH: *235mm*

FITTING MATERIAL:
Plastic
SHADE:
Frosted Plastic Lens

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP: *20* | *12*

FITTING COLOUR:
SILVER: 6007328398059

ADDITIONAL INFORMATION:
USB Charger Port
Gooseneck

LAMP SPECIFICATION:
Power: 3W
Luminous Flux: 200lm
Colour Temperature: 4000K
Lifetime: 20 000 Hours
Not Dimmable

USB

T513 LED **LAMP TYPE:**
Including 30 x 0.16W Integrated SMD LED

HEIGHT: *380mm*
WIDTH: *141mm*
DEPTH: *215mm*

FITTING MATERIAL:
Plastic, Metal & Silicone
SHADE:
Frosted Plastic

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *8*

FAMILY:
Belem
FITTING COLOUR:
WHITE: 6007328380641

ADDITIONAL INFORMATION:
Dimmable
Silicone Gooseneck
Study/Hobby Light
USB Socket

SWITCH:
Touch Switch & Dimmer

LAMP SPECIFICATION:
Power: 5W (30 x 0.16W)
Luminous Flux: 470lm
Colour Temperature: 4000K
Lifetime: 25 000 Hours



T9

LAMP TYPE:
Excluding 1 x E27 max 60W 230V

HEIGHT: *375mm*
WIDTH: *230mm*
DEPTH: *220mm*

FITTING MATERIAL:
Steel
SHADE:
Green Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *4*

DESCRIPTION:
Lawyers Lamp
FITTING COLOUR:
POLISHED BRASS: 6007328009382

ADDITIONAL INFORMATION:
Spare Glass: X525

SWITCH:
Inline Rocker Switch



T104

LAMP TYPE:
Excluding 1 x E27 max 60W 230V

HEIGHT: *370mm*
WIDTH: *270mm*
DEPTH: *175mm*

FITTING MATERIAL:
Steel
SHADE:
Opal Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *6*

FAMILY:
Bankers Lamp
FITTING COLOUR:
CHROME: 6007328024811

ADDITIONAL INFORMATION:
Spare Glass: X432

SWITCH:
Inline Rocker Switch



T1

LAMP TYPE:
Excluding 1 x E27 max 60W 230V

HEIGHT: *375mm*
WIDTH: *265mm*
DEPTH: *245mm*

FITTING MATERIAL:
Steel
SHADE:
Opal Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *4*

FAMILY:
Office
FITTING COLOUR:
SATIN CHROME: 6007328009399

ADDITIONAL INFORMATION:
Spare Glass: X524

SWITCH:
Inline Rocker Switch



T146

LAMP TYPE:
Excluding 1 x E14 max 25W Golfball 230V

HEIGHT: *370mm*
DIAMETER: *125mm*
DEPTH: *200mm*

FITTING MATERIAL:
Steel
SHADE:
Alabaster Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *4*

FAMILY:
Prince 1
FITTING COLOUR:
SATIN CHROME: 9002759864293

ADDITIONAL INFORMATION:
Flexible Stem
Matching Wall Light: W220
Spare Glass: X850

SWITCH:
Inline Rocker Switch



T309

LAMP TYPE:
Including 1 x G9 max 40W Bi-pin 230V

HEIGHT: *425mm*
WIDTH: *130mm*
DEPTH: *240mm*

FITTING MATERIAL:
Steel
SHADE:
Frosted Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *4*

FAMILY:
Martini Twist
FITTING COLOUR:
SATIN CHROME: 6007328340027

ADDITIONAL INFORMATION:
Matching Chandeliers: CH191 & CH192)
Matching Wall Light: W355

SWITCH:
Inline Rocker Switch



T72

LAMP TYPE:
Excluding 1 x E14 max 40W Golfball 230V

HEIGHT: *485mm*
WIDTH: *125mm*
DEPTH: *270mm*

FITTING MATERIAL:
Steel
SHADE:
Frosted Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *12*

FAMILY:
Nicola
FITTING COLOUR:
SATIN CHROME: 6007328340904

ADDITIONAL INFORMATION:
Flexible Stem
Matching Table Light: T70
Matching Wall Light: W108
Spare Glass: X090

SWITCH:
Mounted Rocker Switch

Available Colours



T23

LAMP TYPE:
Excluding 1 x E27 max 40W R63 230V

HEIGHT: *330mm*
WIDTH: *125mm*
DEPTH: *250mm*

FITTING MATERIAL:
Pressed Steel & Plastic
SHADE:
Steel

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *6*

FAMILY:
Student
FITTING COLOUR:
BLACK: 6007328002727
BLUE: 6007328383789
GREY: 6007328377740
MINT: 6007328377733
RED: 6001003086071
TEAL: 6007328380870
WHITE: 6007328002710

ADDITIONAL INFORMATION:
Flexible Stem

SWITCH:
Mounted Rocker Switch



T30

LAMP TYPE:
Excluding 1 x E27 max 60W R80 230V

HEIGHT: *365mm*
WIDTH: *130mm*
DEPTH: *230mm*

FITTING MATERIAL:
Steel & Plastic
SHADE:
Pressed Steel

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *16*

FAMILY:
Turbo
FITTING COLOUR:
BLACK: 6007328003243
WHITE: 6007328003267

ADDITIONAL INFORMATION:
Flexible Stem
Matching Spotlight: S40, S42, S43, S44, S45, S239, S240, S312, S314, S315, S316
Matching Table Light: T63

SWITCH:
Mounted Rocker Switch



T27

LAMP TYPE:
Excluding 1 x E27 max 60W R80 230V

HEIGHT: *350mm*
WIDTH: *130mm*
DEPTH: *220mm*

FITTING MATERIAL:
Steel & Plastic
SHADE:
Pressed Steel

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *12*

FAMILY:
Quattro
FITTING COLOUR:
BLACK: 6007328005131
WHITE: 6007328003205

ADDITIONAL INFORMATION:
Flexible Stem
Matching Spotlight: S35

SWITCH:
Mounted Rocker Switch



T24

LAMP TYPE:
Excluding 1 x E27 max 60W R80 230V

HEIGHT: *350mm*
WIDTH: *110mm*
DEPTH: *190mm*

FITTING MATERIAL:
Plastic & Steel
SHADE:
Pressed Steel

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *24*

FAMILY:
Organizer
FITTING COLOUR:
BLACK/BLACK: 6007328011804
BLACK/WHITE: 6007328011798

ADDITIONAL INFORMATION:
Flexible Stem
Including Stationery Holder

SWITCH:
Mounted Rocker Switch



T517 **LAMP TYPE:** *Excluding 1 x E27 max 40W 230V*

HEIGHT: *400mm*
WIDTH: *140mm*
DEPTH: *240mm*

FITTING MATERIAL:
Plastic
SHADE:
Pressed Steel

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *6*

FITTING COLOUR:
WHITE: 6007328380832

ADDITIONAL INFORMATION:
Flexible Stem
Study/Hobby Light

SWITCH:
Mounted Rocker Switch



T515 **LAMP TYPE:** *Excluding 1 x E27 max 11W 230V*

HEIGHT: *375mm*
DIAMETER: *140mm*

FITTING MATERIAL:
Plastic
SHADE:
ABS

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *6*

FITTING COLOUR:
BLUE: 6007328380818
PINK: 6007328380801

ADDITIONAL INFORMATION:
Flexible Stem
Study/Hobby Light

SWITCH:
Mounted Rocker Switch





T79

LAMP TYPE:
Excluding 1 x E14 max 40W R50 230V

HEIGHT: *115mm*
WIDTH: *65mm*
DEPTH: *120mm*

FITTING MATERIAL:
Steel & Plastic
SHADE:
Pressed Steel

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP: *20* | : *12*

FAMILY:
Mini Turbo
FITTING COLOUR:
WHITE: 6007328004639

ADDITIONAL INFORMATION:
Clip-on Desk Clamp

SWITCH:
Inline Rocker Switch

T307

LAMP TYPE:
Excluding 1 x E27 max 40W R63 230V

HEIGHT: *125mm*
DIAMETER: *75mm*
DEPTH: *135mm*

FITTING MATERIAL:
Steel & Plastic
SHADE:
White Pressed Steel

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP: *20* | : *12*

FAMILY:
Quattro
FITTING COLOUR:
WHITE: 6007328325710

ADDITIONAL INFORMATION:
Clip-on Desk Clamp
Matching Spotlight: S35

SWITCH:
Inline Rocker Switch





T135

LAMP TYPE:
Excluding 1 x E27 max 60W R80 230V

HEIGHT: *340mm*
WIDTH: *120mm*
DEPTH: *150mm*

FITTING MATERIAL:
Steel & Plastic
SHADE:
Pressed Steel

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP: *20* | : *16*

FAMILY:
Student
FITTING COLOUR:
BLACK: 6007328326021
WHITE: 6007328326014

ADDITIONAL INFORMATION:
Flexible Stem
Clip-on Desk Clamp

SWITCH:
Inline Rocker Switch

T63

LAMP TYPE:
Excluding 1 x E27 max 60W R63 230V

HEIGHT: *440mm*
WIDTH: *75mm*
DEPTH: *240mm*

FITTING MATERIAL:
Steel & Plastic
SHADE:
White Pressed Steel

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP: *20* | : *12*

FAMILY:
Turbo
FITTING COLOUR:
WHITE: 6007328011835

ADDITIONAL INFORMATION:
Flexible Stem
Clip-on Desk Clamp

SWITCH:
Inline Rocker Switch



T70

LAMP TYPE:
Excluding 1 x E14 max 40W Golfball 230V

HEIGHT: *190mm*
WIDTH: *70mm*
DEPTH: *280mm*

FITTING MATERIAL:
Steel & Plastic
SHADE:
Opal Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *24*

FAMILY:
Nicola
FITTING COLOUR:
SATIN CHROME: 6007328341291

ADDITIONAL INFORMATION:
Flexible Stem
Clip on to desk
Matching Wall Light: W108
Spare Glass; X090

SWITCH:
Inline Rocker Switch



T20

LAMP TYPE:
Excluding 1 x E27 max 60W 230V

HEIGHT: *800mm*
WIDTH: *180mm*
DEPTH: *400mm*

FITTING MATERIAL:
Plastic & Steel
SHADE:
Pressed Steel

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *4*

FITTING COLOUR:
BLACK: 6007328002901
SILVER: 6007328015383
WHITE: 6007328002918

ADDITIONAL INFORMATION:
Hoppy / Task Lamp
Clip-on Desk Clamp
Height Adjustable

SWITCH:
Inline Rocker Switch

T109

FLOOR LAMPS

FLOOR LAMPS

FL291 *pg450*

FL301 *pg450*

FL209 *pg451*

FL211 *pg451*

FL137 *pg451*

FL82 *pg452*

FL175 *pg453*

FL73 *pg453*

FL104 *pg453*

FL21W *pg453*

FL121 *pg454*

FL131 *pg454*

FL219 *pg455*

FL133 *pg455*

FL302 *pg456*

FL299 *pg456*

FL298 *pg456*

FL205 *pg456*

FL206 *pg457*

FL120 *pg457*

FL293 *pg457*

FL21 *pg457*

FL176 *pg458*

FL226 *pg458*

FL225 *pg458*

FL101 *pg459*

FL113 *pg459*

FL100 *pg459*

FL75 *pg459*

FL212 *pg460*

FL294 *pg460*

FL200 *pg460*

FL217 *pg460*

FL218 *pg461*

FL189 *pg461*

FL224 *pg461*

FL23 *pg461*

FL140 *pg462*

FL188 *pg462*

FL303 *pg463*

FL106 *pg463*

FL169 *pg464*

FL292 *pg464*

FL90 *pg464*

FL12 *pg464*

FL14 *pg465*

FL170 *pg465*

FL13SC *pg465*

FL30 *pg465*



Bluetooth device on the fitting. Fitting is connectable with smart phones. Max distance to connect is estimated at 5-10 meters. Excludes Remote. Install app on phone (awoX) to control the light and colour changing of the fitting.

FL291

LAMP TYPE:
including 2 x 17W Integrated RGB LED 230V

HEIGHT: *1755mm*
WIDTH: *280mm*
DEPTH: *280mm*

FITTING MATERIAL:
Aluminium
SHADE:
White plastic Diffuser

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FAMILY:
Fraioli-C
FITTING COLOUR:
SATIN CHROME: 9002759979089

ADDITIONAL INFORMATON:
Dimmable
Eglo Connect Remote Available (CO341)
Matching Pendants: P1048, P1049
Matching Ceiling Lights: C609, C610

SWITCH:
Inline Foot Switch

LAMP SPECIFICATION:
Power: 2 x 17W
Luminous Flux: 4600lm
Colour Temperature: 2700K - 6500K + RGB
Lifetime: 25 000 Hours



FL301

LAMP TYPE:
Including 27W Integrated SMD LED

HEIGHT: *1680mm*
WIDTH: *260mm*
DEPTH: *220mm*

FITTING MATERIAL:
Aluminium, Steel
SHADE:
Opal Plastic Diffuser

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *3*

FAMILY:
Amontillado
FITTING COLOUR:
BLACK: 9002759984939

ADDITIONAL INFORMATON:
Matching Pendant: P1115
Matching Ceiling Light: C682

SWITCH:
Touch Dimmer Switch

LAMP SPECIFICATION:
Power: 27W
Luminous Flux: 2600lm
Colour Temperature: 3000K
Lifetime: 25 000 Hours



FL209 LED **LAMP TYPE:** *Including 1 x 48W Integrated LED*

HEIGHT: *1810mm*
DIAMETER: *250mm*

FITTING MATERIAL:
Steel
LENS:
Opal Acrylic

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FAMILY:
Senna
FITTING COLOUR:
WHITE: 6007328383109

ADDITIONAL INFORMATON:
Matching Pendants: P816, P817, P818

SWITCH:
Inline Foot Switch

LAMP SPECIFICATION:
Power: 48W
Luminous Flux: 2200lm
Colour Temperature: 3000K
Lifetime: 25 000 Hours



FL211 LED **LAMP TYPE:** *Including 1 x 37W Integrated LED*

HEIGHT: *1710mm*
WIDTH: *200mm*
DEPTH: *200mm*

FITTING MATERIAL:
Steel
SHADE:
Clear Plastic

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FAMILY:
Series

FITTING COLOUR:
SATIN CHROME: 6007328383123

SWITCH:
Foot Switch

LAMP SPECIFICATION:
Power: 37W
Colour Temperature: 3000K
Lifetime: 25 000 Hours

FL137 LED **LAMP TYPE:** *Including 4 x 9W Intergrated LED*

HEIGHT: *1420mm*
WIDTH: *250mm*
DEPTH: *130mm*

FITTING MATERIAL:
Aluminium & Steel
SHADE:
Opal Plastic

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *2*

FAMILY:
Lasara 2
FITTING COLOUR:
CHROME: 9002759961060

ADDITIONAL INFORMATON:
Matching Pendants: P108, P115

SWITCH:
Inline Foot Switch

LAMP SPECIFICATION:
Power: 36W (4 x 9W)
Luminous Flux: 4000lm
Colour Temperature: 3000K
Lifetime: 25 000 Hours

FL82

LAMP TYPE:
Excluding 1 x E27 max 60W 230V

HEIGHT: *1630mm*
DIAMETER: *840mm*

FITTING MATERIAL:
Steel
SHADE:
Black Outer/Gold Steel Inner

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20*

FAMILY:
Covaleda
FITTING COLOUR:
BLACK/GOLD: 9002759496180

SWITCH:
Inline Foot Switch



FL175 **LAMP TYPE 1:** *Excluding 1 x E27 max 60W 230V*

HEIGHT: *1570mm*
DIAMETER: *600mm*

FITTING MATERIAL:
Steel
SHADE:
Steel

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *4*

FAMILY:
Don Diego
FITTING COLOUR:
WHITE: 9002759928919

SWITCH:
Pull String Switch



FL73 **LAMP TYPE:** *Excluding 2 x E27 max 60W 230V*

HEIGHT: *1570mm*
DIAMETER: *350mm*

FITTING MATERIAL:
Steel
SHADE:
Opal Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *2*

FAMILY:
Optica
FITTING COLOUR:
SATIN CHROME: 9002759868178

ADDITIONAL INFORMATON:
Spare Glass: X882
Matching Ceiling Lights: C247, C248
Matching Pendants: P234, P235, P236

SWITCH:
Inline Foot Switch



FL104 **LAMP TYPE:** *Excluding 1 x E27 max 60W 230V*

HEIGHT: *1590mm*
DIAMETER: *500mm*

FITTING MATERIAL:
Steel
SHADE:
Maple Wood & Opal Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *2*

FAMILY:
Stellato 1
FITTING COLOUR:
SATIN CHROME: 9002759956042

ADDITIONAL INFORMATON:
Matching Ceiling Light: C135
Matching Wall Light: W102
Matching Pendants: P142, P143, P144

SWITCH:
Inline Foot Switch



FL21W **LAMP TYPE:** *Excluding 1 x E27 max 60W 230V*

HEIGHT: *1515mm*
DIAMETER: *510mm*

FITTING MATERIAL:
Steel
SHADE:
White Fabric

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FAMILY:
Fondachelli
FITTING COLOUR:
WHITE: 9002759955397

ADDITIONAL INFORMATON:
Spare Glass: X882
Matching Ceiling Lights: C247, C248
Matching Pendants: P234, P235, P236

SWITCH:
Inline Foot Switch



FL121

LAMP TYPE:
Excluding 1 x E27 max 60W 230V

HEIGHT: *1565mm*
DIAMETER: *410mm*

FITTING MATERIAL:
Steel
SHADE:
Cream Fabric

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FAMILY:
Swing Arm
FITTING COLOUR:
SATIN CHROME: 6007328340102

ADDITIONAL INFORMATON:
Matching Wall Light: W357
Extendable Swing Arm

SWITCH:
Inline Foot Switch



FL131

LAMP TYPE:
Excluding 1 x E27 max 60W 230V

HEIGHT: *1520mm*
DIAMETER: *360mm*

FITTING MATERIAL:
Steel & Acrylic
SHADE:
Silver Fabric & Clear PVC

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FAMILY:
Race
FITTING COLOUR:
SATIN CHROME: 6007328342427

ADDITIONAL INFORMATON:
Spare Shade: X866
Matching Table Lamp: T249
Matching Pendant: P362

SWITCH:
Inline Foot Switch

FL219

LAMP TYPE:
Excluding 1 x E27 max 60W 230V

HEIGHT: *1475mm*
DIAMETER: *350mm*

FITTING MATERIAL:
Steel
SHADE:
Black Steel

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FAMILY:
Hepburn

FITTING COLOUR:
BLACK: 6007328388012

ADDITIONAL INFORMATON:
Matching Table Lamp: T554

SWITCH:
Inline Foot Switch



FL133

LAMP TYPE:
Excluding 1 x E27 max 60W 230V

HEIGHT: *1480mm*
DIAMETER: *348mm*

FITTING MATERIAL:
Steel
SHADE:
Translucent Silver PVC

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FAMILY:
Silva
FITTING COLOUR:
CHROME: 6007328342564

ADDITIONAL INFORMATON:
Spare Shade: X868
Matching Table Lamp: T251
Matching Pendant: P363

SWITCH:
Inline Foot Switch



FL302 LED **LAMP TYPE 1:** *Excluding 1 x E27 max 60W 230V*
LAMP TYPE 2: *Including 1 x 13.2W Integrated LED*

HEIGHT: *1490mm*
DIAMETER: *250mm*

FITTING MATERIAL:
Aluminium & Steel
SHADE:
White Fabric Shade

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP: *20* : *1*

FAMILY:
Espartal
FITTING COLOUR:
SATINCHROME: 9002759983093

SWITCH:
Pull Switch

LAMP SPECIFICATION:
Power: 13.2W
Luminous Flux: 1550lm
Colour Temperature: 3000K
Lifetime: 25 000 Hours



FL299 LED **LAMP TYPE 1:** *Excluding 1 x E27 max 60W 230V*
LAMP TYPE 2: *Including 1 x 3.5W Integrated SMD LED*

HEIGHT: *1630mm*
DIAMETER: *460mm*

FITTING MATERIAL:
Steel
SHADE:
Fabric Shade

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP: *20* : *1*

FAMILY:
Policara
FITTING COLOUR:
SATINCHROME: 9002759977719

ADDITIONAL INFORMATON:
Flexi stem side light

SWITCH:
2 x On/off Toggle Switch

LAMP SPECIFICATION:
Power: 3.5W
Luminous Flux: 380lm
Colour Temperature: 3000K
Lifetime: 25 000 Hours



FL298 LED **LAMP TYPE 1:** *Excluding 1 x E27 max 60W 230V*
LAMP TYPE 2: *Including 1 x 2.1W Integrated SMD LED*

HEIGHT: *1530mm*
DIAMETER: *530mm*

FITTING MATERIAL:
Steel
SHADE:
Fabric Shade

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP: *20* : *2*

FAMILY:
Santander
FITTING COLOUR:
SATINCHROME: 9002759949464

ADDITIONAL INFORMATON:
Adjustable side light

SWITCH:
Rocker Switch

LAMP SPECIFICATION:
Power: 2.1W
Luminous Flux: 250lm
Colour Temperature: 3000K
Lifetime: 25 000 Hours



FL205 LED **LAMP TYPE:**
Including 1 x Integrated 24W LED

HEIGHT: *1625mm*
DIAMETER: *380mm*

FITTING MATERIAL:
Steel
SHADE:
Grey Fabric

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP: *20* : *6*

FAMILY:
Romao
FITTING COLOUR:
SATIN CHROME: 9002759953539

ADDITIONAL INFORMATON:
Dimmable
Matching Ceiling Lights: C253, C252
Matching Pendants: P791, P792, P793

SWITCH:
Touch Dimmer

LAMP SPECIFICATION:
Power: 24W
Luminous Flux: 2210lm
Colour Temperature: 3000K
Lifetime: 25 000 Hours



FL206 **LAMP TYPE:** *Excluding 1 x E27 max 60W 230V*

HEIGHT: *1515mm*
DIAMETER: *380mm*

FITTING MATERIAL:
Steel
SHADE:
Fabric

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *2*

FAMILY:
Maserlo
FITTING COLOUR:
BLACK/GOLD: 9002759951696
TAUPE/GOLD: 9002759951719

ADDITIONAL INFORMATON:
Matching Pendants: P711, P712
Matching Table Lamp: T367
Matching Wall Light: W301

SWITCH:
Inline Foot Switch



FL120 **LAMP TYPE:** *Excluding 1 x E27 max 100W 230V*

HEIGHT: *1565mm*
DIAMETER: *410mm*

FITTING MATERIAL:
Steel
SHADE:
Cream Fabric

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FAMILY:
Hamphire
FITTING COLOUR:
SATIN CHROME: 6007328340003

ADDITIONAL INFORMATON:
Matching Table Lamp: T308

SWITCH:
Inline Foot Switch



FL293 **LAMP TYPE:** *Excluding 1 x E27 max 60W 230V*

HEIGHT: *1590mm*
DIAMETER: *280mm*

FITTING MATERIAL:
Steel
SHADE:
White Fabric

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *2*

FAMILY:
Pasteri
FITTING COLOUR:
SATIN CHROME: 9002759951641

ADDITIONAL INFORMATON:
Matching Ceiling Light: C122
Matching Table Lamps: T122, T537, T572
Matching Wall Lights: W350, W353

SWITCH:
Inline Foot Switch



FL21 **LAMP TYPE:** *Excluding 3 x E14 max 40W 230V*

HEIGHT: *1520mm*
DIAMETER: *360mm*

FITTING MATERIAL:
Steel
SHADE:
Anthracite, White & Brown Fabric

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FAMILY:
Maronda
FITTING COLOUR:
BLACK: 9002759949952

SWITCH:
Inline Foot Switch



FL176

LAMP TYPE:
Excluding 1 x E27 max 60W 230V

HEIGHT: *1890mm-2085mm*
WIDTH: *380mm*
DEPTH: *1180mm-1930mm*

FITTING MATERIAL:
Steel
SHADE:
White Fabric

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FAMILY:
Nadina
FITTING COLOUR:
SATIN CHROME: 9002759922061

SWITCH:
Inline Foot Switch



FL226

LAMP TYPE:
Excluding 1 x E27 max 60W 230V

HEIGHT: *1710-2060mm*
WIDTH: *420mm shade*
DEPTH: *1570-1690mm*

FITTING MATERIAL:
Steel & Wood
SHADE:
Fabric

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FAMILY:
Bow
FITTING COLOUR:
WHITE: 6007328398806
BLACK: 6007328398790

ADDITIONAL INFORMATON:
Not Dimmable
Adjustable poles on wood x3

SWITCH:
Foot Switch

FL225

LAMP TYPE:
Excluding 1 x E27 max 60W 230V

HEIGHT: *1700mm - 1830mm*
WIDTH: *400mm*
DEPTH: *1300mm - 1970mm*

FITTING MATERIAL:
Steel
SHADE:
Fabric Shade

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *4*

FITTING COLOUR:
BLACK: 6007328398813
WHITE: 6007328398820

ADDITIONAL INFORMATON:
Pole can be extended or retracted for length and height

SWITCH:
Inline Foot Switch





FL101

LAMP TYPE:
Excluding 1 x E27 max 60W 230V

HEIGHT: *2210mm*
DIAMETER: *445mm*
DEPTH: *2080mm*

FITTING MATERIAL:
Steel with Black Marble Base
SHADE:
Steel

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FAMILY:
Curva
FITTING COLOUR:
SATIN CHROME: 6007328344629

ADDITIONAL INFORMATON:
Adjustable Stem

SWITCH:
Inline Rocker Switch

FL113

LAMP TYPE:
Excluding 1 x E27 max 60W 230V

HEIGHT: *1470mm*
DIAMETER: *230mm*

FITTING MATERIAL:
Steel
SHADE:
Clear & Opal Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *2*

FAMILY:
Pinto
FITTING COLOUR:
CHROME: 9002759898366

ADDITIONAL INFORMATON:
Spare Glass: X934 (outer), X935(inner)
Matching Pendants: P389, P390, P398, P399
Matching Table Lamp: T329

SWITCH:
Inline Foot Switch





FL100

LAMP TYPE:
Excluding 1 x E27 max 60W 230V

HEIGHT: *2210mm*
WIDTH: *445mm*
DEPTH: *2080mm*

FITTING MATERIAL:
Aluminium & Steel
SHADE:
Translucent Silver PVC

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FAMILY:
Silva
FITTING COLOUR:
SATIN CHROME: 6007328344612

ADDITIONAL INFORMATON:
Adjustable Angle Poise Stem
Matching Pendant: P363
Matching Table Lamp: T251

SWITCH:
Inline Foot Switch

FL75

LAMP TYPE:
Excluding 1 x E27 max 60W 230V

HEIGHT: *1530mm*
DIAMETER: *200mm*

FITTING MATERIAL:
Steel
SHADE:
Opal Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *5*

FAMILY:
Troy 3
FITTING COLOUR:
SATIN CHROME: 9002759859824

ADDITIONAL INFORMATON:
Spare Glass: X845
Matching Pendants: P239, P260
Matching Table Lamp: T157
Matching Wall Light: W287

SWITCH:
Inline Foot Switch



FL212 **LAMP TYPE:** *Excluding 1 x E27 max 60W 230V*

HEIGHT: *1450mm*
DIAMETER: *230mm*

FITTING MATERIAL:
Steel

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *2*

FAMILY:
Bedworth
FITTING COLOUR:
CHROME: 9002759491758

ADDITIONAL INFORMATON:
Base only
Excluding lamp shade

SWITCH:
Inline foot Switch



FL294 LED **LAMP TYPE:** *Including 2 x GU10 5W LED 230V*

HEIGHT: *1445mm*
DIAMETER: *250mm*

FITTING MATERIAL:
Steel
SHADE:
Steel

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *2*

FAMILY:
Cortaderas
FITTING COLOUR:
BLACK/GOLD: 9002759978068

ADDITIONAL INFORMATON:
Matching Pendants: P1059, P1060, P1061
Matching Table Lamp: T574
Matching Spotlight: S437

SWITCH:
Inline Foot Switch



FL200 **LAMP TYPE:** *Excluding 1 x E27 max 60W 230V*

HEIGHT: *1500mm*
DIAMETER: *240mm*

FITTING MATERIAL:
Steel & Concrete
SHADE:
Grey Steel

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FITTING COLOUR:
COPPER/GREY: 6007328381563

SWITCH:
Inline Foot Switch



FL217 **LAMP TYPE:** *Excluding 1 x E27 max 40W 230V*

HEIGHT: *1450mm*
DIAMETER: *200mm*

FITTING MATERIAL:
Steel
SHADE:
Black Steel Outer
& White Inner

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FAMILY:
Lofoten
FITTING COLOUR:
BLACK: 6007328387114

ADDITIONAL INFORMATON:
Matching Table Lamp: T549

SWITCH:
Inline Foot Switch

FL218 **LAMP TYPE:** *Excluding 1 x E27 max 40W 230V*

HEIGHT: *1620mm*
DIAMETER: *280mm*
DEPTH: *700mm*

FITTING MATERIAL:
Steel
SHADE:
Steel

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FAMILY:
Tai

FITTING COLOUR:
BLACK/BROWN: 6007328387862
WHITE/BROWN: 6007328387879

ADDITIONAL INFORMATON:
Matching Table Lamp: T551

SWITCH:
Inline Foot Switch

FL189 **LAMP TYPE:** *Excluding 1 x E27 max 40W 230V*

HEIGHT: *1550mm*
DIAMETER: *230mm*

FITTING MATERIAL:
Steel
SHADE:
Black Steel

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *4*

FAMILY:
Priddy
FITTING COLOUR:
BLACK: 9002759494711

ADDITIONAL INFORMATON:
Matching Pendants: P695, P830, P821, P696
Matching Table Lamp: T487
Matching Wall Light: W496

SWITCH:
Inline Foot Switch



FL224 LED **LAMP TYPE:** *Including 1 x 7W Integrated LED*

HEIGHT: *1460mm*
DIAMETER: *240mm*
DEPTH: *475mm*

FITTING MATERIAL:
Steel & Plastic
SHADE:
Black Steel with Opal Lens

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *4*

FITTING COLOUR:
BLACK: 6007328398097

ADDITIONAL INFORMATON:
Adjustable Gooseneck Stem

SWITCH:
Rocker Switch

LAMP SPECIFICATION:
Power:7W
Luminous Flux: 360lm
Colour Temperature: 4000K
Lifetime: 20 000 Hours



FL23 **LAMP TYPE:** *Excluding 1 x E27 max 60W 230V*

HEIGHT: *1600mm*
DIAMETER: *700mm*
DEPTH: *255mm*

FITTING MATERIAL:
Steel
SHADE:
Steel

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FITTING COLOUR:
SATINCHROME: 6007328347644

SWITCH:
Inline Foot Switch



FL140

LAMP TYPE:
Excluding 1 x E27 max 60W 230V

HEIGHT: *1800mm*
WIDTH: *380mm*
DEPTH: *910mm*

FITTING MATERIAL:
Steel
SHADE:
Chrome Steel

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FITTING COLOUR:
CHROME: 6007328352938

SWITCH:
Inline Foot Switch



FL188

LAMP TYPE:
Excluding 1 x E27 max 60W 230V

HEIGHT: *1900mm*
WIDTH: *340mm*
DEPTH: *910mm*

FITTING MATERIAL:
Steel
SHADE:
Black or Copper Steel

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FAMILY:
Borgillio
FITTING COLOUR:
BLACK: 9002759946982
COPPER: 9002759947057

ADDITIONAL INFORMATON:
Matching Table Lamp: T167

SWITCH:
Inline Foot Switch



FL303

LAMP TYPE:
Excluding 1 x E27 max 28W 230V

HEIGHT: *1400mm*
DIAMETER: *230mm*

FITTING MATERIAL:
Steel, Wood
SHADE:
Black Steel Shade

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *2*

FAMILY:
Hornwood
FITTING COLOUR:
BLACK/OAK: 9002759430481

ADDITIONAL INFORMATON:
Matching Pendant: P1125
Matching Table Lamp: T601
Matching Spotlight: S459

SWITCH:
Inline Switch



FL106

LAMP TYPE:
Excluding 1 x E27 max 60W 230V

HEIGHT: *1640mm*
DIAMETER: *445mm*

FITTING MATERIAL:
Wood & Steel
SHADE:
Gold Fabric

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FITTING COLOUR:
BROWN: 6007328339571

ADDITIONAL INFORMATON:
Matching Table Lamp: T216

SWITCH:
Inline Foot Switch



FL169

LAMP TYPE 1: *Including 1 x 17.28W Integrated LED 230V (Primary)*
LAMP TYPE 2: *Including 1 x 2.88W Integrated LED 230V (Reading)*

HEIGHT: *1800mm*
DIAMETER: *250mm*

FITTING MATERIAL:
Steel
SHADE:
Frosted Plastic

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *2*

FAMILY:
Sarrione
FITTING COLOUR:
WHITE: 9002759937119

ADDITIONAL INFORMATION:
Dual Purpose Flexible Stem For Reading

SWITCH:
Mounted Rotary - Dimmer (Primary)
Mounted Rocker Switch (Reading)

LAMP SPECIFICATION:
Power: 17.28W (Primary), 2.88W (Reading)
Luminous Flux: 1600lm (Primary), 270lm (Reading)
Colour Temperature: 3000K
Lifetime: 25 000 Hours



Bluetooth device on the fitting. Fitting is connectable with smart phones. Max distance to connect is estimated at 5-10 meters. Excludes Remote. Install app on phone (awoX) to control the light and colour changing of the fitting.

FL292

LAMP TYPE:
including Integrated RGB LED 18W

HEIGHT: *1815mm*
DIAMETER: *290mm*

FITTING MATERIAL:
Steel
SHADE:
Opal Plastic

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *2*

FAMILY:
Frattina-C
FITTING COLOUR:
BLACK: 9002759978143

ADDITIONAL INFORMATON:
Eglo Connect Remote Available (CO341)
Matching Ceiling Light: C611
Matching Pendant: P1050
Matching Table Lamp: T570

SWITCH:
Inline Foot Switch

LAMP SPECIFICATION:
Power: 18W
Luminous Flux: 2300lm
Colour Temperature: 2700K - 6500K + RGB
Lifetime: 25 000 Hours



FL90

LAMP TYPE 1: *Including 1 x G9 max 33W Bi-pin 230V*
LAMP TYPE 2: *Including 1 x R7s max 230W QI Premium J118 230V*

HEIGHT: *1800mm*
WIDTH: *440mm*
DEPTH: *650mm*

FITTING MATERIAL:
Steel
SHADE:
Opal Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FAMILY:
Baya
FITTING COLOUR:
SATIN CHROME: 9002759859718

ADDITIONAL INFORMATON:
Dual Purpose Flexible Stem For Reading
Spare Glass: MC159 (Reading Light)

SWITCH:
Dual Mounted Dimmer Switch



FL12

LAMP TYPE 1: *Excluding 1 x E14 max 40W R50 230V*
LAMP TYPE 2: *Including 1 x R7s max 300W QI Premium J118 230V*

HEIGHT: *1825mm*
DIAMETER: *280mm*
DEPTH: *300mm*

FITTING MATERIAL:
Steel
SHADE:
Black or Satin Chrome
Pressed Steel

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FITTING COLOUR:
BLACK: 6007328010685
SATIN CHROME: 6007328010692

ADDITIONAL INFORMATON:
Dual Purpose Flexible Stem For Reading
Spare Glass: MC158 and MC159
Spare Dimmer: CO105

SWITCH:
Inline Foot Switch & Dimmer



FL14

LAMP TYPE:
Including 1 x R7s max 250W QI Premium J118 230V

HEIGHT: *1850mm*
DIAMETER: *320mm*

FITTING MATERIAL:
Steel
SHADE:
Black or Satin Chrome Pressed Steel

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *2*

FITTING COLOUR:
BLACK: 6007328010661
SATIN CHROME: 6007328010678

SWITCH:
Mounted Pole Dimmer

FL170

LAMP TYPE 1: *Excluding 1 x E27 max 60W 230V*
LAMP TYPE 2: *Excluding 1 x E14 max 25W Golfball 230V*

HEIGHT: *1765mm*
DIAMETER: *275mm*

FITTING MATERIAL:
Steel
SHADE:
Opal Plastic & Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *2*

FAMILY:
Up 2
FITTING COLOUR:
SATIN CHROME: 9002759828424

SWITCH:
Inline Switch



FL13SC

LAMP TYPE:
Including 1 x R7s max 250W QI Premium J118 230V

HEIGHT: *1805mm*
DIAMETER: *320mm*

FITTING MATERIAL:
Steel
SHADE:
Frosted Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FITTING COLOUR:
SATIN CHROME: 6007328010708

ADDITIONAL INFORMATON:
Spare glass: X039

SWITCH:
Inline Foot Dimmer

FL30

LAMP TYPE:
Excluding 1 x E27 max 60W 230V

HEIGHT: *1595mm*
DIAMETER: *275mm*

FITTING MATERIAL:
Steel
SHADE:
Black Steel

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *4*

FAMILY:
Newtown
FITTING COLOUR:
BLACK: 9002759494742

SWITCH:
Inline Foot Switch

FL293

NOVELTY LIGHTS

NOVELTY LIGHTS


H136 *pg470*


H137 *pg470*

O169 *pg470*


H35 *pg470*

4190mm x 1020

H94 *pg471*

5255mm x 1540mm

H96 *pg471*

3890mm x 1340mm

H95 *pg471*

4530mm

H93 *pg472*

3700mm

H92 *pg472*

5230mm

H91 *pg472*


H38 *pg473*


H83 *pg473*

H100 *pg474*

H101 *pg474*

H40 *pg475*

H41 *pg475*

H30 *pg476*

H50 *pg476*

H80SQ *pg476*

H121 *pg476*

H176 *pg476*

H170 *pg476*

H150 *pg476*

H14 *pg478*

H152 *pg478*

H151 *pg478*

H161 *pg478*

H42 *pg479*

FS214 *pg479*


FS213 *pg480*

H184 *pg480*

H174 *pg480*

H168 *pg480*

H22 *pg481*

H23 *pg481*

H211 *pg482*

H99 *pg482*

H147 *pg483*

H149 *pg483*

H138 *pg484*

H209 *pg484*

H210 *pg484*

H165 *pg484*

H164 *pg485*

H44 *pg485*

H127 *pg485*

H45 *pg486*

H46 *pg486*

H47 *pg486*

H123 *pg486*

H125 *pg487*

H126 *pg487*

H124 *pg487*

T603 *pg488*



H136 LED **LAMP TYPE:** *Including 20 x 0.06W Integrated RGB LED*

FULL LENGTH: *2550mm*
LEAD LENGTH: *470mm*

FITTING MATERIAL:
Clear Plastic
LENS:
Clear Plastic

IP : *20* : *48*

DESCRIPTION:
Battery Operated Multi Coloured Star Light String
COLOUR:
MULTI-COLOURED: 6007328349761

ADDITIONAL INFORMATION:
Excluding 2 x 1,5V AA Batteries
On/Off Switch

H137 LED **LAMP TYPE:** *Including 25 x 0.06W Integrated LED*

FULL LENGTH: *2915mm*
LEAD LENGTH: *490mm*

FITTING MATERIAL:
Clear Plastic
LENS:
Clear Plastic

IP : *20* : *48*

DESCRIPTION:
Battery Operated Light String
COLOUR:
MULTI-COLOURED: 6007328349785
WHITE: 6007328349778

ADDITIONAL INFORMATION:
Excluding 2 x 1.5V AA Batteries
On/Off Switch

O169 LED **LAMP TYPE:** *Including 50 x Integrated 0.06W RGB LED*

LENGTH: *4000mm*
LEAD LENGTH: *3000mm*

FITTING MATERIAL:
Green Plastic
LENS:
Clear Plastic

IP : *44* : *20*

DESCRIPTION:
50 piece Solar Fairy Light String
COLOUR:
WHITE: 6007328349600

ADDITIONAL INFORMATION:
Lights turns on automatically when dark
Including Solar Spike with 1 x AA 1.2V 300mAh Rechargeable Battery
On/Off Switch

OPERATING FUNCTIONS:
On/Off Switch & Flashing

H35 LED **LAMP TYPE:** *Including 200 x 0.03W (6W) Integrated LED*

FULL LENGTH: *11500mm*
LEAD LENGTH: *1500mm*

FITTING MATERIAL:
Clear Plastic
LENS:
Clear Plastic

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *10*

DESCRIPTION:
10m Fairy Light String with Clear Cable
COLOUR:
CLEAR: 6007328028291
COOL WHITE: 6007328379959
DAYLIGHT: 6007328370932
MULTICOLOURED: 6007328028307
WARM WHITE: 6007328369752

ADDITIONAL INFORMATION:
Multifunction Controller
On/Off Switch
Suitable For Indoor & Outdoor Application
Controller Not Water Resistant



4190mm x 1020mm

H94 LED **LAMP TYPE:** *Including 104 x 0.44W (46W) Integrated LED Lamps*

FULL LENGTH: *4190mm*
HEIGHT: *1020mm*
LEAD LENGTH: *2000mm*

FITTING MATERIAL:
Clear Plastic
LENS:
Clear Plastic

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *44* : *10*

DESCRIPTION:
Fairy Net Light
COLOUR:
WARM WHITE: 6007328335689



5255mm x 1540mm

H96 LED **LAMP TYPE:** *Including 208 x 0.45W (93.6W) Integrated Lamps*

FULL LENGTH: *5255mm*
HEIGHT: *1540mm*
LEAD LENGTH: *3035mm*

FITTING MATERIAL:
Clear Plastic
LENS:
Clear Plastic

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *44* : *10*

DESCRIPTION:
Fairy Net Light
COLOUR:
WARM WHITE: 6007328337379



3890mm x 1340mm

H95 LED **LAMP TYPE:** *Including 156 x 0.44W (69W) Integrated LED Lamps*

FULL LENGTH: *3890mm*
HEIGHT: *1340mm*
LEAD LENGTH: *2000mm*

FITTING MATERIAL:
Clear Plastic
LENS:
Clear Plastic

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *44* : *10*

DESCRIPTION:
Fairy Net Light
COLOUR:
WARM WHITE: 6007328335696



H93 LED **LAMP TYPE:** *Including 90 x 0.3W (27W) Integrated Lamps*

FULL LENGTH: *4530mm*
LEAD LENGTH: *2100mm*
HEIGHT: *730mm*

FITTING MATERIAL: *Clear Plastic*
LENS: *Clear Plastic*

PRIMARY VOLTAGE: *220V - 240V (50/60Hz)*

IP : *44* : *10*

DESCRIPTION: *Icicle Light*
COLOUR: *WARM WHITE: 6007328335665*

ADDITIONAL INFORMATION: *90 Lamps*

H92 LED **LAMP TYPE:** *Including 60 x 0.4W (24W) Integrated Lamps*

FULL LENGTH: *3700mm*
LEAD LENGTH: *2120mm*
HEIGHT: *720mm*

FITTING MATERIAL: *Clear Plastic*
LENS: *Clear Plastic*

PRIMARY VOLTAGE: *220V - 240V (50/60Hz)*

IP : *44* : *10*

DESCRIPTION: *Icicle Light*
COLOUR: *WARM WHITE: 6007328335658*

ADDITIONAL INFORMATION: *60 Lamps*



H91 LED **LAMP TYPE:** *Including 120 x 0.24W (28.8W) Integrated Lamps*

FULL LENGTH: *5230mm*
LEAD LENGTH: *2130mm*
HEIGHT: *680mm*

FITTING MATERIAL: *Clear Plastic*
LENS: *Clear Plastic*

PRIMARY VOLTAGE: *220V - 240V (50/60Hz)*

IP : *44* : *10*

DESCRIPTION: *Icicle Light*
COLOUR: *WARM WHITE: 6007328335672*

ADDITIONAL INFORMATION: *120 Lamps*



H38 LED **LAMP TYPE:** *Including 320 x 0.06W 3V DC (19.2W) Integrated LED (Clear)*

LENGTH: *10m*
DIAMETER: *15mm*
LEAD LENGTH: *1600mm*

FITTING MATERIAL:
Plastic
LENS:
Clear Plastic

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *44* : *10*

DESCRIPTION:
LED Rope Light
FITTING COLOUR:
CLEAR: 6007328028277
MULTI-COLOURED: 6007328028284

ADDITIONAL INFORMATION:
Including 3V DC 150mA LED Driver

OPERATING FUNCTIONS:
8 Function Controller



H83 LED **LAMP TYPE :** *Including 320 x 0.06W (19.2W) Integrated LED (Blue, Green)*
LAMP TYPE : *Including 320 x 0.04W (12.8W) Integrated LED (Yellow, Orange, Red)*

LENGTH: *10m*
DIAMETER: *15mm*
LEAD LENGTH: *1600mm*

FITTING MATERIAL:
Plastic
LENS:
Clear Plastic

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *44* : *10*

DESCRIPTION:
LED Rope Light
COLOUR:
BLUE: 6007328329749
GREEN: 6007328329756
ORANGE: 6007328329770
RED: 6007328329732
YELLOW: 6007328329763

ADDITIONAL INFORMATION:
Including 2V DC 150mA LED Driver

OPERATING FUNCTIONS:
8 Function Controller

H100

LAMP TYPE:
Including 1 x E14 R39 25W Halogen

HEIGHT: *390mm*
DIAMETER: *104mm*

FITTING MATERIAL:
Aluminium
LENS:
Clear Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *6*

DESCRIPTION:
Glitter Lamp
FITTING COLOUR:
SILVER: 6007328397694

OPERATING FUNCTIONS:
Inline On/Off Switch

H101

LAMP TYPE:
Including 1 x E14 R39 25W Halogen

HEIGHT: *335mm*
DIAMETER: *86mm*

FITTING MATERIAL:
Plastic
LENS:
Clear Plastic

PRIMARY VOLTAGE:
1.5V

IP : *20* : *12*

DESCRIPTION:
Glitter Lamp
FITTING COLOUR:
BLACK: 6007328397700

ADDITIONAL INFORMATION:
Excluding 3 x AA Batteries

OPERATING FUNCTIONS:
Inline On/Off Switch

H40 LED **LAMP TYPE:** *Including Integrated LED*

HEIGHT: *230mm*
WIDTH: *75mm*
DEPTH: *75mm*

FITTING MATERIAL:
Plastic
LENS:
Clear Plastic

PRIMARY VOLTAGE:
1.5V

IP : *20* : *12*

DESCRIPTION:
LED Fish Lamp
FITTING COLOUR:
BLACK: 6007328397670

ADDITIONAL INFORMATION:
Excluding 3 x AA Batteries
Not Dimmable
Including 3 Fish
Add water for a full swimming effect

OPERATING FUNCTIONS:
On/Off Switch

H41 LED **LAMP TYPE:** *Including Integrated LED*

HEIGHT: *230mm*
WIDTH: *75mm*
DEPTH: *75mm*

FITTING MATERIAL:
Plastic
LENS:
Clear Plastic

PRIMARY VOLTAGE:
1.5V

IP : *20* : *12*

DESCRIPTION:
LED Jellyfish Lamp
FITTING COLOUR:
BLACK: 6007328397687

ADDITIONAL INFORMATION:
Excluding 3 x AA Batteries
Not Dimmable
Including 3 Jellyfish
Add water for a full swimming effect

OPERATING FUNCTIONS:
On/Off Switch

H80SQ

HEIGHT: *245mm*
DIAMETER: *160mm*

FITTING MATERIAL:
Glass & Plastic

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *6*

DESCRIPTION:
Plasma Ball
FITTING COLOUR:
BLACK: 6007328396352

ADDITIONAL INFORMATION:
2m Lead With 12V AC Adapter

OPERATING FUNCTIONS:
On/Off Switch & Sound Activated

H30

LAMP TYPE:
Including 1 x E14 max 25W R39 230V (G313)

HEIGHT: *335mm*
DIAMETER: *86mm*

FITTING MATERIAL:
Glass & Aluminium

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *6*

DESCRIPTION:
Glitter Lamp
FITTING COLOUR:
BLUE: 6007328399483
CLEAR: 6007328391968
GREEN: 6007328399490
PINK: 6007328399506
RED: 6007328399513

ADDITIONAL INFORMATION:
Spare Lamp: G313

H50

LAMP TYPE:
Including 1 x E14 max 25W R39 230V (G313)

HEIGHT: *330mm*
DIAMETER: *85mm*

FITTING MATERIAL:
Aluminium

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *6*

DESCRIPTION:
Peace Motion Lava Lamp
FITTING COLOUR:
SILVER (BLUE/YELLOW WAX): 6007328325154
SILVER (PINK/WHITE WAX): 6007328325161
SILVER (YELLOW/RED WAX): 6007328325147

ADDITIONAL INFORMATION:
Spare Bottles: X1268 (Blue/Yellow)
X1205 (Pink/White)
X1267 (Yellow/Red)
Spare Lamp: G313

H121 LED **LAMP TYPE:** *Including 3 x 0.6W Integrated RGB LED*

HEIGHT: *100mm*
WIDTH: *40mm*
DEPTH: *80mm*

FITTING MATERIAL:
Plastic
LENS:
Opal Plastic

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *48*

DESCRIPTION:
Plug in Colour Changing Night Light
FITTING COLOUR:
WHITE: 9002759929640

ADDITIONAL INFORMATION:
Colour Changing
5A Wall Plug
On/Off Switch

LAMP SPECIFICATION:
Power: 1.8W (3 x 0.6W)
Colour Temperature: RGB
Lifetime: 25 000 Hours

H176 LED **LAMP TYPE:** *Including 3 x 0.5W (1.5W) Integrated LED*

LENGTH: *75mm*
WIDTH: *80mm*
DEPTH: *18mm*

FITTING MATERIAL:
Plastic
LENS:
Clear Plastic

IP : *20* : *100*

DESCRIPTION:
Portable Motion Sensor Light
FITTING COLOUR:
SILVER: 6007328364108

ADDITIONAL INFORMATION:
Excluding 3 x 1.5V AAA Batteries
Including Infrared Motion Sensor
Motion Sensor Activated

H170 LED **LAMP TYPE:** *Including 5 x 0.3W (1.5W) Integrated LED*

HEIGHT: *120mm*
DIAMETER: *95mm*

FITTING MATERIAL:
Plastic
LENS:
Clear Plastic

IP : *20* : *48*

DESCRIPTION:
Adjustable Motion Sensor Light
FITTING COLOUR:
WHITE: 6007328363965

ADDITIONAL INFORMATION:
Excluding 3 x 1.5V AA Batteries
Including Infrared Motion Sensor
Adjustable Swivel Neck

SENSOR FUNCTIONS:
Detection up to 2 metres
120° Detection Angle

H150 LED **LAMP TYPE:** *Including 3 x 0.5W Integrated LED*

DEPTH: *45mm*
DIAMETER: *70mm*

FITTING MATERIAL:
Plastic
LENS:
Clear Plastic

IP : *20* : *96*

DESCRIPTION:
Stick 'n Click Push Light
FITTING COLOUR:
SILVER: 6007328359456
BLACK: 6007328359463

ADDITIONAL INFORMATION:
Up to 100 Hours Of Light
Excluding 3 x AAA Batteries
Including Peel And Stick Adhesive

H14 LED **LAMP TYPE:** *Including Integrated LED*

DEPTH: *55mm*
DIAMETER: *140mm*

FITTING MATERIAL:
Plastic
LENS:
Opal Plastic

IP : *20* : *72*

DESCRIPTION:
LED Touch Lamp
FITTING COLOUR:
WHITE: 6007328015123

ADDITIONAL INFORMATION:
Excluding 4 x AA Batteries
Lamp not replaceable
Push Switch

H152 LED **LAMP TYPE:** *Including 1 x 0.06W Integrated LED per candle*

HEIGHT: *200mm*
175mm
150mm
125mm
100mm
DIAMETER: *45mm*

FITTING MATERIAL:
Plastic & Wax

IP : *20* : *18*

DESCRIPTION:
5 Piece Flameless LED Candle Set
FITTING COLOUR:
IVORY: 6007328362128

ADDITIONAL INFORMATION:
Including 1 x CR2032 Battery per Candle
On/Off Switch

H151 LED **LAMP TYPE:** *Including 1 x 0.06W Integrated LED per candle*

HEIGHT: *100mm*
70mm
50mm
DIAMETER: *50mm*

FITTING MATERIAL:
Plastic & Wax

IP : *20* : *24*

DESCRIPTION:
3 Piece Flameless LED Candle Set
FITTING COLOUR:
IVORY: 6007328362111

ADDITIONAL INFORMATION:
Including 3 x CR2032 Batteries
On/Off Switch

H161 LED **LAMP TYPE:** *Including 1 x 0.06W Integrated LED per Candle*

HEIGHT: *50mm*
DIAMETER: *38mm*

FITTING MATERIAL:
Plastic

IP : *20* : *48*

DESCRIPTION:
4 Pack Flameless LED Tea Light Candles
FITTING COLOUR:
WHITE: 6007328362494

ADDITIONAL INFORMATION:
Including 1 x CR2032 Battery per Candle
On/Off Switch

H42 LED **LAMP TYPE:**
Including 24 x 0.06W Integrated Cool White LED

DEPTH: *50mm*
DIAMETER: *195mm*

FITTING MATERIAL:
Plastic
LENS:
Clear Plastic

IP : *20* : *24*

DESCRIPTION:
LED Umbrella UFO Light
FITTING COLOUR:
BLACK: 6007328358237

ADDITIONAL INFORMATION:
Excluding 3 x 1.5V AA Batteries

FS214 LED **LAMP TYPE:**
Including 36 x 0.06W 6V DC Integrated LED

HEIGHT: *175mm*
DIAMETER: *120mm*

FITTING MATERIAL:
Plastic
LENS:
Clear Plastic

IP : *20* : *20*

DESCRIPTION:
Solar LED Lantern
FITTING COLOUR:
RED: 6007328371045

ADDITIONAL INFORMATION:
Including 6V 0.75W Poly Solar Panel
Rechargeable 4V 2000mAh Sealed Lead-Acid Battery
Battery Life: 6 - 8 Hours
Charge Time: 24 Hours
Mounted Dimmer Switch
Including DC Socket
Can be Charged by Solar Panel or Mobile Charger

LAMP SPECIFICATION:
Power: 2.16W (36 x 0.06W)
Luminous Flux: 180lm
Colour Temperature: Day Light
Lifetime: 30 000 Hours
Beam Angle: 360º

FS213 LED **LAMP TYPE:** *Including 24 x 0.08W (2W) Integrated LED*

HEIGHT: *40mm*
DIAMETER: *120mm*

FITTING MATERIAL:
Plastic
LENS MATERIAL:
Clear Plastic

IP : *20* : *40*

DESCRIPTION:
Solar LED Disc
FITTING COLOUR:
RED: 6007328371021

ADDITIONAL INFORMATION:
Including 6V 1W Poly Solar Panel
Rechargeable 3.7V 1.2Ah Sealed Li-ion Battery
Including Dim & Bright Functions
Battery Life: 3 - 4 Hours (Bright) 6 - 7 Hours (Dim)
Charge Time: 24 Hours
Including DC Socket Can be Charged by Solar Panel or Mobile Charger
Including Stand

LAMP SPECIFICATION:
Power: 2W (24 x 0.08W)
Luminous Flux: 180lm
Colour Temperature: Day Light
Lifetime: 30 000 Hours
Beam Angle: 120º

H184 LED **LAMP TYPE 1:** *Including 28 x 0.06W Integrated Cool White LED (Lantern)*
LAMP TYPE 2: *Including 3 x 0.06W Integrated Cool White LED (Torch)*
LAMP TYPE 3: *Including 4 x 0.06W Integrated Red LED (Flashing Lights)*

LENGTH: *270mm*
WIDTH: *60mm*
DEPTH: *30mm*

FITTING MATERIAL:
Plastic
LENS:
Clear Plastic

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *42*

DESCRIPTION:
Multi Function LED Work Light
FITTING COLOUR:
BLACK: 6007328364184

ADDITIONAL INFORMATION:
Including 1 x 1.2V 800mAh Ni-Mh Battery
Battery Life: 4 - 5 Hours (Torch) & 2 - 3 Hours (Lantern)
Including Recharge Cables: 5A Wall Adapter & Car Charger
Including 360º Swivel Hook & Magnet
On/Off Switch

OPERATING FUNCTIONS:
One: Lantern On, Two: Torch On,
Three: Flashing Red Light On

H174 LED **LAMP TYPE:** *Including 6 x 3W Integrated LED*

LENGTH: *115mm*
DIAMETER: *75mm*

FITTING MATERIAL:
Plastic

IP : *20* : *50*

DESCRIPTION:
LED Multi Tool
FITTING COLOUR:
BLACK: 6007328364085

ADDITIONAL INFORMATION:
Excluding 3 x 1.5V AAA Batteries
Including 8 x Magnetic CRV Steel Alloy Screwdriver Heads

H168 LED **LAMP TYPE:** *Including 6 x 0.06W Integrated LED*

HEIGHT: *30mm*
WIDTH: *90mm*
DEPTH: *50mm*

FITTING MATERIAL:
Plastic
LENS:
Clear Plastic

IP : *20* : *200*

DESCRIPTION:
LED Clip On Cap Light
FITTING COLOUR:
CAMO/GREEN: 6007328364047

ADDITIONAL INFORMATION:
Including 2 x CR2032 Batteries
Clips on to any cap

OPERATING FUNCTIONS:
One: 2 x LED, Two: 4 x LED,
Three: 6 x LED, Four: Flashing LED

LAMP SPECIFICATION:
Power: 0.36W (6 x 0.06W)
Luminous Flux: 30lm
Lifetime: 10 Years

Rechargeable

H22 LED **LAMP TYPE:** *Including 1 x 5W Integrated SMD LED*

HEIGHT: *160mm*
WIDTH: *213mm*
DEPTH: *120mm*

FITTING MATERIAL:
Plastic
LENS:
Clear Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *10*

DESCRIPTION:
Rechargeable Torch
FITTING COLOUR:
BLACK/RED: 6007328399926

ADDITIONAL INFORMATION:
On / Off Switch
Rechargeable 4V 6Ah Sealed Lead Acid Battery
Battery Life: 4 Hours (Bright), 16 Hours (Dimm)
Charge Time: 12 - 15 Hours

LAMP SPECIFICATION:
Power: 5W
Luminous Flux: 350lm
Colour Temperature: Cool White
Lifetime: 25 000 Hours

Rechargeable

H23 LED **LAMP TYPE:** *Including 1 x Integrated 10W SMD LED*

HEIGHT: *177mm*
WIDTH: *235mm*
DEPTH: *170mm*

FITTING MATERIAL:
Plastic
LENS:
Clear Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *8*

DESCRIPTION:
Rechargeable Torch
FITTING COLOUR:
BLACK/RED: 6007328399933

ADDITIONAL INFORMATION:
On / Off Switch
Red Emergency Flashing Light
Rechargeable 4V 6Ah Sealed Lead Acid Battery
Battery Life: up to 2.5 Hours (Torch), 60 Hours (Red Emergency Flash Light)
Charge Time: 20 - 24 Hours

LAMP SPECIFICATION:
Power: 10W
Luminous Flux: 700lm
Colour Temperature: Cool White
Lifetime: 25 000 Hours

H211 LED **LAMP TYPE:** *Including 1W Integrated LED*

HEIGHT: *47mm*
WIDTH: *65mm*
DEPTH: *75mm*

FITTING MATERIAL:
Plastic
LENS:
Clear Plastic

PRIMARY VOLTAGE:
5V DC

IP : *20* : *100*

DESCRIPTION:
Rechargeable LED Head Lamp
FITTING COLOUR:
BLACK: 6007328399803

ADDITIONAL INFORMATION:
Including 3.7v1200mAh Lithium-ion battery
Charge time 4-5 hours (Duration: 4-5 hours Bright, 6-8 hours Dim)
Adjustable Head Strap - One size fits all
USB port, USB Charge cable included

OPERATING FUNCTIONS:
Press switch 1 x dimm setting, 2 x bright setting, 3 x torch turns off

LAMP SPECIFICATION:
Power: 1W
Luminous Flux: 70lm
Colour Temperature: Cool White
Lifetime: 25 000 Hours

H99 LED **LAMP TYPE:** *Including 12 x 0.06W Integrated LED*

HEIGHT: *55mm*
WIDTH: *74mm*
DEPTH: *70mm*

FITTING MATERIAL:
Plastic
LENS:
Clear Plastic

PRIMARY VOLTAGE:
5V DC

IP : *20* : *72*

DESCRIPTION:
LED Head Lamp
FITTING COLOUR:
SILVER/BLACK: 6007328336396

ADDITIONAL INFORMATION:
Excluding 3 x 1.5V AAA Batteries
Water Resistant
Adjustable Head Strap & Tilt

OPERATING FUNCTIONS:
One: 4 x LED, Two: 8 x LED,
Three: 12 x LED, Four: 12 x Flashing LED

H147 LED **LAMP TYPE:** *Including 6W Integrated LED*

LENGTH: *195mm*
DIAMETER: *70mm*

FITTING MATERIAL:
PC/ABS
LENS:
Opal Plastic

PRIMARY VOLTAGE:
5V DC

IP : *X4* : *40*

DESCRIPTION:
LED Camping Insect Killer
FITTING COLOUR:
WHITE: 6007328397403

ADDITIONAL INFORMATION:
Excluding 3 x AA Batteries
Including small cleaning brush and hanging hook
Suitable for outdoor use

LAMP SPECIFICATION:
Power: 6W
Luminous Flux: 120lm

H149 LED **LAMP TYPE:** *Including 5W Integrated LED*

HEIGHT: *203mm*
WIDTH: *95mm*
DEPTH: *95mm*

FITTING MATERIAL:
ABS
LENS:
Clear Plastic

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *20*

DESCRIPTION:
Rechargeable LED Camping Insect Killer
FITTING COLOUR:
GREEN: 6007328397410

ADDITIONAL INFORMATION:
Rechargeable with Solar or USB
Including small lamp cleaning brush and hanging hook
Including USB cable/connector

LAMP SPECIFICATION:
Power: 5W
Luminous Flux: 60lm

H138 LED **LAMP TYPE:** *Including 4 x 0.06W Integrated Ultra Violet LED*

HEIGHT: *150mm*
WIDTH: *60mm*

FITTING MATERIAL:
Plastic

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *12*

DESCRIPTION:
Plug-in Insect Killer
FITTING COLOUR:
WHITE/BLUE: 6007328354796

ADDITIONAL INFORMATION:
Ideal For Indoor Use
Effective Coverage Area 60m²
Shock Mechanism
Retractable Tray For Cleaning
5A Mounted Plug

H209 LED **LAMP TYPE:** *Including 3W Integrated LED*

HEIGHT: *99mm*
LENGTH: *60mm*
DEPTH: *65mm*

FITTING MATERIAL:
PC/ABS

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *100*

DESCRIPTION:
LED Ultrasonic Pest Repeller
FITTING COLOUR:
WHITE: 6007328397441

ADDITIONAL INFORMATION:
Effective Coverage Area: 70m²
Repels Insects Including Fleas, Bedbugs, Roaches, Mosquitos, Ants, Spiders, Fruit flies And Rodents Including Rats And Mice

H210 LED **LAMP TYPE:** *Including 0.5W Integrated LED*

HEIGHT: *56mm*
WIDTH: *65mm*
DEPTH: *31mm*

FITTING MATERIAL:
PC/ABS

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *300*

DESCRIPTION:
LED Ultrasonic Insect Repeller
FITTING COLOUR:
WHITE: 6007328399131

ADDITIONAL INFORMATION:
Effective Coverage Area: 70m²
Repels Insects Including Fleas, Bedbugs, Roaches, Mosquitos, Ants, Spiders, Fruit flies And Rodents Including Rats And Mice

H165 LED **LAMP TYPE:** *Including 5W Integrated LED*

HEIGHT: *100mm*
DIAMETER: *120mm*
CABLE LENGTH: *1450mm*

FITTING MATERIAL:
PC/ABS

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

DESCRIPTION:
LED Indoor Insect Killer
FITTING COLOUR:
WHITE: 6007328397434

ADDITIONAL INFORMATION:
Including Cleaning Brush
Including Usb Cable

OPERATING FUNCTIONS:
2 x On/Off Switch
Indoor Use
Fan 5V 300mAh

H127 LED **LAMP TYPE:** *Including 1 x Integrated 5W SMD LED*

HEIGHT: *150mm*
DIAMETER: *90mm*

FITTING MATERIAL:
ABS/PC
LENS:
Opal Plastic

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *X4* : *40*

DESCRIPTION:
Rechargeable Insect killer Lamp
FITTING COLOUR:
WHITE: 6007328397373
RED: 6007328397380

ADDITIONAL INFORMATION:
Insect Shock Grid 3W
Includes Recharge Cable
Rechargeable 3.7V 1800mAh Sealed Li-ion Battery
Battery Life: 5-7 Hours
Charge Time: 5-7 Hours

LAMP SPECIFICATION:
Power: 5W
Luminous Flux: 70lm
Colour Temperature: Cool White

H44 **LAMP TYPE:** *Including 1 x G5 max 4W T5 Black Light-Blue Fluorescent Tube*

HEIGHT: *235mm*
DIAMETER: *123mm*

FITTING MATERIAL:
Plastic

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *20*

DESCRIPTION:
Portable Insect Killer
FITTING COLOUR:
WHITE: 6007328324898

ADDITIONAL INFORMATION:
Power: 4W
Ideal For Indoor Use
Effective Coverage Area 15m²
Shock Mechanism
Including Hanging Ring
Including 1310mm Cable & 5A Plug Top
Spare Lamp: G399BP

H164 LED **LAMP TYPE:** *Including UV 3W Integrated LED*

HEIGHT: *220mm*
WIDTH: *110mm*
DEPTH: *100mm*

FITTING MATERIAL:
ABS

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *24*

DESCRIPTION:
LED Mosquito Killer
FITTING COLOUR:
BLACK: 6007328397427

ADDITIONAL INFORMATION:
Including Cleaning Brush and Hanging Hook

OPERATING FUNCTIONS:
Outdoor Use

Attracts flying insects with UV light
Kills on contact

Attracts flying insects with UV light
Kills on contact

H45

LAMP TYPE:
Including 2 x G5 max 6W T5 Black Light-Blue Fluorescent Tubes

HEIGHT: *252mm*
WIDTH: *274mm*
DEPTH: *110mm*
CHAIN LENGTH: *450mm*

FITTING MATERIAL:
Aluminium

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *10*

DESCRIPTION:
Insect Killer
FITTING COLOUR:
SILVER: 6007328031970

ADDITIONAL INFORMATION:
Power: 12W
Ideal For Indoor Use
Effective Coverage Area: 20m²
Shock Mechanism
Including Hanging Chain
Including 1100mm Cable and 16A Plug Top
On/Off Switch
Spare Lamp: G316BP

H46

LAMP TYPE:
Including 2 x G13 max 10W T8 Black Light-Blue Fluorescent Tubes

HEIGHT: *285mm*
WIDTH: *400mm*
DEPTH: *110mm*
CHAIN LENGTH: *510mm*

FITTING MATERIAL:
Aluminium

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *10*

DESCRIPTION:
Insect Killer
FITTING COLOUR:
SILVER: 6007328031987

ADDITIONAL INFORMATION:
Power: 20W
Ideal For Indoor Use
Effective Coverage Area: 20m²
Shock Mechanism
Including Hanging Chain
Including 1100mm Cable and 16A Plug Top
On/Off Switch
Spare Lamp: G314BP

Attracts flying insects with UV light
Kills on contact

Attracts flying insects with UV light
Kills on contact

H47

LAMP TYPE:
Including 2 x G13 20W T8 Black Light-Blue Fluorescent Tubes

HEIGHT: *320mm*
WIDTH: *655mm*
DEPTH: *110mm*
CHAIN LENGTH: *540mm*

FITTING MATERIAL:
Aluminium

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *6*

DESCRIPTION:
Insect Killer
FITTING COLOUR:
SILVER: 6007328324881

ADDITIONAL INFORMATION:
Power: 40W
Ideal For Indoor Use
Effective Coverage Area: 50m²
Shock Mechanism
Including Hanging Chain
Including 1100mm Cable and 16A Plug Top
On/Off Switch
Spare Lamp: G315BP

H123 LED

LAMP TYPE:
Including 4W LED Integrated UV Light

HEIGHT: *275mm*
WIDTH: *380mm*
DEPTH: *75mm*
CABLE LENGTH: *1280mm*

FITTING MATERIAL:
ABS & PC

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *4*

DESCRIPTION:
LED Indoor Insect Killer
FITTING COLOUR:
BLACK: 6007328397335

ADDITIONAL INFORMATION:
Power: 4W
Ideal For Indoor Use
Effective Coverage Area: 40m²
Shock Mechanism
Including 1280mm Cable and 5A Plug Top
On/Off Switch

H125

LED

LAMP TYPE:
Including 2 x T8 3W LED (G1074)

HEIGHT: *276mm*
WIDTH: *437mm*
DEPTH: *92mm*
CHAIN LENGTH: *650mm*

FITTING MATERIAL:
ABS / Aluminium

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *4*

DESCRIPTION:
LED Insect Killer
FITTING COLOUR:
WHITE/GREY: 6007328397359

ADDITIONAL INFORMATION:
Power: 3W
Ideal For Indoor Use
Effective Coverage Area: 50m²
Shock Mechanism
Including Hanging Chain
Including 1300mm Cable and 5A Plug Top
On/Off Switch
Replacement Lamp: G1074



H126

LED

LAMP TYPE:
Including 2 x T8 4W LED (G1075)

HEIGHT: *265mm*
WIDTH: *645mm*
DEPTH: *80mm*
CHAIN LENGTH: *770mm*

FITTING MATERIAL:
ABS / Aluminium

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *4*

DESCRIPTION:
LED Insect Killer
FITTING COLOUR:
WHITE/GREY: 6007328397366

ADDITIONAL INFORMATION:
Power: 4W
Ideal For Indoor Use
Effective Coverage Area: 90m²
Shock Mechanism
Including Hanging Chain
Including 1300mm Cable and 5A Plug Top
On/Off Switch
Replacement Lamp: G1075

H124

LED

LAMP TYPE:
Including 2 x T8 2W LED (G1073)

HEIGHT: *265mm*
WIDTH: *380mm*
DEPTH: *80mm*
CHAIN LENGTH: *540mm*

FITTING MATERIAL:
ABS / Aluminium

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *6*

DESCRIPTION:
LED Insect Killer
FITTING COLOUR:
WHITE/GREY: 6007328397342

ADDITIONAL INFORMATION:
Power: 2W
Ideal For Indoor Use
Effective Coverage Area: 30m²
Shock Mechanism
Including Hanging Chain
Including 1300mm Cable and 5A Plug Top
On/Off Switch
Replacement Lamp: G1073

T603

LAMP TYPE:
Including 1 x 2G11 max 38W UVC / Ozone UV 230V

HEIGHT: *455mm*
DIAMETER: *210mm*

FITTING MATERIAL:
Plastic

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *10*

DESCRIPTION:
UV Steriliser Lamp
FITTING COLOUR:
WHITE: 6009551800712

ADDITIONAL INFORMATION:
Not Dimmable
Including Remote
Sanitising Light

WARNING:
UV/UVC Exposure. People, animals & plants can not be present while in use.
20 second start delay for user to leave the room safely.

RECHARGEABLES

RECHARGEABLES

FS276 *pg492*

FS277 *pg492*

FS210 *pg492*

FS205 *pg492*

FS209 *pg493*

FS212 *pg493*

FS208 *pg493*

FS206 *pg494*

FS207 *pg494*

FS298 *pg495*

H211 *pg495*

H22 *pg495*

H23 *pg495*

FS275 *pg496*

H184 *pg496*

FS211 *pg496*

FS226 *pg496*

G982/G983 *pg497*

G1066 *pg497*

H127 *pg497*

O555 *pg498*

O556 *pg498*

O557 *pg498*

O559 *pg499*

O558 *pg499*

O560 *pg499*

O561 *pg499*

F88 *pg500*

F82 *pg500*

F83 *pg500*

F84 *pg501*

F86 *pg501*

F87 *pg501*

F85 *pg501*

F6 *pg502*

F5 *pg502*

FS204 *pg503*

FS203 *pg503*

G983



FS276 LED **LAMP TYPE:** *Including 30 x 0.06W Integrated SMD LED*

HEIGHT: *40mm*
WIDTH: *310mm*
DEPTH: *50mm*

FITTING MATERIAL: *Plastic*
LENS: *Clear Acrylic*

PRIMARY VOLTAGE: *220V - 240V (50/60Hz)*

IP : *20* : *40*

FITTING COLOUR:
WHITE: 6007328395096

ADDITIONAL INFORMATION:
Rechargeable 3.7V 1500mAh Sealed Li-ion Battery
Battery Life: 3 Hours (Bright), 6 Hours(Dim)
Charge Time: 20 - 24 Hours
Including 700mm Recharge Cable
Charge Indicator Light
Test Button

LAMP SPECIFICATION:
Power: 2W (30 x 0.06W)
Luminous Flux: 330lm
Colour Temperature: Daylight
Lifetime: 30 000 Hours
Beam Angle: 120º

OPERATING FUNCTIONS:
High, Low or Off
Emergency Function - Switches on when power goes off



FS277 LED **LAMP TYPE:** *Including 60 x 0.06W Integrated SMD LED*

HEIGHT: *43mm*
WIDTH: *450mm*
DEPTH: *50mm*

FITTING MATERIAL: *Plastic*
LENS: *Clear Acrylic*

PRIMARY VOLTAGE: *220V - 240V (50/60Hz)*

IP : *20* : *20*

FITTING COLOUR:
WHITE: 6007328395102

ADDITIONAL INFORMATION:
Rechargeable 3.7V 2200mAh Sealed Li-ion Battery
Battery Life: 3 Hours(Bright), 6 Hours(Dim)
Charge Time: 20 - 24 Hours
Including 600mm Recharge Cable
Charge Indicator Light
Test Button

LAMP SPECIFICATION:
Power: 4W (60 x 0.06W)
Luminous Flux: 370lm
Colour Temperature: Daylight
Lifetime: 30 000 Hours
Beam Angle: 120º

OPERATING FUNCTIONS:
High, Low or Off
Emergency Function - Switches on when power goes off



FS210 LED **LAMP TYPE:** *Including 30 x 0.06W Integrated SMD LED*

HEIGHT: *65mm*
WIDTH: *270mm*
DEPTH: *50mm*

FITTING MATERIAL: *Plastic*
LENS: *Clear Acrylic*

PRIMARY VOLTAGE: *220V - 240V (50/60Hz)*

IP : *20* : *20*

FITTING COLOUR:
WHITE: 6007328370994

ADDITIONAL INFORMATION:
Rechargeable 3.7V 1.2Ah Sealed Li-ion Battery
Battery Life: 3 - 4 Hours (Bright), 6 - 7 Hours (Dim)
Charge Time: 20 - 24 Hours
Including 560mm Recharge Cable
Charge Indicator Light
Test Button
Wall Mounting

LAMP SPECIFICATION:
Power: 1.8W (30 x 0.06W)
Luminous Flux: 150lm
Colour Temperature: Daylight
Lifetime: 30 000 Hours
Beam Angle: 120º

OPERATING FUNCTIONS:
High, Low or Off
Emergency Function - Switches on when power goes off



FS205 LED **LAMP TYPE:** *Including 30 x 0.06W Integrated SMD LED*

HEIGHT: *65mm*
WIDTH: *205mm*
DEPTH: *30mm*

FITTING MATERIAL: *Plastic*
LENS: *Clear Plastic*

PRIMARY VOLTAGE: *220V - 240V (50/60Hz)*

IP : *20* : *24*

FITTING COLOUR:
WHITE: 6007328370772

ADDITIONAL INFORMATION:
Rechargeable 3.7V 1.2Ah Sealed Li-ion Battery
Battery Life: 3 - 4 Hours (Bright), 6 - 7 Hours (Dim)
Charge Time: 20 - 24 Hours
Including 450mm Recharge Cable
Charge Indicator Light
Test Button
Wall Mounting

LAMP SPECIFICATION:
Power: 1.8W (30 x 0.06W)
Luminous Flux: 150lm
Colour Temperature: Daylight
Lifetime: 30 000 Hours
Beam Angle: 120º

OPERATING FUNCTIONS:
High, Low or Off
Emergency Function - Switches on when power goes off



FS209 LED **LAMP TYPE:** *Including 60 x 0.06W Integrated SMD LED*

HEIGHT: *70mm*
WIDTH: *360mm*
DEPTH: *35mm*

FITTING MATERIAL:
Plastic
LENS:
Clear Plastic

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *20*

FITTING COLOUR:
WHITE: 6007328370987

ADDITIONAL INFORMATION:
Rechargeable 3.7V 2.2Ah Sealed Li-ion Battery
Battery Life: 3 - 4 Hours (Bright), 6 - 7 Hours (Dim)
Charge Time: 20 - 24 Hours
Including 520mm Recharge Cable
Charge Indicator Light
Test Button
Swivel Out Wall Mount

LAMP SPECIFICATION:
Power: 3.6W (60 x 0.06W)
Luminous Flux: 300lm
Colour Temperature: Daylight
Lifetime: 30 000 Hours
Beam Angle: 120º

OPERATING FUNCTIONS:
High, Low or Off
Emergency Function - Switches on when power goes off





FS212 LED **LAMP TYPE:** *Including 90 x 0.06W Integrated SMD LED*

HEIGHT: *95mm*
WIDTH: *500mm*
DEPTH: *60mm*

FITTING MATERIAL:
Plastic
LENS:
Clear Acrylic

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *10*

FITTING COLOUR:
WHITE: 6007328371014

ADDITIONAL INFORMATION:
Rechargeable 3.7V 2.2mAh Sealed Li-ion Battery
Battery Life: 3 - 4 Hours (3 Rows), 6 - 9 Hours (2 Rows), 10 - 11 Hours (1 Row)
Charge Time: 12 - 15 Hours

LAMP SPECIFICATION:
Power: 5.4W (90 x 0.06W)
Luminous Flux: 450lm
Colour Temperature: Daylight
Lifetime: 30 000 Hours
Beam Angle: 120º

OPERATING FUNCTIONS:
1, 2 or 3 Rows
Emergency Function - Switches on when power goes off

FS208 LED **LAMP TYPE:** *Including 90 x 0.06W Integrated SMD LED*

HEIGHT: *65mm*
WIDTH: *500mm*
DEPTH: *35mm*

FITTING MATERIAL:
Plastic
LENS:
Clear Plastic

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *15*

FITTING COLOUR:
WHITE: 6007328370970

ADDITIONAL INFORMATION:
Rechargeable 3.7V 2.2Ah Sealed Li-ion Battery
Battery Life: 3 - 4 Hours (Bright), 8 - 10 Hours (Dim)
Charge Time: 20 - 24 Hours
Including 590mm Recharge Cable
Charge Indicator Light
Test Button
Wall mounting

LAMP SPECIFICATION:
Power: 5W (90 x 0.06W)
Luminous Flux: 450lm
Colour Temperature: Daylight
Lifetime: 30 000 Hours
Beam Angle: 120º

OPERATING FUNCTIONS:
High, Low or Off
Emergency Function - Switches on when power goes off



FS206

LED **LAMP TYPE:** *Including 30 x 0.06W Integrated SMD LED*

HEIGHT: *30mm*
WIDTH: *310mm*
DEPTH: *35mm*

FITTING MATERIAL:
Plastic
LENS:
Opal Plastic

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *40*

FITTING COLOUR:
WHITE: 6007328370796

ADDITIONAL INFORMATION:
Rechargeable 3.7V 1.5Ah Sealed Li-ion Battery
Battery Life: 3 - 4 Hours (Bright), 6 - 7 Hours (Dim)
Charge Time: 20 - 24 Hours
On/Off Switch
Charge Indicator Light
Test Button

LAMP SPECIFICATION:
Power: 1.8W (30 x 0.06W)
Luminous Flux: 240lm
Colour Temperature: Cool White
Lifetime: 30 000 Hours

OPERATING FUNCTIONS:
High, Low or Off
Emergency Function - Switches on when power goes off



FS207

LED **LAMP TYPE:** *Including 90 x 0.06W Integrated SMD LED*

HEIGHT: *35mm*
WIDTH: *405mm*
DEPTH: *45mm*

FITTING MATERIAL:
Plastic
LENS:
Opal Plastic

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *20*

FITTING COLOUR:
WHITE: 6007328370802

ADDITIONAL INFORMATION:
Rechargeable 3.7V 2.2Ah Sealed Li-ion Battery
Battery Life: 3 - 4 Hours (Bright), 6 - 7 Hours (Dim)
Charge time: 20 - 24 Hours
On/Off Switch
Charge Indicator Light
Test Button

LAMP SPECIFICATION:
Power: 5.4W (90 x 0.06W)
Luminous Flux: 450lm
Colour Temperature: Daylight
Lifetime: 30 000 Hours

OPERATING FUNCTIONS:
High, Low or Off
Emergency Function - Switches on when power goes off



Rechargeable

FS298

LED **LAMP TYPE:** *Including 18 x 0.3W Integrated SMD LED*

HEIGHT: *170mm*
WIDTH: *80mm*
DEPTH: *80mm*

FITTING MATERIAL:
Plastic
LENS:
Clear Acrylic

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *15*

DESCRIPTION:
Rechargeable Lantern
FITTING COLOUR:
RED: 6007328399940

ADDITIONAL INFORMATION:
Rechargeable 6V 4.5 Ah Lead-Acid Rechargeable Battery
Battery Life: 8 - 10 Hours (up to 8 Hours on bright)
Charge Time: 20 - 24 Hours
Rechargeable with USB Port and Charge Indicator
Push/Slide Switch
Light Settings: 6 LED, 8 LED, 12 LED and OFF

LAMP SPECIFICATION:
Power: 5.4W (18 x 0.3W)
Luminous Flux: 630lm (max)
Colour Temperature: Daylight
Lifetime: 25 000 Hours



Rechargeable

H211

LED **LAMP TYPE:** *Including 1W Integrated LED*

HEIGHT: *47mm*
WIDTH: *65mm*
DEPTH: *75mm*

FITTING MATERIAL:
Plastic
LENS:
Clear Plastic

PRIMARY VOLTAGE:
5V DC

IP : *20* : *100*

DESCRIPTION:
Rechargeable LED Head Lamp
FITTING COLOUR:
BLACK: 6007328399803

ADDITIONAL INFORMATION:
Including 3.7v1200mAh Lithium-ion battery
Charge time 4-5 Hours (Duration: 4-5 Hours Bright, 6-8 Hours Dim)
Adjustable Head Strap - One size fits all
USB port, USB Charge Cable Included

OPERATING FUNCTIONS:
Press switch 1 x dimm setting, 2 x bright setting, 3 x torch turns off

LAMP SPECIFICATION:
Power: 1W
Luminous Flux: 70lm
Colour Temperature: Cool White
Lifetime: 25 000 Hours



Rechargeable

H22

LED **LAMP TYPE:** *Including 1 x 5W Integrated SMD LED*

HEIGHT: *160mm*
WIDTH: *213mm*
DEPTH: *120mm*

FITTING MATERIAL:
Plastic
LENS:
Clear Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *10*

DESCRIPTION:
Rechargeable Torch
FITTING COLOUR:
BLACK/RED: 6007328399926

ADDITIONAL INFORMATION:
On / Off Switch
Rechargeable4V 6Ah Sealed Lead Acid Battery
Battery Life: up to 16 Hours
Charge Time: 12 - 15 Hours

LAMP SPECIFICATION:
Power: 5W
Luminous Flux: 350lm
Colour Temperature: Cool White
Lifetime: 25 000 Hours



Rechargeable

H23

LED **LAMP TYPE:** *Including 1 x 10W Integrated SMD LED*

HEIGHT: *177mm*
WIDTH: *235mm*
DEPTH: *170mm*

FITTING MATERIAL:
Plastic
LENS:
Clear Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *8*

DESCRIPTION:
Rechargeable Torch
FITTING COLOUR:
BLACK/RED: 6007328399933

ADDITIONAL INFORMATION:
On / Off Switch
Red Emergency Flashing Light
Rechargeable 4V 6Ah Sealed Lead Acid Battery
Battery Life: up to 2.5 Hours (Torch), 60 Hours (Red Emergency Flash Light)
Charge Time: 20 - 24 Hours

LAMP SPECIFICATION:
Power: 10W
Luminous Flux: 700lm
Colour Temperature: Cool White
Lifetime: 25 000 Hours

FS275

LED

LAMP TYPE 1: *Including 1 x 3W Integrated SMD LED*
LAMP TYPE 2: *Including 18 x 0.5W Integrated SMD LED (Emergency Light)*

HEIGHT: *230mm*
DIAMETER: *62mm*

FITTING MATERIAL:
Plastic
LENS:
Clear Acrylic

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *30*

DESCRIPTION:
Rechargeable LED Light
FITTING COLOUR:
WHITE: 6007328394822

ADDITIONAL INFORMATION:
Rechargeable 3.7V 1500mAh Sealed Li-ion Battery
Battery Life: up to 3 Hours
Charge Time: 20 - 24 Hours
Emergency Light Function - Automatically switches on when the power goes off
Plugs into the wall to recharge using a two pin plug

LAMP SPECIFICATION:
Power: 3W / 9W (18 x 0.5W)
Luminous Flux: 230lm
Colour Temperature: Cool White

H184

LED

LAMP TYPE 1: *Including 28 x 0.06W Integrated Cool White LED (Lantern)*
LAMP TYPE 2: *Including 3 x 0.06W Integrated Cool White LED (Torch)*
LAMP TYPE 3: *Including 4 x 0.06W Integrated Red LED (Flashing Lights)*

LENGTH: *270mm*
WIDTH: *60mm*
DEPTH: *30mm*

FITTING MATERIAL:
Plastic
LENS:
Clear Plastic

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *24*

DESCRIPTION:
Multi Function LED Work Light
FITTING COLOUR:
BLACK: 6007328364184

ADDITIONAL INFORMATION:
Including 1 x 1.2V 800mAh Ni-Mh Battery
Battery Life: 4 - 5 Hours (Torch) & 2 - 3 Hours (Lantern)
Including Recharge Cables: 5A Wall Adapter & Car Charger
Including 360º Swivel Hook & Magnet
On/Off Switch

OPERATING FUNCTIONS:
One: Lantern On, Two: Torch On,
Three: Flashing Red Light On



FS211

LED

LAMP TYPE:
Including 10 x Integrated 0.6W SMD LED

HEIGHT: *100mm*
WIDTH: *79mm*
DEPTH: *21mm*

FITTING MATERIAL:
Plastic
LENS:
Opal Plastic

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *80*

DESCRIPTION:
Rechargeable 5A Wall Socket Lamp
FITTING COLOUR:
WHITE: 6007328371007

ADDITIONAL INFORMATION:
Rechargeable 3.7V 600mAh Sealed Li-ion Battery
Battery Life: 2 - 3 Hours
Charge Time: 10 - 12 Hours
Day/Night Sensor - Automatically switches on when natural light is low
Plugs into Wall Socket

LAMP SPECIFICATION:
Power: 6W (10 x 0.6W)
Luminous Flux: 50lm
Colour Temperature: Cool White
Lifetime: 30 000 Hours
Beam Angle: 140º



FS226

LED

LAMP TYPE 1: *Including 1 x Integrated 1W SMD LED*
LAMP TYPE 2: *Including 4 x Integrated 0.8W SMD LED (Emergency Light)*

HEIGHT: *132mm*
WIDTH: *60mm*
DEPTH: *60mm*

FITTING MATERIAL:
Plastic
LENS:
Clear Acrylic

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *100*

DESCRIPTION:
Rechargeable Plug-in 5A Wall Socket Lamp
FITTING COLOUR:
WHITE: 6007328369714

ADDITIONAL INFORMATION:
Rechargeable 3.7V 600mAh Sealed Li-ion Battery
Battery Life: 3 - 4 Hours (Bright), 5 - 6 Hours (Dim)
Charge Time: 24 Hours
Emergency Light Function - Automatically switches on when the power goes off
Plugs into Wall Socket

LAMP SPECIFICATION:
Power: 1W / 3.2W (4 x 0.8W)
Luminous Flux: 30lm / 60lm
Colour Temperature: Cool White
Lifetime: 30 000 Hours
Beam Angle: 140º



Rechargeable

G982 / G983 LED **LAMP TYPE:** *B22 / E27 5W Integrated LED*

HEIGHT: *111mm*
DIAMETER: *60mm*

FITTING MATERIAL:
Plastic
LENS:
Opal Plastic

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *50*

DESCRIPTION:
LED Rechargeable Lamp
FITTING COLOUR:
B22 WHITE (G982): 6007328372981
E27 WHITE (G983): 6007328372998

ADDITIONAL INFORMATION:
Rechargeable 3.7V 1,5Ah Sealed Li-ion Battery
Battery Life: Up to 5 Hours
Charge Time: 8 - 10 Hours
Emergency Light Function - Automatically Switches on when the Power Goes Off

LAMP SPECIFICATION:
Power: 5W (20 x 0.25W)
Luminous Flux: 440lm
Colour Temperature: Daylight
Lifetime: 30 000 Hours



Rechargeable

G1066 LED **LAMP TYPE:** *E27 3W Integrated LED*

HEIGHT: *107mm*
DIAMETER: *60mm*

FITTING MATERIAL:
Plastic
LENS:
Opal Plastic

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *100*

DESCRIPTION:
LED Rechargeable Lamp
FITTING COLOUR:
WHITE: 6007328399827

ADDITIONAL INFORMATION:
Rechargeable 3.7V 1,2Ah Sealed Li-ion Battery
Battery Life: Up to 3 Hours
Charge Time: 20 - 24 Hours
Emergency Light Function - Automatically Switches on when the Power Goes Off

LAMP SPECIFICATION:
Power: 3W
Luminous Flux: 300lm
Colour Temperature: Daylight
Lifetime: 30 000 Hours



Rechargeable

Kills on contact

H127 LED **LAMP TYPE:** *Including 1 x Integrated 5W SMD LED*

HEIGHT: *150mm*
DIAMETER: *90mm*

FITTING MATERIAL:
ABS/PC
LENS:
Opal Plastic

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *X4* : *40*

DESCRIPTION:
Rechargeable Insect killer Lamp
FITTING COLOUR:
WHITE: 6007328397373
RED: 6007328397380

ADDITIONAL INFORMATION:
Insect Shock Grid 3W
Includes Recharge Cable
Rechargeable 3.7V 1800mAh Sealed Li-ion Battery
Battery Life: 5-7 Hours
Charge Time: 5-7 Hours

LAMP SPECIFICATION:
Power: 5W
Luminous Flux: 70lm
Colour Temperature: Cool White

mooni

COLOUR changing

Rechargeable

O556 LED **LAMP TYPE:** *Including 18 x 5W RGB Integrated LED*

HEIGHT: *400mm*
DAIMETER: *240mm*

FITTING MATERIAL:
Plastic & Wood
LENS:
Opal Plastic

PRIMARY VOLTAGE:
5V 1A Micro USB

IP : *44* : *2*

FITTING COLOUR:
WOOD: 6007328390756

ADDITIONAL INFORMATION:
Includes remote (batteries Included)
10W Speaker
Micro usb charger Cable

OPERATING FUNCTIONS:
Bluetooth connectivity
7 colours
4 colour modes - solid, flash, strobe, fade, smooth.

mooni



COLOUR changing

Rechargeable

O555 LED **LAMP TYPE:** *Including 18 x 5W RGB Integrated LED*

HEIGHT: *507mm*
DAIMETER: *304mm*

FITTING MATERIAL:
Plastic & Wood
LENS:
Opal Plastic

PRIMARY VOLTAGE:
5V 1A Micro USB

IP : *44* : *2*

FITTING COLOUR:
WOOD: 6007328390749

ADDITIONAL INFORMATION:
Includes remote (batteries Included)
10W Speaker
Micro usb charger Cable
Bluetooth with a 10W Speaker

OPERATING FUNCTIONS:
Bluetooth connectivity
7 colours
4 colour modes - solid, flash, strobe, fade, smooth.

mooni



COLOUR changing

Rechargeable

O557 LED **LAMP TYPE:** *Including 18 x 5W RGB Integrated LED*

HEIGHT: *282mm*
DAIMETER: *239mm*

FITTING MATERIAL:
Plastic & Wood
LENS:
Opal Plastic

PRIMARY VOLTAGE:
5V 1A Micro USB

IP : *44* : *4*

FITTING COLOUR:
WOOD: 6007328390763

ADDITIONAL INFORMATION:
Includes remote (batteries Included)
10W Speaker
Micro usb charger Cable

OPERATING FUNCTIONS:
Bluetooth connectivity
9 colours
4 colour modes - solid, flash, strobe, fade, smooth.

mooni

COLOUR changing

Rechargeable

O559 LED **LAMP TYPE:** *Including 18 x 5W RGB Integrated LED*

HEIGHT: *260mm*
DAIMETER: *225mm*

FITTING MATERIAL:
Plastic & Metal
LENS:
Opal Plastic

PRIMARY VOLTAGE:
5V 1A Micro USB

IP : *44* : *4*

FITTING COLOUR:
WHITE/CHROME: 6007328390787

ADDITIONAL INFORMATION:
Includes remote (batteries Included)
10W Speaker
Micro usb charger Cable

OPERATING FUNCTIONS:
Bluetooth connectivity
9 colours
4 colour modes - solid, flash, strobe, fade, smooth.

mooni

COLOUR changing

Rechargeable

O558 LED **LAMP TYPE:** *Including 18 x 5W RGB Integrated LED*

HEIGHT: *290mm*
DAIMETER: *233mm*

FITTING MATERIAL:
Plastic
LENS:
Opal Plastic

PRIMARY VOLTAGE:
5V 1A Micro USB

IP : *44* : *4*

FITTING COLOUR:
WHITE: 6007328390770

ADDITIONAL INFORMATION:
Includes remote (batteries Included)
10W Speaker
Micro usb charger Cable

OPERATING FUNCTIONS:
Bluetooth connectivity
9 colours
4 colour modes - solid, flash, strobe, fade, smooth.

mooni

COLOUR changing

Rechargeable

O560 LED **LAMP TYPE:** *Including 18 x 5W RGB Integrated LED*

HEIGHT: *205mm*
WIDTH: *200mm*
DEPTH: *200mm*

FITTING MATERIAL:
Plastic
LENS:
Opal Plastic

PRIMARY VOLTAGE:
5V 1A Micro USB

IP : *44* : *4*

FITTING COLOUR:
OPAL: 6007328390794

ADDITIONAL INFORMATION:
Includes remote (batteries Included)
10W Speaker
Micro usb charger Cable

OPERATING FUNCTIONS:
Bluetooth connectivity
9 colours
4 colour modes - solid, flash, strobe, fade, smooth.

mooni

COLOUR changing

Rechargeable

O561 LED **LAMP TYPE:** *Including 18 x 5W integrated SMD LED*

HEIGHT: *140mm*
DAIMETER: *90mm*

FITTING MATERIAL:
Plastic
LENS:
Opal Plastic

PRIMARY VOLTAGE:
5V 1A Micro USB

IP : *44* : *8*

FITTING COLOUR:
WHITE/SILVER: 6007328390800

ADDITIONAL INFORMATION:
10W Speaker
Micro usb charger Cable
Power bank function

OPERATING FUNCTIONS:
Bluetooth connectivity
Warm white dimmable LED Light
2 modes: Static & SOS
Hands free function
Charging time: 3 Hours
Built-in rechargeable Lithium battery

F88 LED **LAMP TYPE:** *Including 12 x 0.06W Integrated LED (Night Light)*

HEIGHT: *770mm*
WIDTH: *260mm*
DEPTH: *250mm*

FITTING MATERIAL:
Plastic
LENS:
Clear Plastic

PRIMARY VOLTAGE:
220V - 240V (50Hz)

IP : *20* : *1*

DESCRIPTION:
Portable Rechargeable Air Cooler
FITTING COLOUR:
WHITE: 6007328397649

ADDITIONAL INFORMATION:
Including Recharge Cable
Rechargeable 12V 4.5Ah Sealed Lead-Acid Battery
Battery Life: 2 Hours (Fan High),
8 Hours (Fan Low) & 25 Hours (LED Night Light)
Charge Time: 12 - 15 Hours
Includes Remote
6L Water Tank

OPERATING FUNCTIONS:
3 Speed Fan
USB & DS Socket



F82 LED **LAMP TYPE:** *Including 10 x 0,06W Integrated LED*

HEIGHT: *1265mm*
WIDTH: *421mm*
DEPTH: *400mm*

FITTING MATERIAL:
Plastic
LENS:
Opal Plastic

PRIMARY VOLTAGE:
220V - 240V (50Hz)

IP : *20* : *1*

DESCRIPTION:
Portable Rechargeable Mist Fan With Night Light
FITTING COLOUR:
WHITE: 6007328397571

ADDITIONAL INFORMATION:
Including Remote Control
Power 70W
Rechargeable 12V 4.5Ah Sealed Lead-Acid Battery
Battery Life: 2 Hours (Fan High),
28 Hours (Fan Low) & 35 Hours (LED Light)
Charge Time: 12 - 15 Hours
2 litre Water Tank
Including Adjustable Height Steel Pole
Including Recharge Cable: 1900mm

OPERATING FUNCTIONS:
3 Speed / 3 Light settings



F83 LED **LAMP TYPE:** *Including 10 x 0.6W Integrated LED*

HEIGHT: *830mm*
WIDTH: *410mm*
DEPTH: *225mm*

FITTING MATERIAL:
Plastic
LENS:
Opal Plastic

PRIMARY VOLTAGE:
220V - 240V (50Hz)

IP : *20* : *1*

DESCRIPTION:
Portable Rechargeable Mist Fan With LED Light
FITTING COLOUR:
WHITE: 6007328397588

ADDITIONAL INFORMATION:
Including Recharge Cable
Rechargeable 12V 4.5Ah Sealed Lead-Acid Battery
Battery Life: 4 Hours (Fan High),
26 Hours (Fan Low) & 35 Hours (LED Light)
Charge Time: 12 - 15 Hours
Includes On/Off Remote control
3.5 litre Water Tank

OPERATING FUNCTIONS:
3 Speed



F84

LAMP TYPE:
Including 28 x 0.1W Integrated LED

HEIGHT: *292mm*
WIDTH: *205mm*
DEPTH: *85mm*

FITTING MATERIAL:
Plastic
LENS:
Opal Plastic

PRIMARY VOLTAGE:
220V - 240V (50Hz)

IP : *20* : *12*

DESCRIPTION:
Portable Rechargeable Mini Fan
FITTING COLOUR:
WHITE: 6007328397595

ADDITIONAL INFORMATION:
Including Recharge Cable
Rechargeable 4V 3Ah Sealed Lead-Acid Battery
Battery Life: 2 Hours (Fan High),
6.5 Hours (Fan Low) & 3 Hours (LED Bright)
Charge Time: 12 - 15 Hours

OPERATING FUNCTIONS:
3 Speed
Including USB 5V Input



F86

HEIGHT: *186mm*
WIDTH: *140mm*
DEPTH: *64mm*

FITTING MATERIAL:
Plastic

PRIMARY VOLTAGE:
220V - 240V (50Hz)

IP : *20* : *40*

DESCRIPTION:
Portable Rechargeable Mini Fan
FITTING COLOUR:
WHITE: 6007328397618

ADDITIONAL INFORMATION:
Including Recharge Cable
Rechargeable 3.7V 1800mAh Lithium-ion Battery
Battery Life: 2 Hours (Fan High),
4.5 Hours (Fan Low)
Charge Time: 6 - 8 Hours

OPERATING FUNCTIONS:
2 Speed



F87

HEIGHT: *200mm*
WIDTH: *153mm*
DEPTH: *113mm*

FITTING MATERIAL:
Plastic

PRIMARY VOLTAGE:
220V - 240V (50Hz)

IP : *20* : *40*

DESCRIPTION:
Portable Rechargeable USB Mini Clip-on Fan
FITTING COLOUR:
WHITE: 6007328397625

ADDITIONAL INFORMATION:
Including Recharge Cable
Rechargeable 3.7V 1800mAh Lithium-ion Battery
Battery Life: 1.5 Hours (Fan High),
2.5 Hours (Fan Medium) & 4 Hours (Fan Low)
Charge Time: 6 - 8 Hours
Motor Power: 10W
Micro USB Socket

OPERATING FUNCTIONS:
3 Speed



F85

HEIGHT: *230mm*
WIDTH: *110mm*
DEPTH: *52mm*

FITTING MATERIAL:
Plastic
LENS:
Clear Plastic

PRIMARY VOLTAGE:
220V - 240V (50Hz)

IP : *20* : *40*

DESCRIPTION:
Portable Rechargeable Mini Fan
FITTING COLOUR:
WHITE: 6007328397601

ADDITIONAL INFORMATION:
Including Recharge Cable
Rechargeable 3.7V 1200mAh Lithium-ion Battery
Battery Life: 1.5 Hours (Fan High),
3.5 Hours (Fan Low)
Charge Time: 12 - 15 Hours

OPERATING FUNCTIONS:
2 Speed



Rechargeable

F6 LED **LAMP TYPE:** *Including 24 x Integrated 0.06W SMD LED*

HEIGHT: *356mm*
WIDTH: *304mm*
DEPTH: *127mm*

FITTING MATERIAL:
Plastic
LENS:
Clear Plastic

PRIMARY VOLTAGE:
220V-240V (50/60Hz)

IP : *20* : *8*

DESCRIPTION:
Portable Rechargeable Fan with LED Lantern
FITTING COLOUR:
WHITE: 6007328347576

ADDITIONAL INFORMATION:
Including Recharge Cable 1050mm
Rechargeable 1 x 6V 4.0Ah Sealed Lead-Acid Battery
Battery Life: 3 Hours (Fan High),
4.5 Hours (Fan Low) & 24 Hours (LED)
Charge Time: 10 - 12 Hours
Directional Lantern

OPERATING FUNCTIONS:
2 Speed
Louvre Rotation Switch



Rechargeable

F5 LED **LAMP TYPE:** *Including 2 x Integrated LED (Night Light)*

HEIGHT: *520mm*
WIDTH: *390mm*
DEPTH: *248mm*

FITTING MATERIAL:
Plastic

PRIMARY VOLTAGE:
220V-240V (50/60Hz)

IP : *20* : *2*

DESCRIPTION:
Portable Rechargeable Fan with Night Light
FITTING COLOUR:
WHITE: 6007328347569

ADDITIONAL INFORMATION:
Including Recharge Cable
Rechargeable 1 x 6V 7.0mAh Sealed Lead-Acid Battery
Battery Life: 6 Hours (Fan High/1050rpm),
8 Hours (Fan Low/850rpm) & 200 Hours (Night Light)
Charge Time: 10 - 12 Hours

OPERATING FUNCTIONS:
2 Speed
Oscillating / Lockable

FS204 LED **LAMP TYPE:** *Including 1 x 20W Integrated LED*

HEIGHT: *260mm*
WIDTH: *220mm*
DEPTH: *185mm*

FITTING MATERIAL:
Steel & Die Cast Aluminium
LENS:
Clear Tempered Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *44* : *6*

DESCRIPTION:
Portable Rechargeable Work Light
FITTING COLOUR:
BLACK/YELLOW: 6007328368731

ADDITIONAL INFORMATION:
Including Car & Wall Charging Cables
Rechargeable 2 x 2200mAh Li-Hm battery
Battery Life: 3 Hours
Charge Time: 5 Hours
Including Insulated Rocker Switch

LAMP SPECIFICATION:
Power: 20W
Luminous Flux: 600lm
Colour Temperature: Day Light
Lifetime: 25 000 Hours
Beam Angle: 110º

OPERATING FUNCTIONS:
On/Off, Bright, Dim

FS203 LED **LAMP TYPE:** *Including 1 x Integrated 10W LED*

HEIGHT: *240mm*
WIDTH: *145mm*
DEPTH: *165mm*

FITTING MATERIAL:
Steel & Aluminium
LENS:
Clear Tempered Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *44* : *12*

DESCRIPTION:
Portable Rechargeable Work Light
FITTING COLOUR:
BLACK/YELLOW: 6007328368724

ADDITIONAL INFORMATION:
Including Car & Wall Charging Cables
Rechargeable 2200mAh Li-Hm battery
Battery Life: 3 Hours
Charge Time: 5 Hours
Including Insulated Rocker Switch

LAMP SPECIFICATION:
Power: 10W
Luminous Flux: 300lm
Colour Temperature: Day Light
Lifetime: 30 000 Hours
Beam Angle: 110º

OPERATING FUNCTIONS:
On/Off, Bright, Dim

O557

SOLAR

O590 *pg508*

O591 *pg508*

O587 *pg508*

O596 *pg508*

O597 *pg509*

O595 *pg509*

O462 *pg510*

O421 *pg510*

FS297 *pg510*

H192 *pg510*

O494 *pg511*

O613 *pg511*

O589 *pg511*

O588 *pg511*

O458 *pg512*

O460 *pg512*

O459 *pg513*

O461 *pg513*

O423 *pg514*

H191 *pg514*

O586 *pg515*

O623 *pg515*

O592 *pg516*

O594 *pg516*

O593 *pg516*

PR473 *pg516*

PR474 *pg517*

PR472 *pg517*

FS214 *pg518*

FS213 *pg518*

O457 *pg519*

O455 *pg519*

O456 *pg519*

O426 *pg520*

O424 *pg520*

O425 *pg520*

O162 *pg520*

O172 *pg521*

H198 *pg521*

H195 *pg522*

H194 *pg522*

H196 *pg522*

H202 *pg522*

O170 *pg523*

O163 *pg523*

O164 *pg523*

H193 *pg524*

O166 *pg524*

O167 *pg524*

O609 *pg524*

O598 *pg525*

H199 *pg527*



O169 *pg527*

H201 *pg527*

H200 *pg527*



O590 LED **LAMP TYPE:** *Including 5W Integrated SMD LED*

HEIGHT: *130mm*
WIDTH: *235mm*
DEPTH: *30mm*

FITTING MATERIAL:
ABS & Polycarbonate
LENS:
Clear Plastic

IP : *65* : *18*

DESCRIPTION:
Solar Flood Light
FITTING COLOUR:
BLACK: 6007328396161

ADDITIONAL INFORMATION:
Including Motion Sensor
Including 1 x 3.7V 3000mAh Rechargeable Li-ion Battery
On/Off Switch

LAMP SPECIFICATION:
Power: 5W
Luminous Flux: 590lm
Colour Temperature: 6000K
Lifetime: 35 000 Hours



O591 LED **LAMP TYPE:** *Including 10W Integrated SMD LED*

HEIGHT: *197mm*
WIDTH: *305mm*
DEPTH: *35mm*

FITTING MATERIAL:
ABS & Polycarbonate
LENS:
Clear Plastic

IP : *65* : *8*

DESCRIPTION:
Solar Sensor LED Flood Light
FITTING COLOUR:
BLACK: 6007328396178

ADDITIONAL INFORMATION:
Includes 2 Motion Sensors
Including 1 x 3.7V/7200mAh Rechargeable Li-ion Battery
On/Off Switch

LAMP SPECIFICATION:
Power: 10W
Luminous Flux:1080lm
Colour Temperature: 4000K
Lifetime: 25 000 Hours



O587 LED **LAMP TYPE:** *Including 10W Integrated SMD LED*

HEIGHT: *165mm*
WIDTH: *240mm*
DEPTH: *35mm*

FITTING MATERIAL:
ABS & PC
LENS:
Clear Plastic

IP : *65* : *10*

DESCRIPTION:
Solar Sensor Flood Light
FITTING COLOUR:
BLACK: 6007328396116

ADDITIONAL INFORMATION:
Including Motion Sensor
Including 1 x 3.7V 7200mAh Rechargeable Li-ion Battery
On/Off Switch

LAMP SPECIFICATION:
Power: 10W
Luminous Flux: 1100lm
Colour Temperature: 6000K
Lifetime: 25 000 Hours



O596 LED **LAMP TYPE:** *Including 7W Integrated SMD LED*

HEIGHT: *225mm*
WIDTH: *191mm*
DEPTH: *105mm*

FITTING MATERIAL:
Plastic
LENS:
Frosted Plastic

IP : *65* : *8*

DESCRIPTION:
Solar Sensor Wall Light
FITTING COLOUR:
BLACK: 6007328396222
ADDITIONAL INFORMATION:
Including Motion Sensor
Includes Remote
Including 1 x 7.4V 5400mAh Rechargeable Li-ion Battery
On/Off Switch

LAMP SPECIFICATION:
Power: 7W
Luminous Flux: 700lm
Colour Temperature: 6000K
Lifetime: 35 000 Hours



O597 LED **LAMP TYPE:**
Including 15W Integrated SMD LED

HEIGHT: *123mm*
WIDTH: *255mm*
DEPTH: *310mm*

FITTING MATERIAL:
ABS / Polycarbonate
LENS:
Frosted Plastic

IP : *65* : *4*

DESCRIPTION:
Solar Sensor Wall Light
FITTING COLOUR:
BLACK: 6007328396239

ADDITIONAL INFORMATION:
Including Motion Sensor
Includes Remote
Including 1 x 7.4V 1500mAh Rechargeable Li-ion Battery
On/Off Switch

LAMP SPECIFICATION:
Power: 15W
Luminous Flux: 1500lm
Colour Temperature: 6000K
Lifetime: 35 000 Hours



O595 LED **LAMP TYPE:**
Including 5W Integrated SMD LED

HEIGHT: *73mm*
WIDTH: *197mm*
DEPTH: *154mm*

FITTING MATERIAL:
ABS / Polycarbonate / Plastic
LENS:
Frosted Plastic

IP : *65* : *20*

DESCRIPTION:
Solar Sensor Wall Light
FITTING COLOUR:
BLACK: 6007328396215

ADDITIONAL INFORMATION:
Including Motion Sensor
Including 1 x 3.7V 3000mAh Rechargeable Li-ion Battery
500 Lumen
On/Off Switch

LAMP SPECIFICATION:
Power: 5W
Luminous Flux:500lm
Colour Temperature: 6000K
Lifetime: 35 000 Hours

O462 LED **LAMP TYPE:** *Including 1 x 3.2W Integrated LED*

HEIGHT: *245mm*
WIDTH: *180mm*
DEPTH: *130mm*

SOLAR PANEL:
HEIGHT: *195mm*
WIDTH: *180mm*
DEPTH: *95mm*

FITTING MATERIAL:
Plastic
LENS:
Plastic

IP : *44* : *4*

DESCRIPTION:
Solar Sensor Floodlight
FITTING COLOUR:
SILVER: 4250294309341

ADDITIONAL INFORMATION:
Including Motion Sensor
150° & up to 15m detection range
Including 1 x 3.7V 2200mAh Rechargeable Li-ion Battery
5 meter cable
On/Off Switch

LAMP SPECIFICATION:
Power: 3.2W
Luminous Flux: 360lm
Colour Temperature: 4000K
Lifetime: 50 000 Hours

O421 LED **LAMP TYPE:** *Including 1 x 10W Integrated LED*

HEIGHT: *120mm*
WIDTH: *245mm*
DEPTH: *120mm*

FITTING MATERIAL:
Aluminium
LENS:
Clear Plastic

IP : *65* : *8*

DESCRIPTION:
Solar Sensor Floodlight
FITTING COLOUR:
BLACK: 6007328377337

ADDITIONAL INFORMATION:
Including Motion Sensor
Solar Panel 5W
Lights turns on automatically when dark
Including 1 x 3.7V 8000mAh Rechargeable Battery
Charge time 7 - 8 hours
On/Off Switch
4.7 meter cable
No Wiring Required

LAMP SPECIFICATION:
Power: 10W
Luminous Flux:1000lm
Colour Temperature: 4000K
Lifetime: 50 000 Hours

FS297 LED **LAMP TYPE 1:** *Including 20 x 0.25W Integrated SMD LED*
LAMP TYPE 2: *Including 1 x 1W Integrated SMD LED*

HEIGHT: *180mm*
WIDTH: *80mm*
DEPTH: *55mm*

SOLAR PANNEL:
HEIGHT: *140mm*
LENGTH: *130mm*
DEPTH: *20mm*

FITTING MATERIAL:
Plastic
LENS MATERIAL:
Clear Acrylic

IP : *20* : *15*

DESCRIPTION:
Solar LED Lantern
FITTING COLOUR:
WHITE: 6007328399957

ADDITIONAL INFORMATION:
Including 6V, 2W solar panel.
Duration when fully charged: 3-4 hours on mode 3, 6-8 hours on mode 2.
Light automatically turns on in case of power outage & turns off when power is restored.
Can be used as a portable battery to charge smartphones & tablets through USB output port.
On/Off Switch.

LAMP SPECIFICATION:
Power: 5W (20 x 0.25W) + 1W
Luminous Flux: 410lm
Colour Temperature: 4000K / 5000K
Lifetime: 25 000 Hours

H192 LED **LAMP TYPE:** *Including 10 x 0.06W Integrated SMD LED*

HEIGHT: *110mm*
WIDTH: *170mm*
DEPTH: *130mm*

FITTING MATERIAL:
Plastic
LENS:
Clear Plastic

IP : *X4* : *12*

DESCRIPTION:
Solar Sensor Light
FITTING COLOUR:
BLACK: 6007328392675

ADDITIONAL INFORMATION:
Including Motion Sensor
Motion Sensor, range 5 - 7 metres
Including 3 x AA 1.2 400mAh rechargeable batteries
On/Off/PIR Switch

LAMP SPECIFICATION:
Power: 0.6W
Luminous Flux: 18lm - 50lm
Colour Temperature: 6500K
Lifetime: 25 000 Hours



O494 LED **LAMP TYPE:** *Including 10W Integrated SMD LED*

HEIGHT: *60mm*
WIDTH: *92mm*
DEPTH: *90mm*

FITTING MATERIAL:
Plastic & Steel
LENS:
Clear Diffuser

IP : *65* | : *40*

DESCRIPTION:
Solar Sensor Wall Light
FITTING COLOUR:
BLACK: 6007328397724

ADDITIONAL INFORMATION:
Including Motion Sensor
Including 1 x 3.6V 2000mAh Rechargeable Li-ion Battery
Press Switch (PIR)

LAMP SPECIFICATION:
Power: 10W
Luminous Flux: 1000lm
Colour Temperature: 4000K
Lifetime: 25 000 Hours



O613 LED **LAMP TYPE:** *Including 2 x 0.06W Integrated SMD LED*

DEPTH: *40mm*
DIAMETER: *110mm*

FITTING MATERIAL:
Plastic
LENS:
Clear Plastic

IP : *X4* | : *12*

DESCRIPTION:
Solar Fence or Door Light
FITTING COLOUR:
BLACK: 6007328396673

ADDITIONAL INFORMATION:
Including AA 1 x 1.2V 200mAh Rechargeable Battery
220 Lumen
On/Off Switch

LAMP SPECIFICATION:
Power: 0.12W (2 x 0.06W)
Luminous Flux: 18lm - 50lm
Colour Temperature: 4000K
Lifetime: 25 000 Hours



O589 LED **LAMP TYPE:** *Including 17pc 2W Integrated SMD LED*

HEIGHT: *200mm*
WIDTH: *105mm*
DEPTH: *90mm*

FITTING MATERIAL:
Plastic / PVC
LENS:
Opal Plastic

IP : *65* | : *24*

DESCRIPTION:
Solar Sensor Wall Light
FITTING COLOUR:
BLACK: 6007328396154
WHITE: 6007328396147

ADDITIONAL INFORMATION:
Including Motion Sensor
Including 1 x 3.7V 1200mAh Rechargeable Li-ion Battery
240 Lumen
On/Off Switch

LAMP SPECIFICATION:
Power: 2W
Luminous Flux: 410lm
Colour Temperature: 6000K (Front), 3000K (Back)
Lifetime: 35 000 Hours



O588 LED **LAMP TYPE:** *Including 13pc 1.5W Integrated SMD LED*

HEIGHT: *162mm*
WIDTH: *87mm*
DEPTH: *77mm*

FITTING MATERIAL:
Plastic / PVC
LENS:
Opal Plastic

IP : *65* | : *24*

DESCRIPTION:
Solar Sensor Wall Light
FITTING COLOUR:
BLACK: 6007328396130
WHITE: 6007328396123

ADDITIONAL INFORMATION:
Including Motion Sensor
Including 1 x 3.7V 500mAh Rechargeable Li-ion Battery
220 Lumen
On/Off Switch

LAMP SPECIFICATION:
Power: 1.5W
Luminous Flux: 220lm
Colour Temperature: 6000K (Front), 3000K (Back)
Lifetime: 35 000 Hours

O458 LED **LAMP TYPE:** *Including 1 x 1W Integrated SMD LED*

HEIGHT: *50mm*
WIDTH: *180mm*
DEPTH: *180mm*

FITTING MATERIAL:
Plastic
LENS:
Clear Plastic

IP : *44* : *6*

DESCRIPTION:
Solar Mini Wall Light
FITTING COLOUR:
SILVER: 6939412027708

ADDITIONAL INFORMATION:
3 Brightness settings
300° Solar Panel Rotation
Including 1 x 3.7V 2200mAh Rechargeable Li-ion Battery
6 - 21 Hours Battery Life
30 - 100 Lumen
On/Off Switch

LAMP SPECIFICATION:
Power: 1W
Luminous Flux: 260lm
Colour Temperature: 4000K
Lifetime: 50 000 Hours



O460 LED **LAMP TYPE:** *Including 1 x 1.3W Integrated LED*

HEIGHT: *240mm*
WIDTH: *120mm*
DEPTH: *60mm*

FITTING MATERIAL:
Stainless Steel
LENS:
Opal Plastic

IP : *44* : *8*

DESCRIPTION:
Solar Sensor Wall Light
FITTING COLOUR:
STAINLESS STEEL: 6939412035109

ADDITIONAL INFORMATION:
Motion Sensor
Including 1 x 3.7V 1200mAh Rechargeable Li-ion Battery
2.5 Hours Battery Life
Auto On/Off Switch
Includes Stickers with Lettering and Numbers

LAMP SPECIFICATION:
Power: 1.3W
Luminous Flux: 100lm
Colour Temperature: 4000K
Lifetime: 50 000 Hours



O459 LED **LAMP TYPE:**
Including 1 x 1.2W Integrated LED

HEIGHT: *107mm*
WIDTH: *220mm*
DEPTH: *125mm*

FITTING MATERIAL:
Plastic
LENS:
Plastic

IP : *44* : *4*

DESCRIPTION:
Solar Sensor Wall Light
FITTING COLOUR:
SILVER: 4250294307729

ADDITIONAL INFORMATION:
Motion Sensor
Including 1 x 3.7V 2200mAh Rechargeable Li-ion Battery
4 Hours Battery Life
On/Off Switch

LAMP SPECIFICATION:
Power: 1.2W
Luminous Flux: 100lm
Colour Temperature: 4000K
Lifetime: 50 000 Hours



O461 LED **LAMP TYPE:**
Including 1 x 2.4W Integrated SMD LED

HEIGHT: *64mm*
WIDTH: *247mm*
DEPTH: *135mm*

FITTING MATERIAL:
Plastic
LENS:
Plastic

IP : *44* : *8*

DESCRIPTION:
Solar Sensor Wall Washer
FITTING COLOUR:
SILVER: 4250294308191

ADDITIONAL INFORMATION:
Motion Sensor
Including 1 x 3.7V 2200mAh Rechargeable Li-ion Battery
2 Hours Battery Life
On/Off Switch

LAMP SPECIFICATION:
Power: 2.4W
Luminous Flux: 260lm
Colour Temperature: 4000K
Lifetime: 50 000 Hours



O423 LED **LAMP TYPE:** *Including 1 x 0.2W Integrated LED*

HEIGHT: *124mm*
WIDTH: *200mm*
DEPTH: *63mm*

FITTING MATERIAL:
Aluminium

LENS:
Polycarbonate

IP : *65* : *1*

DESCRIPTION:
Solar Foot Light
FITTING COLOUR:
GREY: 6007328377351

ADDITIONAL INFORMATION:
Solar Panel 1W 5.5V
Lights turns on automatically when dark
Including 1 x 3.7V 2000mAh Rechargeable Battery
Charge time 11 hours
No Wiring Required

LAMP SPECIFICATION:
Power: 0.2W
Luminous Flux:20lm
Colour Temperature: 2700K - 2900K
Lifetime: 50 000 Hours

Twin Pack



H191 LED **LAMP TYPE:** *Including 2W Integrated SMD LED*

HEIGHT: *60mm*
DIAMETER: *122mm*

FITTING MATERIAL:
Plastic
LENS:
Opal Plastic

IP : : *12*

DESCRIPTION:
2 Pack Solar Gutter Light
FITTING COLOUR:
WHITE: 6007328392668

ADDITIONAL INFORMATION:
Including 1 x 1.2V 300mAh Rechargeable Battery
200 Lumen
On/Off Switch



O586 LED **LAMP TYPE:** *Including 2W Integrated SMD LED*

HEIGHT: *155mm*
WIDTH: *153mm*
DEPTH: *120mm*

FITTING MATERIAL:
ABS & PC
LENS:
Opal Plastic

IP : *65* : *12*

DESCRIPTION:
Solar Sensor Wall Light
FITTING COLOUR:
SILVER: 6007328396109

ADDITIONAL INFORMATION:
Including Motion Sensor
Including 1 x 3.7V 1200mAh Rechargeable Li-ion Battery
On/Off Switch

LAMP SPECIFICATION:
Power: 2W
Luminous Flux: 200lm
Colour Temperature: 6000K
Lifetime: 35 000 Hours



O623 LED **LAMP TYPE:** *Including 20W Integrated SMD LED*

HEIGHT: *130mm*
WIDTH: *105mm*
DEPTH: *115mm*

FITTING MATERIAL:
ABS & PC
LENS:
Clear Plastic

IP : *65* : *24*

DESCRIPTION:
Solar Sensor Wall Light
FITTING COLOUR:
BLACK: 6009551802839
WHITE: 6009551802822

ADDITIONAL INFORMATION:
Including Motion Sensor
1W Solar Pannel
Including Rechargeable 3.7V 14.8 WH 2AH/PC Li-ion Battery
Charging time: 20 Hours

LAMP SPECIFICATION:
Power: 20W
Luminous Flux: 2000lm
Colour Temperature: 4000K
Lifetime: 25 000 Hours



O592 LED **LAMP TYPE:** *Including 4W Integrated SMD LED*

LENGTH: *225mm*
WIDTH: *137mm*
DEPTH: *40mm*

FITTING MATERIAL:
ABS & PC / Plastic
LENS:
Clear Plastic

IP : *65* : *24*

DESCRIPTION:
Solar Street Light
FITTING COLOUR:
BLACK: 6007328396185

ADDITIONAL INFORMATION:
Including Motion Sensor
Including 1 x 3.7V 2400mAh Rechargeable Li-ion Battery
On/Off Switch
Excluding Pole

LAMP SPECIFICATION:
Power: 4W
Luminous Flux: 400lm
Colour Temperature: 6000K
Lifetime: 35 000 Hours
Beam Angle: 86.6°

O594 LED **LAMP TYPE:** *Including 15W Integrated SMD LED*

LENGTH: *520mm*
WIDTH: *230mm*
DEPTH: *60mm*

FITTING MATERIAL:
Plastic & Steel
LENS:
Clear Plastic

IP : *65* : *8*

DESCRIPTION:
Solar Street Light
FITTING COLOUR:
BLACK: 6007328396208

ADDITIONAL INFORMATION:
Including Motion Sensor
Including 1 x 7.4V 5400mAh Rechargeable Li-ion Battery
On/Off Switch
Excluding Pole

LAMP SPECIFICATION:
Power: 15W
Luminous Flux: 1600lm
Colour Temperature: 6000K
Lifetime: 35 000 Hours
Beam Angle: 83.8°



O593 LED **LAMP TYPE:** *Including 8W Integrated SMD LED*

LENGTH: *433mm*
WIDTH: *195mm*
DEPTH: *50mm*

FITTING MATERIAL:
ABS & PC / Plastic
LENS:
Clear Plastic

IP : *65* : *10*

DESCRIPTION:
Solar Street Light
FITTING COLOUR:
BLACK: 6007328396192

ADDITIONAL INFORMATION:
Including Motion Sensor
Including 1 x 3.7V 6000mAh Rechargeable Li-ion Battery
On/Off Switch
Excluding Pole

LAMP SPECIFICATION:
Power: 8W
Luminous Flux: 850lm
Colour Temperature: 6000K
Lifetime: 35000 Hours
Beam Angle: 80°



Available on request

PR473 LED **LAMP TYPE:** *Including 7W Integrated LED*

HEIGHT: *150mm*
WIDTH: *225mm*
DEPTH: *430mm*

FITTING MATERIAL:
Die Cast Aluminium
LENS:
Toughened Glass

IP : *65* : *6* W : *3 Years*

DESCRIPTION:
Solar Plaza Pole Street Light
FITTING COLOUR:
GREY: 6007328376415

ADDITIONAL INFORMATION:
Including Motion Sensor
Solar Panel 7W 5.5V
Lights turns on automatically when dark
Including 1 x 3.7V 13000mAh Rechargeable Battery
Charge time 11 hours
No Wiring Required
Excluding Pole

LAMP SPECIFICATION:
Power: 7W
Luminous Flux: 1000lm
Colour Temperature: 2700K - 6500K
Lifetime: 50 000 Hours
Beam Angle: 120°



Available on request

PR474 LED **LAMP TYPE:** *Including 15W Integrated LED*

DIAMETER: *540mm*
DEPTH: *210mm*

FITTING MATERIAL:
Aluminium Alloy & ABS
LENS:
Clear Polycarbonate Lens

IP : *65* : *12*

DESCRIPTION:
Solar Pole Street Light
FITTING COLOUR:
BLACK: 6007328376422

ADDITIONAL INFORMATION:
Solar Panel 15.6W 5.5V
Lights turns on automatically when dark
Including 1 x 3.7V 26000mAh Rechargeable Battery
Charge time 9 - 10hours
No Wiring Required
Excluding Pole

LAMP SPECIFICATION:
Power: 15W
Luminous Flux: 900lm
Colour Temperature: 2700K - 6500K
Lifetime: 50 000 Hours



Available on request

PR472 LED **LAMP TYPE:** *Including 35W Integrated LED*

DIAMETER: *734mm*
DEPTH: *210mm*

FITTING MATERIAL:
Die Cast Aluminium
LENS:
Clear Polycarbonate

IP : *65* : *6*

DESCRIPTION:
Solar Pole Street Light
FITTING COLOUR:
BLACK: 6007328376408

ADDITIONAL INFORMATION:
Solar Panel 15.6W 5.5V
Lights turns on automatically when dark
Including 1 x 3.7V 26000mAh Rechargeable Battery
Charge time 9 - 10hours
No Wiring Required
Excluding Pole

LAMP SPECIFICATION:
Power: 35W
Luminous Flux: 900lm
Colour Temperature: 2700K - 6500K
Lifetime: 50 000 Hours



FS214 LED **LAMP TYPE:** *Including 36 x 0.06W 6V DC Integrated LED*

HEIGHT: *175mm*
DIAMETER: *120mm*

FITTING MATERIAL:
Plastic
LENS MATERIAL:
Clear Plastic

IP : *20* : *20*

DESCRIPTION:
Solar LED Lantern
FITTING COLOUR:
RED: 6007328371045

ADDITIONAL INFORMATION:
Including 6V 0.75W Poly Solar Panel
Rechargeable 4V 2.0Ah Sealed Lead-Acid Battery
Battery Life: 6 - 8 Hours
Battery Charge Time: 24 Hours
Mounted Dimmer Switch
Including DC Socket
Can be Charged by Solar Panel or Mobile Charger
Including Charge Light
Including Handle
Dimmable



FS213 LED **LAMP TYPE:** *Including 24 x 0.08W Integrated LED*

HEIGHT: *40mm*
DIAMETER: *120mm*

FITTING MATERIAL:
Plastic
LENS MATERIAL:
Clear Plastic

IP : *20* : *40*

DESCRIPTION:
Solar LED Disc
FITTING COLOUR:
RED: 6007328371021

ADDITIONAL INFORMATION:
Including 6V 1W Poly Solar Panel
Rechargeable 3.7V 1.2Ah Sealed Lithium-ion Battery
Including Dim & Bright Functions
Battery Life: 3 - 4 Hours (Bright) 6 - 7 Hours (Dim)
Battery Charge Time: 24 Hours
Including Stand



O457 LED **LAMP TYPE:** *Including 1 x 2.4W Integrated SMD LED*

HEIGHT: *180mm*
WIDTH: *140mm*
DEPTH: *25mm*

FITTING MATERIAL:
Plastic
LENS:
Clear Plastic

IP : *44* | : *16* | W : *2 Years*

DESCRIPTION:
Solar Padlight
FITTING COLOUR:
WHITE/GREY: 6939412082905

ADDITIONAL INFORMATION:
3 Dimmable settings
Includes USB Charge Cable
Including 1 x 3.7V 2500mAh Rechargeable Li-ion Battery
3 - 36 Hours Battery Life
On/Off Switch

LAMP SPECIFICATION:
Power: 2.4W
Luminous Flux: 200lm
Colour Temperature: 4000K
Lifetime: 25 000 Hours



O455 LED **LAMP TYPE:** *Including 1 x 1W Integrated SMD LED*

HEIGHT: *120mm*
WIDTH: *120mm*
DEPTH: *130mm*

FITTING MATERIAL:
Plastic
LENS:
Opal Plastic

IP : *44* | : *16* | W : *2 Years*

DESCRIPTION:
Solar Portable Table Cube
FITTING COLOUR:
SILVER GREY: 6937412082721

ADDITIONAL INFORMATION:
3 Dimmable settings
Including 1 x 3.7V 1200mAh Rechargeable Li-ion Battery
4 - 40 Hours Battery Life
Touch Switch

LAMP SPECIFICATION:
Power: 1W
Luminous Flux: 100lm
Colour Temperature: 3000K
Lifetime: 25 000 Hours

O456 LED **LAMP TYPE:** *Including 1 x 1.2W Integrated LED*

HEIGHT: *282mm*
DIAMETER: *102mm*

FITTING MATERIAL:
Plastic
LENS:
Opal Plastic

IP : *54* | : *6* | W : *2 Years*

DESCRIPTION:
Solar Dragonfly Lantern
FITTING COLOUR:
SILVER GREY: 4250294311436

ADDITIONAL INFORMATION:
3 Dimmable settings
Including 1 x 3.7V 2200mAh Rechargeable Li-ion Battery
4 - 40 Hours Battery Life
10 - 120 Lumen
On/Off Switch



O426 LED **LAMP TYPE:** *Including 1 x 1W Integrated LED*

HEIGHT: *264mm*
DIAMETER: *160mm*

FITTING MATERIAL:
Aluminium & ABS
LENS:
Clear Polycarbonate

IP : *65* : *12*

DESCRIPTION:
Solar Post Light
FITTING COLOUR:
BLACK: 6007328377382

ADDITIONAL INFORMATION:
Solar Panel 1.6W 5.5V
Lights turns on automatically when dark
Motion Sensor
Including 1 x 3.7V 2000mAh Rechargeable Battery
Charge time 7 - 8 hours
On/Off Switch
No Wiring Required



O424 LED **LAMP TYPE:** *Including 1 x 1W Integrated LED*

HEIGHT: *787mm*
DIAMETER: *160mm*

FITTING MATERIAL:
Aluminium
LENS:
Clear Polycarbonate

IP : *65* : **8**

DESCRIPTION:
Solar Bollard
FITTING COLOUR:
BLACK: 6007328377368

ADDITIONAL INFORMATION:
Solar Panel 5W
Lights turns on automatically when dark
Motion Sensor
Including: 1 x 3.7V 8000mAh Rechargeable Battery
Charge time: 7 - 8 hours
On/Off Switch
No Wiring Required



O425 LED **LAMP TYPE:** *Including 1 x 2W Integrated LED*

HEIGHT: *438mm*
WIDTH: *176mm*
DEPTH: *176mm*

FITTING MATERIAL:
Aluminium
LENS:
Clear Polycarbonate

IP : *65* : *6*

DESCRIPTION:
Solar Motion Mini-Bollard
FITTING COLOUR:
GREY: 6007328377375

ADDITIONAL INFORMATION:
Solar Panel 1.6W
Lights turns on automatically when dark
Motion Sensor
Including 1 x 3.7V 2000mAh Rechargeable Battery
Charge time 7 - 8 hours
On/Off Switch
No Wiring Required

LAMP SPECIFICATION:
Power: 2W
Luminous Flux: 200lm
Colour Temperature: 2700K
Beam Angle: 360°



O162 LED **LAMP TYPE:** *Including 3 x 0.06W Integrated LED*

HEIGHT: *110mm*
WIDTH: *155mm*
DEPTH: *130mm*

FITTING MATERIAL:
Composite Resin
LENS:
Clear Plastic

IP : *44* : *12*

DESCRIPTION:
Solar Garden Rock
FITTING COLOUR:
GREY: 6007328349532

ADDITIONAL INFORMATION:
Lights turns on automatically when dark
Including1 x AA 1.2V 600mAh Ni-MH Rechargeable Battery
On/Off Switch
No Wiring Required



O172 LED **LAMP TYPE:** *Including 3 x 0.06W Integrated LED*

HEIGHT: *310mm*
DEPTH: *87mm*

FITTING MATERIAL:
Plastic
LENS:
Diffused Plastic

IP : *44* : *40*

DESCRIPTION:
Solar Garden Spike
FITTING COLOUR:
BLACK: 6007328349631

ADDITIONAL INFORMATION:
Lights turns on automatically when dark
Including 1 x AA 1.2V 600mAh Rechargeable Battery
On/Off Switch
No Wiring Required
Tiltable Head



H198 LED **LAMP TYPE:** *Including Integrated LED*

HEIGHT: *335mm*
WIDTH: *50mm*
DEPTH: *155mm*

FITTING MATERIAL:
Plastic
LENS:
Clear Plastic

IP : *X4* : *16*

DESCRIPTION:
Solar Garden Spike
FITTING COLOUR:
BLACK: 6007328392736

ADDITIONAL INFORMATION:
Lights turns on automatically when dark
Including 1 x AAA 1.2V 300mAh Rechargeable Battery
On/Off Switch
No Wiring Required
Tiltable Head



H195 LED **LAMP TYPE:** *Including Integrated LED*

HEIGHT: *355mm*
DIAMETER: *55mm*

FITTING MATERIAL:
Stainless Steel
LENS:
Diffused Plastic

IP : *X4* : *24*

DESCRIPTION:
Solar Garden Spike
FITTING COLOUR:
STAINLESS STEEL: 6007328392705

ADDITIONAL INFORMATION:
Lights turns on automatically when dark
Including 1 x AAA 1.2V 200mAh Rechargeable Battery
Battery is Replaceable
On/Off Switch
No Wiring Required



H194 LED **LAMP TYPE:** *Including Integrated LED*

HEIGHT: *365mm*
DIAMETER: *55mm*

FITTING MATERIAL:
Stainless Steel
LENS:
Diffused Plastic

IP : *X4* : *24*

DESCRIPTION:
Solar Garden Spike
FITTING COLOUR:
STAINLESS STEEL: 6007328392699

ADDITIONAL INFORMATION:
Lights turns on automatically when dark
Including 1 x AAA 1.2V 150mAh Rechargeable Battery
Battery is Replaceable
On/Off Switch
No Wiring Required

H196 LED **LAMP TYPE:** *Including Integrated LED*

HEIGHT: *370mm*
DIAMETER: *65mm*

FITTING MATERIAL:
Stainless Steel
LENS:
Diffused Plastic

IP : *X4* : *24*

DESCRIPTION:
Solar Garden Spike
FITTING COLOUR:
STAINLESS STEEL: 6007328392712

ADDITIONAL INFORMATION:
Lights turns on automatically when dark
Including 1 x AAA 1.2V 100mAh Rechargeable Battery
Battery is Replaceable
On/Off Switch
No Wiring Required



H202 LED **LAMP TYPE:** *Including Integrated LED*

HEIGHT: *365mm*
DIAMETER: *47mm*

FITTING MATERIAL:
Stainless Steel
LENS:
Diffused Plastic

IP : *X4* : *12*

DESCRIPTION:
Solar Garden Spike Retail Pack
FITTING COLOUR:
STAINLESS STEEL: 6007328392774

ADDITIONAL INFORMATION:
Lights turns on automatically when dark
Including 1 x 1.2V 40mAh Rechargeable Battery
Battery Not Replaceable
On/Off Switch
No Wiring Required



O170 LED **LAMP TYPE:** *Including 1 x 0.6W LED*

HEIGHT: *440mm*
DIAMETER: *120mm*

FITTING MATERIAL:
Plastic & Stainless Steel
LENS:
Diffused Plastic

IP : *44* : *12*

DESCRIPTION:
4 Pack Solar Garden Spike
FITTING COLOUR:
SATIN CHROME: 6007328349617

ADDITIONAL INFORMATION:
Lights turns on automatically when dark
Including 1 x AA 1.2V 200mAh Rechargeable Battery
Battery is Replaceable
On/Off Switch
No Wiring Required



O163 LED **LAMP TYPE:** *Including 1 x Integrated 0.06W LED*

HEIGHT: *685mm*
DIAMETER: *50mm*

FITTING MATERIAL:
Stainless Steel
LENS:
Diffused Plastic

IP : *44* : *16*

DESCRIPTION:
Solar Garden Tall Post
FITTING COLOUR:
SATIN CHROME: 6007328349549

ADDITIONAL INFORMATION:
Lights turns on automatically when dark
Including 1 x AA 1.2V 600mAh Rechargeable Battery
Battery is Replaceable
On/Off Switch
No Wiring Required

O164 LED **LAMP TYPE:** *Including 1 x Integrated 0.06W LED*

HEIGHT: *359mm*
DIAMETER: *56mm*

FITTING MATERIAL:
Stainless Steel
LENS:
Clear Plastic

IP : *44* : *48*

DESCRIPTION:
Solar Garden Spike
FITTING COLOUR:
SATIN CHROME: 6007328349556

ADDITIONAL INFORMATION:
Lights turns on automatically when dark
Including 1 x AA 1.2V 600mAh Rechargeable Battery
Battery is Replaceable
On/Off Switch
No Wiring Required

H193 LED **LAMP TYPE:** *Including Integrated SMD LED*

HEIGHT: *350mm*
DIAMETER: *45mm*

FITTING MATERIAL:
Plastic
LENS:
Clear Plastic

IP : *X4* : *24*

DESCRIPTION:
Plastic Solar Garden Spike
FITTING COLOUR:
BLACK: 6007328392682

ADDITIONAL INFORMATION:
Including 1 x 1.2V 300mAh Rechargeable Battery
On/Off Switch

O166 LED **LAMP TYPE:** *Including 1 x 0.06W Integrated LED*

HEIGHT: *302mm*
DIAMETER: *113mm*

FITTING MATERIAL:
Plastic
LENS:
Diffused Plastic

IP : *44* : *12*

DESCRIPTION:
10 Pack Solar Garden Spike
FITTING COLOUR:
BLACK (COOL WHITE): 6007328349570
BLACK (MULTI-COLOURED): 6007328355854

ADDITIONAL INFORMATION:
Lights turns on automatically when dark
Including 1 x AA 1.2V 600mAh Rechargeable Battery
On/Off Switch
No Wiring Required

O167 LED **LAMP TYPE:** *Including 1 x Integrated 0.06W LED*

HEIGHT: *660mm*
WIDTH: *145mm*
DEPTH: *225mm*

FITTING MATERIAL:
Steel & Plastic
LENS:
Clear Plastic

IP : *44* : *12*

DESCRIPTION:
Solar Garden Spike
FITTING COLOUR:
BLACK: 6007328349587

ADDITIONAL INFORMATION:
Lights turns on automatically when dark
Including 1 x AA 1.2V 200mAh Rechargeable Battery
On/Off Switch
No Wiring Required

Twin Pack

O609 LED **LAMP TYPE:** *Including Integrated SMD LED*

HEIGHT: *610mm*
DIAMETER: *95mm*

FITTING MATERIAL:
Plastic
LENS:
Opal Plastic

IP : *X4* : *24*

DESCRIPTION:
2 Pack Tiki Dancing Flame LED Solar Decorative Garden Spikes
FITTING COLOUR:
BLACK: 6007328396635

ADDITIONAL INFORMATION:
Including 1 x 1.2V 300mAh Rechargeable Battery
On/Off Switch

O598

LAMP TYPE:
Including 2W Integrated SMD LED

HEIGHT: *715mm*
DIAMETER: *115mm*

FITTING MATERIAL:
ABS / PC
LENS:
Clear Plastic

IP : *65* : *24*

DESCRIPTION:
Solar Flame Garden Light
FITTING COLOUR:
BLACK: 6007328396246

ADDITIONAL INFORMATION:
Including 1 x 3.7V 1200mAh Rechargeable Li-ion Battery
On/Off Switch

LAMP SPECIFICATION:
Power: 2W
Luminous Flux: 30lm
Colour Temperature: 1500K

H199 LED **LAMP TYPE:** *Including 10 bulb x 3W micro Integrated LED*

LENGTH: *1800mm*
LEAD LENGTH: *1600mm*

FITTING MATERIAL:
Plastic
LENS:
Clear Plastic

IP : *20* : *12*

DESCRIPTION:
10 Solar Bulb String Light
FITTING COLOUR:
WARM WHITE: 6007328392743

ADDITIONAL INFORMATION:
Lights turns on automatically when dark
Including rechargeable 1 x AA 1.2V 400mAh battery
Rechargeable Battery
On/Off Switch

OPERATING FUNCTIONS:
On/Off & Flashing

O169 LED **LAMP TYPE:** *Including 50 x 0.06W Integrated RGB LED*

SPIKE HEIGHT: *200mm*
STRING LENGHT: *4m*
LEAD LENGTH: *3m*

FITTING MATERIAL:
Plastic
LENS:
Clear Plastic

IP : *44* : *20*

DESCRIPTION:
50 Piece Solar Fairy Light String
FITTING COLOUR:
WHITE (O169): 6007328349600

ADDITIONAL INFORMATION:
Lights turns on automatically when dark
Including Solar Spike with 1 x AA 1.2V 600mAh
Rechargeable Battery
On/Off Switch
Lead Full Length 7m (Lead 3m, LED String 4m)

OPERATING FUNCTIONS:
On/Off & Flashing

H201 LED **LAMP TYPE:** *Including 100 x Integrated LED*

LENGTH: *10200mm*
LEAD LENGTH: *2000mm*

FITTING MATERIAL:
Plastic
LENS:
Clear Plastic

IP : *20* : *20*

DESCRIPTION:
100 LED Solar Copper Wire String Light
FITTING COLOUR:
WARM WHITE: 6007328392767

ADDITIONAL INFORMATION:
Lights turns on automatically when dark
Including rechargeable 1 x AA 1.2V 500mAh battery
Rechargeable Battery
On/Off Switch

OPERATING FUNCTIONS:
On/Off & Flashing

H200 LED **LAMP TYPE:** *Including 200 x Integrated LED*

LENGTH: *20 000mm*
LEAD LENGTH: *2000mm*

FITTING MATERIAL:
Plastic
LENS:
Clear Plastic

IP : *20* : *20*

DESCRIPTION:
200 LED Solar Copper Wire String Light
FITTING COLOUR:
WARM WHITE: 6007328392750

ADDITIONAL INFORMATION:
Lights turns on automatically when dark
Including rechargeable 1 x AA 1.2V 500mAh battery
Rechargeable Battery
On/Off Switch

OPERATING FUNCTIONS:
On/Off & Flashing

BULKHEADS

BULKHEADS

B288 *pg532*

B287 *pg532*

B285 *pg532*

B286 *pg532*

B283 *pg533*

B284 *pg533*

B295 *pg534*

B296 *pg534*

B297 *pg534*

B244 *pg534*

B148 *pg535*

B234 *pg536*

B225 *pg537*

B226 *pg537*

B228 *pg537*

B231 *pg537*

B215 *pg538*

B217 *pg538*

B252 *pg539*

B255 *pg539*

B243 *pg539*

B230 *pg540*

B227 *pg540*

B235 *pg540*

B229 *pg541*

B232 *pg541*

B233 *pg542*

B245 *pg542*

B127 *pg542*

B126 *pg543*

B95 *pg543*

B97*pg543*

B104 *pg543*

B134 *pg544*

B121 *pg544*

O406 *pg544*

B170 *pg544*

B98 *pg545*

B105 *pg545*

B96 *pg545*

B249 *pg546*

B251 *pg546*

B280 *pg546*

B281 *pg546*

B248 *pg547*

B250 *pg547*

B279 *pg547*

B278 *pg547*

B107 *pg548*

B282 *pg548*

B124 *pg549*

B128 *pg549*

B129 *pg549*

B130 *pg549*

B5 *pg550*

B31 *pg550*

B54 *pg550*

B190 *pg551*

B300 *pg551*

B181 *pg551*

B2 *pg552*

B4 *pg552*

B30 *pg553*

B8 *pg553*

B55 *pg554*

B42 *pg554*

B136 *pg555*

B1 *pg555*

B141 *pg555*

B266 *pg556*

O330 *pg556*

B122 *pg557*

B123 *pg557*

B140/B139 *pg557*

B46 *pg557*

B53 *pg558*

B110 *pg558*

B41 *pg558*

B290 *pg559*

B62 *pg559*

O332 *pg559*

B147 *pg559*

B50 *pg560*

B59 *pg560*

B137 *pg560*

B7 *pg561*

B9 *pg561*

B58 *pg562*

B111 *pg562*

B48 *pg562*

B174 *pg563*

B138 *pg563*

B173 *pg563*

B178 *pg564*

B177 *pg564*

B180 *pg564*

B179 *pg564*



B288 LED **LAMP TYPE:** *Including 1 x 23W Integrated SMD LED*

DIAMETER: *325mm*
DEPTH: *77mm*

FITTING MATERIAL:
Die Cast Aluminium
LENS:
Opal Diffuser

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *66* | : *4* | W : *5 Years*

FAMILY:
Frame
FITTING COLOUR:
BLACK: 6007328390428
GRAPHITE: 6007328390435
WHITE: 6007328390442

ADDITIONAL INFORMATION:
Including LED Driver
Dimmable

LAMP SPECIFICATION:
Power: 23W
Luminous Flux: 2000lm
Colour Temperature: 4000K
Lifetime: 25 000 Hours



B287 LED **LAMP TYPE:** *Including 1 x 7.2W Integrated SMD LED*

DIAMETER: *270mm*
DEPTH: *77mm*

FITTING MATERIAL:
Die Cast Aluminium
LENS:
Opal Diffuser

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *66* | : *6* | W : *5 Years*

FAMILY:
Frame
FITTING COLOUR:
BLACK: 6007328390398
GRAPHITE: 6007328390404
WHITE: 6007328390411

ADDITIONAL INFORMATION:
Including LED Driver
Dimmable

LAMP SPECIFICATION:
Power: 7.2W
Luminous Flux: 670lm
Colour Temperature: 4000K
Lifetime: 25 000 Hours



B285 LED **LAMP TYPE:** *Including 1 x 7W Integrated SMD LED*

HEIGHT: *240mm*
WIDTH: *240mm*
DEPTH: *77mm*

FITTING MATERIAL:
Die Cast Aluminium
LENS:
Opal Diffuser

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *66* | : *6* | W : *5 Years*

FAMILY:
Frame
FITTING COLOUR:
BLACK: 6007328390336
GRAPHITE: 6007328390343
WHITE: 6007328390350

ADDITIONAL INFORMATION:
Including LED Driver
Dimmable

LAMP SPECIFICATION:
Power: 7W
Luminous Flux: 670lm
Colour Temperature: 4000K
Lifetime: 25 000 Hours



B286 LED **LAMP TYPE:** *Including 1 x 22W Integrated SMD LED*

HEIGHT: *310mm*
WIDTH: *310mm*
DEPTH: *77mm*

FITTING MATERIAL:
Die Cast Aluminium
LENS:
Opal Diffuser

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *66* | : *4* | W : *5 Years*

FAMILY:
Frame
FITTING COLOUR:
BLACK: 6007328390367
GRAPHITE: 6007328390374
WHITE: 6007328390381

ADDITIONAL INFORMATION:
Including LED Driver
Dimmable

LAMP SPECIFICATION:
Power: 22W
Luminous Flux: 2000lm
Colour Temperature: 4000K
Lifetime: 25 000 Hours



B283 LED **LAMP TYPE:** *Including 1 x 7.7W Integrated SMD LED*

HEIGHT: *180mm*
WIDTH: *320mm*
DEPTH: *77mm*

FITTING MATERIAL:
Die Cast Aluminium
LENS:
Opal Diffuser

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *66* : *6* W : *5 Years*

FAMILY:
Frame
FITTING COLOUR:
BLACK: 6007328390275
GRAPHITE: 6007328390282
WHITE: 6007328390299

ADDITIONAL INFORMATION:
Including LED Driver
Dimmable

LAMP SPECIFICATION:
Power: 7.7W
Luminous Flux: 670lm
Colour Temperature: 4000K
Lifetime: 25 000 Hours



B284 LED **LAMP TYPE:** *Including 1 x 6W Integrated SMD LED*

HEIGHT: *150mm*
WIDTH: *240mm*
DEPTH: *77mm*

FITTING MATERIAL:
Die Cast Aluminium
LENS:
Opal Diffuser

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *66* : *8* W : *5 Years*

FAMILY:
Frame
FITTING COLOUR:
BLACK: 6007328390305
GRAPHITE: 6007328390312
WHITE: 6007328390329

ADDITIONAL INFORMATION:
Including LED Driver
Dimmable

LAMP SPECIFICATION:
Power: 6W
Luminous Flux: 500lm
Colour Temperature: 4000K
Lifetime: 25 000 Hours



B295 LED **LAMP TYPE:** *Including 1 x R7's J78 max 4W LED*

HEIGHT: *120mm*
WIDTH: *155mm*
DEPTH: *60mm*:

FITTING MATERIAL:
UV stabalized Shockproof Resin
LENS:
Clear UV Stabilised PMMA Diffuser

PRIMARY VOLTAGE:
220-240V (50/60Hz)

IP : *55* : *30* W : *Lifetime*

FAMILY:
Abram
FITTING COLOUR:
BLACK: 6007328395270
GREY: 6007328396536
WHITE: 6007328395287

ADDITIONAL INFORMATION:
Rust and Corrosion-Free
Made from Shockproof Resin Material
UV Stabilised
Includes Silicone Rubber Gasket

LAMP SPECIFICATION:
Power: 4W
Luminous Flux: 400lm
Colour Temperature: 4000K
Beam Angle: 360˚
Lifetime: 25 000 Hours



B296 LED **LAMP TYPE:** *Including 1 x R7's J118 max 8.5W LED*

HEIGHT: *120mm*
WIDTH: *195mm*
DEPTH: *60mm*

FITTING MATERIAL:
UV stabalized Shockproof Resin
LENS:
Clear UV Stabilised PMMA Diffuser

PRIMARY VOLTAGE:
220-240V (50/60Hz)

IP : *55* : *30* W : *Lifetime*

FAMILY:
Abram
FITTING COLOUR:
BLACK: 6007328395294
GREY: 6007328396543
WHITE: 6007328395300

ADDITIONAL INFORMATION:
Rust and Corrosion-Free
Made from Shockproof Resin Material
UV Stabilised
Includes Silicone Rubber Gasket

LAMP SPECIFICATION:
Power: 8.5W
Luminous Flux: 900lm
Colour Temperature: 4000K
Beam Angle: 360˚
Lifetime: 25 000 Hours



B297 LED **LAMP TYPE:** *Including 1 x R7s J189 max 11W LED*

HEIGHT: *120mm*
WIDTH: *265mm*
DEPTH: *60mm*

FITTING MATERIAL:
UV stabilized Shock Proof Resin
LENS:
Clear UV Stabilised PMMA Diffuser

PRIMARY VOLTAGE:
100-240V (50/60Hz)

IP : *55* : *30* W : *Lifetime*

FAMILY:
Abram
FITTING COLOUR:
BLACK: 6007328395317
GREY: 6007328396550
WHITE: 6007328395324

ADDITIONAL INFORMATION:
Rust and Corrosion-Free
Made from Shockproof Resin Material
UV Stabilised
Includes Silicone Rubber Gasket

LAMP SPECIFICATION:
Power: 11W
Luminous Flux: 1200lm
Colour Temperature: 4000K
Beam Angle: 360˚
Lifetime: 25 000 Hours



B244 LED **LAMP TYPE:** *Including 1 x E27 6W LED Filament 230V*

HEIGHT: *130mm*
WIDTH: *295mm*
DEPTH: *90mm*

FITTING MATERIAL:
UV Stabilised Shockproof Resin
LENS:
Frosted UV Stabilised PMMA

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *66* : *24* W : *Lifetime*

FAMILY:
Francy
FITTING COLOUR:
BLACK: 6007328375890
WHITE: 6007328375883

ADDITIONAL INFORMATION:
Rust and Corrosion-Free
Made from Shockproof Resin Material
UV Stabilised
Includes Silicone Rubber Gasket To Ensure High Protection Against External Agents

LAMP SPECIFICATION:
Power: 6W
Luminous Flux: 800lm
Colour Temperature: 2700K
Lifetime: 25 000 Hours



B148

LAMP TYPE:
Excluding 2 x G24d max PL 18W tubes

HEIGHT: *195mm*
WIDTH: *300mm*
DEPTH: *135mm*

FITTING MATERIAL:
Aluminium
FITTING COATING:
Dry Powder
Polyester Coating
LENS:
UV Stabilised Clear
Polycarbonate

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *65* : *8* W : *5 Years*

FAMILY:
Ballad
FITTING COLOUR:
BLACK: 6007328342038
GRAPHITE: 6007328342045
WHITE: 6007328342021

B234

LAMP TYPE:
Excluding 1 x E27 max 23W CFL or LED (max 160mm) 230V

IP : *66* | : *16* | W : *Lifetime*

HEIGHT: *330mm*
WIDTH: *230mm*
DEPTH: *90mm*

FITTING MATERIAL:
UV Stabilised Shockproof Resin
LENS:
Opal UV Stabilised PMMA

TEMPERATURE:
-60ºC to 90ºC

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

FAMILY:
Maddi
FITTING COLOUR:
BLACK: 6007328370512
GREY: 6007328372172
WHITE: 6007328375838

ADDITIONAL INFORMATION:
Rust and Corrosion-Free
Made from Shockproof Resin Material
UV Stabilised
Suitable for Wall & Ceiling Installation
Includes Silicone Rubber Gasket



B225

LAMP TYPE:
Excluding 1 x E27 CFL/LED 23W (max 160mm) 230V

HEIGHT: *345mm*
WIDTH: *245mm*
DEPTH: *95mm*

FITTING MATERIAL:
UV Stabilised Shockproof Resin
LENS:
Opal UV Stabilised PMMA

TEMPERATURE:
-60ºC to 90ºC

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *66* | : *16* | W : *Lifetime*

FAMILY:
Danzi
FITTING COLOUR:
BLACK: 6007328372226
GREY: 6007328372233
WHITE: 6007328375746

ADDITIONAL INFORMATION:
Rust and Corrosion-Free
Made from Shockproof Resin Material
UV Stabilised
Includes Silicone Rubber Gasket



B226

LAMP TYPE:
Including 1 x 9W GX53 (180mm) LED 230V

DIAMETER: *300mm*
DEPTH: *90mm*

FITTING MATERIAL:
UV Stabilised Shockproof Resin
LENS:
Opal UV Stabilised PMMA

TEMPERATURE:
-60ºC to 90ºC

PRIMARY VOLTAGE:
110V - 240V (50/60Hz)

IP : *66* | : *16* | W : *Lifetime*

FAMILY:
Lucia
FITTING COLOUR:
BLACK: 6007328370109
GREY: 6007328372158
WHITE: 6007328375753

ADDITIONAL INFORMATION:
Rust and Corrosion-Free
Made from Shockproof Resin Material
UV Stabilised
Includes Silicone Rubber Gasket

LAMP SPECIFICATION:
Power: 11W
Luminous Flux: 1300lm
Colour Temperature: 4000K
Lifetime: 25 000 Hours
Beam Angle: 90º



B228

LAMP TYPE:
Including 1 x 11W GX53 (180mm) LED 230V

DIAMETER: *300mm*
DEPTH: *175mm*

FITTING MATERIAL:
UV Stabilised Shockproof Resin
LENS:
Opal UV Stabilised PMMA

TEMPERATURE:
-60ºC to 90ºC

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *66* | : *16* | W : *Lifetime*

FAMILY:
Remi Lucia
FITTING COLOUR:
BLACK: 6007328370130
GREY: 6007328372219
WHITE: 6007328375777

ADDITIONAL INFORMATION:
35º Tilt
Rust and Corrosion-Free
Made from Shockproof Resin Material UV Stabilised
Includes Silicone Rubber Gasket

LAMP SPECIFICATION:
Power: 11W
Luminous Flux: 1300lm
Colour Temperature: 4000K
Lifetime: 25 000 Hours
Beam Angle: 90º



B231

LAMP TYPE:
Excluding 1 x E27 CFL 23W 230V

DIAMETER: *313mm*
DEPTH: *90mm*

FITTING MATERIAL:
UV Stabilised Shockproof Resin
LENS:
Opal UV Stabilised PMMA

TEMPERATURE:
-60ºC to 90ºC

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *66* | : *16* | W : *Lifetime*

FAMILY:
Gelmi
FITTING COLOUR:
BLACK: 6007328372288
GREY: 6007328372295
WHITE: 6007328375807

ADDITIONAL INFORMATION:
Rust and Corrosion-Free
Made from Shockproof Resin Material
UV Stabilised
Includes Silicone Rubber Gasket



B215

LAMP TYPE:
Excluding 1 x E27 max 23W (max 160mm) CFL/LED 230V

DIAMETER: *275mm*
DEPTH: *80mm*

FITTING MATERIAL:
UV Stabilised Shockproof Resin
LENS:
Opal UV Stabilised PMMA

TEMPERATURE:
-60ºC to 90ºC

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP: *66* | : *16* | W: *Lifetime*

FAMILY:
Berta
FITTING COLOUR:
BLACK: 6007328372318
GREY: 6007328372325
WHITE: 6007328375692

ADDITIONAL INFORMATION:
Rust and Corrosion-Free
Made from Shockproof Resin Material
UV Stabilised
Includes Silicone Rubber Gasket



B217

LAMP TYPE:
Excluding 2 x E27 max 23W (max 160mm) CFL/LED 230V

DIAMETER: *350mm*
DEPTH: *94mm*

FITTING MATERIAL:
UV Stabilised Shockproof Resin
LENS:
Opal UV Stabilised PMMA

TEMPERATURE:
-60ºC to 90ºC

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP: *66* | : *12* | W: *Lifetime*

FAMILY:
Umberta
FITTING COLOUR:
BLACK: 6007328372332
GREY: 6007328372349
WHITE: 6007328375715

ADDITIONAL INFORMATION:
Rust and Corrosion-Free
Made from Shockproof Resin Material
UV Stabilised
Includes Silicone Rubber Gasket



B252 **LAMP TYPE:** *Excluding 1 x E27 max 23W (max 160mm) CFL/LED 230V*

DIAMETER: *300mm*
DEPTH: *90mm*

FITTING MATERIAL:
UV Stabilised Shockproof Resin
LENS:
Opal UV Stabilised PMMA

TEMPERATURE:
-60ºC to 90ºC

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *66* : *16* W : *Lifetime*

FAMILY:
Lucia
FITTING COLOUR:
BLACK: 6007328385240
WHITE: 6007328381662

ADDITIONAL INFORMATION:
Rust and Corrosion-Free
Made from Shockproof Resin Material
UV Stabilised
Includes Silicone Rubber Gasket



B255 **LAMP TYPE:** *Excluding 1 x E27 max 23W CFL/LED 230V*

HEIGHT: *310mm*
WIDTH: *310mm*
DEPTH: *90mm*

FITTING MATERIAL:
UV Stabilised Shockproof Resin
LENS:
Opal UV Stabilised PMMA

TEMPERATURE:
-60ºC to 90ºC

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *66* : *16* W : *Lifetime*

FAMILY:
Stucchi
FITTING COLOUR:
BLACK: 6007328381839
WHITE: 6007328381846

ADDITIONAL INFORMATION:
Rust and Corrosion-Free
Made from Shockproof Resin Material
UV Stabilised
Includes Silicone Rubber Gasket



B243 **LAMP TYPE:** *Excluding 2 x E27 max 23W (max 160mm) CFL/LED 230V*

HEIGHT: *310mm*
WIDTH: *310mm*
DEPTH: *90mm*

FITTING MATERIAL:
UV Stabilised Shockproof Resin
LENS:
Opal UV Stabilised PMMA

TEMPERATURE:
-60ºC to 90ºC

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *66* : *16* W : *Lifetime*

FAMILY:
Stucchi
FITTING COLOUR:
BLACK: 6007328370628
GREY: 6007328372196
WHITE: 6007328375876

ADDITIONAL INFORMATION:
Rust and Corrosion-Free
Made from Shockproof Resin Material
UV Stabilised
Includes Silicone Rubber Gasket

B230

LAMP TYPE:
Excluding 1 x E27 max 23W CFL (max 160mm) 230V

HEIGHT: *338mm*
WIDTH: *250mm*
DEPTH: *100mm*

FITTING MATERIAL:
UV Stabilised Shockproof Resin
LENS:
Opal UV Stabilised PMMA

TEMPERATURE:
-60ºC to 90ºC

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *66* | : *16* | W : *Lifetime*

FAMILY:
Danzi
FITTING COLOUR:
BLACK: 6007328372264
GREY: 6007328372271
WHITE: 6007328375791

ADDITIONAL INFORMATION:
Rust and Corrosion-Free
Made from Shockproof Resin Material
UV Stabilised
Suitable for Wall & Ceiling Installation
Includes Silicone Rubber Gasket



B227

LAMP TYPE:
Excluding 1 x E27 CFL 23W (max 160mm) 230V

DIAMETER: *300mm*
DEPTH: *90mm*

FITTING MATERIAL:
UV Stabilised Shockproof Resin
LENS:
Opal UV Stabilised PMMA

TEMPERATURE:
-60ºC to 90ºC

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *66* | : *16* | W : *Lifetime*

FAMILY:
Lucia
FITTING COLOUR:
BLACK: 6007328370123
GREY: 6007328372165
WHITE: 6007328375760

ADDITIONAL INFORMATION:
Rust and Corrosion-Free
Made from Shockproof Resin Material
UV Stabilised
Suitable for Wall & Ceiling Installation
Includes Silicone Rubber Gasket



B235

LAMP TYPE:
Excluding 1 x E27 CFL 23W (max 160mm) 230V

HEIGHT: *330mm*
WIDTH: *230mm*
DEPTH: *90mm*

FITTING MATERIAL:
UV Stabilised Shockproof Resin
LENS:
Opal UV Stabilised PMMA

TEMPERATURE:
-60ºC to 90ºC

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *66* | : *16* | W : *Lifetime*

FAMILY:
Maddi-Ve
FITTING COLOUR:
BLACK: 6007328370529
GREY: 6007328372189
WHITE: 6007328375845

ADDITIONAL INFORMATION:
Rust and Corrosion-Free
Made from Shockproof Resin Material
UV Stabilised
Suitable for Wall & Ceiling Installation
Includes Silicone Rubber Gasket



B229

LAMP TYPE:
Excluding 1 x E27 CFL 23W (max 160mm) 230V

HEIGHT: *340mm*
WIDTH: *250mm*
DEPTH: *95mm*

FITTING MATERIAL:
UV Stabilised Shockproof Resin
LENS:
Opal UV Stabilised PMMA

TEMPERATURE:
-60ºC to 90ºC

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *66* : *16* W : *Lifetime*

FAMILY:
Danzi
FITTING COLOUR:
BLACK: 6007328372240
GREY: 6007328372257
WHITE: 6007328375784

ADDITIONAL INFORMATION:
Rust and Corrosion-Free
Made from Shockproof Resin Material
UV Stabilised
Suitable for Wall & Ceiling Installation
Includes Silicone Rubber Gasket



B232

LAMP TYPE:
Excluding 1 x E27 CFL 23W (max 160mm) 230V

DIAMETER: *313mm*
DEPTH: *90mm*

FITTING MATERIAL:
UV Stabilised Shockproof Resin
LENS:
Opal UV Stabilised PMMA

TEMPERATURE:
-60ºC to 90ºC

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *66* : *16* W : *Lifetime*

FAMILY:
Gelmi
FITTING COLOUR:
BLACK: 6007328372301
GREY: 6007328372455
WHITE: 6007328375814

ADDITIONAL INFORMATION:
Rust and Corrosion-Free
Made from Shockproof Resin Material
UV Stabilised
Suitable for Wall & Ceiling Installation
Includes Silicone Rubber Gasket

B245

LAMP TYPE:
Excluding 1 x E27 CFL or LED 23W (max 180mm) 230V

HEIGHT: *250mm*
WIDTH: *180mm*
DEPTH: *160mm*

FITTING MATERIAL:
UV Stabilised Shockproof Resin
LENS:
Opal UV Stabilised PMMA

TEMPERATURE:
-60ºC to 90ºC

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *66* : *18* W : *Lifetime*

FAMILY:
Germana
FITTING COLOUR:
BLACK: 6007328375913
WHITE: 6007328375906

ADDITIONAL INFORMATION:
Rust and Corrosion-Free
Made from Shockproof Resin Material
UV Stabilised
Suitable for Wall Installation
Includes Silicone Rubber Gasket

B127

LAMP TYPE:
Excluding 2 x G24d max PL 18W Tubes

HEIGHT: *320mm*
WIDTH: *200mm*
DEPTH: *100mm*

FITTING MATERIAL:
Aluminium
FITTING COATING:
Dry Powder Polyester Coating
LENS:
UV Stabilised Opal Polycarbonate

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *65* : *8* W : *5 Years*

FAMILY:
Link
FITTING COLOUR:
BLACK: 6007328331315
GRAPHITE: 6007328331339
WHITE: 6007328331322

B233

LAMP TYPE:
Including 1 x 11W GX53 (180mm) LED 100V - 240V

HEIGHT: *300mm*
WIDTH: *300mm*
DEPTH: *150mm*

FITTING MATERIAL:
UV Stabilised Shockproof Resin
LENS:
Opal UV Stabilised PMMA

TEMPERATURE:
-60ºC to 90ºC

PRIMARY VOLTAGE:
110V - 240V (50/60Hz)

IP : *66* : *10* W : *Lifetime*

FAMILY:
Giuseppe
FITTING COLOUR:
BLACK: 6007328372462
GREY: 6007328372479
WHITE: 6007328375821

ADDITIONAL INFORMATION:
Rust and Corrosion-Free
Made from Shockproof Resin Material
UV Stabilised
Suitable for Wall & Ceiling Installation
Includes Silicone Rubber Gasket

LAMP SPECIFICATION:
Power: 11W (~100W)
Luminous Flux: 1300lm
Colour Temperature: 3000K
Lifetime: 25 000 Hours
Beam Angle: 90º
Voltage: 100V - 240V (50/60Hz)
Energy Rating: A+



B126

LAMP TYPE: *Excluding 2 x G24d max PL 18W Tubes*

HEIGHT: *300mm*
WIDTH: *300mm*
DEPTH: *87mm*

FITTING MATERIAL:
Aluminium
FITTING COATING:
Dry Powder
Polyester Coating
LENS:
UV Stabilised Opal
Polycarbonate

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *65* : *8* W : *5 Years*

FAMILY:
Sidewalk
FITTING COLOUR:
BLACK: 6007328331285
GRAPHITE: 6007328331308
WHITE: 6007328331292



B95

LAMP TYPE: *Excluding 1 x E27 max 60W 230V*

HEIGHT: *210mm*
WIDTH: *210mm*
DEPTH: *110mm*

FITTING MATERIAL:
Die Cast Aluminium
LENS:
Frosted Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *44* : *6*

FITTING COLOUR:
BLACK: 6007328030850
SILVER: 6007328030867
WHITE: 6007328030843

ADDITIONAL INFORMATION
Spare Glass: X404



B97

LAMP TYPE: *Excluding 1 x E27 max 100W 230V*

HEIGHT: *260mm*
WIDTH: *260mm*
DEPTH: *125mm*

FITTING MATERIAL:
Die Cast Aluminium
LENS:
Frosted Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *44* : *4*

FITTING COLOUR:
BLACK: 6007328030911
SILVER: 6007328030928
WHITE: 6007328030904



B104

LAMP TYPE: *Excluding 2 x E27 max 60W 230V*

HEIGHT: *325mm*
WIDTH: *325mm*
DEPTH: *150mm*

FITTING MATERIAL:
Die Cast Aluminium
LENS:
Frosted Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *44* : *4*

FITTING COLOUR:
BLACK: 6007328030331
SILVER: 6007328030348
WHITE: 6007328030355



B134 **LAMP TYPE:** *Excluding 1 x E27 max 60W 230V*

HEIGHT: *350mm*
WIDTH: *200mm*
DEPTH: *145mm*

FITTING MATERIAL:
Die Cast Aluminium
LENS:
Frosted Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *44* | : *3*

FAMILY:
Park
FITTING COLOUR:
ANTHRACITE: 9002759834333



B121 **LAMP TYPE:** *Excluding 1 x G23 max PL 11W Tube*

HEIGHT: *320mm*
WIDTH: *176mm*
DEPTH: *100mm*

FITTING MATERIAL:
Aluminium
FITTING COATING:
Dry Powder
Polyester Coating
LENS:
UV Stabilised Opal
Polycarbonate

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *65* | : *12* | W : *5 Years*

FAMILY:
Trio
FITTING COLOUR:
BLACK: 6007328331483
GRAPHITE: 6007328331506
WHITE: 6007328331490



O406 **LAMP TYPE:** *Excluding 1 x E27 max 60W 230V*

HEIGHT: *240mm*
WIDTH: *240mm*
DEPTH: *120mm*

FITTING MATERIAL:
Die Cast Aluminium
FITTING COATING:
Dry Powder
Polyester Coating
LENS:
UV Stabilised Opal
Polycarbonate

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *65* | : *8* | W : *5 Years*

FAMILY:
LARGO
FITTING COLOUR:
BLACK: 6007328372554
GRAPHITE: 6007328372561
WHITE: 6007328372547



B170 **LAMP TYPE:** *Excluding 1 x E27 max 75W 230V*

HEIGHT: *236mm*
WIDTH: *236mm*
DEPTH: *122mm*

FITTING MATERIAL:
Die Cast Aluminium
FITTING COATING:
Dry Powder
Polyester Coating
LENS:
UV Stabilised Opal
Polycarbonate

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *65* | : *8* | W : *5 Years*

FAMILY:
LUDO
FITTING COLOUR:
BLACK: 6007328346531
GRAPHITE: 6007328345831
WHITE: 6007328346548



B98

LAMP TYPE:
Excluding 1 x E27 max 100W 230V

HEIGHT: *260mm*
WIDTH: *260mm*
DEPTH: *120mm*

FITTING MATERIAL:
Die Cast Aluminium
LENS:
Frosted Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *44* : *4*

FITTING COLOUR:
BLACK: 6007328030942
SILVER: 6007328030959
WHITE: 6007328030935



B105

LAMP TYPE:
Excluding 2 x E27 max 60W 230V

HEIGHT: *325mm*
WIDTH: *325mm*
DEPTH: *170mm*

FITTING MATERIAL:
Die Cast Aluminium
LENS:
Frosted Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *54* : *4*

FITTING COLOUR:
BLACK: 6007328030362
SILVER: 6007328030379
WHITE: 6007328030386

B96

LAMP TYPE:
Excluding 1 x E27 max 60W 230V

HEIGHT: *215mm*
WIDTH: *215mm*
DEPTH: *105mm*

FITTING MATERIAL:
Die Cast Aluminium
LENS:
Frosted Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *44* : *6*

FITTING COLOUR:
BLACK: 6007328030881
SILVER: 6007328030898
WHITE: 6007328030874

ADDITIONAL INFORMATION
Spare Glass: X404





B249 LED **LAMP TYPE:** *Including 1 x 6W Integrated LED*

HEIGHT: *116mm*
WIDTH: *172mm*
DEPTH: *71mm*

FITTING MATERIAL:
ABS
LENS:
Opal Polycarbonate

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *54* : *24*

FITTING COLOUR:
BLACK: 6007328381358
WHITE: 6007328381365

LAMP SPECIFICATION:
Power: 6W
Luminous Flux: 391lm
Colour Temperature: 4000K
Lifetime: 25 000 Hours

B251 LED **LAMP TYPE:** *Including 1 x 12W Integrated LED*

HEIGHT: *143mm*
WIDTH: *220mm*
DEPTH: *78mm*

FITTING MATERIAL:
ABS
LENS:
Opal Polycarbonate

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *54* : *24*

FITTING COLOUR:
BLACK: 6007328381396
WHITE: 6007328381402

LAMP SPECIFICATION:
Power: 12W
Luminous Flux: 791lm
Colour Temperature: 4000K
Lifetime: 25 000 Hours





B280 LED **LAMP TYPE:** *Including 1 x 8W Integrated LED*

HEIGHT: *100mm*
WIDTH: *170mm*
DEPTH: *60mm*

FITTING MATERIAL:
Polycarbonate & ABS
LENS:
Opal Polycarbonate

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *65* : *30*

FITTING COLOUR:
BLACK: 6007328384533
WHITE: 6007328384540

LAMP SPECIFICATION:
Power: 8W
Luminous Flux: 500lm
Colour Temperature: 4000K
Lifetime: 30 000 Hours

B281 LED **LAMP TYPE:** *Including 1 x 15W Integrated LED*

HEIGHT: *131mm*
WIDTH: *221mm*
DEPTH: *68mm*

FITTING MATERIAL:
Polycarbonate & ABS
LENS:
Opal Polycarbonate

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *65* : *20*

FITTING COLOUR:
BLACK: 6007328384557
WHITE: 6007328384564

LAMP SPECIFICATION:
Power: 15W
Luminous Flux: 900lm
Colour Temperature: 4000K
Lifetime: 30 000 Hours



B248

LAMP TYPE: *Including 1 x 6W Integrated LED*

DIAMETER: *150mm*
DEPTH: *70mm*

FITTING MATERIAL:
ABS
LENS:
Opal Polycarbonate

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP: *54* : *24*

FITTING COLOUR:
WHITE: 6007328381341

LAMP SPECIFICATION:
Power: 6W
Luminous Flux: 380lm
Colour Temperature: 4000K
Lifetime: 25 000 Hours



B250

LAMP TYPE: *Including 1 x 12W Integrated LED*

DIAMETER: *213mm*
DEPTH: *90mm*

FITTING MATERIAL:
ABS
LENS:
Opal Polycarbonate

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP: *54* : *24*

FITTING COLOUR:
BLACK: 6007328381372
WHITE: 6007328381389

LAMP SPECIFICATION:
Power: 12W
Luminous Flux: 866lm
Colour Temperature: 4000K
Lifetime: 25 000 Hours

B278

LAMP TYPE: *Including 1 x 8W Integrated LED*

DIAMETER: *140mm*
DEPTH: *58mm*

FITTING MATERIAL:
Polycarbonate & ABS
LENS:
Opal Polycarbonate

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP: *65* : *20*

FITTING COLOUR:
BLACK: 6007328384496
WHITE: 6007328384502

LAMP SPECIFICATION:
Power: 8W
Luminous Flux: 500lm
Colour Temperature: 4000K
Lifetime: 30 000 Hours

B279

LAMP TYPE: *Including 1 x 15W Integrated LED*

DIAMETER: *180mm*
DEPTH: *66mm*

FITTING MATERIAL:
Polycarbonate & ABS
LENS:
Opal Polycarbonate

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP: *65* : *20*

FITTING COLOUR:
BLACK: 6007328384519
WHITE: 6007328384526

LAMP SPECIFICATION:
Power: 15W
Luminous Flux: 900lm
Colour Temperature: 4000K
Lifetime: 30 000 Hours



B107

LAMP TYPE:
Excluding 1 x E27 max 60W 230V

DIAMETER: *270mm*
DEPTH: *70mm*

FITTING MATERIAL:
Die Cast Aluminium
LENS:
Frosted Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP: *54* : *8*

FITTING COLOUR:
BLACK: 6007328322658
WHITE: 6007328322641



B282

LAMP TYPE:
Including 1 x 14W Integrated LED

HEIGHT: *195mm*
WIDTH: *195mm*
DEPTH: *95mm*

FITTING MATERIAL:
ABS
LENS:
Frosted Polycarbonate

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP: *54* : *12*

FITTING COLOUR:
BLACK: 6007328384465
WHITE: 6007328384472

LAMP SPECIFICATION:
Power: 14W
Luminous Flux: 1000lm
Colour Temperature: 4000K
Lifetime: 25 000 Hours



B124 **LAMP TYPE:** *Excluding 2 x G23 max PL 9W Tubes*

DIAMETER: *270mm*
DEPTH: *110mm*

FITTING MATERIAL:
Aluminium
FITTING COATING:
Dry Powder
Polyester Coating
LENS:
UV Stabilised Opal
Polycarbonate

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *65* : *8* W : *5 Years*

FAMILY:
Primo
FITTING COLOUR:
BLACK: 6007328331421
GRAPHITE: 6007328331445
WHITE: 6007328331438



B128 **LAMP TYPE:** *Excluding 2 x G24d max PL 18W Tubes*

DIAMETER: *325mm*
DEPTH: *105mm*

FITTING MATERIAL:
Aluminium
FITTING COATING:
Dry Powder
Polyester Coating
LENS:
UV Stabilised Opal
Polycarbonate

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *65* : *8* W : *5 Years*

FAMILY:
Canto
FITTING COLOUR:
BLACK: 6007328331223
WHITE: 6007328331230



B129 **LAMP TYPE:** *Excluding 2 x G24d max PL18W Tubes*

DIAMETER: *325mm*
DEPTH: *105mm*

FITTING MATERIAL:
Aluminium
FITTING COATING:
Dry Powder
Polyester Coating
LENS:
UV Stabilised Opal
Polycarbonate

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *65* : *8* W : *5 Years*

FAMILY:
Andante
FITTING COLOUR:
BLACK: 6007328331162



B130 **LAMP TYPE:** *Excluding 1 x G24d max PL 26W Tube*

DIAMETER: *325mm*
DEPTH: *105mm*

FITTING MATERIAL:
Aluminium
FITTING COATING:
Dry Powder
Polyester Coating
LENS:
UV Stabilised Opal
Polycarbonate

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *65* : *8* W : *5 Years*

FAMILY:
Tardo
FITTING COLOUR:
BLACK: 6007328331193
GRAPHITE: 6007328331216
WHITE: 6007328331209

B5

LAMP TYPE:
Excluding 1 x GR8 max16W 2D Fluorescent Tube

DIAMETER: *270mm*
DEPTH: *100mm*

FITTING MATERIAL:
UV Stabilised Plastic
LENS:
UV Stabilised Opal Plastic

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *55* : *10*

FAMILY:
Euro
FITTING COLOUR:
BLACK: 6007328014034
WHITE: 6007328014041



B31

LAMP TYPE:
Excluding 2 x G23 max PL 9W Tubes

DIAMETER: *270mm*
DEPTH: *100mm*

FITTING MATERIAL:
UV Stabilised Plastic
LENS:
UV Stabilised Opal Plastic

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *55* : *8*

FAMILY:
Euro
FITTING COLOUR:
BLACK: 6007328336471
WHITE: 6007328019763



B54

LAMP TYPE:
Excluding 1 x GR10q max 28W 2D Tube

DIAMETER: *335mm*
DEPTH: *120mm*

FITTING MATERIAL:
UV Stabilised Plastic
LENS:
UV Stabilised Opal Plastic

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *55* : *8*

FAMILY:
Euro
FITTING COLOUR:
BLACK: 6007328023296
WHITE: 6007328023302



B190

LAMP TYPE:
Excluding 1 x E27 max 15W CFL 230V

DIAMETER: *270mm*
DEPTH: *90mm*

FITTING MATERIAL:
ABS
LENS:
Clear Acrylic

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *44* : *10*

FITTING COLOUR:
BLACK: 6007328380856
WHITE: 6007328380863



B300

LAMP TYPE:
Excluding 1 x E27 max 15W CFL 230V

DIAMETER: *270mm*
DEPTH: *90mm*

FITTING MATERIAL:
ABS
LENS:
Opal Acrylic

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *44* : *1*

FITTING COLOUR:
GRAPHITE: 6007328015260

B181

LAMP TYPE:
Excluding 1 x E27 max 15W 3U CFL 230V

DIAMETER: *270mm*
DEPTH: *90mm*

FITTING MATERIAL:
ABS
LENS:
Opal Acrylic

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *44* : *1*

FITTING COLOUR:
BLACK: 6007328367864
WHITE: 6007328367871
GRAPHITE: 6007328394112



B2

LAMP TYPE:
Excluding 1 x GR8 max 16W 2D Tube

DIAMETER: *270mm*
DEPTH: *100mm*

FITTING MATERIAL:
UV Stabilised Plastic
LENS:
UV Stabilised Clear Plastic

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *55* : *10*

FAMILY:
Euro
FITTING COLOUR:
BLACK: 6007328014027
WHITE: 6007328012030



B4

LAMP TYPE:
Excluding 1 x GR10q max 28W 2D Tube

DIAMETER: *335mm*
DEPTH: *120mm*

FITTING MATERIAL:
UV Stabilised Plastic
LENS:
UV Stabilised Clear Plastic

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *55* : *10*

FAMILY:
Euro
FITTING COLOUR:
BLACK: 6007328023272
WHITE: 6007328023289



B30

LAMP TYPE:
Excluding 2 x G23 max PL 9W Tubes

DIAMETER: *270mm*
DEPTH: *100mm*

FITTING MATERIAL:
UV Stabilised Plastic
LENS:
UV Stabilised Clear Plastic

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *55* : *10*

FAMILY:
Euro
FITTING COLOUR:
BLACK: 6007328019756
WHITE: 6007328023074



B8

LAMP TYPE:
Excluding 1 x B22 max 60W 230V

DIAMETER: *250mm*
DEPTH: *130mm*

FITTING MATERIAL:
Plastic
LENS:
Opal Polycarbonate

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *55* : *12*

FITTING COLOUR:
WHITE: 6007328021711



B55

LAMP TYPE:
Excluding 1 x E27 max 60W 230V

DIAMETER: *180mm*
DEPTH: *95mm*

FITTING MATERIAL:
Die Cast Aluminium
LENS:
Frosted Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *54* : *12*

FITTING COLOUR:
BLACK: 6007328001461
BLACK GOLD: 6007328013181
WHITE: 6007328001478

ADDITIONAL INFORMATION
Spare Glass: X175



B42

LAMP TYPE:
Excluding 1 x E27 max 100W 230V

DIAMETER: *240mm*
DEPTH: *115mm*

FITTING MATERIAL:
Die Cast Aluminium
LENS:
Frosted Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *54* : *8*

FITTING COLOUR:
BLACK: 6007328001348
BLACK GOLD: 6007328013075
WHITE: 6007328001355

ADDITIONAL INFORMATION
Lamp Conversions Available
Spare Glass: X173
Spare Gasket: X035



B136 **LAMP TYPE:** *Excluding 1 x E27 max 60W 230V*

DIAMETER: *190mm*
DEPTH: *95mm*

FITTING MATERIAL:
Plastic
LENS:
Clear Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *44* : *18*

FITTING COLOUR:
BLACK: 6007328337942
WHITE: 6007328338307

ADDITIONAL INFORMATION
Spare Glass: X688



B1 **LAMP TYPE:** *Excluding 1 x E27 max 100W 230V*

DIAMETER: *220mm*
DEPTH: *110mm*

FITTING MATERIAL:
Plastic
LENS:
Clear Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *44* : *12*

FITTING COLOUR:
BLACK: 6007328015000
WHITE: 6007328014997

B141 **LAMP TYPE:** *Excluding 1 x E27 max 60W 230V*

DIAMETER: *305mm*
DEPTH: *90mm*

FITTING MATERIAL:
Plastic
LENS:
Opal Plastic

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *55* : *1*

FAMILY:
Euro
FITTING COLOUR:
BLACK: 6007328338437



B266 LED **LAMP TYPE:** *Including 1 x 3W LED*

DIAMETER: *140mm*
DEPTH: *57mm*

FITTING MATERIAL:
Die Cast Aluminium
LENS:
Opal Plastic

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *54* : *12*

FAMILY:
Titan
FITTING COLOUR:
SILVER: 6939412014128

LAMP SPECIFICATION:
Power: 3W
Luminous Flux: 130lm
Colour Temperature: 3000K
Lifetime: 25 000 Hours



O330 **LAMP TYPE:** *Excluding 1 x E27 max 100W 230V*

DIAMETER: *285mm*
DEPTH: *90mm*

FITTING MATERIAL:
Steel
LENS:
Frosted Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *44* : *8*

FAMILY:
Sevilla
FITTING COLOUR:
GALVANISED: 9002759881191



B122

LAMP TYPE:
Excluding 1 x G24d max PL 18W Tube

DIAMETER: *270mm*
DEPTH: *140mm*

FITTING MATERIAL:
Aluminium
FITTING COATING:
Dry Powder
Polyester Coating
LENS:
UV Stabilised Opal
Polycarbonate

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *65* : *8* W : *5 Years*

FAMILY:
Tanto
FITTING COLOUR:
BLACK: 6007328331452
GRAPHITE: 6007328331476
WHITE: 6007328331469



B123

LAMP TYPE:
Excluding 2 x G23 max PL 9W Tubes

DIAMETER: *270mm*
DEPTH: *130mm*

FITTING MATERIAL:
Aluminium
FITTING COATING:
Dry Powder
Polyester Coating
LENS:
UV Stabilised Opal
Polycarbonate

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *65* : *8* W : *5 Years*

FAMILY:
Solo
FITTING COLOUR:
BLACK: 6007328331346
GRAPHITE: 6007328331414
WHITE: 6007328331353



B140 / B139

LAMP TYPE:
Excluding 1 x E27 max 20W CFL 230V

DIAMETER: *300mm*
DEPTH: *90mm*

FITTING MATERIAL:
Plastic
LENS:
Opal Plastic

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *55* : *8*

FAMILY:
Euro
FITTING COLOUR:
BLACK: 6007328338420
WHITE: 6007328340188
*SILVER (**B139**): 6007328338413*



B46

LAMP TYPE:
Excluding 1 x E27 max 100W 230V

DIAMETER: *240mm*
DEPTH: *110mm*

FITTING MATERIAL:
Die Cast Aluminium
LENS:
Frosted Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *54* : *8*

FAMILY:
Moon
FITTING COLOUR:
BLACK: 6007328001898
WHITE: 6007328001881

ADDITIONAL INFORMATION
Spare Glass: X173





B110 **LAMP TYPE:** *Excluding 1 x E27 max 60W 230V*

DIAMETER: *185mm*
DEPTH: *110mm*

FITTING MATERIAL:
Plastic
LENS:
Clear Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP: *44* : *18*

FITTING COLOUR:
BLACK: 6007328322726
WHITE: 6007328322719



B41 **LAMP TYPE:** *Excluding 1 x E27 max 100W 230V*

DIAMETER: *240mm*
DEPTH: *115mm*

FITTING MATERIAL:
Die Cast Aluminium
LENS:
Frosted Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP: *54* : *8*

FITTING COLOUR:
BLACK: 6007328001324
BLACK GOLD: 6007328013051
WHITE: 6007328001331

ADDITIONAL INFORMATION
Lamp Conversions Available
Spare Glass: X173
Spare Gasket: X035

B53 **LAMP TYPE:** *Excluding 1 x E27 max 60W 230V*

DIAMETER: *180mm*
DEPTH: *100mm*

FITTING MATERIAL:
Die Cast Aluminium
LENS:
Frosted Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP: *54* : *12*

FITTING COLOUR:
BLACK: 6007328001423
BLACK GOLD: 6007328013167
WHITE: 6007328001430

ADDITIONAL INFORMATION
Spare Glass: X175
Spare Gasket: X1189



B290 **LAMP TYPE:** *Excluding 1 x E27 max 60W 230V*

HEIGHT: *130mm*
WIDTH: *165mm*
DEPTH: *100mm*

FITTING MATERIAL:
Die Cast Aluminium
LENS:
Frosted Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *54* : *12*

FAMILY:
Lemon Wedge
FITTING COLOUR:
BLACK: 6007328391906
WHITE: 6007328391890



B62 **LAMP TYPE:** *Excluding 1 x E27 max 60W 230V*

HEIGHT: *155mm*
WIDTH: *220mm*
DEPTH: *125mm*

FITTING MATERIAL:
Die Cast Aluminium
LENS:
Frosted Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *54* : *12*

FAMILY:
Lemon Wedge
FITTING COLOUR:
BLACK: 6007328001584
WHITE: 6007328001591

ADDITIONAL INFORMATION
Spare Glass: X178



O332 **LAMP TYPE:** *Excluding 1 x E27 max 40W 230V*

HEIGHT: *120mm*
WIDTH: *125mm*
DEPTH: *235mm*

FITTING MATERIAL:
Steel
LENS:
Opal Plastic

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *23* : *12*

FAMILY:
Lepus
FITTING COLOUR:
GALVANISED: 9002759908676



B147 **LAMP TYPE:** *Excluding 1 x G24d max PL18W Tubes*

HEIGHT: *150mm*
WIDTH: *270mm*
DEPTH: *145mm*

FITTING MATERIAL:
Aluminium
FITTING COATING:
Dry Powder
Polyester Coating
LENS:
UV Stabilised Clear
Polycarbonate

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *65* : *6* W : *5 Years*

FAMILY:
Duett
FITTING COLOUR:
BLACK: 6007328342007
GRAPHITE: 6007328342014
WHITE: 6007328341994



B50

LAMP TYPE:
Excluding 1 x E27 max 100W 230V

HEIGHT: *165mm*
WIDTH: *280mm*
DEPTH: *120mm*

FITTING MATERIAL:
Die Cast Aluminium
LENS:
Frosted Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP: *54* : *8*

FITTING COLOUR:
BLACK: 6007328001386
BLACK GOLD: 6007328013129
WHITE: 6007328001393

ADDITIONAL INFORMATION
Spare Glass: X174



B59

LAMP TYPE:
Excluding 1 x E27 max 60W 230V

HEIGHT: *110mm*
WIDTH: *210mm*
DEPTH: *90mm*

FITTING MATERIAL:
Die Cast Aluminium
LENS:
Frosted Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP: *54* : *12*

FITTING COLOUR:
BLACK: 6007328001447
BLACK GOLD: 6007328013242
WHITE: 6007328001454

ADDITIONAL INFORMATION
Spare Glass: X176



B137

LAMP TYPE:
Excluding 1 x E27 max 60W 230V

HEIGHT: *205mm*
WIDTH: *120mm*
DEPTH: *95mm*

FITTING MATERIAL:
Plastic
LENS:
Clear Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP: *44* : *18*

FITTING COLOUR:
BLACK: 6007328337935
WHITE: 6007328338314

ADDITIONAL INFORMATION
Spare Glass: X176



B7

LAMP TYPE:
Excluding 1 x E27 max 60W 230V

HEIGHT: *95mm*
WIDTH: *210mm*
DEPTH: *110mm*

FITTING MATERIAL:
Die Cast Aluminium
LENS:
Frosted Glass

PRIMARY VOLTAGE:
220-240V (50/60Hz)

IP : *54* : *12*

FITTING COLOUR:
BLACK: 6007328001485
BLACK GOLD: 6007328013259
WHITE: 6007328001492

ADDITIONAL INFORMATION:
Spare Glass: X176



B9

LAMP TYPE:
Excluding 1 x E27 max 100W 230V

HEIGHT: *165mm*
WIDTH: *280mm*
DEPTH: *120mm*

FITTING MATERIAL:
Die Cast Aluminium
LENS:
Frosted Glass

PRIMARY VOLTAGE:
220-240V (50/60Hz)

IP : *54* : *1*

FITTING COLOUR:
BLACK: 6007328001409
WHITE: 6007328001416

ADDITIONAL INFORMATION
Spare Glass: X174

B58

LAMP TYPE:
Excluding 1 x E27 max 60W 230V

HEIGHT: *110mm*
WIDTH: *210mm*
DEPTH: *95mm*

FITTING MATERIAL:
Die Cast Aluminium
LENS:
Frosted Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *54* : *12*

FITTING COLOUR:
BLACK: 6007328001935
BLACK GOLD: 6007328013228
WHITE: 6007328001928

ADDITIONAL INFORMATION
Spare Glass: X176
Spare Gasket: X1188



B111

LAMP TYPE:
Excluding 1 x E27 max 60W 230V

HEIGHT: *120mm*
WIDTH: *205mm*
DEPTH: *95mm*

FITTING MATERIAL:
Plastic
LENS:
Clear Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *44* : *18*

FITTING COLOUR:
BLACK: 6007328322740
WHITE: 6007328322733



B48

LAMP TYPE:
Excluding 1 x E27 max 100W 230V

HEIGHT: *165mm*
WIDTH: *280mm*
DEPTH: *120mm*

FITTING MATERIAL:
Die Cast Aluminium
LENS:
Frosted Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *54* : *8*

FITTING COLOUR:
BLACK: 6007328001362
BLACK GOLD: 6007328014218
WHITE: 6007328001379

ADDITIONAL INFORMATION
Lamp Conversions Available
Spare Glass: X174



B174

LAMP TYPE:
Excluding 1 x B22 max 60W 230V

HEIGHT: *110mm*
WIDTH: *195mm*
DEPTH: *150mm*

FITTING MATERIAL:
Plastic
LENS:
Diffused Acrylic

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *30* : *6*

FITTING COLOUR:
WHITE: 6007328355939



B138

LAMP TYPE:
Excluding 1 x E27 max 60W 230V

HEIGHT: *115mm*
WIDTH: *240mm*
DEPTH: *110mm*

FITTING MATERIAL:
Die Cast Aluminium
LENS:
Clear Plastic

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *44* : *6*

FITTING COLOUR:
SILVER: 6007328337959



B173

LAMP TYPE:
Excluding 1 x B22 max 100W 230V

HEIGHT: *105mm*
WIDTH: *185mm*
DEPTH: *110mm*

FITTING MATERIAL:
Plastic
LENS:
Diffused Plastic

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *55* : *20*

FITTING COLOUR:
GREY: 6007328355151



B178 **LAMP TYPE:** *Excluding 1 x GR8 max16W 2D*

DIAMETER: *230mm*
DEPTH: *95mm*

FITTING MATERIAL:
Die Cast Aluminium
LENS:
Diffused Plastic

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *55* : *12*

FITTING COLOUR:
WHITE: 6007328359586



B177 **LAMP TYPE:** *Excluding 1 x B22 max 100W 230V*

DIAMETER: *230mm*
DEPTH: *115mm*

FITTING MATERIAL:
Die Cast Aluminium
LENS:
Diffused Plastic

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *55* : *8*

FITTING COLOUR:
WHITE: 6007328359579



B180 **LAMP TYPE:** *Excluding 1 x GR8 max 16W 2D*

HEIGHT: *190mm*
WIDTH: *190mm*
DEPTH: *115mm*

FITTING MATERIAL:
Die Cast Aluminium
LENS:
Diffused Plastic

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *55* : *10*

FITTING COLOUR:
WHITE: 6007328359609



B179 **LAMP TYPE:** *Excluding 1 x B22 max 100W 230V*

HEIGHT: *190mm*
WIDTH: *190mm*
DEPTH: *115mm*

FITTING MATERIAL:
Die Cast Aluminium
LENS:
Diffused Plastic

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *55* : *10*

FITTING COLOUR:
WHITE: 6007328359593

OUTDOOR

OUTDOOR

B244 *pg572*

O443 *pg572*

O444 *pg572*

O523 *pg573*

O532 *pg573*

O248 *pg574*

O247 *pg574*

O302 *pg574*

O243 *pg575*

O242 *pg575*

O407 *pg575*

O135 *pg575*

O544 *pg576*

O476 *pg576*

O574 *pg577*

O602 *pg577*

O599 *pg578*

O600 *pg578*

O482 *pg579*

O483 *pg579*

O481 *pg579*

O606 *pg580*

W331 *pg581*

W330 *pg581*

O576 *pg582*

O577 *pg582*

O326 *pg582*

O518 *pg582*

O396 *pg583*

O397 *pg583*

O87 *pg583*

O88 *pg583*

O263 *pg584*

O307 *pg584*

O308 *pg585*

O262 *pg585*

O317 *pg585*

O319 *pg585*

PR349 *pg586*

PR350 *pg586*

PR351 *pg586*

O318 *pg586*

O320 *pg587*

O313 *pg587*

O480 *pg588*

O491 *pg588*

O489 *pg588*

O490 *pg588*

O603 *pg589*

O604 *pg589*

O314 *pg587*

O601 *pg589*

O607 *pg590*

O465 *pg590*

O466 *pg590*

O463 *pg591*

O464 *pg591*

O467 *pg591*

O468 *pg591*

O244 *pg592*

O359 *pg592*

O224 *pg592*

O256 *pg593*

O255 *pg593*

O257 *pg593*

O145 *pg594*

O146 *pg594*

O94 *pg594*

O144 *pg594*

O93 *pg595*

O260 *pg596*

O261 *pg596*

B222 *pg597*

B236 *pg597*

B254 *pg597*

B237 *pg597*

O573 *pg598*

O573 *pg598*

O580 *pg599*

O582 *pg599*

O581 *pg599*

O583 *pg600*

O584 *pg600*

O585 *pg600*

B223 *pg600*

B289 *pg601*

B213 *pg601*

B214 *pg601*

B216 *pg601*

B292 *pg602*

B293 *pg602*

B92 *pg602*

B39 *pg602*

O355 *pg603*

B38 *pg603*

B160 *pg604*

B159 *pg604*

B158 *pg604*

B162 *pg605*

B163 *pg605*

B164 *pg605*

B165 *pg605*

O391 *pg606*

O392 *pg606*

O515 *pg606*

O353 *pg606*

B115 *pg607*

B102 *pg607*

O343 *pg608*

O245 *pg608*

B220 *pg608*

B221 *pg608*

B224 *pg609*

B219 *pg609*

B218 *pg609*

O123 *pg609*

O345 *pg610*

O346 *pg610*

O344 *pg610*

O124 *pg610*

O405 *pg611*

O249 *pg612*

O250 *pg612*

O408 *pg613*

O409 *pg613*

O485 *pg614*

O486 *pg614*

O487 *pg614*

O488 *pg614*

O541 *pg615*

O542 *pg615*

O471 *pg616*

O472 *pg616*

O473 *pg616*

O474 *pg616*

O475 *pg617*

O477 *pg617*

O478 *pg617*

O527 *pg618*

O528 *pg618*

O531 *pg619*

O529 *pg619*

O533 *pg619*

O398 *pg619*

O469 *pg620*

O479 *pg620*

O470 *pg620*

O258 *pg621*

O259 *pg621*

PR199 *pg622*

O60 *pg622*

O59 *pg622*

O70 *pg622*

O53 *pg623*

O51 *pg623*

O67 *pg623*

O52 *pg623*

O143 *pg624*

O142 *pg624*

O140 *pg624*

O141 *pg624*

O41 *pg625*

O40 *pg625*

O42 *pg625*

O520 *pg626*

O519 *pg626*

O394 *pg626*

O516 *pg626*

O410 *pg627*

O388 *pg627*

O517 *pg627*

O417 *pg628*

O418 *pg628*

O79 *pg628*

O54 *pg628*

O118 *pg629*

O10 *pg630*

O68 *pg630*

O50 *pg630*

O74 *pg630*

O16 *pg631*

O21 *pg631*

O9 *pg631*

O3 *pg631*

O14 *pg632*

O17 *pg632*

O19 *pg632*

O24 *pg632*

O15 *pg633*

O18 *pg633*

O20 *pg633*

O26 *pg633*

O303 *pg634*

O304 *pg634*

O305 *pg634*

O8 *pg634*

OUTDOOR

O30 *pg635*

O117 *pg635*

O246 *pg635*

O32 *pg636*

O134 *pg636*

O35 *pg636*

O76 *pg636*

O81 *pg637*

O36 *pg637*

O37 *pg637*

O75 *pg637*

O414 *pg638*

O416 *pg638*

O419 *pg638*

O415 *pg638*

O575 *pg639*

O137 *pg639*

O136 *pg639*

O132 *pg639*

O454 *pg640*

O452 *pg640*

O453 *pg640*

O115 *pg640*

O114 *pg641*

O546 *pg641*

O86 *pg642*

O84 *pg642*

O329 *pg643*

O29 *pg643*

O404 *pg644*

O23 *pg645*

O119 *pg645*

FS227 *pg645*

O412 *pg645*

O534 *pg646*

O530 *pg646*

O450 *pg646*

O413 *pg646*

O342 *pg647*

O545 *pg647*

O113 *pg648*

O112 *pg648*

O27 *pg649*

O28 *pg649*

O458 *pg650*

O459 *pg650*

O461 *pg651*

O423 *pg651*

O460 *pg651*

O586 *pg651*

O592 *pg652*

O594 *pg652*

O593 *pg652*

PR473 *pg652*

PR474 *pg653*

PR472 *pg653*

O426 *pg654*

O424 *pg655*

O425 *pg655*

B244 LED **LAMP TYPE:** *Including 1 x E27 6W LED Filament 230V*

IP : *66* | : *24* | W : *Lifetime*

HEIGHT: *130mm*
WIDTH: *295mm*
DEPTH: *90mm*

FITTING MATERIAL:
UV Stabilised Shockproof Resin
LENS:
Frosted UV Stabilised PMMA

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

FAMILY:
Francy
FITTING COLOUR:
BLACK: 6007328375890
WHITE: 6007328375883

ADDITIONAL INFORMATION:
Rust and Corrosion-Free
Made from Shockproof Resin Material
UV Stabilised
Includes Silicone Rubber Gasket To Ensure High Protection Against External Agents

LAMP SPECIFICATION:
Power: 6W
Luminous Flux: 800lm
Colour Temperature: 2700K
Lifetime: 25 000 Hours



O443 LED **LAMP TYPE:** *Including 1 x GU10 3.5W SMD LED*

IP : *55* | : *36* | W : *Lifetime*

HEIGHT: *165mm*
WIDTH: *92mm*
DEPTH: *75mm*

FITTING MATERIAL:
UV stabilised Shockproof Resin
LENS:
Frosted UV Stabilised PMMA

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

FAMILY:
Marta 90
FITTING COLOUR:
BLACK: 6007328378693
GREY: 6007328381273
WHITE: 6007328378709

ADDITIONAL INFORMATION:
Down Facing
Rust and Corrosion-Free
Made from Shockproof Resin Material
UV Stabilised
Includes Silicone Rubber Gasket to Ensure High Protection Against External Agents

LAMP SPECIFICATION:
Power: 3.5W
Luminous Flux: 400lm
Colour Temperature: 4000K
Lifetime: 25 000 Hours



O444 LED **LAMP TYPE:** *Including 2 x GU10 3.5W LED SMD*

IP : *55* | : *36* | W : *Lifetime*

HEIGHT: *165mm*
WIDTH: *92mm*
DEPTH: *75mm*

FITTING MATERIAL:
UV stabilised Shockproof Resin
LENS:
Frosted UV Stabilised PMMA

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

FAMILY:
Marta 90
FITTING COLOUR:
BLACK: 6007328378716
GREY: 6007328381280
WHITE: 6007328377832

ADDITIONAL INFORMATION:
UP / Down Facing
Rust and Corrosion-Free
Made from Shockproof Resin Material
UV Stabilised
Includes Silicone Rubber Gasket to Ensure High Protection Against External Agents

LAMP SPECIFICATION:
Power: 7W (2 x 3.5W)
Luminous Flux: 800lm
Colour Temperature: 4000K
Lifetime: 25 000 Hours



O523 LED

LAMP TYPE:
Including 2 x GX53 10W LED SMD 230V

HEIGHT: *185mm*
WIDTH: *160mm*
DEPTH: *140mm*

FITTING MATERIAL:
UV Stabilised Shockproof Resin
LENS:
Frosted Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *55* | : *18* | W : *Lifetime*

FAMILY:
Marta 160
FITTING COLOUR:
BLACK: 6007328384991

ADDITIONAL INFORMATION:
UP / Down Facing
Rust and Corrosion-Free
Made from Shockproof Resin Material
UV Stabilised
Includes Silicone Rubber Gasket to Ensure High Protection Against External Agents

LAMP SPECIFICATION:
Power: 20W (2 x10W)
Luminous Flux: 2400lm
Colour Temperature: 4000K
Lifetime: 25 000 Hours



O532 LED

LAMP TYPE:
Including 1 x GU10 3.5W LED 230V

DIAMETER: *95mm*
DEPTH: *110mm*

FITTING MATERIAL:
UV Stabilised Shockproof Resin
LENS:
Frosted UV Stabilised PMMA

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *55* | : *30* | W : *Lifetime*

FAMILY:
Franca
FITTING COLOUR:
BLACK: 6007328390565
GREY: 6007328390572
WHITE: 6007328390589

ADDITIONAL INFORMATION:
Rust and Corrosion-Free
Made from Shockproof Resin Material
UV Stabilised
Includes Silicone Rubber Gasket to Ensure High Protection Against External Agents

LAMP SPECIFICATION:
Power: 3.5W
Luminous Flux: 400lm
Colour Temperature: 4000K
Lifetime: 25 000 Hours

O248

LAMP TYPE:
Excluding 2 x GU10 max 35W PAR16 230V

HEIGHT: *215mm*
WIDTH: *90mm*
DEPTH: *147mm*

FITTING MATERIAL:
Die Cast Aluminium
LENS:
Clear Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *65* | : *12* | W : *5 Years*

FAMILY:
Metro
FITTING COLOUR:
BLACK: 6007328315018
GRAPHITE: 6007328315025
WHITE: 6007328315001

ADDITIONAL INFORMATION:
Up and Down Facing
Matching Outdoor Downlight: O302



O247

LAMP TYPE:
Excluding 1 x GU10 max 35W PAR16 230V

HEIGHT: *120mm*
WIDTH: *90mm*
DEPTH: *147mm*

FITTING MATERIAL:
Die Cast Aluminium
LENS:
Clear Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *65* | : *20* | W : *5 Years*

FAMILY:
Metro
FITTING COLOUR:
BLACK: 6007328314981
GRAPHITE: 6007328314998
WHITE: 6007328314974

ADDITIONAL INFORMATION:
Up or Down Facing
Matching Outdoor Downlight: O302



O302

LAMP TYPE:
Excluding 1 x GU10 max 35W PAR16 230V

DIAMETER: *90mm*
DEPTH: *140mm*

FITTING MATERIAL:
Die Cast Aluminium
LENS:
Clear Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *65* | : *20* | W : *5 years*

FAMILY:
Metro
FITTING COLOUR:
GRAPHITE: 6007328363958

ADDITIONAL INFORMATION:
Including Mounting Bracket
Matching Outdoor Lights: O247, O248



O243

LAMP TYPE:
Excluding 2 x GU10 max 35W PAR16 230V

HEIGHT: *180mm*
WIDTH: *85mm*
DEPTH: *120mm*

FITTING MATERIAL:
Die Cast Aluminium
LENS:
Clear & Frosted Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *65* | : *12* | W : *5 Years*

FAMILY:
Kube
FITTING COLOUR:
BLACK: 6007328342106
GRAPHITE: 6007328342113
SILVER: 6007328342120
WHITE: 6007328342090

ADDITIONAL INFORMATION:
Up and Down Facing



O242

LAMP TYPE:
Excluding 1 x GU10 max 35W PAR16 230V

HEIGHT: *90mm*
WIDTH: *82mm*
DEPTH: *116mm*

FITTING MATERIAL:
Die Cast Aluminium
LENS:
Clear & Frosted Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *65* | : *20* | W : *5 Years*

FAMILY:
Kube
FITTING COLOUR:
BLACK: 6007328342069
GRAPHITE: 6007328342076
SILVER: 6007328342083
WHITE: 6007328342052

ADDITIONAL INFORMATION:
Up or Down Facing

O407

LAMP TYPE:
Excluding 1 x GU10 max 35W PAR16 230V

HEIGHT: *90mm*
WIDTH: *90mm*
DEPTH: *140mm*

FITTING MATERIAL:
Die Cast Aluminium
LENS:
Clear Tempered Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *54* | : *20* | W : *5 Years*

FAMILY:
Echo
FITTING COLOUR:
GRAPHITE: 6007328372585

ADDITIONAL INFORMATION:
Including Mounting Bracket



O135

LAMP TYPE:
Excluding 1 x GU10 PAR16 max 35W 230V

HEIGHT: *90mm*
WIDTH: *90mm*
DEPTH: *140mm*

FITTING MATERIAL:
Die Cast Aluminium
LENS:
Clear Tempered Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *54* | : *20* | W : *5 years*

FAMILY:
Echo
FITTING COLOUR:
WHITE: 6007328352587

ADDITIONAL INFORMATION
Including Mounting Bracket



O544 LED **LAMP TYPE:** *Including 1 x 5.3W integrated LED*

HEIGHT: *110mm*
WIDTH: *105mm*
DEPTH: *115mm*

FITTING MATERIAL:
Die Cast Aluminium
LENS:
Clear Polycarbonate

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *54* : *8* W : *5 years*

FAMILY:
Explorer
FITTING COLOUR:
GREY: 6939412047003

LAMP SPECIFICATION:
Power: 5.3W
Luminous Flux: 380lm
Colour Temperature: 3000K
Lifetime: 25 000 Hours



O476 LED **LAMP TYPE:** *Including 1 x 11W Integrated LED*

DIAMETER: *95mm*
HEIGHT: *104mm*
DEPTH: *90mm*

FITTING MATERIAL:
Die Cast Aluminium
LENS:
Clear Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *54* : *24* W : *5 years*

FAMILY:
Trumpet
FITTING COLOUR:
GRAPHITE: 6939412027500

LAMP SPECIFICATION:
Power: 11W
Luminous Flux: 840lm
Colour Temperature: 4000K
Lifetime: 25 000 Hours



O574 LED **LAMP TYPE:** *Including 1 x 23W Integrated LED*

HEIGHT: *220mm*
WIDTH: *100mm*
DEPTH: *145mm*

FITTING MATERIAL:
Die Cast Aluminium
LENS:
Opal Polycarbonate Diffuser

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *54* | : *6* | W : *5 years*

FAMILY:
Cuba
FITTING COLOUR:
GREY: 6939412047805

ADDITIONAL INFORMATION:
Up and Down Facing
Rotating Heads 350˚

LAMP SPECIFICATION:
Power: 46W (2 x 23W)
Luminous Flux: 1000lm
Colour Temperature: 3000K
Lifetime: 25 000 Hours



O602 LED **LAMP TYPE:** *Including 2 x 23W Integrated LED*

HEIGHT: *750mm*
WIDTH: *237mm*
DEPTH: *110mm*

FITTING MATERIAL:
Die Cast Aluminium
LENS:
Opal Polycarbonate Diffuser

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *54* | : *2* | W : *5 Years*

FAMILY:
Cuba
FITTING COLOUR:
GREY: 6939412079905

ADDITIONAL INFORMATION:
Rotating Heads 350˚

LAMP SPECIFICATION:
Power: 46W (2 x 23W)
Luminous Flux: 2000lm
Colour Temperature: 3000K
Lifetime: 25 000 Hours



O599 LED **LAMP TYPE:** *Including 1 x 42W Integrated LED*

HEIGHT: *120mm*
WIDTH: *300mm*
DEPTH: *108mm*

FITTING MATERIAL:
Die Cast Aluminium
LENS:
Clear Lens

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *54* | : *4* | W : *5 Years*

FAMILY:
Gemini
FITTING COLOUR:
GRAPHITE: 6939412033914

ADDITIONAL INFORMATION:
Up and Down Facing

LAMP SPECIFICATION:
Power: 42W
Luminous Flux: 3300lm
Colour Temperature: 4000K
Lifetime: 25 000 Hours



O600 LED **LAMP TYPE:** *Including 1 x 9W Integrated LED*

HEIGHT: *85mm*
WIDTH: *90mm*
DEPTH: *85mm*

FITTING MATERIAL:
Die Cast Aluminium
LENS:
Clear Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *54* | : *6* | W : *5 Years*

FAMILY:
Gemini
FITTING COLOUR:
GRAPHITE: 6939412028620

ADDITIONAL INFORMATION:
Up and Down Facing

LAMP SPECIFICATION:
Power: 9W
Luminous Flux: 850lm
Colour Temperature: 4000K
Lifetime: 25 000 Hours



O482 LED **LAMP TYPE:** *Including 1 x Integrated 20W LED*

HEIGHT: *85mm*
WIDTH: *220mm*
DEPTH: *100mm*

FITTING MATERIAL:
Die Cast Aluminium
LENS:
Clear Glass Lens

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *54* | : *6* | W : *5 Years*

FAMILY:
Gemini
FITTING COLOUR:
GRAPHITE: 6939412028606

ADDITIONAL INFORMATION:
Up and Down Facing

LAMP SPECIFICATION:
Power: 20W
Luminous Flux: 1230lm
Colour Temperature: 4000K
Lifetime: 25 000 Hours



O483 LED **LAMP TYPE:** *Including 2 x 9W Integrated LED*

HEIGHT: *97mm*
WIDTH: *80mm*
DEPTH: *68mm*

FITTING MATERIAL:
Die Cast Aluminium
LENS:
Clear Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *54* | : *16* | W : *5 Years*

FAMILY:
Gemini
FITTING COLOUR:
STAINLESS STEEL: 4250294310361

ADDITIONAL INFORMATION:
Up and Down Facing

LAMP SPECIFICATION:
Power: 18W (2 x 9W)
Luminous Flux: 500lm
Colour Temperature: 4000K
Lifetime: 25 000 Hours

O481 LED **LAMP TYPE:** *Including 1 x 10.5W Integrated LED*

HEIGHT: *65mm*
WIDTH: *140mm*
DEPTH: *89mm*

FITTING MATERIAL:
Die Cast Aluminium
LENS:
Clear Glass Lens

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *54* | : *8* | W : *5 Years*

FAMILY:
Gemini
FITTING COLOUR:
GRAPHITE: 4250294310422

ADDITIONAL INFORMATION:
Up and Down Facing

LAMP SPECIFICATION:
Power: 10.5W
Luminous Flux: 500lm
Colour Temperature: 4000K
Lifetime: 25 000 Hours

O606 LED **LAMP TYPE:**
Including 1 x 15W Integrated LED

HEIGHT: *108mm*
WIDTH: *180mm*
DEPTH: *65mm*

FITTING MATERIAL:
Die Cast Aluminium
LENS:
Frosted Plastic

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *44* : *6* W : *5 Years*

FAMILY:
Maya
FITTING COLOUR:
GREY: 6939412049021

ADDITIONAL INFORMATION:
Up and Down Facing
Suitable for Corner Mounting

LAMP SPECIFICATION:
Power: 15W
Luminous Flux: 1000lm
Colour Temperature: 3000K
Lifetime: 25 000 Hours



W331 LED **LAMP TYPE:** *Including 1 x 14W integrated LED*

HEIGHT: *300mm*
WIDTH: *66mm*
DEPTH: *85mm*

FITTING MATERIAL:
Die Cast Aluminium
LENS:
Opal Diffuser

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *54* : *8* W : *5 Years*

FAMILY:
Leo
FITTING COLOUR:
CHROME: 6939412047201

ADDITIONAL INFORMATION:
Up and Down Facing

LAMP SPECIFICATION:
Power: 14W
Luminous Flux: 870lm
Colour Temperature: 3000K
Lifetime: 25 000 Hours



W330 LED **LAMP TYPE:** *Including 1 x 11W Integrated LED*

HEIGHT: *145mm*
WIDTH: *180mm*
DEPTH: *63mm*

FITTING MATERIAL:
Die Cast Aluminium
LENS:
Clear Diffuser

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *54* : *8* W : *5 Years*

FAMILY:
Lotus
FITTING COLOUR:
GREY: 6939412046808

LAMP SPECIFICATION:
Power: 11W
Luminous Flux: 500lm
Colour Temperature: 3000K
Lifetime: 25 000 Hours



O576 LED **LAMP TYPE:** *Excluding 1 x GU10 max 5W PAR16 LED 230V*

HEIGHT: *120mm*
WIDTH: *80mm*
DEPTH: *85mm*

FITTING MATERIAL:
Polycarbonate
LENS:
Clear Polycarbonate

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *44* : *16*

FITTING COLOUR:
BLACK: 6007328393658
WHITE: 6007328393641

ADDITIONAL INFORMATION:
Up or Down Facing



O577 LED **LAMP TYPE:** *Excluding 2 x GU10 max 5W PAR16 LED 230V*

HEIGHT: *160mm*
WIDTH: *80mm*
DEPTH: *85mm*

FITTING MATERIAL:
Polycarbonate
LENS:
Clear Polycarbonate

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *44* : *16*

FITTING COLOUR:
BLACK: 6007328393665
WHITE: 6007328393672

ADDITIONAL INFORMATION:
Up and Down Facing



O326 LED **LAMP TYPE:** *Including 2 x 2.5W Integrated LED*

HEIGHT: *110mm*
WIDTH: *175mm*
DEPTH: *210mm*

FITTING MATERIAL:
Die Cast Aluminium
LENS:
Opal Plastic

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *44* : *12*

FAMILY:
Nocella
FITTING COLOUR:
SILVER: 9002759941390

ADDITIONAL INFORMATION:
Up and Down Facing

LAMP SPECIFICATION:
Power: 5W (2 x 2.5W)
Luminous Flux: 720lm
Colour Temperature: 3000K
Lifetime: 25 000 Hours



O518 LED **LAMP TYPE:** *Including 2 x GU10 3W PAR16 LED 230V*

HEIGHT: *205mm*
WIDTH: *67mm*
DEPTH: *100mm*

FITTING MATERIAL:
Steel
LENS:
Opal Glass (fixed)

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *44* : *24*

FAMILY:
Riga
FITTING COLOUR:
WHITE: 9002759941017

ADDITIONAL INFORMATION:
Up and Down Facing



O396 LED **LAMP TYPE:** *Including 1 x GU10 3W PAR16 LED 230V*

HEIGHT: *152mm*
WIDTH: *65mm*
DEPTH: *100mm*

FITTING MATERIAL:
Stainless Steel
LENS:
Clear Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *44* : *20*

FAMILY:
Riga
FITTING COLOUR:
STAINLESS STEEL: 9002759941062

ADDITIONAL INFORMATION:
Up and Down Facing
See Stainless Steel Maintenance Page V



O397 LED **LAMP TYPE:** *Including 2 x GU10 3W PAR16 LED 230V*

HEIGHT: *200mm*
WIDTH: *65mm*
DEPTH: *100mm*

FITTING MATERIAL:
Stainless Steel
LENS:
Clear Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *44* : *20*

FAMILY:
Riga
FITTING COLOUR:
STAINLESS STEEL: 9002759941079

ADDITIONAL INFORMATION:
Up and Down Facing
See Stainless Steel Maintenance Page V



O87 **LAMP TYPE:** *Including 1 x GU10 35W PAR16 230V*

HEIGHT: *120mm*
WIDTH: *75mm*
DEPTH: *100mm*

FITTING MATERIAL:
Stainless Steel
LENS:
Clear Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *44* : *24*

FITTING COLOUR:
STAINLESS STEEL: 9002759839987

ADDITIONAL INFORMATION:
Suitable For Corner Mounting
Up or Down Facing
See Stainless Steel Maintenance Page V
Spare Glass: X758



O88 **LAMP TYPE:** *Including 2 x GU10 35W PAR16 230V*

HEIGHT: *210mm*
WIDTH: *75mm*
DEPTH: *100mm*

FITTING MATERIAL:
Stainless Steel
LENS:
Clear Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *44* : *12*

FITTING COLOUR:
STAINLESS STEEL: 9002759840020

ADDITIONAL INFORMATION:
Suitable For Corner Mounting
Up and Down Facing
See Stainless Steel Maintenance Page V
Spare Glass: X758



O263

LAMP TYPE:
Including 2 x GU10 35W PAR16 230V

HEIGHT: *180mm*
WIDTH: *85mm*
DEPTH: *100mm*

FITTING MATERIAL:
Stainless Steel
LENS:
Clear Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *44* : *12*

FITTING COLOUR:
SATIN CHROME: 6007328315650

ADDITIONAL INFORMATION:
Up and Down Facing
See Stainless Steel Maintenance Page V



O307

LAMP TYPE:
Excluding 2 x E27 max 60W 230V

HEIGHT: *350mm*
WIDTH: *200mm*
DEPTH: *135mm*

FITTING MATERIAL:
Stainless Steel
LENS:
Opal Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *44* : *6*

FAMILY:
Beverly
FITTING COLOUR:
SATIN CHROME: 9002759865412

ADDITIONAL INFORMATION:
See Stainless Steel Maintenance Page V



O308 LED **LAMP TYPE:** *Including: 1 x GU10 5W PAR16 LED 230V*

DIAMETER: *100mm*
HEIGHT: *180mm*
DEPTH: *180mm*

FITTING MATERIAL:
Stainless Steel
LENS:
Clear Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *44* : *12*

FAMILY:
Stockholm 1
FITTING COLOUR:
SATIN CHROME 9002759932688

ADDITIONAL INFORMATION:
See Stainless Steel Maintenance Page V

LAMP SPECIFICATION:
Power: 5W
Luminous Flux: 400lm
Colour Temperature: 3000K
Lifetime: 25 000 Hours



O262 **LAMP TYPE:** *Including 1 x GU10 35W PAR16 230V*

HEIGHT: *105mm*
WIDTH: *70mm*
DEPTH: *100mm*

FITTING MATERIAL:
Die Cast Aluminium
LENS:
Clear Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *44* : *24*

FITTING COLOUR:
GREY: 6007328315643

ADDITIONAL INFORMATION:
Up or Down Facing



O317 LED **LAMP TYPE:** *Including 2 x 2.5W Integrated LED*

HEIGHT: *270mm*
WIDTH: *170mm*
DEPTH: *110mm*

FITTING MATERIAL:
Galvanised Steel

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *44* : *8*

FAMILY:
Bosaro
FITTING COLOUR:
WHITE: 9002759939915

LAMP SPECIFICATION:
Power: 5W (2 x 2.5W)
Luminous Flux: 360lm
Colour Temperature: 3000K
Lifetime: 25 000 Hours



O319 LED **LAMP TYPE:** *Including 3 x 2.5W Integrated LED*

HEIGHT: *240mm*
WIDTH: *140mm*
DEPTH: *70mm*

FITTING MATERIAL:
Stainless Steel
LENS:
Opal Plastic

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *44* : *12*

FAMILY:
Ralora
FITTING COLOUR:
SILVER: 9002759940867

ADDITIONAL INFORMATION:
See Stainless Steel Maintenance Page V

LAMP SPECIFICATION:
Power: 7.5W (3 x 2.5W)
Luminous Flux: 540lm
Colour Temperature: 3000K
Lifetime: 25 000 Hours



PR349 LED **LAMP TYPE:** *Including 1 x 3.3W Integrated LED*

HEIGHT: *131mm*
WIDTH: *75mm*
DEPTH: *83mm*

FITTING MATERIAL:
Die Cast Aluminium
LENS:
Clear Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP: *65* : *12*

FAMILY:
Xin
FITTING COLOUR:
ANTHRACITE: 6007328368144

ADDITIONAL INFORMATION:
Driver is IP 20

LAMP SPECIFICATION:
Power: 3.3W
Luminous Flux: 274lm
Colour Temperature: 3000K



PR350 LED **LAMP TYPE:** *Including 1 x 3.3W Integrated LED*

HEIGHT: *95mm*
WIDTH: *90mm*
DEPTH: *60mm*

FITTING MATERIAL:
Die Cast Aluminium
LENS:
Clear Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP: *65* : *12*

FAMILY:
Xin
FITTING COLOUR:
ANTHRACITE: 6007328368151

ADDITIONAL INFORMATION:
Driver is IP 20

LAMP SPECIFICATION:
Power: 3.3W
Luminous Flux: 195lm
Colour Temperature: 3000K



PR351 LED **LAMP TYPE:** *Including 2 x 3.3W Integrated LED*

HEIGHT: *131mm*
WIDTH: *75mm*
DEPTH: *100mm*

FITTING MATERIAL:
Die Cast Aluminium
LENS:
Clear Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP: *65* : *12*

FAMILY:
Xin
FITTING COLOUR:
ANTHRACITE: 6007328368168

ADDITIONAL INFORMATION:
Driver is IP 20

LAMP SPECIFICATION:
Power: 6.6W (2 x 3.3W)
Luminous Flux: 431lm
Colour Temperature: 3000K



O318 LED **LAMP TYPE:** *Including 2 x 2.5W Integrated LED*

HEIGHT: *260mm*
WIDTH: *150mm*
DEPTH: *75mm*

FITTING MATERIAL:
Galvanised Steel
LENS:
Clear Plastic

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP: *44* : *12*

FAMILY:
Kibea
FITTING COLOUR:
ANTHRACITE/WHITE: 9002759932541

LAMP SPECIFICATION:
Power: 5W (2 x 2.5W)
Luminous Flux: 360lm
Colour Temperature: 3000K
Lifetime: 25 000 Hours



O320 LED **LAMP TYPE:** *Including 2 x 2.5W Integrated LED*

HEIGHT: *210mm*
WIDTH: *142mm*
DEPTH: *95mm*

FITTING MATERIAL:
Galvanised Steel
LENS:
Clear Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *44* : *16*

FAMILY:
Predazzo
FITTING COLOUR:
ANTHRACITE/WHITE: 9002759939946

LAMP SPECIFICATION:
Power: 5W (2 x 2.5W)
Luminous Flux: 360lm
Colour Temperature: 3000K
Lifetime: 25 000 Hours



O314 LED **LAMP TYPE:** *Including 2 x 2.5W Integrated LED*

HEIGHT: *175mm*
WIDTH: *125mm*
DEPTH: *160mm*

FITTING MATERIAL:
Die Cast Aluminium
LENS:
Clear Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *44* : *12*

FAMILY:
Redondo
FITTING COLOUR:
ANTHRACITE: 9002759933685
WHITE: 9002759933678

ADDITIONAL INFORMATION:
Up and Down Facing

LAMP SPECIFICATION:
Power: 5W (2 x 2.5W)
Luminous Flux: 360lm
Colour Temperature: 3000K
Lifetime: 25 000 Hours



O313 LED **LAMP TYPE:** *Including 2 x 2.5W Integrated LED*

HEIGHT: *180mm*
WIDTH: *140mm*
DEPTH: *105mm*

FITTING MATERIAL:
Die Cast Aluminium
LENS:
Clear Plastic

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *44* : *16*

FAMILY:
Morino
FITTING COLOUR:
ANTHRACITE: 9002759933197
WHITE: 9002759933180

ADDITIONAL INFORMATION:
Up and Down Facing

LAMP SPECIFICATION:
Power: 5W (2 x 2.5W)
Luminous Flux: 360lm
Colour Temperature: 3000K
Lifetime: 25 000 Hours

O480 LED **LAMP TYPE:** *Including 1 x 13W Integrated LED*

HEIGHT: *222mm*
WIDTH: *132mm*
DEPTH: *105mm*

FITTING MATERIAL:
Die Cast Aluminium
LENS:
Polycarbonate Opal Lens

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *54* | : *6* | W : *5 Years*

FAMILY:
Seco
FITTING COLOUR:
GRAPHITE: 6939412034614

LAMP SPECIFICATION:
Power: 13W
Luminous Flux: 770lm
Colour Temperature: 3000K
Lifetime: 25 000 Hours



O491 LED **LAMP TYPE:** *Including 1 x 9W Integrated LED*

HEIGHT: *175mm*
WIDTH: *120mm*
DEPTH: *145mm*

FITTING MATERIAL:
Die Cast Aluminium
LENS:
Polycarbonate Opal Lens

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *54* | : *4* | W : *5 Years*

FAMILY:
Zoe
FITTING COLOUR:
BLACK: 6939412043609

LAMP SPECIFICATION:
Power: 9W
Luminous Flux: 330lm
Colour Temperature: 3000K
Lifetime: 25 000 Hours

O489 LED **LAMP TYPE:** *Including 1 x 16W Integrated LED*

HEIGHT: *275mm*
WIDTH: *166mm*
DEPTH: *108mm*

FITTING MATERIAL:
Die Cast Aluminium
LENS:
Water Drop Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *54* | : *4* | W : *5 Years*

FAMILY:
Starry
FITTING COLOUR:
BLACK: 6939412036700

LAMP SPECIFICATION:
Power: 16W
Luminous Flux: 600lm
Colour Temperature: 3000K
Lifetime: 25 000 Hours

O490 LED **LAMP TYPE:** *Including 1 x 16W Integrated LED*

HEIGHT: *390mm*
WIDTH: *145mm*
DEPTH: *162mm*

FITTING MATERIAL:
Die Cast Aluminium
LENS:
Clear Outer Glass
Opal Inner

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *44* | : *2* | W : *5 Years*

FAMILY:
Hom
FITTING COLOUR:
BLACK: 6939412036908

LAMP SPECIFICATION:
Power: 16W
Luminous Flux: 400lm
Colour Temperature: 3000K
Lifetime: 25 000 Hours



O603 LED **LAMP TYPE:** *Including 1 x 17W Integrated LED*

HEIGHT: *200mm*
WIDTH: *124mm*
DEPTH: *120mm*

FITTING MATERIAL:
Die Cast Aluminium
LENS:
Clear Outer & Opal Inner

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *54* | : *1* | W : *5 Years*

FAMILY:
Tango
FITTING COLOUR:
GREY: 6939412046709

LAMP SPECIFICATION:
Power: 17W
Luminous Flux: 800lm
Colour Temperature: 3000K
Lifetime: 25 000 Hours



O604 LED **LAMP TYPE:** *Including 1 x 10W Integrated LED*

HEIGHT: *200mm*
WIDTH: *70mm*
DEPTH: *105mm*

FITTING MATERIAL:
Die Cast Aluminium
LENS:
Opal Plastic

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *44* | : *6* | W : *5 Years*

FAMILY:
Adalyn
FITTING COLOUR:
GREY: 6939412049069

LAMP SPECIFICATION:
Power: 10W
Luminous Flux: 600lm
Colour Temperature: 3000K
Lifetime: 25 000 Hours

O601 LED **LAMP TYPE:** *Including 1 x 15W Integrated LED*

HEIGHT: *245mm*
WIDTH: *80mm*
DEPTH: *120mm*

FITTING MATERIAL:
Die Cast Aluminium
LENS:
Opal Plastic

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *54* | : *4* | W : *5 Years*

FAMILY:
Cyra
FITTING COLOUR:
GREY: 6939412049007
ADDITIONAL INFORMATION:
Up and Down Facing
Rotating Head 350˚

LAMP SPECIFICATION:
Power: 15W
Luminous Flux: 1000lm
Colour Temperature: 3000K
Lifetime: 25 000 Hours

O607 LED **LAMP TYPE:** *Including 1 x 4W Integrated LED*

HEIGHT: *101mm*
WIDTH: *101mm*
DEPTH: *30mm*

FITTING MATERIAL:
Die Cast Aluminium
LENS:
Opal Plastic

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *54* | : *12* | W : *5 Years*

FAMILY:
Helena
FITTING COLOUR:
GREY: 6939412049793

ADDITIONAL INFORMATION:
Surface Mount

LAMP SPECIFICATION:
Power: 4W
Luminous Flux: 200lm
Colour Temperature: 4000K
Lifetime: 25 000 Hours



O465 LED **LAMP TYPE:** *Including 1 x 8W Integrated LED*

HEIGHT: *113mm*
WIDTH: *213mm*
DEPTH: *45mm*

FITTING MATERIAL:
Die Cast Aluminium
LENS:
Polycarbonate Opal Lens

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *54* | : *12* | W : *5 Years*

FAMILY:
Ublo
FITTING COLOUR:
SILVER: 6939412028200

LAMP SPECIFICATION:
Power: 8W
Luminous Flux: 420lm
Colour Temperature: 3000K
Lifetime: 25 000 Hours



O466 LED **LAMP TYPE:** *Including 1 x 15W Integrated LED*

HEIGHT: *153mm*
WIDTH: *283mm*
DEPTH: *45mm*

FITTING MATERIAL:
Die Cast Aluminium
LENS:
Polycarbonate Opal Lens

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *54* | : *8* | W : *5 Years*

FAMILY:
Ublo
FITTING COLOUR:
SILVER: 6939412028101

LAMP SPECIFICATION:
Power: 15W
Luminous Flux: 950lm
Colour Temperature: 3000K
Lifetime: 25 000 Hours



O463 LED **LAMP TYPE:** *Including 1 x 8W Integrated LED*

DIAMETER: *193mm*
DEPTH: *45mm*

FITTING MATERIAL:
Die Cast Aluminium
LENS:
Polycarbonate Opal Lens

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *54* | : *4* | W : *5 Years*

FAMILY:
Ublo
FITTING COLOUR:
SILVER: 6939412028002

LAMP SPECIFICATION:
Power: 8W
Luminous Flux: 420lm
Colour Temperature: 3000K
Lifetime: 25 000 Hours



O464 LED **LAMP TYPE:** *Including 1 x 16.5W Integrated LED*

DIAMETER: *263mm*
DEPTH: *45mm*

FITTING MATERIAL:
Die Cast Aluminium
LENS:
Polycarbonate Opal Lens

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *54* | : *6* | W : *5 Years*

FAMILY:
Ublo
FITTING COLOUR:
SILVER: 6939412027906

LAMP SPECIFICATION:
Power: 16.5W
Luminous Flux: 950lm
Colour Temperature: 3000K
Lifetime: 25 000 Hours



O467 LED **LAMP TYPE:** *Including 1 x 8W Integrated LED*

HEIGHT: *163mm*
WIDTH: *163mm*
DEPTH: *45mm*

FITTING MATERIAL:
Die Cast Aluminium
LENS:
Polycarbonate Opal Lens

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *54* | : *12* | W : *5 Years*

FAMILY:
Ublo
FITTING COLOUR:
SILVER: 6939412028408

LAMP SPECIFICATION:
Power: 8W
Luminous Flux: 420lm
Colour Temperature: 3000K
Lifetime: 25 000 Hours



O468 LED **LAMP TYPE:** *Including 1 x 16.5W Integrated LED*

HEIGHT: *223mm*
WIDTH: *223mm*
DEPTH: *45mm*

FITTING MATERIAL:
Die Cast Aluminium
LENS:
Polycarbonate Opal Lens

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *54* | : *8* | W : *5 Years*

FAMILY:
Ublo
FITTING COLOUR:
SILVER: 6939412028309

LAMP SPECIFICATION:
Power: 16.5W
Luminous Flux: 950lm
Colour Temperature: 3000K
Lifetime: 25 000 Hours



O244 **LAMP TYPE:** *Excluding 2 x G23s max 11W PL 230V*

HEIGHT: *305mm*
WIDTH: *305mm*
DEPTH: *85mm*

FITTING MATERIAL:
Die Cast Aluminium
LENS:
Opal Polycarbonate

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *65* | : *8* | W : *5 Years*

FAMILY:
Basso
FITTING COLOUR:
BLACK: 6007328342144
SILVER: 6007328342151
WHITE: 6007328342137



O359 LED **LAMP TYPE:** *Including 1 x 3.7W Integrated LED*

HEIGHT: *230mm*
WIDTH: *190mm*
DEPTH: *241mm*

FITTING MATERIAL:
Die Cast Aluminium
LENS:
Opal Inner &
Clear Outer Plastic

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *44* | : *6*

FAMILY:
Paterno
FITTING COLOUR:
BLACK: 9002759942144

LAMP SPECIFICATION:
Power: 3.7W
Luminous Flux: 320lm
Colour Temperature: 3000K
Lifetime: 25 000 Hours



O224 **LAMP TYPE:** *Excluding 1 x E27 max 60W 230V*

DIAMETER: *600mm*
HEIGHT: *1140mm*

FITTING MATERIAL:
Steel
LENS:
Opal Plastic

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *54* | : *1*

FAMILY:
Lorena
FITTING COLOUR:
ANTIQUE BROWN: 9002759891732



O256 **LAMP TYPE:** *Excluding 1 x E27 max 60W 230V*

HEIGHT: *290mm*
WIDTH: *225mm*
DEPTH: *90mm*

FITTING MATERIAL:
Aluminium & Polycarbonate
LENS:
Frosted Polycarbonate

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *44* : *8*

FITTING COLOUR:
STONE: 6007328315537

ADDITIONAL INFORMATION:
Stone Finish



O255 **LAMP TYPE:** *Excluding 1 x E27 max 60W 230V*

HEIGHT: *290mm*
WIDTH: *225mm*
DEPTH: *90mm*

FITTING MATERIAL:
Aluminium & Polycarbonate
LENS:
Frosted Polycarbonate

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *44* : *8*

FITTING COLOUR:
STONE: 6007328315520

ADDITIONAL INFORMATION:
Stone Finish

O257 **LAMP TYPE:** *Excluding 1 x E27 max 60W 230V*

HEIGHT: *290mm*
WIDTH: *225mm*
DEPTH: *90mm*

FITTING MATERIAL:
Aluminium & Polycarbonate
LENS:
Frosted Polycarbonate

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *44* : *8*

FITTING COLOUR:
STONE: 6007328315544

ADDITIONAL INFORMATION:
Stone Finish



O145

LAMP TYPE:
Excluding 1 x E27 max 60W 230V

HEIGHT: *290mm*
WIDTH: *230mm*
DEPDTH: *90mm*

FITTING MATERIAL:
Stainless Steel
LENS:
Frosted Polycarbonate

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *44* : *8*

FITTING COLOUR:
SATIN CHROME: 6007328333678

ADDITIONAL INFORMATION:
See Stainless Steel Maintenance Page V



O146

LAMP TYPE:
Excluding 1 x E27 max 60W 230V

HEIGHT: *290mm*
WIDTH: *230mm*
DEPDTH: *90mm*

FITTING MATERIAL:
Stainless Steel
LENS:
Frosted Polycarbonate

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *44* : *8*

FITTING COLOUR:
SATIN CHROME: 6007328333685

ADDITIONAL INFORMATION:
See Stainless Steel Maintenance Page V



O94

LAMP TYPE:
Excluding 1 x E27 max 60W 230V

HEIGHT: *290mm*
WIDTH: *230mm*
DEPDTH: *90mm*

FITTING MATERIAL:
Stainless Steel
LENS:
Frosted Polycarbonate

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *44* : *8*

FITTING COLOUR:
SATIN CHROME: 6007328324874

ADDITIONAL INFORMATION:
See Stainless Steel Maintenance Page V



O144

LAMP TYPE:
Excluding 1 x E27 max 60W 230V

HEIGHT: *290mm*
WIDTH: *230mm*
DEPDTH: *90mm*

FITTING MATERIAL:
Stainless Steel
LENS:
Frosted Polycarbonate

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *44* : *8*

FITTING COLOUR:
SATIN CHROME: 6007328333661

ADDITIONAL INFORMATION:
See Stainless Steel Maintenance Page V

O93

LAMP TYPE:
Excluding 1 x E27 max 60W 230V

HEIGHT: *290mm*
WIDTH: *230mm*
DEPTH: *90mm*

FITTING MATERIAL:
Stainless Steel
LENS:
Frosted Polycarbonate

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *44* : *8*

FITTING COLOUR:
SATIN CHROME: 6007328324867

ADDITIONAL INFORMATION:
See Stainless Steel Maintenance Page V



O260

LAMP TYPE:
Excluding 1 x E27 max 13W CFL 230V

HEIGHT: *95mm*
WIDTH: *310mm*
DEPTH: *90mm*

FITTING MATERIAL:
Stainless Steel
LENS:
Opal Polycarbonate

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP: *44* : *12*

FITTING COLOUR:
STAINLESS STEEL: 6007328315629

ADDITIONAL INFORMATION:
See Stainless Steel Maintenance Page V



O261

LAMP TYPE:
Excluding 1 x E27 max 13W CFL 230V

HEIGHT: *95mm*
WIDTH: *310mm*
DEPTH: *90mm*

FITTING MATERIAL:
Stainless Steel
LENS:
Opal Polycarbonate

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP: *44* : *12*

FITTING COLOUR:
STAINLESS STEEL: 6007328315636

ADDITIONAL INFORMATION:
See Stainless Steel Maintenance Page V



B222 LED **LAMP TYPE:** *Including 1 x GX53 3W Switchable LED 230V*

HEIGHT: *115mm*
WIDTH: *115mm*
DEPTH: *60mm*

FITTING MATERIAL:
UV Stabilised Shockproof Resin
LENS:
Opal UV Stabilised PMMA

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *66* : *48* W : *Lifetime*

FAMILY:
Extraleti 100
FITTING COLOUR:
BLACK: 6007328370031
GREY: 6007328372110
WHITE: 6007328375722

ADDITIONAL INFORMATION:
Rust and Corrosion-Free
Made from Shockproof Resin Material
UV Stabilised
Includes Silicone Rubber Gasket to Ensure High Protection Against External Agents



B236 LED **LAMP TYPE:** *Including 1 x GX53 3W LED 230V*

DIAMETER: *140mm*
DEPTH: *64mm*

FITTING MATERIAL:
UV Stabilised Shockproof Resin
LENS:
Opal UV Stabilised PMMA

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *66* : *48* W : *Lifetime*

FAMILY:
Extraleti 100
FITTING COLOUR:
BLACK: 6007328372486
GREY: 6007328372493
WHITE: 6007328375852

ADDITIONAL INFORMATION:
Rust and Corrosion-Free
Made from Shockproof Resin Material
UV Stabilised
Includes Silicone Rubber Gasket to Ensure High Protection Against External Agents



B254 LED **LAMP TYPE:** *Including 1 x GX53 3W LED 230V*

DIAMETER: *135mm*
DEPTH: *65mm*

FITTING MATERIAL:
UV stabilised Shockproof Resin
LENS:
Opal UV Stabilised PMMA

PRIMARY VOLTAGE:
220-240V (50/60Hz)

IP : *66* : *1* W : *Lifetime*

FAMILY:
Extraleti100
FITTING COLOUR:
BLACK: 6007328381693

ADDITIONAL INFORMATION:
Rust and Corrosion-Free
Made from Shockproof Resin Material
UV Stabilised
Includes Silicone Rubber Gasket To Ensure High Protection Against External Agents



B237 LED **LAMP TYPE:** *Excluding 1 x GX53 (max 75mm) 23W LED 230V*

DIAMETER: *140mm*
DEPTH: *85mm*

FITTING MATERIAL:
UV Stabilised Shockproof Resin
LENS:
Opal UV Stabilised PMMA

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *66* : *48* W : *Lifetime*

FAMILY:
Extraleti 100
FITTING COLOUR:
BLACK: 6007328372509
GREY: 6007328372516
WHITE: 6007328375869

ADDITIONAL INFORMATION:
Rust and Corrosion-Free
Made from Shockproof Resin Material
UV Stabilised
Includes Silicone Rubber Gasket to Ensure High Protection Against External Agents



O573 LED **LAMP TYPE:** *Including 1 x 3W Integrated LED*

DIAMETER: *110mm*
DEPTH: *35mm*

FITTING MATERIAL:
Die Cast Aluminium
LENS:
Clear

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP: *65* | : *20* | W : *5 years*

FAMILY:
Callisto
FITTING COLOUR:
WHITE: 6007328391548

LAMP SPECIFICATION:
Power: 3W
Luminous Flux: 210lm
Colour Temperature: 3000K
Lifetime: 25 000 Hours



W552 LED **LAMP TYPE:** *Including 1 x 3W Integrated LED*

DIAMETER: *110mm*
DEPTH: *35mm*

FITTING MATERIAL:
Die Cast Aluminium
LENS:
Clear

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP: *65* | : *20* | W : *5 years*

FAMILY:
Callisto
FITTING COLOUR:
BLACK: 6007328383819
WHITE: 6007328384304

LAMP SPECIFICATION:
Power: 3W
Luminous Flux: 210lm
Colour Temperature: 3000K
Lifetime: 25 000 Hours



O580 LED

LAMP TYPE:
Including 1 x R7's J78 4W LED 230V

HEIGHT: *50mm*
WIDTH: *140mm*
DEPTH: *55mm*
CUT OUT: *137mm x 43mm*

FITTING MATERIAL:
UV stabilised
Shockproof Resin
LENS:
Opal UV Stabilised PMMA

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *55* | : *50* | W : *Lifetime*

FAMILY:
Nina 150
FITTING COLOUR:
BLACK: 6007328395331
GREY: 6007328396567
WHITE: 6007328395348

ADDITIONAL INFORMATION:
Rust and Corrosion-Free
Made from Shockproof Resin Material
UV Stabilised
Suitable for Wall & Ceiling Installation
Includes Silicone Rubber Gasket to Ensure High Protection Against External Agents



O582 LED

LAMP TYPE:
Including 1 x R7's J189 11W LED 230V

HEIGHT: *50mm*
WIDTH: *250mm*
DEPTH: *55mm*
CUT OUT: *248mm x 43mm*

FITTING MATERIAL:
UV stabilised
Shockproof Resin
LENS:
Opal UV Stabilised PMMA

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *55* | : *30* | W : *Lifetime*

FAMILY:
Nina 270
FITTING COLOUR:
BLACK: 6007328395379
GREY: 6007328396581
WHITE: 6007328395386

ADDITIONAL INFORMATION:
Rust and Corrosion-Free
Made from Shockproof Resin Material
UV Stabilised
Suitable for Wall & Ceiling Installation
Includes Silicone Rubber Gasket to Ensure High Protection Against External Agents

O581 LED

LAMP TYPE:
Including 1 x R7's 8.5W LED 230V

HEIGHT: *50mm*
WIDTH: *180mm*
DEPTH: *55mm*
CUT OUT: *177mm x 44mm*

FITTING MATERIAL:
UV stabilized
Shockproof Resin
LENS:
Opal UV Stabilised PMMA

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *55* | : *50* | W : *Lifetime*

FAMILY:
Nina 190
FITTING COLOUR:
BLACK: 6007328395355
GREY: 6007328396574
WHITE: 6007328395362

ADDITIONAL INFORMATION:
Rust and Corrosion-Free
Made from Shockproof Resin Material
UV Stabilised
Suitable for Wall & Ceiling Installation
Includes Silicone Rubber Gasket to Ensure High Protection Against External Agents



O583 LED **LAMP TYPE:** *Including 1 x R7's J78 4W LED 230V*

HEIGHT: *155mm*
WIDTH: *155mm*
DEPTH: *45mm*

FITTING MATERIAL:
UV stabilised Shockproof Resin
LENS:
Clear UV Stabilised PMMA

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *55* | : *24* | W : *Lifetime*

FAMILY:
Lorenza150
FITTING COLOUR:
BLACK: 6007328395393
GREY: 6007328396598
WHITE: 6007328395409

ADDITIONAL INFORMATION:
Rust and Corrosion-Free
Made from Shockproof Resin Material
UV Stabilised
Includes Silicone Rubber Gasket to Ensure High Protection Against External Agents



O584 LED **LAMP TYPE:** *Including 1 x R7's J118 8.5W LED 230V*

HEIGHT: *155mm*
WIDTH: *190mm*
DEPTH: *45mm*

FITTING MATERIAL:
UV stabilised Shockproof Resin
LENS:
Clear UV Stabilised PMMA

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *55* | : *24* | W : *Lifetime*

FAMILY:
Lorenza
FITTING COLOUR:
BLACK: 6007328395416
GREY: 6007328396604
WHITE: 6007328395423

ADDITIONAL INFORMATION:
Rust and Corrosion-Free
Made from Shockproof Resin Material
UV Stabilised
Includes Silicone Rubber Gasket to Ensure High Protection Against External Agents



O585 LED **LAMP TYPE:** *Including 1 x R7's J189 11W LED 230V*

HEIGHT: *155mm*
WIDTH: *255mm*
DEPTH: *45mm*

FITTING MATERIAL:
UV stabilised Shockproof Resin
LENS:
Clear UV Stabilised PMMA

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *55* | : *14* | W : *Lifetime*

FAMILY:
Lorenza 270
FITTING COLOUR:
BLACK: 6007328395430
GREY: 6007328396611
WHITE: 6007328395447

ADDITIONAL INFORMATION:
Rust and Corrosion-Free
Made from Shockproof Resin Material
UV Stabilised
Includes Silicone Rubber Gasket to Ensure High Protection Against External Agents



B223 LED **LAMP TYPE:** *Including 1 x GX53 (max 75mm) 3W LED 230V*

HEIGHT: *115mm*
WIDTH: *115mm*
DEPTH: *80mm*
CUT OUT: *96mm x 96mm*

FITTING MATERIAL:
UV Stabilised Shockproof Resin
LENS:
Opal UV Stabilised PMMA

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *66* | : *48* | W : *Lifetime*

FAMILY:
Leti 100
FITTING COLOUR:
BLACK: 6007328370062
GREY: 6007328372202
WHITE: 6007328375739

ADDITIONAL INFORMATION:
Rust and Corrosion-Free
Made from Shockproof Resin Material
UV Stabilised
Includes Silicone Rubber Gasket to Ensure High Protection Against External Agents



B289 LED **LAMP TYPE:** *Including 1 x GX53 3W LED 230V*

HEIGHT: *112mm*
WIDTH: *185mm*
DEPTH: *103mm*
CUT OUT: *178mm x 115mm*

FITTING MATERIAL:
UV Stabilised Shockproof Resin
LENS:
Opal UV Stabilised PMMA

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP: *66* | : *36* | W: *Lifetime*

FAMILY:
Leti 200
FITTING COLOUR:
BLACK: 6007328390480

ADDITIONAL INFORMATION:
Rust and Corrosion-Free
Made from Shockproof Resin Material
UV Stabilised
Includes Silicone Rubber Gasket to Ensure High Protection Against External Agents



B213 LED **LAMP TYPE:** *Including 2 x GX53 3W Switchable LED 230V*

HEIGHT: *113mm*
WIDTH: *293mm*
DEPTH: *105mm*
CUT OUT: *284mm x 98mm*

FITTING MATERIAL:
UV Stabilised Shockproof Resin
LENS:
Opal UV Stabilised PMMA

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP: *66* | : *24* | W: *Lifetime*

FAMILY:
Leti 300
FITTING COLOUR:
BLACK: 6007328369806
GREY: 6007328372127
WHITE: 6007328375678

ADDITIONAL INFORMATION:
Rust and Corrosion-Free
Made from Shockproof Resin Material
UV Stabilised
Includes Silicone Rubber Gasket to Ensure High Protection Against External Agents



B214 LED **LAMP TYPE:** *Excluding 2 x GX53 (max 75mm) 3W LED 230V*

HEIGHT: *113mm*
WIDTH: *293mm*
DEPTH: *98mm*
CUT OUT: *284mm x 104mm*

FITTING MATERIAL:
UV Stabilised Shockproof Resin
LENS:
Opal UV Stabilised PMMA

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP: *66* | : *20* | W: *Lifetime*

FAMILY:
Leti 300
FITTING COLOUR:
BLACK: 6007328369868
GREY: 6007328372134
WHITE: 6007328375685

ADDITIONAL INFORMATION:
Rust and Corrosion-Free
Made from Shockproof Resin Material
UV Stabilised
Includes Silicone Rubber Gasket to Ensure High Protection Against External Agents



B216 LED **LAMP TYPE:** *Excluding 2 x GX53 max 23W 230V*

HEIGHT: *113mm*
WIDTH: *293mm*
DEPTH: *98mm*
CUT OUT: *284mm x 104mm*

FITTING MATERIAL:
UV Stabilised Shockproof Resin
LENS:
Opal UV Stabilised PMMA

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP: *66* | : *24* | W: *Lifetime*

FAMILY:
Leti 300
FITTING COLOUR:
BLACK: 6007328369882
GREY: 6007328372141
WHITE: 6007328375708

ADDITIONAL INFORMATION:
Rust and Corrosion-Free
Made from Shockproof Resin Material
UV Stabilised
Includes Silicone Rubber Gasket to Ensure High Protection Against External Agents



B292 LED **LAMP TYPE:** *Including 1x 10.5W Integrated LED*

HEIGHT: *100mm*
WIDTH: *230mm*
DEPTH: *30mm*

FITTING MATERIAL:
Die Cast Aluminium
LENS:
Polycarbonate Opal Diffuser

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *54* : *12* W : *5 Years*

FAMILY:
Helena
FITTING COLOUR:
GREY: 6939412055701

ADDITIONAL INFORMATION:
Surface Mount

LAMP SPECIFICATION:
Power: 10.5W
Luminous Flux: 400lm
Colour Temperature: 4000K
Lifetime: 25 000 Hours



B293 LED **LAMP TYPE:** *Including 1x 10.5W Integrated LED*

HEIGHT: *100mm*
WIDTH: *230mm*
DEPTH: *30mm*

FITTING MATERIAL:
Die Cast Aluminium
LENS:
Polycarbonate Opal Diffuser

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *54* : *12* W : *5 Years*

FAMILY:
Helena
FITTING COLOUR:
GREY: 6939412055718

ADDITIONAL INFORMATION:
Surface Mount

LAMP SPECIFICATION:
Power: 10.5W
Luminous Flux: 400lm
Colour Temperature: 4000K
Lifetime: 25 000 Hours



B92 **LAMP TYPE:** *Excluding 1 x E27 max 60W 230V*

HEIGHT: *100mm*
WIDTH: *235mm*
DEPTH: *75mm*
CUT OUT: *200mm x 100mm*

FITTING MATERIAL:
Die Cast Aluminium
LENS:
Frosted Glass

PRIMARY VOLTAGE:
220-240V (50/60Hz)

IP : *44* : *12*

FITTING COLOUR:
WHITE: 6007328028048

ADDITIONAL INFORMATION:
Spare glass X181



B39 **LAMP TYPE:** *Excluding 1 x E27 max 60W 230V*

HEIGHT: *100mm*
WIDTH: *235mm*
DEPTH: *75mm*
CUT OUT: *75mm x 200mm*

FITTING MATERIAL:
Die Cast Aluminium
LENS:
Frosted Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *54* : *18*

FITTING COLOUR:
BLACK: 6007328007258
WHITE: 6007328007265

ADDITIONAL INFORMATION:
Spare Glass: X181



O355

LAMP TYPE:
Excluding 1 x E27 max 60W 230V

HEIGHT: *101mm*
WIDTH: *243mm*
DEPTH: *105mm*
CUT OUT: *87mm x 234mm*

FITTING MATERIAL:
Die Cast Aluminium
LENS:
Frosted Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *44* : *10*

FAMILY:
Zimba
FITTING COLOUR:
SILVER: 9002759880088







B38

LAMP TYPE:
Excluding 1 x E27 max 60W 230V

HEIGHT: *103mm*
WIDTH: *235mm*
DEPTH: *80mm*
CUT OUT: *75mm x 200mm*

FITTING MATERIAL:
Die Cast Aluminium
LENS:
Frosted Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *54* : *18*

FITTING COLOUR:
BLACK: 6007328001287
WHITE: 6007328001294

ADDITIONAL INFORMATION:
Spare Glass: X181

B160 LED **LAMP TYPE:** *Including 16 x 0.12W Integrated LED*

HEIGHT: *105mm*
WIDTH: *105mm*
DEPTH: *65mm*
CUT OUT: *85mm x 85mm*

FITTING MATERIAL:
Die Cast Aluminium & Steel
LENS:
Opal Polycarbonate

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *44* : *16*

FITTING COLOUR:
SATIN CHROME: 6007328315421

ADDITIONAL INFORMATION:
Including Mounting Sleeve

LAMP SPECIFICATION:
Power: 1.92W (16 x 0.12W)
Luminous Flux: 22lm
Colour Temperature: 6000K
Lifetime: 30 000 Hours



B159 LED **LAMP TYPE:** *Including 9 x 0.12W Integrated LED*

HEIGHT: *70mm*
WIDTH: *70mm*
DEPTH: *52mm*
CUT OUT: *65mm x 65mm*

FITTING MATERIAL:
Die Cast Aluminium & Steel
LENS:
Opal Polycarbonate

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *44* : *16*

FITTING COLOUR:
SATIN CHROME: 6007328315414

ADDITIONAL INFORMATION:
Including Mounting Sleeve

LAMP SPECIFICATION:
Power: 1.08W (9 x 0.12W)
Luminous Flux: 10lm
Colour Temperature: 6000K
Lifetime: 30 000 Hours



B158 LED **LAMP TYPE:** *Including 9 x 0.12W Integrated LED*

HEIGHT: *70mm*
WIDTH: *70mm*
DEPTH: *52mm*
CUT OUT: *65mm x 65mm*

FITTING MATERIAL:
Die Cast Aluminium & Steel
LENS:
Opal Polycarbonate

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *44* : *16*

FITTING COLOUR:
SATIN CHROME: 6007328315407

ADDITIONAL INFORMATION:
Including Mounting Sleeve

LAMP SPECIFICATION:
Power: 1.08W (9 x 0.12W)
Luminous Flux: 9.6lm
Colour Temperature: 6000K
Lifetime: 30 000 Hours



B162 LED **LAMP TYPE:** *Including 12 x 0.12W Integrated LED*

HEIGHT: *45mm*
WIDTH: *110mm*
DEPTH: *54mm*
CUT OUT: *100mm x 36mm*

FITTING MATERIAL:
Die Cast Aluminium & Steel
LENS:
Opal Polycarbonate

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *44* : *16*

FITTING COLOUR:
SATIN CHROME: 6007328315445

ADDITIONAL INFORMATION:
Including Mounting Sleeve

LAMP SPECIFICATION:
Power: 1.44W (12 x 0.12W)
Luminous Flux: 24lm
Colour Temperature: 6000K
Lifetime: 30 000 Hours



B163 LED **LAMP TYPE:** *Including 12 x 0.12W Integrated LED*

HEIGHT: *45mm*
WIDTH: *110mm*
DEPTH: *54mm*
CUT OUT: *100mm x 36mm*

FITTING MATERIAL:
Die Cast Aluminium & Steel
LENS:
Opal Polycarbonate

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *44* : *16*

FITTING COLOUR:
SATIN CHROME: 6007328315452

ADDITIONAL INFORMATION:
Including Mounting Sleeve

LAMP SPECIFICATION:
Power: 1.44W (12 x 0.12W)
Luminous Flux: 12lm
Colour Temperature: 6000K
Lifetime: 30 000 Hours



B164 LED **LAMP TYPE:** *Including 16 x 0.12W Integrated LED*

HEIGHT: *68mm*
WIDTH: *170mm*
DEPTH: *83mm*
CUT OUT: *155mm x 55mm*

FITTING MATERIAL:
Die Cast Aluminium & Steel
LENS:
Opal Polycarbonate

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *44* : *16*

FITTING COLOUR:
SATIN CHROME: 6007328315469

ADDITIONAL INFORMATION:
Including Mounting Sleeve

LAMP SPECIFICATION:
Power: 1.92W (16 x 0.12W)
Luminous Flux: 26lm
Colour Temperature: 6000K
Lifetime: 30 000 Hours



B165 LED **LAMP TYPE:** *Including 16 x 0.12W Integrated LED*

HEIGHT: *68mm*
WIDTH: *170mm*
DEPTH: *83mm*
CUT OUT: *155mm x 55mm*

FITTING MATERIAL:
Die Cast Aluminium & Steel
LENS:
Opal Polycarbonate

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *44* : *16*

FITTING COLOUR:
SATIN CHROME: 6007328315476

ADDITIONAL INFORMATION:
Including Mounting Sleeve

LAMP SPECIFICATION:
Power: 1.92W (16 x 0.12W)
Luminous Flux: 14lm
Colour Temperature: 6000K
Lifetime: 30 000 Hours



O391 LED **LAMP TYPE:** *Including 1 x 2.5W Integrated LED*

DIAMETER: *125mm*
DEPTH: *95mm*
CUT OUT: *116mm*

FITTING MATERIAL:
Die Cast Aluminium
LENS:
Clear Plastic

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *65* | : *8* | W : *5 years*

FAMILY:
Zimba
FITTING COLOUR:
SILVER: 9002759952334

LAMP SPECIFICATION:
Power: 2.5W
Luminous Flux: 320lm
Colour Temperature: 4000K
Lifetime: 25 000 Hours



O392 LED **LAMP TYPE:** *Including 1x 3.7W Integrated LED*

HEIGHT: *140mm*
WIDTH: *138mm*
DEPTH: *88mm*
CUT OUT: *135mm x 135mm*

FITTING MATERIAL:
Die Cast Aluminium
LENS:
Clear Plastic

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *65* | : *8* | W : *5 years*

FAMILY:
Zimba
FITTING COLOUR:
SILVER: 9002759952358

LAMP SPECIFICATION:
Power: 3.7W
Luminous Flux: 400lm
Colour Temperature: 4000K
Lifetime: 25 000 Hours



O515 LED **LAMP TYPE:** *Including 1x 4.8W Integrated SMD LED*

HEIGHT: *235mm*
WIDTH: *185mm*
DEPTH: *85mm*
CUT OUT: *227mm x 175mm*

FITTING MATERIAL:
Die Cast Aluminium
LENS:
Clear Plastic

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *65* | : *8* | W : *5 years*

FAMILY:
Zimba
FITTING COLOUR:
SILVER 9002759952341

LAMP SPECIFICATION:
Power: 4.8W
Luminous Flux: 550lm
Colour Temperature: 4000K
Lifetime: 25 000 Hours



O353 **LAMP TYPE:** *Excluding 1 x E14 max 60W Golfball 230V*

HEIGHT: *127mm*
WIDTH: *227mm*
DEPTH: *88mm*
CUT OUT: *96mm x 196mm*

FITTING MATERIAL:
Die Cast Aluminium
LENS:
Frosted Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *44* | : *10* | W : *3 years*

FAMILY:
Zimba
FITTING COLOUR:
SILVER: 9002759885755



B115 LED **LAMP TYPE:** *Including 12 x 0.06W Integrated LED*

DIAMETER: *140mm*
DEPTH: *60mm*

FITTING MATERIAL:
Die Cast Aluminium
LENS:
Frosted Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *44* : *20*

FITTING COLOUR:
SATIN CHROME: 6007328328889

LAMP SPECIFICATION:
Power: 0.72W (12 x 0.06W)
Luminous Flux: 22lm
Colour Temperature: 6000K
Lifetime: 30 000 Hours



B102 LED **LAMP TYPE:** *Including 12 x 0.06W Integrated LED*

DIAMETER: *122mm*
DEPTH: *45mm*
CUT OUT: *110mm*

FITTING MATERIAL:
Die Cast Aluminium
LENS:
Frosted Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *44* : *20*

FITTING COLOUR:
SATIN CHROME: 6007328031918
WHITE: 6007328031901

ADDITIONAL INFORMATION:
Spare Glass: X585

LAMP SPECIFICATION:
Power: 0.72W (12 x 0.06W)
Luminous Flux: 26lm
Colour Temperature: 6000K
Lifetime: 30 000 Hours



O343

LED

LAMP TYPE:
Including 1 x GU10 5W Integrated LED 230V

DIAMETER: *84mm*
DEPTH: *125mm*
CUT OUT: *78mm*

FITTING MATERIAL:
Die Cast Aluminium
LENS:
Frosted Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *65* | : *48*

FAMILY:
Margo
FITTING COLOUR:
WHITE: 9002759940935

LAMP SPECIFICATION:
Power: 5W
Luminous Flux: 350lm
Colour Temperature: 3000K
Lifetime: 30 000 Hours
Beam Angle: 36º



O245

LAMP TYPE:
Excluding 1 x GU10 max 50W PAR16 230V

DIAMETER: *94mm*
DEPTH: *115mm*
CUT OUT: *83mm*

FITTING MATERIAL:
Die Cast Aluminium

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *23* | : *20* | W : *5 years*

FAMILY:
Jupiter
FITTING COLOUR:
BLACK: 6007328342175
GRAPHITE: 6007328342182
WHITE: 6007328342168

ADDITIONAL INFORMATION:
30º Tilt
Twist Lock



B220

LED

LAMP TYPE:
Including 1 x GU10 3.5W Switchable LED 230V

DIAMETER: *92mm*
DEPTH: *140mm*
CUT OUT: *85mm*

FITTING MATERIAL:
UV Stabilised
Shockproof Resin
LENS:
Opal UV Stabilised PMMA

PRIMARY VOLTAGE:
100V - 240V (50/60Hz)

IP : *67* | : *40* | W : *Lifetime*

FAMILY:
Ceci 90
FITTING COLOUR:
BLACK: 6007328372394
GREY: 6007328372400

ADDITIONAL INFORMATION:
Rust and Corrosion-Free
Made from Shockproof Resin Material
UV Stabilised
Suitable for Deck , Concrete Floor or Wall Installation
Includes Silicone Rubber Gasket to Ensure High Protection
Against External Agents
Including Mounting Sleeve

LAMP SPECIFICATION:
Power: 3.5W
Luminous Flux: 350lm
Colour Temperature: 2700K / 4000K
Lifetime: 25 000 Hours
Beam Angle: 36º



B221

LED

LAMP TYPE:
Including 1 x GU10 3.5W Switchable LED 230V

DIAMETER: *95mm*
DEPTH: *145mm*
CUT OUT: *85mm*

FITTING MATERIAL:
UV Stabilised
Shockproof Resin
LENS:
Opal UV Stabilised PMMA

PRIMARY VOLTAGE:
100V - 240V (50/60Hz)

IP : *67* | : *40* | W : *Lifetime*

FAMILY:
Ceci 90
FITTING COLOUR:
BLACK: 6007328372417
GREY: 6007328372424

ADDITIONAL INFORMATION:
Rust and Corrosion-Free
Made from Shockproof Resin Material
UV Stabilised
Suitable for Deck , Concrete Floor or Wall Installation
Includes Silicone Rubber Gasket to Ensure High Protection
Against External Agents
Including Mounting Sleeve

LAMP SPECIFICATION:
Power: 3.5W
Luminous Flux: 350lm
Colour Temperature: 2700K / 4000K
Lifetime: 25 000 Hours
Beam Angle: 45º



B224

LAMP TYPE:
Including 1 x GU10 3.5W LED 230V

DIAMETER: *92mm*
DEPTH: *145mm*
CUT OUT: *85mm*

FITTING MATERIAL:
UV Stabilised Shockproof Resin
LENS:
Opal UV Stabilised PMMA

PRIMARY VOLTAGE:
100V - 240V (50/60Hz)

IP : *67* | : *20* | W : *Lifetime*

FAMILY:
Ceci 90
FITTING COLOUR:
BLACK: 6007328372431
GREY: 6007328372448

ADDITIONAL INFORMATION:
Rust and Corrosion-Free
Made from Shockproof Resin Material
UV Stabilised
Suitable for Deck , Concrete Floor or Wall Installation
Includes Silicone Rubber Gasket to Ensure High Protection Against External Agents
Including Mounting Sleeve

LAMP SPECIFICATION:
Power: 3.5W
Luminous Flux: 400lm
Colour Temperature: 3000K
Lifetime: 25 000 Hours



B219

LAMP TYPE:
Including 1 x GX53 7W (max 100mm) LED 230V

DIAMETER: *160mm*
DEPTH: *111mm*
CUT OUT: *147mm*

FITTING MATERIAL:
UV Stabilised Shockproof Resin
LENS:
Opal UV Stabilised PMMA

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *67* | : *18* | W : *Lifetime*

FAMILY:
Ceci 160
FITTING COLOUR:
BLACK: 6007328372370
GREY: 6007328372387

ADDITIONAL INFORMATION:
Rust and Corrosion-Free
Made from Shockproof Resin Material
UV Stabilised
Suitable for Deck , Concrete Floor or Wall Installation
Includes Silicone Rubber Gasket to Ensure High Protection Against External Agents
Including Mounting Sleeve

LAMP SPECIFICATION:
Power: 7W
Luminous Flux: 700lm
Colour Temperature: 4000K
Lifetime: 25 000 Hours



B218

LAMP TYPE:
Including 1 x GX53 10W (max 100mm) LED 230V

DIAMETER: *160mm*
DEPTH: *111mm*
CUT OUT: *147mm*

FITTING MATERIAL:
UV Stabilised Shockproof Resin
LENS:
Opal UV Stabilised PMMA

PRIMARY VOLTAGE:
100V - 240V (50/60Hz)

IP : *67* | : *18* | W : *Lifetime*

FAMILY:
Ceci 160
FITTING COLOUR:
BLACK: 6007328372356
GREY: 6007328372363

ADDITIONAL INFORMATION:
Rust and Corrosion-Free
Made from Shockproof Resin Material
UV Stabilised
Suitable for Deck , Concrete Floor or Wall Installation
Includes Silicone Rubber Gasket to Ensure High Protection Against External Agents
Including Mounting Sleeve

LAMP SPECIFICATION:
Power: 10W
Luminous Flux: 1200lm
Colour Temperature: 4000K
Lifetime: 25 000 Hours



O123

LAMP TYPE:
Excluding 1 x GU5.3 max 35W PAR16 12V

DIAMETER: *110mm*
DEPTH: *150mm*
CUT OUT: *100mm*

FITTING MATERIAL:
Stainless Steel
LENS:
Clear Tempered Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *65* | : *18*

FITTING COLOUR:
SATIN CHROME: 6007328330745

ADDITIONAL INFORMATION:
Excluding Transformer: CO76 or CO79
See Stainless Steel Maintenance Page V





O345 LED **LAMP TYPE:** *Including 1 x 2.5W Integrated LED*

DIAMETER: *100mm*
DEPTH: *63mm*
CUT OUT: *95mm*

FITTING MATERIAL:
Stainless Steel
LENS:
Opal Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *67* : *24*

FAMILY:
Lamedo
FITTING COLOUR:
SATIN CHROME: 9002759934828

ADDITIONAL INFORMATION:
See Stainless Steel Maintenance Page V

LAMP SPECIFICATION:
Power: 2.5W
Luminous Flux: 180lm
Colour Temperature: 3000K
Lifetime: 25 000 Hours

O346 **LAMP TYPE:** *Excluding 1 x E27 max 16W 230V*

DIAMETER: *170mm*
DEPTH: *285mm*
CUT OUT: *160mm*

FITTING MATERIAL:
Stainless Steel
LENS:
Clear Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *67* : *16*

FAMILY:
Riga 3
FITTING COLOUR:
SATIN CHROME: 9002759861896

ADDITIONAL INFORMATION:
See Stainless Steel Maintenance Page V





O344 LED **LAMP TYPE:** *Including 1 x 2.5W Integrated LED*

HEIGHT: *100mm*
WIDTH: *100mm*
DEPTH: *65mm*
CUT OUT: *93mm*

FITTING MATERIAL:
Stainless Steel
LENS:
Opal Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *67* : *24*

FAMILY:
Lamedo
FITTING COLOUR:
SATIN CHROME: 9002759934811

ADDITIONAL INFORMATION:
See Stainless Steel Maintenance Page V

LAMP SPECIFICATION:
Power: 2.5W
Luminous Flux: 180lm
Colour Temperature: 3000K
Lifetime: 25 000 Hours

O124 **LAMP TYPE:** *Excluding 1 x Rx7s max 150W Metal Halide 230V*

DIAMETER: *240mm*
DEPTH: *290mm*
CUT OUT: *205mm*

FITTING MATERIAL:
Stainless Steel
LENS:
Dotted Tempered Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *65* : *2*

FITTING COLOUR:
SATIN CHROME: 6007328330752

ADDITIONAL INFORMATION:
Including Control Gear
See Stainless Steel Maintenance Page V

O405 LED **LAMP TYPE:**
Including 4 x 1W Integrated LED (per Unit)

DIAMETER: *62mm*
DEPTH: *68mm*
CUT OUT: *51mm*

FITTING MATERIAL:
Stainless Steel & Aluminium
LENS:
Frosted Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *54* : *12* W : *5 Years*

FAMILY:
Luna
FITTING COLOUR:
CHROME: 6007328372530

ADDITIONAL INFORMATION:
4 Pack
Dimmable (1 - 10 Volt Dimmer)
Including Dip Switch Function
Including 350mA / 700mA Connection Box Driver
Including 20m Connection Box Cable
See Stainless Steel Maintenance Page V

LAMP SPECIFICATION:
Power: 4W (4 x 1W per unit)
Luminous Flux: 52lm
Colour Temperature: 2900K
Lifetime: 25 000 Hours
Beam Angle: 50º



O249

LAMP TYPE:
Excluding 1 x G24d max PL18W Tube

HEIGHT: *360mm*
WIDTH: *125mm*
DEPTH: *190mm*

FITTING MATERIAL:
Die Cast Aluminium
LENS:
Opal Inner & Clear Outer UV Stabilised Polycarbonate

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *55* | : *8* | W : *5 Years*

FAMILY:
Arco
FITTING COLOUR:
BLACK: 6007328315032



O250

LAMP TYPE:
Excluding 1 x G24d max PL18W Tube

HEIGHT: *980mm*
DIAMETER: *165mm*

FITTING MATERIAL:
Die Cast Aluminium
LENS:
Opal Inner & Clear Outer UV Stabilised Polycarbonate

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *54* | : *4* | W : *5 Years*

FAMILY:
Arco
FITTING COLOUR:
BLACK: 6007328315049



O408 LED

LAMP TYPE:
Excluding 1 x GU10 max 8W LED 230V

HEIGHT: *360mm*
WIDTH: *160mm*
DEPTH: *220mm*

FITTING MATERIAL:
Die Cast Aluminium
LENS:
Clear Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *54* : *8* W : *5 Years*

FAMILY:
Arco Air
FITTING COLOUR:
GRAPHITE: 6007328372592



O409 LED

LAMP TYPE:
Excluding 1 x GU10 max 8W LED 230V

HEIGHT: *963mm*
DIAMETER: *160mm*

FITTING MATERIAL:
Die Cast Aluminium
LENS:
Clear Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *54* : *4* W : *5 Years*

FAMILY:
Arco Air
FITTING COLOUR:
GRAPHITE: 6007328372608



O485 LED **LAMP TYPE:** *Including 1 x 9W Integrated LED*

HEIGHT: *265mm*
WIDTH: *165mm*
DEPTH: *195mm*

FITTING MATERIAL:
Die Cast Aluminium
LENS:
Clear Polycarbonate Diffuser

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *44* : *8* W : *5 Years*

FAMILY:
Unite
FITTING COLOUR:
BLACK: 6939412028705

LAMP SPECIFICATION:
Power: 9W
Luminous Flux: 330lm
Colour Temperature: 3000K
Lifetime: 25 000 Hours



O486 LED **LAMP TYPE:** *Including 1 x 9W Integrated LED*

HEIGHT: *225mm*
WIDTH: *165mm*
DEPTH: *200mm*

FITTING MATERIAL:
Die Cast Aluminium
LENS:
Clear Polycarbonate Diffuser

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *44* : *8* W : *5 Years*

FAMILY:
Unite
FITTING COLOUR:
BLACK: 6939412028804

LAMP SPECIFICATION:
Power: 9W
Luminous Flux: 330lm
Colour Temperature: 3000K
Lifetime: 25 000 Hours



O487 LED **LAMP TYPE:** *Including 1 x 9W Integrated LED*

HEIGHT: *346mm*
DIAMETER: *165mm*

FITTING MATERIAL:
Die Cast Aluminium
LENS:
Clear Polycarbonate Diffuser

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *44* : *4* W : *5 Years*

FAMILY:
Unite
FITTING COLOUR:
BLACK: 6939412076003

LAMP SPECIFICATION:
Power: 9W
Luminous Flux: 330lm
Colour Temperature: 3000K
Lifetime: 25 000 Hours



O488 LED **LAMP TYPE:** *Including 1 x 9W Integrated LED*

HEIGHT: *985mm*
DIAMETER: *165mm*

FITTING MATERIAL:
Die Cast Aluminium
LENS:
Clear Polycarbonate Diffuser

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *44* : *4* W : *5 Years*

FAMILY:
Unite
FITTING COLOUR:
BLACK: 6939412075709

LAMP SPECIFICATION:
Power: 9W
Luminous Flux: 330lm
Colour Temperature: 3000K
Lifetime: 25 000 Hours



O541 LED **LAMP TYPE:** *Including 1 x 18W Integrated LED*

HEIGHT: *220mm*
WIDTH: *110mm*
DEPTH: *75mm*

FITTING MATERIAL:
Die Cast Aluminium
LENS:
Opal Plastic Diffuser

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *54* : *8* W : *5 Years*

FAMILY:
Qubo
FITTING COLOUR:
GREY: 6939412047102

LAMP SPECIFICATION:
Power: 18W
Luminous Flux: 1100lm
Colour Temperature: 3000K
Lifetime: 25 000 Hours



O542 LED **LAMP TYPE:** *Including 1 x 18W Integrated LED*

HEIGHT: *745mm*
WIDTH: *110mm*
DEPTH: *95mm*

FITTING MATERIAL:
Die Cast Aluminium
LENS:
Opal Plastic Diffuser

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *54* : *2* W : *5 Years*

FAMILY:
Qubo
FITTING COLOUR:
GREY: 6939412079103

LAMP SPECIFICATION:
Power: 18W
Luminous Flux: 1100lm
Colour Temperature: 3000K
Lifetime: 25 000 Hours

O471 LED **LAMP TYPE:** *Including 1 x 18W Integrated LED*

HEIGHT: *300mm*
WIDTH: *202mm*
DEPTH: *245mm*

FITTING MATERIAL:
Die Cast Aluminium
LENS:
Polycarbonate Clear Lens

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *65* | : *4* | W : *5 Years*

FAMILY:
Anda
FITTING COLOUR:
GRAPHITE: 4250294310453

LAMP SPECIFICAT ION:
Power: 18W
Luminous Flux: 1040lm
Colour Temperature: 4000K
Lifetime: 25 000 Hours

O472 LED **LAMP TYPE:** *Including 1 x 18W Integrated LED*

HEIGHT: *800mm*
WIDTH: *200mm*
DEPTH: *260mm*

FITTING MATERIAL:
Die Cast Aluminium
LENS:
Polycarbonate Clear Lens

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *65* | : *2* | W : *5 Years*

FAMILY:
Anda
FITTING COLOUR:
GRAPHITE: 4250294310460

LAMP SPECIFICATION:
Power: 18W
Luminous Flux: 1040lm
Colour Temperature: 4000K
Lifetime: 25 000 Hours

O473 LED **LAMP TYPE:** *Including 1 x 14W Integrated LED*

HEIGHT: *270mm*
WIDTH: *180mm*
DEPTH: *175mm*

FITTING MATERIAL:
Die Cast Aluminium
LENS:
Polycarbonate Opal Lens

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *54* | : *6* | W : *5 Years*

FAMILY:
Meridian
FITTING COLOUR:
GRAPHITE: 4250294311351

LAMP SPECIFICATION:
Power: 14W
Luminous Flux: 800lm
Colour Temperature: 3000K
Lifetime: 25 000 Hours

O474 LED **LAMP TYPE:** *Including 1 x 14W Integrated LED*

HEIGHT: *725mm*
WIDTH: *180mm*
DEPTH: *200mm*

FITTING MATERIAL:
Die Cast Aluminium
LENS:
Polycarbonate Opal Lens

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *54* | : *4* | W : *5 Years*

FAMILY:
Meridian
FITTING COLOUR:
GRAPHITE: 6939412075600

LAMP SPECIFICATION:
Power: 14W
Luminous Flux: 800lm
Colour Temperature: 3000K
Lifetime: 25 000 Hours



O475 LED **LAMP TYPE:** *Including 1 x 9W Integrated LED*

HEIGHT: *185mm*
DEPTH: *145mm*
DIAMETER: *180mm*

FITTING MATERIAL:
Die Cast Aluminium
LENS:
Polycarbonate Opal Lens

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *44* : *8* W : *5 Years*

FAMILY:
Tona
FITTING COLOUR:
GRAPHITE: 6939412029306

LAMP SPECIFICATION:
Power: 9W
Luminous Flux: 600lm
Colour Temperature: 3000K
Lifetime: 25 000 Hours



O477 LED **LAMP TYPE:** *Including 1 x 7W Integrated LED*

HEIGHT: *35mm*
WIDTH: *265mm*
DEPTH: *70mm*

FITTING MATERIAL:
Die Cast Aluminium
LENS:
Polycarbonate Opal Lens

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *54* : *6* W : *5 Years*

FAMILY:
Ghost
FITTING COLOUR:
GRAPHITE: 4250294305022

LAMP SPECIFICATION:
Power: 7W
Luminous Flux: 360lm
Colour Temperature: 4000K
Lifetime: 25 000 Hours

O478 LED **LAMP TYPE:** *Including 1 x 9W Integrated LED*

HEIGHT: *150mm*
WIDTH: *150mm*
DEPTH: *125mm*

FITTING MATERIAL:
Die Cast Aluminium
LENS:
Polycarbonate Opal Lens

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *54* : *8* W : *5 Years*

FAMILY:
Armor
FITTING COLOUR:
GRAPHITE: 6939412034706

LAMP SPECIFICATION:
Power: 9W
Luminous Flux: 650lm
Colour Temperature: 3000K
Lifetime: 25 000 Hours



O527 LED

LAMP TYPE:
Including 1 x GU10 3.5W LED 230V

HEIGHT: *800mm*
DIAMETER: *155mm*

FITTING MATERIAL:
UV Stabilised Shockproof Resin
LENS:
Clear Outer & Opal Inner UV Stabilised PMMA

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *55* : *6* W : *Lifetime*

FAMILY:
Carlo
FITTING COLOUR:
BLACK: 6007328390510

ADDITIONAL INFORMATION:
Rust and Corrosion-Free
Made from Shockproof Resin Material
UV Stabilised
Includes Silicone Rubber Gasket to Ensure High Protection Against External Agents

LAMP SPECIFICATION:
Power: 3.5W
Colour Temperature: 4000K
Lifetime: 25 000 Hours



O528 LED

LAMP TYPE:
Including 1 x GU10 3.5W SMD LED 230V

HEIGHT: *400mm*
DIAMETER: *155mm*

FITTING MATERIAL:
UV Stabilised Shockproof Resin
LENS:
Clear Outer & Opal Inner UV Stabilised PMMA

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *55* : *12* W : *Lifetime*

FAMILY:
Carlo
FITTING COLOUR:
BLACK: 6007328390527

ADDITIONAL INFORMATION:
Rust and Corrosion-Free
Made from Shockproof Resin Material
UV Stabilised
Suitable for Wall Installation
Includes Silicone Rubber Gasket to Ensure High Protection Against External Agents

LAMP SPECIFICATION:
Power: 3.5W
Colour Temperature: 4000K
Lifetime: 25 000 Hours



O531

LED

LAMP TYPE:
Including 1 x GU10 3.5W SMD LED 230V

HEIGHT: *350mm*
WIDTH: *95mm*
DEPTH: *170mm*

FITTING MATERIAL:
UV Stabilised Shockproof Resin
LENS:
Clear Outer & Opal Inner UV Stabilised PMMA

PRIMARY VOLTAGE:
100V - 240V

IP : *55* | : *20* | W : *Lifetime*

FAMILY:
Carlo
FITTING COLOUR:
BLACK: 6007328390558

ADDITIONAL INFORMATION:
Rust and Corrosion-Free
Made from Shockproof Resin Material
UV Stabilised
Suitable for Wall Installation
Includes Silicone Rubber Gasket to Ensure High Protection Against External Agents

LAMP SPECIFICATION:
Power: 3.5W
Colour Temperature: 4000K
Lifetime: 25 000 Hours



O529

LED

LAMP TYPE:
Including 1 x GU10 3.5W SMD LED 230V

HEIGHT: *240mm*
DIAMETER: *100mm*

FITTING MATERIAL:
UV Stabilised Shockproof Resin
LENS:
Clear Outer & Opal Inner UV Stabilised PMMA

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *55* | : *20* | W : *Lifetime*

FAMILY:
Carlo
FITTING COLOUR:
BLACK: 6007328390534

ADDITIONAL INFORMATION:
Rust and Corrosion-Free
Made from Shockproof Resin Material
UV Stabilised
Suitable for Wall Installation
Includes Silicone Rubber Gasket to Ensure High Protection Against External Agents

LAMP SPECIFICATION:
Power: 3.5W
Colour Temperature: 4000K
Lifetime: 25 000 Hours



O533

LED

LAMP TYPE:
Including 1 x GX53 10W LED 230V

HEIGHT: *800mm*
WIDTH: *175mm*
DEPTH: *175mm*

FITTING MATERIAL:
UV Stabilised Shockproof Resin
LENS:
Clear UV Stabilised PMMA

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *55* | : *6* | W : *Lifetime*

FAMILY:
Ester
FITTING COLOUR:
BLACK: 6007328390596
GREY: 6007328390602

ADDITIONAL INFORMATION:
Rust and Corrosion-Free
Made from Shockproof Resin Material
UV Stabilised
Suitable for Wall Installation
Includes Silicone Rubber Gasket to Ensure High Protection Against External Agents

LAMP SPECIFICATION:
Power: 10W
Colour Temperature: 4000K
Lifetime: 25 000 Hours



O398

LED

LAMP TYPE:
Including 1 x GX53 7W (max 100mm) LED 230V

HEIGHT: *1120mm*
DIAMETER: *245mm*

FITTING MATERIAL:
UV Stabilised Shockproof Resin
LENS:
Clear UV Stabilised PMMA

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *55* | : *1* | W : *Lifetime*

FAMILY:
Sauro
FITTING COLOUR:
BLACK: 6007328381310
GREY: 6007328369745

ADDITIONAL INFORMATION:
Rust and Corrosion-Free
Made from Shockproof Resin Material
UV Stabilised
Suitable for Wall Installation
Includes Silicone Rubber Gasket to Ensure High Protection Against External Agents

LAMP SPECIFICATION:
Power: 7W
Colour Temperature: 4000K
Lifetime: 25 000 Hours

O469 LED **LAMP TYPE:** *Including 1 x 9W Integrated LED*

HEIGHT: *46mm*
WIDTH: *210mm*
DEPTH: *160mm*

FITTING MATERIAL:
Die Cast Aluminium
LENS:
Polycarbonate Opal Lens

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *65* | : *4* | W : *5 Years*

FAMILY:
Mini LED Spot
FITTING COLOUR:
GRAPHITE: 4250294303462

LAMP SPECIFICATION:
320° Rotation

LAMP SPECIFICATION:
Power: 9W
Luminous Flux: 605lm
Colour Temperature: 4000K
Lifetime: 25 000 Hours



O479 LED **LAMP TYPE:** *Including 1 x 9W Integrated LED*

HEIGHT: *600mm*
WIDTH: *150mm*
DEPTH: *150mm*

FITTING MATERIAL:
Die Cast Aluminium
LENS:
Polycarbonate Opal Lens

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *54* | : *2* | W : *5 Years*

FAMILY:
Armor
FITTING COLOUR:
GRAPHITE: 6939412076300

LAMP SPECIFICATION:
Power: 9W
Luminous Flux: 650lm
Colour Temperature: 3000K
Lifetime: 25 000 Hours



O470 LED **LAMP TYPE:** *Including 1 x 9W Integrated LED*

HEIGHT: *526mm*
WIDTH: *210mm*
DEPTH: *45mm*

FITTING MATERIAL:
Die Cast Aluminium
LENS:
Polycarbonate Opal Lens

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *65* | : *2* | W : *5 Years*

FAMILY:
Mini LED Spot
FITTING COLOUR:
GRAPHITE: 4250294303837

LAMP SPECIFICATION:
320° Rotation

LAMP SPECIFICATION:
Power: 9W
Luminous Flux: 610lm
Colour Temperature: 4000K
Lifetime: 25 000 Hours



O258 **LAMP TYPE:** *Excluding 1 x E27 max 11W CFL 230V*

HEIGHT: *650mm*
WIDTH: *125mm*
DEPTH: *125mm*

FITTING MATERIAL:
Aluminium & Stainless Steel
LENS:
Opal Polycarbonate

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *44* : *4*

FITTING COLOUR:
STONE: 6007328315551

ADDITIONAL INFORMATION:
Stone Finish
See Stainless Steel Maintenance Page V



O259 **LAMP TYPE:** *Excluding 1 x E27 max 11W CFL 230V*

HEIGHT: *990mm*
WIDTH: *125mm*
DEPTH: *125mm*

FITTING MATERIAL:
Aluminium & Stainless Steel
LENS:
Opal Polycarbonate

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *44* : *4*

FITTING COLOUR:
STONE: 6007328315568

ADDITIONAL INFORMATION:
Stone Finish
See Stainless Steel Maintenance Page V



PR199 LED **LAMP TYPE:** *Including 1 x 10.5W Integrated LED*

HEIGHT: *800mm*
DIAMETER: *210mm*

FITTING MATERIAL:
Die Cast Aluminium
LENS:
Frosted Acrylic

PRIMARY VOLTAGE:
110V - 277V (50/60Hz)

IP : *65* : *6*

FITTING COLOUR:
GREY: 6007328360513

ADDITIONAL INFORMATION:
Steel Allen Key head

LAMP SPECIFICATION:
Power: 10.5W
Luminous Flux: 360lm
Colour Temperature: 4000K
Lifetime: 50 000 Hours

O60 **LAMP TYPE:** *Excluding 1 x E27 max 60W 230V*

HEIGHT: *1200mm*
DIAMETER: *165mm*

FITTING MATERIAL:
Die Cast Aluminium
LENS:
Clear Plastic

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *44* : *1*

FAMILY:
Lourve
FITTING COLOUR:
BLACK: 6007328029960



O59 **LAMP TYPE:** *Excluding 1 x E27 max 60W 230V*

HEIGHT: *1200mm*
DIAMETER: *165mm*

FITTING MATERIAL:
Die Cast Aluminium
LOUVRE:
Die Cast Aluminium
LENS:
Clear Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *44* : *1*

FITTING COLOUR:
BLACK: 6007328029328

ADDITIONAL INFORMATION:
Spare Glass: X778

O70 **LAMP TYPE:** *Excluding 1 x E27 max 100W 230V*

HEIGHT: *1010mm*
DIAMETER: *150mm*

FITTING MATERIAL:
Stainless Steel
LENS:
Clear Plastic

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *44* : *6*

FITTING COLOUR:
STAINLESS STEEL: 6007328032533

ADDITIONAL INFORMATION:
See Stainless Steel Maintenance Page V





O53 **LAMP TYPE:** *Excluding 1 x E27 max 60W 230V*

HEIGHT: *400mm*
WIDTH: *75mm*
DEPTH: *175mm*

FITTING MATERIAL:
Stainless Steel
LENS:
Opal Polycarbonate

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *44* : *12*

FITTING COLOUR:
SATIN CHROME: 6007328030966

ADDITIONAL INFORMATION:
See Stainless Steel Maintenance Page V
Spare Diffuser: X861

O51 **LAMP TYPE:** *Excluding 1 x E27 max 60W 230V*

HEIGHT: *445mm*
DIAMETER: *110mm*

FITTING MATERIAL:
Stainless Steel
LENS:
Opal Polycarbonate

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *44* : *6*

FITTING COLOUR:
SATIN CHROME: 6007328030980

ADDITIONAL INFORMATION:
See Stainless Steel Maintenance Page V
Spare Diffuser: X861



O67 **LAMP TYPE:** *Excluding 1 x E27 max 60W 230V*

HEIGHT: *650mm*
DIAMETER: *110mm*

FITTING MATERIAL:
Stainless Steel
LENS:
Opal Polycarbonate

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *44* : *6*

FITTING COLOUR:
SATIN CHROME: 6007328032298

ADDITIONAL INFORMATION:
See Stainless Steel Maintenance Page V
Spare Diffuser: X861

O52 **LAMP TYPE:** *Excluding 1 x E27 max 60W 230V*

HEIGHT: *995mm*
DIAMETER: *120mm*

FITTING MATERIAL:
Stainless Steel
LENS:
Opal Polycarbonate

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *44* : *6*

FITTING COLOUR:
SATIN CHROME: 6007328030003

ADDITIONAL INFORMATION:
See Stainless Steel Maintenance Page V
Spare Diffuser: X861



O143

LAMP TYPE:
Excluding 1 x E27 max 60W 230V

HEIGHT: *385mm*
WIDTH: *120mm*
DEPTH: *165mm*

FITTING MATERIAL:
Stainless Steel
LENS:
Opal Polycarbonate

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *44* : *12*

FITTING COLOUR:
SATIN CHROME: 6007328030027

ADDITIONAL INFORMATION:
See Stainless Steel Maintenance Page V
Spare Diffuser: X861



O142

LAMP TYPE:
Excluding 1 x E27 max 60W 230V

HEIGHT: *330mm*
WIDTH: *120mm*
DEPTH: *195mm*

FITTING MATERIAL:
Stainless Steel
LENS:
Opal Polycarbonate

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *44* : *12*

FITTING COLOUR:
SATIN CHROME: 6007328030973

ADDITIONAL INFORMATION:
See Stainless Steel Maintenance Page V
Spare Diffuser: X861



O140

LAMP TYPE:
Excluding 1 x E27 max 60W 230V

HEIGHT: *445mm*
DIAMETER: *120mm*

FITTING MATERIAL:
Stainless Steel
LENS:
Opal Polycarbonate

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *44* : *6*

FITTING COLOUR:
SATIN CHROME: 6007328030997

ADDITIONAL INFORMATION:
See Stainless Steel Maintenance Page V
Spare Diffuser: X861



O141

LAMP TYPE:
Excluding 1 x E27 max 60W 230V

HEIGHT: *1000mm*
DIAMETER: *120mm*

FITTING MATERIAL:
Stainless Steel
LENS:
Opal Polycarbonate

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *44* : *6*

FITTING COLOUR:
SATIN CHROME: 6007328030010

ADDITIONAL INFORMATION:
See Stainless Steel Maintenance Page V
Spare Diffuser: X861



O41 **LAMP TYPE:** *Excluding 1 x E27 max 60W 230V*

HEIGHT: *350mm*
WIDTH: *215mm*
DEPTH: *250mm*

FITTING MATERIAL:
Stainless Steel
LENS:
Clear Plastic

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *44* : *6*

FITTING COLOUR:
SATIN CHROME: 6007328030034

ADDITIONAL INFORMATION:
See Stainless Steel Maintenance Page V



O40 **LAMP TYPE:** *Excluding 1 x E27 max 60W 230V*

HEIGHT: *1045mm*
DIAMETER: *215mm*

FITTING MATERIAL:
Stainless Steel
LENS:
Clear Plastic

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *44* : *4*

FITTING COLOUR:
SATIN CHROME: 6007328030041

ADDITIONAL INFORMATION:
See Stainless Steel Maintenance Page V

O42 **LAMP TYPE:** *Excluding 1 x E27 max 60W 230V*

HEIGHT: *455mm*
DIAMETER: *215mm*

FITTING MATERIAL:
Stainless Steel
LENS:
Clear Plastic

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *44* : *4*

FITTING COLOUR:
SATIN CHROME: 6007328030065

ADDITIONAL INFORMATION:
See Stainless Steel Maintenance Page V



O520 **LAMP TYPE:** *Excluding 1 x E27 max 60W 230V*

FITTING HEIGHT: *325mm*
WIDTH: *150mm*
DEPTH: *150mm*
CHAIN LENGTH: *770mm*

FITTING MATERIAL:
Zinc Plated Steel
LENS:
Clear Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *44* : *4*

FAMILY:
Alamonte 1
FITTING COLOUR:
BLACK: 9002759947880



O519 **LAMP TYPE:** *Excluding 1 x E27 max 60W 230V*

HEIGHT: *1010mm*
WIDTH: *150mm*
DEPTH: *150mm*

FITTING MATERIAL:
Zinc Plated Steel
LENS:
Clear Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *44* : *4*

FAMILY:
Alamonte 1
FITTING COLOUR:
BLACK: 9002759948337



O394 **LAMP TYPE:** *Excluding 1 x E27 max 60W 230V*

HEIGHT: *260mm*
WIDTH: *170mm*
DEPTH: *100mm*

FITTING MATERIAL:
Zinc Plated Steel
LENS:
Clear Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *44* : *4*

FAMILY:
Alamonte 1
FITTING COLOUR:
BLACK: 9002759948313



O516 **LAMP TYPE:** *Excluding 2 x E27 max 28W 230V*

HEIGHT: *290mm*
WIDTH: *290mm*
DEPTH: *130mm*

FITTING MATERIAL:
Zinc Plated Steel
LENS:
Clear Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *44* : *4*

FAMILY:
Alamonte 1
FITTING COLOUR:
BLACK: 9002759948320



O410 **LAMP TYPE:** *Excluding 1 x E27 max 60W 230V*

HEIGHT: *400mm*
WIDTH: *160mm*
DEPTH: *160mm*

FITTING MATERIAL:
Metal
LENS:
Clear Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *20* : *1*

FITTING COLOUR:
BLACK: 6007328374060

ADDITIONAL INFORMATION:
Use Under Covered Area



O388 **LAMP TYPE:** *Excluding 1 x E27 max 60W 230V*

HEIGHT: *280mm*
WIDTH: *220mm*
DEPTH: *280mm*

FITTING MATERIAL:
Steel
LENS:
Clear Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *44* : *4*

FAMILY:
Pulfero
FITTING COLOUR:
BLACK: 9002759948412

O517 **LAMP TYPE:** *Excluding 1 x E27 max 60W 230V*

HEIGHT: *280mm*
WIDTH: *220mm*
DEPTH: *280mm*

FITTING MATERIAL:
Steel
LENS:
Clear Plastic

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *44* : *4*

FAMILY:
Pulfero
FITTING COLOUR:
BLACK: 9002759948344



O417 **LAMP TYPE:** *Excluding 1 x E27 max 23W CFL or LED (max 160mm) 230V*

HEIGHT: *370mm*
WIDTH: *250mm*
DEPTH: *300mm*

FITTING MATERIAL:
UV Stabilised Shockproof Resin
LENS:
Clear UV Stabilised PMMA

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *55* : *4* W : *Lifetime*

FAMILY:
Bisso
FITTING COLOUR:
BLACK: 6007328376026

ADDITIONAL INFORMATION:
Rust and Corrosion-Free
Made from Shockproof Resin Material
UV Stabilised
Up or Down Facing
Includes Silicone Rubber Gasket To Ensure High Protection Against External Agents



O418 **LAMP TYPE:** *Excluding 1 x E27 max 23W CFL or LED (max 160mm) 230V*

HEIGHT: *350mm*
DIAMETER: *250mm*

FITTING MATERIAL:
UV Stabilised Shockproof Resin
LENS:
Clear UV Stabilised PMMA

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *55* : *18* W : *Lifetime*

FAMILY:
Mikrolot
FITTING COLOUR:
BLACK: 6007328376033

ADDITIONAL INFORMATION:
Rust and Corrosion-Free
Made from Shockproof Resin Material
UV Stabilised
Includes Silicone Rubber Gasket To Ensure High Protection Against External Agents



O79 **LAMP TYPE:** *Excluding 1 x E27 max 60W 230V*

HEIGHT: *320mm*
WIDTH: *200mm*
DEPTH: *285mm*

FITTING MATERIAL:
Stainless Steel
LENS:
Opal Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *44* : *4*

FITTING COLOUR:
SATIN CHROME: 6007328322634

ADDITIONAL INFORMATION:
See Stainless Steel Maintenance Page V



O54 **LAMP TYPE:** *Excluding 1 x E27 max 60W 230V*

HEIGHT: *328mm*
WIDTH: *200mm*
DEPTH: *215mm*

FITTING MATERIAL:
Stainless Steel
LENS:
Opal Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *33* : *4*

FITTING COLOUR:
SATIN CHROME: 6007328330141

ADDITIONAL INFORMATION:
See Stainless Steel Maintenance Page V



O118

LAMP TYPE:
Excluding 1 x E27 max 100W 230V

HEIGHT: *500mm*
WIDTH: *240mm*
DEPTH: *400mm*

FITTING MATERIAL:
Die Cast Aluminium
LENS:
Tinted Polycarbonate

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *44* : *3* W : *5 Years*

FAMILY:
Cornet
FITTING COLOUR:
BLACK: 6007328331513
WHITE: 6007328331520



O10 **LAMP TYPE:** *Excluding 1 x E27 max 60W 230V*

HEIGHT: *415mm*
WIDTH: *160mm*
DEPTH: *160mm*

FITTING MATERIAL:
Die Cast Aluminium
LENS:
Clear Bevelled Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP: *44* : *6*

FITTING COLOUR:
BLACK: 6007328015451
BLACK GOLD: 6007328015444
WHITE: 6007328017646

ADDITIONAL INFORMATION:
6 Panel
Spare Glass: X013



O68 **LAMP TYPE:** *Excluding 1 x E27 max 60W 230V*

HEIGHT: *500mm*
WIDTH: *220mm*
DEPTH: *220mm*

FITTING MATERIAL:
Die Cast Aluminium
LENS:
Clear Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP: *44* : *4*

FITTING COLOUR:
BLACK: 6007328026600
BLACK GOLD: 6007328026594
WHITE: 6007328026617

ADDITIONAL INFORMATION:
6 Panel
Spare Glass: X509



O50 **LAMP TYPE:** *Excluding 2 x E27 max 60W 230V*

HEIGHT: *390mm*
WIDTH: *230mm*
DEPTH: *125mm*

FITTING MATERIAL:
Die Cast Aluminium
LENS:
Clear Bevelled Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP: *44* : *6*

FITTING COLOUR:
BLACK: 6007328028017
BLACK GOLD: 6007328328872
WHITE: 6007328028000
VERDE GREEN: 6007328028024

ADDITIONAL INFORMATION:
5 Panel
Spare Glass: X412



O74 **LAMP TYPE:** *Excluding 2 x E27 max 60W 230V*

HEIGHT: *530mm*
WIDTH: *300mm*
DEPTH: *170mm*

FITTING MATERIAL:
Die Cast Aluminium
LENS:
Clear Bevelled Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP: *44* : *4*

FITTING COLOUR:
BLACK: 6007328322306
BLACK GOLD: 6007328322313
WHITE: 6007328322290

ADDITIONAL INFORMATION:
5 Panel
Spare Glass: X633



O16

LAMP TYPE:
Excluding 1 x E27 max 60W 230V

HEIGHT: *440mm*
WIDTH: *215mm*
DEPTH: *280mm*

FITTING MATERIAL:
Die Cast Aluminium
LENS:
Clear Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *44* : *6*

FITTING COLOUR:
BLACK: 6007328007821
BLACK GOLD: 6007328016946
WHITE: 6007328007838

ADDITIONAL INFORMATION:
6 Panel
Spare Glass: X005



O21

LAMP TYPE:
Excluding 1 x E27 max 100W 230V

HEIGHT: *495mm*
WIDTH: *245mm*
DEPTH: *250mm*

FITTING MATERIAL:
Die Cast Aluminium
LENS:
Clear Bevelled Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *44* : *6*

FITTING COLOUR:
BLACK: 6007328014911
BLACK GOLD: 6007328014935
WHITE: 6007328014904

ADDITIONAL INFORMATION:
6 Panel
Spare Glass: X410



O9

LAMP TYPE:
Excluding 1 x E27 max 60W 230V

HEIGHT: *370mm*
WIDTH: *160mm*
DEPTH: *205mm*

FITTING MATERIAL:
Die Cast Aluminium
LENS:
Clear Bevelled Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *44* : *6*

FITTING COLOUR:
BLACK: 6007328013426
BLACK GOLD: 6007328013457
VERDE GREEN: 6007328013440
WHITE: 6007328013433

ADDITIONAL INFORMATION:
6 Panel
Spare Glass: X012



O3

LAMP TYPE:
Excluding 1 x E27 max 60W 230V

HEIGHT: *500mm*
WIDTH: *145mm*
DEPTH: *245mm*

FITTING MATERIAL:
Die Cast Aluminium
LENS:
Clear Bevelled Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *44* : *6*

FITTING COLOUR:
BLACK: 6007328014058
BLACK GOLD: 6007328013471
WHITE: 6007328330103
VERDE GREEN: 60073280133464

ADDITIONAL INFORMATION:
8 Panel
Spare Glass: X010



O14

LAMP TYPE:
Excluding 1 x E27 max 60W 230V

HEIGHT: *330mm*
WIDTH: *150mm*
DEPTH: *200mm*

FITTING MATERIAL:
Die Cast Aluminium
LENS:
Clear Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *44* : *6*

FITTING COLOUR:
BLACK: 6007328007746
BLACK GOLD: 6007328013488
VERDE GREEN: 6007328001553
WHITE: 6007328001546

ADDITIONAL INFORMATION:
4 Panel
Spare Glass: X003



O17

LAMP TYPE:
Excluding 1 x E27 max 60W 230V

HEIGHT: *340mm*
WIDTH: *150mm*
DEPTH: *205mm*

FITTING MATERIAL:
Die Cast Aluminium
LENS:
Clear Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *44* : *6*

FITTING COLOUR:
BLACK: 6007328008835
BLACK GOLD: 6007328013495
VERDE GREEN: 6007328008958
WHITE: 6007328007753

ADDITIONAL INFORMATION:
4 Panel
Spare Glass: X006



O19

LAMP TYPE:
Excluding 1 x E27 max 60W 230V

HEIGHT: *410mm*
WIDTH: *155mm*
DEPTH: *155mm*

FITTING MATERIAL:
Die Cast Aluminium
LENS:
Clear Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *44* : *6*

FITTING COLOUR:
BLACK: 6007328010135
BLACK GOLD: 6007328014829
WHITE: 6007328010715
VERDE GREEN: 6007328012016

ADDITIONAL INFORMATION:
4 Panel
Spare Glass: X008



O24

LAMP TYPE:
Excluding 1 x E27 max 60W 230V

HEIGHT: *360mm*
WIDTH: *175mm*
DEPTH: *85mm*

FITTING MATERIAL:
Die Cast Aluminium
LENS:
Clear Bevelled Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *44* : *8*

FITTING COLOUR:
BLACK: 6007328011378
BLACK GOLD: 6007328325420
VERDE GREEN: 6007328011385
WHITE: 6007328011392

ADDITIONAL INFORMATION:
3 Panel
Spare Glass: X169



O15

LAMP TYPE:
Excluding 1 x E27 max 60W 230V

HEIGHT: *330mm*
WIDTH: *170mm*
DEPTH: *215mm*

FITTING MATERIAL:
Die Cast Aluminium
LENS:
Clear Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *44* : *6*

FITTING COLOUR:
BLACK: 6007328007760
BLACK GOLD: 6007328013280
VERDE GREEN: 6007328007784
WHITE: 6007328007777

ADDITIONAL INFORMATION:
6 Panel
Spare Glass: X004



O18

LAMP TYPE:
Excluding 1 x E27 max 60W 230V

HEIGHT: *340mm*
WIDTH: *200mm*
DEPTH: *200mm*

FITTING MATERIAL:
Die Cast Aluminium
LENS:
Clear Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *44* : *6*

FITTING COLOUR:
BLACK: 6007328008842
BLACK GOLD: 6007328013501
VERDE GREEN: 6007328011415
WHITE: 6007328010142

ADDITIONAL INFORMATION:
6 Panel
Spare Glass: X007



O20

LAMP TYPE:
Excluding 1 x E27 max 60W 230V

HEIGHT: *380mm*
WIDTH: *200mm*
DEPTH: *200mm*

FITTING MATERIAL:
Die Cast Aluminium
LENS:
Clear Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *44* : *6*

FITTING COLOUR:
BLACK: 6007328007791
BLACK GOLD: 6007328014836
VERDE GREEN: 6007328010166
WHITE: 6007328008965

ADDITIONAL INFORMATION:
6 Panel
Spare Glass: X009



O26

LAMP TYPE:
Excluding 1 x E27 max 60W 230V

HEIGHT: *435mm*
WIDTH: *240mm*
DEPTH: *120mm*

FITTING MATERIAL:
Die Cast Aluminium
LENS:
Clear Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *44* : *8*

FITTING COLOUR:
BLACK: 6007328001997
BLACK GOLD: 6007328013273
VERDE GREEN: 6007328001980
WHITE: 6007328001973

ADDITIONAL INFORMATION:
3 Panel
Spare Glass: X177



O303 **LAMP TYPE:** *Excluding 1 x E27 max 60W 230V*

HEIGHT: *350mm*
WIDTH: *170mm*
DEPTH: *212mm*

FITTING MATERIAL:
Anti UV Polypropylene
LENS:
Clear Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *44* : *12*

FITTING COLOUR:
BLACK: 6007328365587
WHITE: 6007328365594

ADDITIONAL INFORMATION:
6 Panel



O304 **LAMP TYPE:** *Excluding 1 x E27 max 60W 230V*

HEIGHT: *350mm*
WIDTH: *170mm*
DEPTH: *212mm*

FITTING MATERIAL:
Anti UV Polypropylene
LENS:
Clear Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *44* : *12*

FITTING COLOUR:
BLACK: 6007328365600
WHITE: 6007328365617

ADDITIONAL INFORMATION:
6 Panel



O305 **LAMP TYPE:** *Excluding 1 x E27 max 60W 230V*

HEIGHT: *420mm*
WIDTH: *193mm*
DEPTH: *193mm*

FITTING MATERIAL:
UV Stabilised Polypropylene
LENS:
Clear Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *44* : *12*

FITTING COLOUR:
BLACK: 6007328365624
WHITE: 6007328365631

ADDITIONAL INFORMATION:
6 Panel



O8 **LAMP TYPE:** *Excluding 1 x E27 max 60W 230V*

FITTING HEIGHT: *400mm*
WIDTH: *250mm*
DEPTH: *250mm*
CHAIN LENGTH: *430mm*

FITTING MATERIAL:
Die Cast Aluminium
LENS:
Clear Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *44* : *4*

FITTING COLOUR:
BLACK: 6007328014874
BLACK GOLD: 6007328014843
WHITE: 6007328014867
VERDE GREEN: 6007328014850

ADDITIONAL INFORMATION:
6 Panel
Adjustable Chain Suspension
Spare Glass: X011



O30

LAMP TYPE:
Excluding 1 x E27 max 60W 230V

HEIGHT: *320mm*
WIDTH: *165mm*
DEPTH: *210mm*

FITTING MATERIAL:
Die Cast Aluminium
LENS:
Alabaster Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *44* : *6*

FITTING COLOUR:
BLACK SILVER: 6007328019602
RUST: 6007328019596

ADDITIONAL INFORMATION:
Spare Glass: X486



O117

LAMP TYPE:
Excluding 1 x E27 max 60W 230V

HEIGHT: *440mm*
WIDTH: *155mm*
DEPTH: *250mm*

FITTING MATERIAL:
Die Cast Aluminium
LENS:
Smoked Polycarbonate

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *44* : *6* W : *5 Years*

FAMILY:
Mini Java
FITTING COLOUR:
BLACK: 6007328331537
WHITE: 6007328331544

ADDITIONAL INFORMATION:
Up or Down Facing



O246

LAMP TYPE:
Excluding 1 x E27 max 100W 230V

HEIGHT: *525mm*
WIDTH: *225mm*
DEPTH: *310mm*

FITTING MATERIAL:
Die Cast Aluminium
LENS:
Smoked Polycarbonate

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *44* : *4* W : *5 Years*

FAMILY:
Ibiza
FITTING COLOUR:
BLACK: 6007328314639
WHITE: 6007328315100

ADDITIONAL INFORMATION:
Up or Down Facing



O32

LAMP TYPE:
Excluding 1 x E27 max 60W 230V

HEIGHT: *445mm*
WIDTH: *230mm*
DEPTH: *285mm*

FITTING MATERIAL:
Die Cast Aluminium
LENS:
Alabaster Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *44* : *6*

FITTING COLOUR:
BLACK: 6007328338567
BLACK SILVER: 6007328326946
RUST: 6007328327974

ADDITIONAL INFORMATION:
6 Panel
Spare Glass: X488



O134

LAMP TYPE:
Excluding 1 x E27 max 60W 230V

HEIGHT: *500mm*
WIDTH: *230mm*
DEPTH: *230mm*

FITTING MATERIAL:
Die Cast Aluminium
LENS:
Alabaster Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *44* : *6*

FITTING COLOUR:
BLACK/SILVER: 6007328328643
RUST: 6007328328650

ADDITIONAL INFORMATION:
6 Panel
Spare Glass: X490



O35

LAMP TYPE:
Excluding 1 x E27 max 60W 230V

HEIGHT: *1140mm*
WIDTH: *230mm*
DEPTH: *230mm*

FITTING MATERIAL:
Die Cast Aluminium
LENS:
Alabaster Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *44* : *1*

FITTING COLOUR:
BLACK: 6007328341161
BLACK SILVER: 6007328327981
RUST: 6007328326953

ADDITIONAL INFORMATION:
6 Panel
Spare Glass: X490



O76

LAMP TYPE:
Excluding 1 x E27 max 60W 230V

HEIGHT: *1130mm*
WIDTH: *225mm*
DEPTH: *225mm*

FITTING MATERIAL:
Die Cast Aluminium
LENS:
Clear Bevelled Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *44* : *1*

FITTING COLOUR:
BLACK: 6007328322931
WHITE: 6007328322924

ADDITIONAL INFORMATION:
8 Panel
Spare Glass: X691



O81

LAMP TYPE:
Excluding 1 x E27 max 60W 230V

HEIGHT: *2160mm*
WIDTH: *260mm*
DEPTH: *260mm*

FITTING MATERIAL:
Die Cast Aluminium
LENS:
Clear Bevelled Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *44* : *1*

FITTING COLOUR:
BLACK: 6007328325666
WHITE: 6007328325673

ADDITIONAL INFORMATION:
8 Panel
Spare Glass: X691



O36

LAMP TYPE:
Excluding 3 x E27 max 60W 230V

HEIGHT: *2300mm*
WIDTH: *650mm*
DEPTH: *650mm*

FITTING MATERIAL:
Die Cast Aluminium
LENS:
Clear Bevelled Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *44* : *1*

FITTING COLOUR:
BLACK SILVER: 6007328019589
RUST: 6007328019572
WHITE: 6007328019565

ADDITIONAL INFORMATION:
6 Panel
Spare Glass: X491



O37

LAMP TYPE:
Excluding 3 x E27 max 60W 230V

HEIGHT: *2235mm*
WIDTH: *750mm*
DEPTH: *750mm*

FITTING MATERIAL:
Die Cast Aluminium
LENS:
Alabaster Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *44* : *1*

FITTING COLOUR:
BLACK: 6007328345794
RUST: 6007328327493
BLACK SILVER: 6007328327998

ADDITIONAL INFORMATION:
6 Panel
Spare Glass: X492



O75

LAMP TYPE:
Excluding 3 x E27 max 60W 230V

HEIGHT: *2300mm*
WIDTH: *600mm*
DEPTH: *600mm*

FITTING MATERIAL:
Die Cast Aluminium
LENS:
Clear Bevelled Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *44* : *1*

FITTING COLOUR:
BLACK: 6007328322900
WHITE: 6007328322917

ADDITIONAL INFORMATION:
8 Panel
Spare Glass: X691



O414

LAMP TYPE:
Excluding 1 x E27 max 60W 230V

HEIGHT: *430mm*
WIDTH: *220mm*
DEPTH: *275mm*

FITTING MATERIAL:
UV Stabilised Shockproof Resin
LENS:
Clear UV Stabilised PMMA

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *55* : *18* W : *Lifetime*

FAMILY:
Saba
FITTING COLOUR:
BLACK: 6007328375968
WHITE: 6007328375975

ADDITIONAL INFORMATION:
Rust and Corrosion-Free
Made from Shockproof Resin Material
UV Stabilised
Includes Silicone Rubber Gasket To Ensure High Protection Against External Agents



O416

LAMP TYPE:
Excluding 1 x E27 max 23W 230V

HEIGHT: *1050mm*
WIDTH: *220mm*
DEPTH: *220mm*

FITTING MATERIAL:
UV Stabilised Shockproof Resin
LENS:
Clear UV Stabilised PMMA

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *55* : *1* W : *Lifetime*

FAMILY:
Saba
FITTING COLOUR:
BLACK: 6007328376002
WHITE: 6007328376019

ADDITIONAL INFORMATION:
Rust and Corrosion-Free
Made from Shockproof Resin Material
UV Stabilised
Includes Silicone Rubber Gasket To Ensure High Protection Against External Agents



O419

LAMP TYPE:
Excluding 1 x E27 max 23W 230V

HEIGHT: *355mm*
WIDTH: *220mm*
DEPTH: *105mm*

FITTING MATERIAL:
UV Stabilised Shockproof Resin
LENS:
Clear UV Stabilised PMMA

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *55* : *16* W : *Lifetime*

FAMILY:
Iesse
FITTING COLOUR:
BLACK: 6007328376040
WHITE: 6007328376057

ADDITIONAL INFORMATION:
Rust and Corrosion-Free
Made from Shockproof Resin Material
UV Stabilised
Includes Silicone Rubber Gasket To Ensure High Protection Against External Agents



O415

LAMP TYPE:
Excluding 1 x E27 max 23W 230V

HEIGHT: *400mm*
WIDTH: *220mm*
DEPTH: *220mm*

FITTING MATERIAL:
UV Stabilised Shockproof Resin
LENS:
Clear UV Stabilised PMMA

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *55* : *18* W : *Lifetime*

FAMILY:
Mikrolot / Saba
FITTING COLOUR:
BLACK: 6007328375982
WHITE: 6007328375999

ADDITIONAL INFORMATION:
Rust and Corrosion-Free
Made from Shockproof Resin Material
UV Stabilised
Includes Silicone Rubber Gasket To Ensure High Protection Against External Agents



O575 LED **LAMP TYPE:** *Including 3 x E27 6W LED 230V*

HEIGHT: *2455mm*
WIDTH: *610mm*
DEPTH: *245mm*

FITTING MATERIAL:
UV Stabilised Shockproof Resin
LENS:
Clear UV Stabilised PMMA

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *55* : *1* W : *Lifetime*

FAMILY:
Ricu Bisso/Rut
FITTING COLOUR:
BLACK: 6007328393597

ADDITIONAL INFORMATION:
Rust and Corrosion-Free
Made from Shockproof Resin Material
UV Stabilised
Includes Silicone Rubber Gasket To Ensure High Protection Against External Agents

LAMP SPECIFICATION:
Power: 18W (3 x 6W)
Colour Temperature: 2700K
Lifetime: 25 000 Hours



O137 LED **LAMP TYPE:** *Including 2 x E27 6W LED Filament 230V*

HEIGHT: *2130mm*
WIDTH: *630mm*
DEPTH: *245mm*

FITTING MATERIAL:
UV stabilised Shockproof Resin
LENS:
Clear UV Stabilised Perspex

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *55* : *1* W : *Lifetime*

FAMILY:
Gigi Bisso/Sava
FITTING COLOUR:
BLACK: 6007328383802

ADDITIONAL INFORMATION:
Rust and Corrosion-Free
Made from Shockproof Resin Material
UV Stabilised
Includes Silicone Rubber Gasket to Ensure High Protection Against External Agents

LAMP SPECIFICATION:
Power: 12W (2 x 6W)
Colour Temperature: 2700K
Lifetime: 25 000 Hours



O136 LED **LAMP TYPE:** *Including 1 x E27 6W LED Filament 230V*

HEIGHT: *1820mm*
DIAMETER: *145mm*

FITTING MATERIAL:
UV stabilised Shockproof Resin
LENS:
Clear Clear PMMA Diffuser

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *66* : *1* W : *Lifetime*

FAMILY:
Artu/Saba
FITTING COLOUR:
BLACK: 6007328383796

ADDITIONAL INFORMATION:
Rust and Corrosion-Free
Made from Shockproof Resin Material
UV Stabilised
Includes Silicone Rubber Gasket to Ensure High Protection Against External Agents

LAMP SPECIFICATION:
Power: 6W
Colour Temperature: 2700K
Lifetime: 25 000 Hours



O132 LED **LAMP TYPE:** *Including 2 x E27 12W LED Filament 230V*

HEIGHT: *2100mm*
WIDTH: *610mm*
DEPTH: *245mm*

FITTING MATERIAL:
UV stabilised Shockproof Resin
LENS:
Clear UV Stabilised Perspex

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *55* : *1* W : *Lifetime*

FAMILY:
Artu/Saba
FITTING COLOUR:
BLACK: 6007328394396

ADDITIONAL INFORMATION:
Rust and Corrosion-Free
Made from Shockproof Resin Material
UV Stabilised
Includes Silicone Rubber Gasket to Ensure High Protection Against External Agents

LAMP SPECIFICATION:
Power: 24W (2 x 12W)
Colour Temperature: 2700K
Lifetime: 25 000 Hours

O454

LAMP TYPE:
Excluding 1 x E27 max 60W 230V

FITTING HEIGHT: *485mm*
DIAMETER: *260mm*
CHAIN LENGTH: *445mm*

FITTING MATERIAL:
UV Stabilised Shockproof Resin
LENS:
Clear UV Stabilised PMMA

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *55* | : *12* | W : *Lifetime*

FAMILY:
Sichem Rut
FITTING COLOUR:
BLACK: 6007328381891
WHITE: 6007328381907

ADDITIONAL INFORMATION:
Rust and Corrosion-Free
Made from Shockproof Resin Material
UV Stabilised
Against External Agents

O452

LAMP TYPE:
Excluding 1 x E27 max 60W 230V

HEIGHT: *520mm*
WIDTH: *260mm*
DEPTH: *315mm*

FITTING MATERIAL:
UV Stabilised Shockproof Resin
LENS:
Clear UV Stabilised PMMA

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *55* | : *12* | W : *Lifetime*

FAMILY:
Bisso Rut
FITTING COLOUR:
BLACK: 6007328381853
WHITE: 6007328381860

ADDITIONAL INFORMATION:
Rust and Corrosion-Free
Made from Shockproof Resin Material
UV Stabilised
Includes Silicone Rubber Gasket to Ensure High Protection
Against External Agents

O453

LAMP TYPE:
Excluding 1 x E27 max 60W 230V

HEIGHT: *440mm*
WIDTH: *260mm*
DEPTH: *260mm*

FITTING MATERIAL:
UV Stabilised Shockproof Resin
LENS:
Clear UV Stabilised PMMA

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *55* | : *12* | W : *Lifetime*

FAMILY:
Minilot Rut
FITTING COLOUR:
BLACK: 6007328381877
WHITE: 6007328381884

ADDITIONAL INFORMATION:
Rust and Corrosion-Free
Made from Shockproof Resin Material
UV Stabilised
Includes Silicone Rubber Gasket to Ensure High Protection
Against External Agents

O115

LAMP TYPE:
Excluding 1 x E27 max 60W 230V

HEIGHT: *390mm*
WIDTH: *230mm*
DEPTH: *125mm*

FITTING MATERIAL:
Die Cast Aluminium
LENS:
Smoked Polycarbonate

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *44* | : *8* | W : *5 Years*

FAMILY:
Hamlet
FITTING COLOUR:
BLACK: 6007328331575
WHITE: 6007328331582

ADDITIONAL INFORMATION:
3 Panel



O114

LAMP TYPE:
Excluding 1 x E27 max 60W 230V

HEIGHT: *355mm*
WIDTH: *156mm*
DEPTH: *115mm*

FITTING MATERIAL:
Die Cast Aluminium
LENS:
Smoked Polycarbonate

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *44* : *8* W : *5 Years*

FAMILY:
Sorrento
FITTING COLOUR:
BLACK: 6007328331599
WHITE: 6007328331612

ADDITIONAL INFORMATION:
5 Panel



O546

LAMP TYPE:
Excluding 1 x E27 max 40W 230V

HEIGHT: *360mm*
WIDTH: *180mm*
DEPTH: *95mm*

FITTING MATERIAL:
Anti UV Polypropylene
LENS:
Clear Polycarbonate

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *44* : *12*

FITTING COLOUR:
BLACK: 6007328399797

ADDITIONAL INFORMATION:
3 Panel



O86

LAMP TYPE:
Excluding 3 x E27 max 60W 230V

HEIGHT: *2300mm*
DIAMETER: *600mm*

FITTING MATERIAL:
Stainless Steel
LENS:
Opal Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *44* : *2*

FAMILY:
Sidney
FITTING COLOUR:
SATIN CHROME: 9002759839710

ADDITIONAL INFORMATION:
See Stainless Steel Maintenance Page V
Spare Glass: X759



O84

LAMP TYPE:
Excluding 1 x E27 max 60W 230V

HEIGHT: *375mm*
WIDTH: *275mm*
DEPTH: *325mm*

FITTING MATERIAL:
Stainless Steel
LENS:
Opal Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *44* : *4*

FAMILY:
Sidney
FITTING COLOUR:
SATIN CHROME: 9002759839666

ADDITIONAL INFORMATION:
See Stainless Steel Maintenance Page V
Spare Glass: X759



O329 **LAMP TYPE:** *Excluding 1 x E27 max 60W 230V*

HEIGHT: *310mm*
WIDTH: *242mm*
DEPTH: *310mm*

FITTING MATERIAL:
Stainless Steel
LENS:
Clear Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *44* : *6*

FAMILY:
Milton
FITTING COLOUR:
GALVANISED: 9002759884895

ADDITIONAL INFORMATION:
See Stainless Steel Maintenance Page V



O29 **LAMP TYPE:** *Excluding 1 x E27 max 100W PAR38 230V*

DIAMETER: *95mm*
DEPTH: *210mm*

FITTING MATERIAL:
Plastic

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *44* : *30*

FITTING COLOUR:
BLACK: 6007328013648

ADDITIONAL INFORMATION:
Matching Outdoor Light: O27 & O28
Matching Flood & Security Light: FS32



O404 LED

LAMP TYPE:
Excluding 1 x GU10 max 6.5W LED 230V

HEIGHT: *690mm*
WIDTH: *125mm*
DEPTH: *120mm*

FITTING MATERIAL:
Die Cast Aluminium
LENS:
Clear Tempered Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *65* : *8* W : *5 Years*

FAMILY:
Flora
FITTING COLOUR:
BLACK: 6007328372523

ADDITIONAL INFORMATION:
Including Power Cord
355° Tilt
355° Swivel
Matching Outdoor Light: O301





O23

LAMP TYPE:
Excluding 1 x GU5.3 max 50W or max 20W MR16 Closed 12V

HEIGHT: *150mm*
DIAMETER: *95mm*

FITTING MATERIAL:
Fibre Glass
LENS:
Clear Tempered Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *68* : *30*

FITTING COLOUR:
BLACK: 6007328335702

ADDITIONAL INFORMATION:
Pond Light
Including Mounting Bracket
Including 1.5m Cable
Excluding Transformer CO79 & CO76
Note: Use max 20W when not submerged

O119

LAMP TYPE:
Including 1 x GU5.3 50W MR16 Closed 12V

HEIGHT: *100mm*
DEPTH: *110mm*
DIAMETER: *85mm*

FITTING MATERIAL:
Polycarbonate
LENS:
Clear Tempered Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *68* : *40*

FITTING COLOUR:
BLACK: 6007328335313

ADDITIONAL INFORMATION:
Pond Light
Including Mounting Bracket
Including Cable
Excluding Transformer CO79 & CO76





FS227

LAMP TYPE:
Including 1 x GXS3 7W LED 230V

HEIGHT: *165mm*
WIDTH: *152mm*
DEPTH: *100mm*

FITTING MATERIAL:
UV Stabilised
Shockproof Resin
LENS:
Frosted UV Stabilised PMMA

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *66* : *18* W : *Lifetime*

FAMILY:
Tommy
FITTING COLOUR:
BLACK: 6007328375944
WHITE: 6007328375951

ADDITIONAL INFORMATION:
Rust and Corrosion-Free
Made from Shockproof Resin Material
UV Stabilised
Includes Silicone Rubber Gasket To Ensure High Protection Against External Agents

LAMP SPECIFICATION:
Power: 7W
Luminous Flux: 800lm
Colour Temperature: 4000K
Lifetime: 25 000 Hours

O412

LAMP TYPE:
Including 1 x GU10 3,5W LED 230V

HEIGHT: *130mm*
WIDTH: *120mm*
DEPTH: *120mm*

FITTING MATERIAL:
UV Stabilised
Shockproof Resin
LENS:
Frosted UV Stabilised PMMA

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *66* : *30* W : *Lifetime*

FAMILY:
Minitommy
FITTING COLOUR:
BLACK: 6007328375920

ADDITIONAL INFORMATION:
Rust and Corrosion-Free
Made from Shockproof Resin Material
UV Stabilised
Includes Silicone Rubber Gasket To Ensure High Protection Against External Agents

LAMP SPECIFICATION:
Power: 3.5W
Luminous Flux: 400lm
Colour Temperature: 4000K
Lifetime: 25 000 Hours



O534 LED **LAMP TYPE:** *Including 1 x GX53 10W Switchable LED 230V*

HEIGHT: *340mm*
WIDTH: *120mm*
DEPTH: *120mm*

FITTING MATERIAL:
UV Stabilised Shockproof Resin
LENS:
Clear UV Stabilised PMMA

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *55* | : *18* | W : *Lifetime*

FAMILY:
Ester
FITTING COLOUR:
BLACK: 6007328390619
GREY: 6007328390626

ADDITIONAL INFORMATION:
Rust and Corrosion-Free
Made from Shockproof Resin Material
UV Stabilised
Includes Silicone Rubber Gasket to Ensure High Protection Against External Agents
Matching Outdoor Light: O533

LAMP SPECIFICATION:
Power: 10W
Luminous Flux: 1200lm
Colour Temperature: 3000K / 4000K/ 6500K
Lifetime: 25 000 Hours
Beam Angle: 120˚



O530 LED **LAMP TYPE:** *Including 1 x GU10 3.5W LED 230V*

HEIGHT: *430mm*
DIAMETER: *100mm*

FITTING MATERIAL:
UV Stabilised Shockproof Resin
LENS:
Clear UV Stabilised PMMA

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *55* | : *20* | W : *Lifetime*

FAMILY:
Carlo
FITTING COLOUR:
BLACK: 6007328390541

ADDITIONAL INFORMATION:
Rust and Corrosion-Free
Made from Shockproof Resin Material
UV Stabilised
Includes Silicone Rubber Gasket to Ensure High Protection Against External Agents
Matching Outdoor Light: O528, O529, O531

LAMP SPECIFICATION:
Power: 3.5W
Luminous Flux: 400lm
Colour Temperature: 4000K
Lifetime: 25 000 Hours
Beam Angle: 36˚



O450 LED **LAMP TYPE:** *Including 1 x GX53 7W Switchable LED 230V*

HEIGHT: *340mm*
WIDTH: *150mm*
DEPTH: *100mm*

FITTING MATERIAL:
UV stabilised Shockproof Resin
LENS:
Frosted UV Stabilised PMMA

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *66* | : *18* | W : *Lifetime*

FAMILY:
Tommy Spike
FITTING COLOUR:
BLACK: 6007328381679

ADDITIONAL INFORMATION:
Rust and Corrosion-Free
Made from Shockproof Resin Material
UV Stabilised
Includes Silicone Rubber Gasket to Ensure High Protection Against External Agents

LAMP SPECIFICATION:
Power: 7W
Luminous Flux: 800lm
Colour Temperature: 3000K / 4000K / 6000K
Lifetime: 25 000 Hours
Beam Angle: 120˚



O413 LED **LAMP TYPE:** *Including 1 x GU10 3,5W LED 230V*

HEIGHT: *310mm*
WIDTH: *120mm*
DEPTH: *120mm*

FITTING MATERIAL:
UV Stabilised Shockproof Resin
LENS:
Frosted UV Stabilised PMMA

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *66* | : *30* | W : *Lifetime*

FAMILY:
Minitommy
FITTING COLOUR:
BLACK: 6007328375937

ADDITIONAL INFORMATION:
Rust and Corrosion-Free
Made from Shockproof Resin Material
UV Stabilised
Includes Silicone Rubber Gasket To Ensure High Protection Against External Agents

LAMP SPECIFICATION:
Power: 3.5W
Luminous Flux: 400lm
Colour Temperature: 4000K
Lifetime: 25 000 Hours



O342 LED

LAMP TYPE:
Including 1 x GU10 5W (max 35W) LED 230V

HEIGHT: *370mm*
WIDTH: *85mm*
DEPTH: *110mm*

FITTING MATERIAL:
Stainless Steel
LENS:
Clear Tempered Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *54* : *24*

FAMILY:
Nema
FITTING COLOUR:
SATIN CHROME: 9002759941116

ADDITIONAL INFORMATION:
Including Power Cord & Plug Top
Including Spike
Including Clear, Red, Green & Blue Lenses
See Stainless Steel Maintenance Page V

LAMP SPECIFICATION:
Power: 5W
Luminous Flux: 400lm
Colour Temperature: 3000K
Lifetime: 15 000 Hours

O545 LED

LAMP TYPE:
Including 1 x 5.3W Integrated LED

HEIGHT: *440mm*
WIDTH: *90mm*
DEPTH: *128mm*

FITTING MATERIAL:
Die Cast Aluminium
LENS:
Clear Plastic

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *54* : *6* W : *5 Years*

FAMILY:
Explorer
FITTING COLOUR:
GREY: 6939412085708

LAMP SPECIFICATION:
Power: 5.3W
Luminous Flux: 380lm
Colour Temperature: 3000K
Lifetime: 25 000 Hours



O113

LAMP TYPE:
Excluding 1 x GU5.3 max 35W MR16 12V

HEIGHT: *400mm*
DIAMETER: *75mm*

FITTING MATERIAL:
Polycarbonate
LENS:
Clear Tempered Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *54* : *20*

FITTING COLOUR:
BLACK: 6007328333067

ADDITIONAL INFORMATION:
Including Spike
Excluding 12V Transformer CO79 & CO76



O112

LAMP TYPE:
Excluding 1 x GU10 max 35W PAR16 230V

HEIGHT: *400mm*
DIAMETER: *75mm*

FITTING MATERIAL:
Polycarbonate
LENS:
Clear Tempered Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *54* : *20*

FITTING COLOUR:
BLACK: 6007328333050

ADDITIONAL INFORMATION:
Including Spike



O27

LAMP TYPE:
Excluding 1 x E27 max 100W PAR38 230V

HEIGHT: *425mm*
DIAMETER: *75mm*

FITTING MATERIAL:
Plastic

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *44* : *30*

FITTING COLOUR:
BLACK: 6007328007289
GREEN: 6007328026426

ADDITIONAL INFORMATION:
Including Spike
Matching Outdoor Light: O29
Matching Flood & Security Light: FS32



O28

LAMP TYPE:
Excluding 2 x E27 max 100W PAR38 230V

HEIGHT: *430mm*
WIDTH: *400mm*
DEPTH: *75mm*

FITTING MATERIAL:
Plastic

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *44* : *20*

FITTING COLOUR:
BLACK: 6007328013631

ADDITIONAL INFORMATION:
Including Spike
Matching Outdoor Light: O29
Matching Flood & Security Light: FS32

O458 LED **LAMP TYPE:** *Including 3 x 1W Integrated SMD LED*

HEIGHT: *50mm*
WIDTH: *180mm*
DEPTH: *180mm*

FITTING MATERIAL:
Plastic
LENS:
Clear Plastic

IP : *44* : *6*

DESCRIPTION:
Solar Mini LED Wall Light
FITTING COLOUR:
SILVER: 6939412027708

ADDITIONAL INFORMATION:
3 Dimmable settings
300° Solar Panel Rotation
Including 1 x 3.7V 2200mAh Rechargeable Li-ion Battery
6 - 21 Hours Battery Life
30 - 100 Lumen
On/Off Switch

LAMP SPECIFICATION:
Power: 3W (3 x 1W)
Luminous Flux: 260lm
Colour Temperature: 4000K
Lifetime: 50 000 Hours
Beam Angle: 88º

O459 LED **LAMP TYPE:** *Including 1 x 1.2W Integrated LED*

HEIGHT: *107mm*
WIDTH: *220mm*
DEPTH: *125mm*

FITTING MATERIAL:
Plastic
LENS:
Plastic

IP : *44* : *4*

DESCRIPTION:
Solar Motion Sensor Wall Light
FITTING COLOUR:
SILVER: 4250294307729

ADDITIONAL INFORMATION:
Motion Sensor
Including 1 x 3.7V 2200mAh Rechargeable Li-ion Battery
4 Hours Battery Life
On/Off Switch

LAMP SPECIFICATION:
Power: 1.2W
Luminous Flux: 100lm
Colour Temperature: 4000K
Lifetime: 50 000 Hours
Beam Angle: 120º



O461 LED **LAMP TYPE:** *Including 1 x 2.4W Integrated SMD LED*

HEIGHT: *64mm*
WIDTH: *247mm*
DEPTH: *135mm*

FITTING MATERIAL:
Plastic
LENS:
Plastic

IP : *44* : *8*

DESCRIPTION:
Ghost Solar Motion Sensor Wall Washer
FITTING COLOUR:
SILVER: 4250294308191

ADDITIONAL INFORMATION:
Motion Sensor
Including 1 x 3.7V 2200mAh Rechargeable Li-ion Battery
2 Hours Battery Life
On/Off Switch

LAMP SPECIFICATION:
Power: 2.4W
Luminous Flux: 260lm
Colour Temperature: 4000K
Lifetime: 50 000 Hours



O423 LED **LAMP TYPE:** *Including 1 x 0.2W Integrated LED*

HEIGHT: *124mm*
WIDTH: *200mm*
DEPTH: *63mm*

FITTING MATERIAL:
Aluminium

LENS:
Polycarbonate

IP : *65* : *20* W : *1 Year*

DESCRIPTION:
Solar Foot Light
FITTING COLOUR:
GREY: 6007328377351

ADDITIONAL INFORMATION:
Solar Panel 1W 5.5V
Lights turns on automatically when dark
Including 1 x 3.7V 2000mAh Rechargeable Battery
Charge time 11 Hours
No Wiring Required

LAMP SPECIFICATION:
Power: 0.2W
Luminous Flux:20lm
Colour Temperature: 2700K - 2900K
Lifetime: 50 000 Hours



O460 LED **LAMP TYPE:** *Including 1 x Integrated 1.3W LED*

HEIGHT: *240mm*
WIDTH: *120mm*
DEPTH: *60mm*

FITTING MATERIAL:
Stainless Steel
LENS:
Opal Plastic

IP : *44* : *8*

DESCRIPTION:
Solar Motion Sensor Wall Light
FITTING COLOUR:
STAINLESS STEEL: 6939412035109

ADDITIONAL INFORMATION:
Motion Sensor
Including 1 x 3.7V 1200mAh Rechargeable Li-ion Battery
2.5 Hours Battery Life
Auto On/Off Switch
Includes Stickers with Lettering and Numbers
See Stainless Steel Maintenance Page V

LAMP SPECIFICATION:
Power: 1.3W
Luminous Flux: 100lm
Colour Temperature: 4000K
Lifetime: 50 000 Hours



O586 LED **LAMP TYPE:** *Including 2W Integrated SMD LED*

HEIGHT: *155mm*
WIDTH: *153mm*
DEPTH: *120mm*

FITTING MATERIAL:
ABS & PC
LENS:
Opal Plastic

IP : *65* : *12*

DESCRIPTION:
Solar Motion Sensor Wall Light
FITTING COLOUR:
SILVER: 6007328396109

ADDITIONAL INFORMATION:
Motion Sensor
Including 1 x 3.7V 1200mAh Rechargeable Li-ion Battery
On/Off Switch

LAMP SPECIFICATION:
Power: 2W
Luminous Flux: 200lm
Colour Temperature: 6000K
Lifetime: 35 000 Hours



O592 LED **LAMP TYPE:** *Including 4W Integrated SMD LED*

LENGTH: *225mm*
WIDTH: *137mm*
DEPTH: *40mm*

FITTING MATERIAL:
ABS & PC / Plastic
LENS:
Clear Plastic

IP : *65* : *24*

DESCRIPTION:
Solar Street Light
FITTING COLOUR:
BLACK: 6007328396185

ADDITIONAL INFORMATION:
Including 1 x 3.7V 2400mAh Rechargeable Li-ion Battery
On/Off Switch

LAMP SPECIFICATION:
Power: 4W
Luminous Flux: 400lm
Colour Temperature: 6000K
Lifetime: 35 000 Hours



O594 LED **LAMP TYPE:** *Including 15W Integrated SMD LED*

LENGTH: *520mm*
WIDTH: *230mm*
DEPTH: *60mm*

FITTING MATERIAL:
Plastic & Steel
LENS:
Clear Plastic

IP : *65* : *8*

DESCRIPTION:
Solar Street Light
FITTING COLOUR:
BLACK: 6007328396208

ADDITIONAL INFORMATION:
Including 1 x 7.4V 5400mAh Rechargeable Li-ion Battery
On/Off Switch

LAMP SPECIFICATION:
Power: 15W
Luminous Flux: 1600lm
Colour Temperature: 6000K
Lifetime: 35 000 Hours



O593 LED **LAMP TYPE:** *Including 8W Integrated SMD LED*

LENGTH: *433mm*
WIDTH: *195mm*
DEPTH: *50mm*

FITTING MATERIAL:
ABS & PC / Plastic
LENS:
Clear Plastic

IP : *65* : *10*

DESCRIPTION:
Solar Street Light
FITTING COLOUR:
BLACK: 6007328396192

ADDITIONAL INFORMATION:
Including 1 x 3.7V 6000mAh Rechargeable Li-ion Battery
On/Off Switch

LAMP SPECIFICATION:
Power: 8W
Luminous Flux: 850lm
Colour Temperature: 6000K
Lifetime: 35000 Hours

Available on request

PR473 LED **LAMP TYPE:** *Including 24 x 0.42W Integrated LED*

LENGTH: *430mm*
WIDTH: *225mm*
DEPTH: *150mm*

FITTING MATERIAL:
Die Cast Aluminium
LENS:
Toughened Glass

IP : *65* : *6* W : *3 Years*

DESCRIPTION:
Solar Plaza Pole Street Light
FITTING COLOUR:
GREY: 6007328376415

ADDITIONAL INFORMATION:
Solar Panel 7W 5.5V
Lights turns on automatically when dark
Motion Sensor
Including 1 x 3.7V 13000mAh Rechargeable Battery
Charge time 11 Hours
No Wiring Required
Excluding Pole

LAMP SPECIFICATION:
Power: 10W (24 x 0.42W)
Luminous Flux: 1000lm
Colour Temperature: 2700K - 6500K
Lifetime: 50 000 Hours



Available on request

PR474 LED **LAMP TYPE:** *Including 48 x 0.31W Integrated LED*

DIAMETER: *540mm*
DEPTH: *210mm*

FITTING MATERIAL:
Aluminium Alloy & ABS
LENS:
Clear Polycarbonate Lens

IP : *65* | : *12* | W : *3 Years*

DESCRIPTION:
Solar Plaza Pole Street Light
FITTING COLOUR:
BLACK: 6007328376422

ADDITIONAL INFORMATION:
Solar Panel 15.6W 5.5V
Lights turns on automatically when dark
Including 1 x 3.7V 26000mAh Rechargeable Battery
Charge time 9 - 10hours
No Wiring Required
Excluding Pole

LAMP SPECIFICATION:
Power: 14.88W (48 x 0.31W)
Luminous Flux: 900lm
Colour Temperature: 2700K - 6500K
Lifetime: 50 000 Hours



Available on request

PR472 LED **LAMP TYPE:** *Including 48 x 0.31W Integrated LED*

DIAMETER: *734mm*
DEPTH: *210mm*

FITTING MATERIAL:
Die Cast Aluminium
LENS:
Clear Polycarbonate

IP : *65* | : *6* | W : *3 Years*

DESCRIPTION:
Solar Plaza Pole Street Light
FITTING COLOUR:
BLACK: 6007328376408

ADDITIONAL INFORMATION:
Solar Panel 15.6W 5.5V
Lights turns on automatically when dark
Including 1 x 3.7V 26000mAh Rechargeable Battery
Charge time 9 - 10hours
No Wiring Required
Excluding Pole

LAMP SPECIFICATION:
Power: 15W (48 x 0.31W)
Luminous Flux: 900lm
Colour Temperature: 2700K - 6500K
Lifetime: 50 000 Hours

O426 LED **LAMP TYPE:** *Including 1 x 1W Integrated LED*

HEIGHT: *264mm*
DIAMETER: *160mm*

FITTING MATERIAL:
Aluminium & ABS
LENS:
Clear Polycarbonate

IP : *65* | : *12* | W : *1 Year*

DESCRIPTION:
Solar Post Light
FITTING COLOUR:
BLACK: 6007328377382

ADDITIONAL INFORMATION:
Solar Panel 1.6W 5.5V
Lights turns on automatically when dark
Motion Sensor
Including 1 x 3.7V 2000mAh Rechargeable Battery
Charge time 7 - 8 Hours
On/Off Switch
No Wiring Required

LAMP SPECIFICATION:
Power: 1W
Luminous Flux:100lm
Colour Temperature: 2700K - 2900K
Lifetime: 50 000 Hours



O424 LED **LAMP TYPE:** *Including 1 x 1W Integrated LED*

HEIGHT: *787mm*
WIDTH: *160mm*

FITTING MATERIAL:
Aluminium
LENS:
Clear Polycarbonate

IP : *65* | : *8* | W : *1 Year*

DESCRIPTION:
Solar Bollard
FITTING COLOUR:
BLACK: 6007328377368

ADDITIONAL INFORMATION:
Solar Panel 5W
Lights turns on automatically when dark
Motion Sensor
Including: 1 x 3.7V 8000mAh Rechargeable Battery
Charge time: 7 - 8 Hours
On/Off Switch
No Wiring Required

LAMP SPECIFICATION:
Power: 1W
Luminous Flux:100lm
Colour Temperature: 2700K - 2900K
Lifetime: 50 000 Hours



O425 LED **LAMP TYPE:** *Including 1 x 2W Integrated LED*

HEIGHT: *438mm*
WIDTH: *176mm*
DEPTH: *176mm*

FITTING MATERIAL:
Aluminium
LENS:
Clear Polycarbonate

IP : *65* | : *6* | W : *1 Year*

DESCRIPTION:
Solar Motion Mini-Bollard
FITTING COLOUR:
GREY: 6007328377375

ADDITIONAL INFORMATION:
Solar Panel 1.6W
Lights turns on automatically when dark
Motion Sensor
Including 1 x 3.7V 2000mAh Rechargeable Battery
Charge time 7 - 8 Hours
On/Off Switch
No Wiring Required

LAMP SPECIFICATION:
Power: 2W
Luminous Flux: 200lm
Colour Temperature: 2700K
Lifetime: 50 000 Hours

SECURITY LIGHT REPLACEMENT GUIDE

Become more energy efficient

How long will the light stay on?

All night
= *CFL or LED*

Sensor light switch
= *Halogen or LED*

Note: CFL lamps are not suited to regular On/Off switching due to warm up period

Security or General Illumination

Do you need a sensor?

- Sensor lights are usually used for security purposes to alert you of an intruder, or in places of temporary occupation.
- A floodlight without a sensor is used for general illumination such as: washing lawns, trees, pathways and recreational spaces.

Size of the Space

Small spaces are easily illuminated by low wattage Halogen and LED floodlights as well as all CFL floodlights. For larger spaces one should consider high wattage Halogen, LED and Discharge floodlights.

Note: Discharge and CFL floodlights are not suited for use with sensors

Nature of the Space

Cool White (LED) has the appearance of being brighter than Warm White (Halogen), thus Cool White is the natural selection for outdoor use. Cool White is best suited for security and broad general illumination.

Warm White is best suited for areas of social interaction and general occupation.

Average brightness at 10m



How do they compare?	HALOGEN	LED
Lamp Life	2000 hours	30 000 hours
Wattage	150W	20W
Cost over 30 000 hours*	R4 500	R600
Colour Temperature	Warm White	Cool White
Light Output	1236lm	1609lm
Efficacy	8lm/W	80lm

* Cost calculated at R1.00 p/kW. The cost calculated over 30 000 hours excludes lamp replacement costs

Lamp Type	HALOGEN SAVER		LED
J78	48W - 100W	→	5W
J118	80W - 500W	→	10W

FLOOD & SECURITY

FS247 *pg660*

FS248 *pg660*

FS249 *pg660*

FS250 *pg660*

FS251 *pg661*

FS254 *pg662*

FS292 *pg663*

FS252 *pg663*

FS253 *pg663*

FS296 *pg663*

FS271 *pg664*

FS255 *pg664*

FS256 *pg664*

FS259 *pg665*

FS264 *pg665*

FS265 *pg665*

FS278 *pg665*

FS279 *pg666*

FS287 *pg666*

FS280 *pg667*

FS282 *pg667*

FS281 *pg667*

FS283 *pg667*

FS220 *pg668*

FS221 *pg668*

FS222 *pg668*

FS272 *pg668*

FS260 *pg669*

FS260WW *pg669*

FS261 *pg669*

FS261WW *pg669*

FS262 *pg670*

FS263 *pg670*

FS172 *pg670*

FS173 *pg670*

FS171 *pg671*

FS13 *pg672*

FS18 *pg672*

FS8 *pg672*

FS9 *pg672*

FS178 *pg673*

FS50 *pg673*

FS32 *pg673*

FS266 *pg674*

FS1LED *pg675*

FS2LED *pg675*

FS203 *pg675*

FS204 *pg675*

FS3LED *pg676*

FS4LED *pg676*

FS270 *pg676*

FS269 *pg676*

FS1 *pg677*

FS2 *pg677*

FS3 *pg677*

FS4 *pg678*

O590 *pg679*

O591 *pg679*

O595 *pg679*

O596 *pg679*

O597 *pg680*

O494 *pg680*

O587 *pg681*

O421 *pg681*

O462 *pg682*



FS247 LED **LAMP TYPE:** *Including 1 x 10W Integrated LED*

HEIGHT: *75mm*
WIDTH: *90mm*
DEPTH: *30mm*

FITTING MATERIAL:
Die Cast Aluminium
LENS:
Clear Tempered Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP: *65* | : *50*

FITTING COLOUR:
BLACK: 6007328384366

ADDITIONAL INFORMATION:
Not Dimmable

LAMP SPECIFICATION:
Power: 10W
Luminous Flux: 800lm
Colour Temperature: 4000K
Lifetime: 25 000 Hours



FS248 LED **LAMP TYPE:** *Including 1 x 20W Integrated LED*

HEIGHT: *115mm*
WIDTH: *136mm*
DEPTH: *36mm*

FITTING MATERIAL:
Die Cast Aluminium
LENS:
Clear Tempered Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP: *65* | : *30*

FITTING COLOUR:
BLACK: 6007328384373

ADDITIONAL INFORMATION:
Not Dimmable

LAMP SPECIFICATION:
Power: 20W
Luminous Flux:1600lm
Colour Temperature: 4000K
Lifetime: 25 000 Hours



FS249 LED **LAMP TYPE:** *Including 1 x 30W Integrated LED*

HEIGHT: *155mm*
WIDTH: *185mm*
DEPTH: *45mm*

FITTING MATERIAL:
Die Cast Aluminium
LENS:
Clear Tempered Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP: *65* | : *15*

FITTING COLOUR:
BLACK: 6007328384380

ADDITIONAL INFORMATION:
Not Dimmable

LAMP SPECIFICATION:
Power: 30W
Luminous Flux: 2100lm
Colour Temperature: 4000K
Lifetime: 25 000 Hours



FS250 LED **LAMP TYPE:** *Including 1 x 50W Integrated LED*

HEIGHT: *200mm*
WIDTH: *240mm*
DEPTH: *50mm*

FITTING MATERIAL:
Die Cast Aluminium
LENS:
Clear Tempered Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP: *65* | : *10*

FITTING COLOUR:
BLACK: 6007328384397

ADDITIONAL INFORMATION:
Not Dimmable

LAMP SPECIFICATION:
Power: 50W
Luminous Flux: 3500lm
Colour Temperature: 4000K
Lifetime: 25 000 Hours

FS251 LED **LAMP TYPE:** *Including 1 x 100W Integrated LED*

IP: *65* : *4*

HEIGHT: *260mm*
WIDTH: *315mm*
DEPTH: *50mm*

FITTING MATERIAL:
Die Cast Aluminium
LENS:
Clear Tempered Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

FITTING COLOUR:
BLACK: 6007328384403

ADDITIONAL INFORMATION:
Not Dimmable

LAMP SPECIFICATION:
Power: 100W
Luminous Flux: 6500lm
Colour Temperature: 4000K
Lifetime: 25 000 Hours

FS254 LED **LAMP TYPE:**
Including 1 x 30W Integrated LED

HEIGHT: *210mm*
WIDTH: *185mm*
DEPTH: *45mm*

FITTING MATERIAL:
Die Cast Aluminium
LENS:
Clear Tempered Glass

SENSOR FUNCTIONS:
Motion

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *44* : *12*

FITTING COLOUR:
BLACK: 6007328384434

ADDITIONAL INFORMATION:
Not Dimmable
Adjustable PIR Sensor

LAMP SPECIFICATION:
Power: 30W
Luminous Flux:2100lm
Colour Temperature: 4000K
Lifetime: 25 000 Hours



FS292 LED **LAMP TYPE:** *Including 1 x 20W Integrated SMD LED*

HEIGHT: *90mm*
WIDTH: *118mm*
DEPTH: *35mm*

FITTING MATERIAL:
Die Cast Aluminium
LENS:
Clear Tempered Glass

SENSOR FUNCTIONS:
Motion

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *44* : *24*

FITTING COLOUR:
BLACK: 6007328384434

ADDITIONAL INFORMATION:
Not Dimmable
Adjustable PIR Sensor

LAMP SPECIFICATION:
Power: 20W
Luminous Flux:1500lm
Colour Temperature: 4000K
Lifetime: 25 000 Hours



FS252 LED **LAMP TYPE:** *Including 1 x 10W Integrated LED*

HEIGHT: *130mm*
WIDTH: *90mm*
DEPTH: *30mm*

FITTING MATERIAL:
Die Cast Aluminium
LENS:
Clear Tempered Glass

SENSOR FUNCTIONS:
Motion

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *44* : *20*

FITTING COLOUR:
BLACK: 6007328384410

ADDITIONAL INFORMATION:
Not Dimmable
Adjustable PIR Sensor

LAMP SPECIFICATION:
Power: 10W
Luminous Flux: 800lm
Colour Temperature: 4000K
Lifetime: 25 000 Hours



FS253 LED **LAMP TYPE:** *Including 1 x 20W Integrated LED*

HEIGHT: *170mm*
WIDTH: *137mm*
DEPTH: *40mm*

FITTING MATERIAL:
Die Cast Aluminium
LENS:
Clear Tempered Glass

SENSOR FUNCTIONS:
Motion

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *44* : *20*

FITTING COLOUR:
BLACK: 6007328384427

ADDITIONAL INFORMATION:
Not Dimmable
Adjustable PIR Sensor

LAMP SPECIFICATION:
Power: 20W
Luminous Flux: 1600lm
Colour Temperature: 4000K
Lifetime: 25 000 Hours



FS296 LED **LAMP TYPE:** *Including 1 x 30W Integrated SMD LED*

HEIGHT: *120mm*
WIDTH: *150mm*
DEPTH: *35mm*

FITTING MATERIAL:
Die Cast Aluminium
LENS:
Clear Tempered Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *44* : *24*

FITTING COLOUR:
BLACK: 6007328389361

ADDITIONAL INFORMATION:
Not Dimmable
Adjustable PIR Sensor

LAMP SPECIFICATION:
Power: 30W
Luminous Flux: 2250lm
Colour Temperature: 4000K
Lifetime: 25 000 Hours

Meet the new generation
MULTIFUNCTION LUMINAIRE



LUTEC

FS271 LED **LAMP TYPE:** *Including 1 x 30W Integrated SMD LED*

HEIGHT: *245mm*
WIDTH: *200mm*
DEPTH: *70mm*

FITTING MATERIAL: *Stainless Steel*
LENS: *Opal Diffuser*

PRIMARY VOLTAGE: *220V - 240V (50/60Hz)*

IP: *54* | : *4* | W: *5 Years*

FAMILY: *Vesta*
FITTING COLOUR: *STAINLESS STEEL: 6939412042503*

ADDITIONAL INFORMATION:
Includes 8GB Micro SD CARD
Camera & Motion Sensor
Speaker & Microphone
App controlled
Monitor Remotely
WiFi Enabled

LAMP SPECIFICATION:
Power: 30W
Luminous Flux: 1350lm
Colour Temperature: 3000K
Beam Angle: 120°
Lifetime: 25 000 Hours

FS255 LED **LAMP TYPE:** *Including 1 x10W Integrated LED*

HEIGHT: *120mm*
WIDTH: *85mm*
DEPTH: *30mm*

FITTING MATERIAL: *Die Cast Aluminium*
LENS: *Clear Glass*

PRIMARY VOLTAGE: *220V - 240V (50/60Hz)*

IP: *65* | : *40*

FITTING COLOUR: *WHITE: 6007328384441*

ADDITIONAL INFORMATION:
Not Dimmable
Adjustable PIR Sensor
Includes Remote
Resets When Power Fails

LAMP SPECIFICATION:
Power: 10W
Luminous Flux: 700lm
Colour Temperature: 4000K
Lifetime: 25 000 Hours

FS256 LED **LAMP TYPE:** *Including 1 x 20W Integrated LED*

HEIGHT: *150mm*
WIDTH: *115mm*
DEPTH: *38mm*

FITTING MATERIAL: *Die Cast Aluminium*
LENS: *Clear Glass*

PRIMARY VOLTAGE: *220V - 240V (50/60Hz)*

IP: *65* | : *20*

FITTING COLOUR: *WHITE: 6007328384458*

ADDITIONAL INFORMATION:
Not Dimmable
Adjustable PIR Sensor
Includes Remote
Resets When Power Fails

LAMP SPECIFICATION:
Power: 20W
Luminous Flux: 1400lm
Colour Temperature: 4000K
Lifetime: 25 000 Hours



FS259 LED **LAMP TYPE:** *Including 1 x10W Integrated LED*

HEIGHT: *70mm*
WIDTH: *100mm*
DEPTH: *30mm*

FITTING MATERIAL:
Die Cast Aluminium
LENS:
Clear Tempered Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP: *65* | : *40*

FITTING COLOUR:
BLACK: 6007328389224
WHITE: 6007328389231

ADDITIONAL INFORMATION:
Not Dimmable

LAMP SPECIFICATION:
Power: 10W
Luminous Flux: 750lm
Colour Temperature: 4000K
Lifetime: 25 000 Hours



FS264 LED **LAMP TYPE:** *Including 1 x 10W Integrated LED*

HEIGHT: *70mm*
WIDTH: *98mm*
DEPTH: *30mm*

FITTING MATERIAL:
Die Cast Aluminium
LENS:
Clear Tempered Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP: *65* | : *20*

FITTING COLOUR:
BLACK: 6007328391234

ADDITIONAL INFORMATION:
Not Dimmable
Twin Pack

LAMP SPECIFICATION:
Power: 10W
Luminous Flux: 750lm
Colour Temperature: 4000K
Lifetime: 25 000 Hours



FS265 LED **LAMP TYPE:** *Including 1 x 20W Integrated LED*

HEIGHT: *90mm*
WIDTH: *118mm*
DEPTH: *35mm*

FITTING MATERIAL:
Die Cast Aluminium
LENS:
Clear Tempered Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP: *65* | : *24*

FITTING COLOUR:
BLACK: 6007328391241

ADDITIONAL INFORMATION:
Not Dimmable

LAMP SPECIFICATION:
Power: 20W
Luminous Flux: 1500lm
Colour Temperature: 4000K
Lifetime: 25 000 Hours



FS278 LED **LAMP TYPE:** *Including 1 x 20W Integrated LED*

HEIGHT: *90mm*
WIDTH: *118mm*
DEPTH: *30mm*

FITTING MATERIAL:
Die Cast Aluminium
LENS:
Clear Tempered Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP: *65* | : *12*

FITTING COLOUR:
BLACK: 6007328396017

ADDITIONAL INFORMATION:
Not Dimmable

LAMP SPECIFICATION:
Power: 20W
Luminous Flux: 1500lm
Colour Temperature: 4000K
Lifetime: 25 000 Hours



FS279 LED **LAMP TYPE:** *Including 1 x 30W Integrated LED*

HEIGHT: *120mm*
WIDTH: *148mm*
DEPTH: *35mm*

FITTING MATERIAL:
Aluminium
LENS:
Clear Tempered Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *65* : *24*

FITTING COLOUR:
BLACK: 6007328396024

ADDITIONAL INFORMATION:
Not Dimmable

LAMP SPECIFICATION:
Power: 30W
Luminous Flux: 2250lm
Colour Temperature: 4000K
Lifetime: 25 000 Hours



FS287 LED **LAMP TYPE:** *Including 1 x 50W Integrated LED*

HEIGHT: *178mm*
WIDTH: *150mm*
DEPTH: *35mm*

FITTING MATERIAL:
Aluminium
LENS:
Clear Tempered Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *44* : *20*

FITTING COLOUR:
BLACK: 6007328397786

ADDITIONAL INFORMATION:
Not Dimmable
Adjustable PIR Sensor

LAMP SPECIFICATION:
Power: 50W
Luminous Flux: 3750lm
Colour Temperature: 4000K
Lifetime: 25 000 Hours



FS280 LED **LAMP TYPE:** *Including 1 x 50W Integrated LED*

HEIGHT: *150mm*
WIDTH: *178mm*
DEPTH: *35mm*

FITTING MATERIAL: *Aluminium*
LENS: *Clear Tempered Glass*

PRIMARY VOLTAGE: *220V - 240V (50/60Hz)*

IP: *65* : *20*

FITTING COLOUR:
BLACK: 6007328396031

ADDITIONAL INFORMATION:
Not Dimmable

LAMP SPECIFICATION:
Power: 50W
Luminous Flux: 3750lm
Colour Temperature: 4000K
Lifetime: 25 000 Hours



FS282 LED **LAMP TYPE:** *Including 1 x 150W Integrated LED*

HEIGHT: *310mm*
WIDTH: *350mm*
DEPTH: *45mm*

FITTING MATERIAL: *Aluminium*
LENS: *Clear Tempered Glass*

PRIMARY VOLTAGE: *220V - 240V (50/60Hz)*

IP: *65* : *5*

FITTING COLOUR:
BLACK: 6007328396055

ADDITIONAL INFORMATION:
Not Dimmable

LAMP SPECIFICATION:
Power: 150W
Luminous Flux: 11250lm
Colour Temperature: 4000K
Lifetime: 25 000 Hours



FS281 LED **LAMP TYPE:** *Including 1 x 100W Integrated LED*

HEIGHT: *215mm*
WIDTH: *250mm*
DEPTH: *35mm*

FITTING MATERIAL: *Aluminium*
LENS: *Clear Tempered Glass*

PRIMARY VOLTAGE: *220V - 240V (50/60Hz)*

IP: *65* : *10*

FITTING COLOUR:
BLACK: 6007328396048

ADDITIONAL INFORMATION:
Not Dimmable

LAMP SPECIFICATION:
Power: 100W
Luminous Flux: 7500lm
Colour Temperature: 4000K
Lifetime: 25 000 Hours



FS283 LED **LAMP TYPE:** *Including 1 x 200W Integrated LED*

HEIGHT: *340mm*
WIDTH: *385mm*
DEPTH: *45mm*

FITTING MATERIAL: *Aluminium*
LENS: *Clear Tempered Glass*

PRIMARY VOLTAGE: *220V - 240V (50/60Hz)*

IP: *65* : *5*

FITTING COLOUR:
BLACK: 6007328396062

ADDITIONAL INFORMATION:
Not Dimmable

LAMP SPECIFICATION:
Power: 200W
Luminous Flux: 15000lm
Colour Temperature: 4000K
Lifetime: 25 000 Hours



FS220 LED **LAMP TYPE:** *Including 100W Integrated SMD LED*

HEIGHT: *350mm*
WIDTH: *300mm*
DEPTH: *60mm*

FITTING MATERIAL:
Die Cast Aluminium
LENS:
Clear Tempered Glass

PRIMARY VOLTAGE:
100V - 240V (50/60Hz)

IP: *66* : *4*

FITTING COLOUR:
BLACK: 6007328370505

ADDITIONAL INFORMATION:
Built-in Driver
Not Dimmable

LAMP SPECIFICATION:
Power: 100W
Luminous Flux: 9000lm
Colour Temperature: 6500K
Lifetime: 30 000 Hours

FS221 LED **LAMP TYPE:** *Including 1 x 150W Integrated SMD LED*

HEIGHT: *380mm*
WIDTH: *345mm*
DEPTH: *60mm*

FITTING MATERIAL:
Die Cast Aluminium
LENS:
Clear Tempered Glass

PRIMARY VOLTAGE:
100V - 240V (50/60Hz)

IP: *65* : *2*

FITTING COLOUR:
BLACK: 6007328370536

ADDITIONAL INFORMATION:
Built-in Driver
Not Dimmable

LAMP SPECIFICATION:
Power: 150W
Luminous Flux: 13500lm
Colour Temperature: 6500K
Lifetime: 30 000 Hours



FS222 LED **LAMP TYPE:** *Including 1 x 200W Integrated SMD LED*

HEIGHT: *460mm*
WIDTH: *360mm*
DEPTH: *70mm*

FITTING MATERIAL:
Die Cast Aluminium
LENS:
Clear Tempered Glass

PRIMARY VOLTAGE:
100V - 240V (50/60Hz)

IP: *66* : *2*

FITTING COLOUR:
BLACK: 6007328370543

ADDITIONAL INFORMATION:
Built-in Driver
Not Dimmable

LAMP SPECIFICATION:
Power: 200W
Luminous Flux: 16000lm
Colour Temperature: 6500K
Lifetime: 30 000 Hours



FS272 LED **LAMP TYPE:** *Including 300W Integrated SMD LED*

HEIGHT: *475mm*
WIDTH: *420mm*
DEPTH: *70mm*

FITTING MATERIAL:
Die Cast Aluminium
LENS:
Clear Tempered Glass

PRIMARY VOLTAGE:
100V - 240V (50/60Hz)

IP: *65* : *2*

FITTING COLOUR:
BLACK: 6007328393221

ADDITIONAL INFORMATION:
Built-in Driver
Not Dimmable

LAMP SPECIFICATION:
Power: 300W
Luminous Flux: 27000lm
Colour Temperature: 6500K
Lifetime: 30 000 Hours

TURNS OFF AT DAWN — Ambient Sensor — TURNS ON AT DUSK



FS260 LED **LAMP TYPE:** *Including 1 x 10W Integrated LED*

HEIGHT: *168mm*
WIDTH: *120mm*
DEPTH: *55mm*

FITTING MATERIAL:
Die Cast Aluminium
LENS:
Clear Tempered Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP: *65* : *24*

FITTING COLOUR:
BLACK: 6007328391135

ADDITIONAL INFORMATION:
Not Dimmable
Ambient Day / Night Light Sensor

LAMP SPECIFICATION:
Power: 10W
Luminous Flux: 800lm
Colour Temperature: 4000K
Lifetime: 25 000 Hours

TURNS OFF AT DAWN — Ambient Sensor — TURNS ON AT DUSK



FS260WW LED **LAMP TYPE:** *Including 1 x 10W Integrated LED*

HEIGHT: *168mm*
WIDTH: *120mm*
DEPTH: *55mm*

FITTING MATERIAL:
Die Cast Aluminium
LENS:
Clear Tempered Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP: *65* : *24*

FITTING COLOUR:
BLACK: 6007328391173

ADDITIONAL INFORMATION:
Not Dimmable
Ambient Day / Night Light Sensor

LAMP SPECIFICATION:
Power: 10W
Luminous Flux: 800lm
Colour Temperature: 3000K
Lifetime: 25 000 Hours

TURNS OFF AT DAWN — Ambient Sensor — TURNS ON AT DUSK



FS261 LED **LAMP TYPE:** *Including 1 x 20W Integrated LED*

HEIGHT: *182mm*
WIDTH: *150mm*
DEPTH: *55mm*

FITTING MATERIAL:
Die Cast Aluminium
LENS:
Clear Tempered Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP: *65* : *24*

FITTING COLOUR:
BLACK: 6007328391142

ADDITIONAL INFORMATION:
Not Dimmable
Ambient Day / Night Light Sensor

LAMP SPECIFICATION:
Power: 20W
Luminous Flux: 1600lm
Colour Temperature: 4000K
Lifetime: 25 000 Hours

TURNS OFF AT DAWN — Ambient Sensor — TURNS ON AT DUSK



FS261WW LED **LAMP TYPE:** *Including 1 x 20W Integrated LED*

HEIGHT: *182mm*
WIDTH: *150mm*
DEPTH: *55mm*

FITTING MATERIAL:
Die Cast Aluminium
LENS:
Clear Tempered Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP: *65* : *24*

FITTING COLOUR:
BLACK: 6007328391180

ADDITIONAL INFORMATION:
Not Dimmable
Ambient Day / Night Light Sensor

LAMP SPECIFICATION:
Power: 20W
Luminous Flux: 1600lm
Colour Temperature: 3000K
Lifetime: 25 000 Hours

TURNS OFF AT DAWN — Ambient Sensor — TURNS ON AT DUSK



FS262 LED **LAMP TYPE:** *Including 1 x 30W Integrated LED*

HEIGHT: *210mm*
WIDTH: *180mm*
DEPTH: *55mm*

FITTING MATERIAL:
Die Cast Aluminium
LENS:
Clear Tempered Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *65* : *12*

FITTING COLOUR:
BLACK: 6007328391159

ADDITIONAL INFORMATION:
Not Dimmable
Ambient Day / Night Light Sensor

LAMP SPECIFICATION:
Power: 30W
Luminous Flux: 2400lm
Colour Temperature: 4000K
Lifetime: 25 000 Hours

TURNS OFF AT DAWN — Ambient Sensor — TURNS ON AT DUSK

FS263 LED **LAMP TYPE:** *Including 1 x 50W Integrated LED*

HEIGHT: *240mm*
WIDTH: *210mm*
DEPTH: *55mm*

FITTING MATERIAL:
Die Cast Aluminium
LENS:
Tempered Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *65* : *12*

FITTING COLOUR:
BLACK: 6007328391166

ADDITIONAL INFORMATION:
Not Dimmable
Ambient Day / Night Light Sensor

LAMP SPECIFICATION:
Power: 50W
Luminous Flux: 4000lm
Colour Temperature: 4000K
Lifetime: 25 000 Hours

FS172 LED **LAMP TYPE:** *Including 1 x 20W Integrated RGB COB LED*

HEIGHT: *200mm*
WIDTH: *155mm*
DEPTH: *50mm*

FITTING MATERIAL:
Die Cast Aluminium
LENS:
Clear Tempered Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *65* : *4*

DESCRIPTION:
Colour Changing LED Floodlight
FITTING COLOUR:
BLACK: 6007328359982

ADDITIONAL INFORMATION:
Built-in Driver
Including Remote
Remote Operated

OPERATING FUNCTION:
Strobe, Flash, Fade, Smooth & Colour Change

LAMP SPECIFICATION:
Power: 20W
Luminous Flux: 200lm
Lifetime: 35 000 Hours
Beam Angle: 120º

FS173 LED **LAMP TYPE:** *Including 1 x 50W Integrated RGB COB LED*

HEIGHT: *335mm*
WIDTH: *240mm*
DEPTH: *65mm*

FITTING MATERIAL:
Die Cast Aluminium
LENS:
Clear Tempered Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *65* : *4*

DESCRIPTION:
Colour Changing LED Floodlight
FITTING COLOUR:
SILVER: 6007328359999

ADDITIONAL INFORMATION:
Built-in Driver
Including Remote
Remote Operated

OPERATING FUNCTION:
Strobe, Flash, Fade, Smooth & Colour Change

LAMP SPECIFICATION:
Power: 50W
Luminous Flux: 340lm
Lifetime: 30 000 Hours
Beam Angle: 120º

FS171 LED **LAMP TYPE:**
Including 1 x 10W Integrated RGB COB LED

HEIGHT: *153mm*
WIDTH: *115mm*
DEPTH: *40mm*

FITTING MATERIAL:
Die Cast Aluminium
LENS:
Clear Tempered Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP: *65* : *20*

DESCRIPTION:
Colour Changing LED Floodlight
FITTING COLOUR:
BLACK: 6007328359975

ADDITIONAL INFORMATION:
Built-in Driver
Including RGB Remote
Remote Operated

OPERATING FUNCTION:
Strobe, Flash, Fade, Smooth & Colour Change

LAMP SPECIFICATION:
Power: 10W
Luminous Flux: 80lm
Lifetime: 30 000 Hours
Beam Angle: 120º





FS13

LAMP TYPE:
Including 1 x R7s max 150W QI Premium J78 230V

HEIGHT: *130mm*
WIDTH: *135mm*
DEPTH: *100mm*

FITTING MATERIAL:
Die Cast Aluminium
LENS:
Clear Tempered Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *54* : *16*

FITTING COLOUR:
BLACK: 6007328001157
WHITE: 6007328001713

ADDITIONAL INFORMATION:
Spare Glass: X017

FS18

LAMP TYPE:
Including 1 x R7s max 500W QI Premium J118 230V

HEIGHT: *175mm*
WIDTH: *185mm*
DEPTH: *125mm*

FITTING MATERIAL:
Die Cast Aluminium
LENS:
Clear Tempered Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *54* : *16*

FITTING COLOUR:
BLACK: 6007328001690
WHITE: 6007328001706

ADDITIONAL INFORMATION:
Spare Glass: X020





FS8

LAMP TYPE:
Including 1 x R7s max 150W QI Premium J78 230V

HEIGHT: *210mm*
WIDTH: *135mm*
DEPTH: *200mm*

FITTING MATERIAL:
Die Cast Aluminium
LENS:
Clear Tempered Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *44* : *6*

FITTING COLOUR:
BLACK: 6007328001683

ADDITIONAL INFORMATION:
Spare Glass: X017

SENSOR FUNCTIONS:
Motion, Time, Day/Night
12m and 180º Range

FS9

LAMP TYPE:
Including 1 x R7s max 500W QI Premium J118 230V

HEIGHT: *270mm*
WIDTH: *185mm*
DEPTH: *140mm*

FITTING MATERIAL:
Die Cast Aluminium
LENS:
Clear Tempered Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *44* : *4*

FITTING COLOUR:
BLACK: 6007328000242

ADDITIONAL INFORMATION:
Spare Glass: X020

SENSOR FUNCTIONS:
Motion, Time, Day/Night
12m and 180º Range



FS178 **LAMP TYPE:** *Excluding 1 x E27 max 150W PAR38 230V*

DIAMETER: *70mm*
DEPTH: *178mm*

FITTING MATERIAL:
PVC

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP: *54* : *1*

FITTING COLOUR:
BLACK: 6007328361091



FS50 **LAMP TYPE:** *Excluding 1 x E40 400W HPS/MH Elliptic/Tubular*

HEIGHT: *430mm*
WIDTH: *410mm*
DEPTH: *180mm*

FITTING MATERIAL:
Die Cast Aluminium
LENS:
Clear Tempered Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP: *65* : *1*

FITTING COLOUR:
BLACK: 6007328332176

ADDITIONAL INFORMATION:
Including Control Gear
HID

FS32 **LAMP TYPE:** *Excluding 2 x E27 max 150W PAR38 230V*

HEIGHT: *125mm*
WIDTH: *200mm*
DEPTH: *175mm*

FITTING MATERIAL:
PVC

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP: *33* : *6*

FITTING COLOUR:
BLACK: 6007328001676

ADDITIONAL INFORMATION:
Matching Outdoor Light: O29
O27 & O28

SENSOR FUNCTIONS:
Motion, Time, Day/Night
12m and 130º Range

FS266 LED **LAMP TYPE:**
Including 1 x 21W Integrated COB LED

HEIGHT: *310mm*
WIDTH: *185mm*
DEPTH: *180mm*

FITTING MATERIAL:
Steel
LENS:
Plastic

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *54* : *16*

FAMILY:
Modo
FITTING COLOUR:
GREY/YELLOW: 6939412085807

ADDITIONAL INFORMATION:
Including Rocker Switch
1.5m Electrical Lead

LAMP SPECIFICATION:
Power: 21W
Luminous Flux: 1500lm
Colour Temperature: 5000K
Lifetime: 25 000 Hours



FS1LED LED **LAMP TYPE:** *Including 1 x 10W Integrated LED*

HEIGHT: *230mm*
WIDTH: *147mm*
DEPTH: *165mm*

FITTING MATERIAL:
Die Cast Aluminium / Steel
LENS:
Clear Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP: *65* : *8*

FITTING COLOUR:
BLACK/YELLOW: 6007328391197

ADDITIONAL INFORMATION:
1.5m Electrical Lead

LAMP SPECIFICATION:
Power: 10W
Luminous Flux: 800lm
Colour Temperature: 4000K
Lifetime: 25 000 Hours
Beam Angle: 120˚



FS2LED LED **LAMP TYPE:** *Including 1 x 20W Integrated LED*

HEIGHT: *265mm*
WIDTH: *165mm*
DEPTH: *165mm*

FITTING MATERIAL:
Die Cast Aluminium
LENS:
Clear Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP: *65* : *8*

FITTING COLOUR:
BLACK/YELLOW: 6007328391203

ADDITIONAL INFORMATION:
1.5m Electrical Lead

LAMP SPECIFICATION:
Power: 20W
Luminous Flux: 1600lm
Colour Temperature: 4000K
Lifetime: 25 000 Hours
Beam Angle: 120˚



Rechargeable

FS203 LED **LAMP TYPE:** *Including 1 x 10W Integrated LED*

HEIGHT: *240mm*
WIDTH: *145mm*
DEPTH: *165mm*

FITTING MATERIAL:
Metal
LENS:
Clear Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP: *44* : *12*

FITTING COLOUR:
BLACK/YELLOW: 6007328368724

ADDITIONAL INFORMATION:
Including Car & Wall Charging Cables
Rechargeable 4V 1 x 2200mah Sealed Lead-Acid Battery
Charge Time: 5 Hours
Battery Life: 3 Hours
Including Insulated Rocker Switch

LAMP SPECIFICATION:
Power: 10W
Luminous Flux: 300lm
Colour Temperature: 6400K
Lifetime: 30 000 Hours
Beam Angle: 110º

OPERATING FUNCTIONS:
On/Off, Bright, Dim



Rechargeable

FS204 LED **LAMP TYPE:** *Including 1 x Integrated 20W LED*

HEIGHT: *260mm*
WIDTH: *220mm*
DEPTH: *185mm*

FITTING MATERIAL:
Metal
LENS:
Clear Tempered Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP: *65* : *6*

FITTING COLOUR:
BLACK/YELLOW: 6007328368731

ADDITIONAL INFORMATION:
Including Car & Wall Charging Cables
Rechargeable 2 x 2200mAh Li-Hm Battery
Charge Time: 5 Hours
Battery Life: 3 Hours
Including Insulated Rocker Switch

LAMP SPECIFICATION:
Power: 20W
Luminous Flux: 600lm
Colour Temperature: 6400K
Lifetime: 30 000 Hours
Beam Angle: 110º

OPERATING FUNCTIONS:
On/Off, Bright, Dim

FS3LED LED **LAMP TYPE:** *Including 1 x 20W Integrated LED*

HEIGHT: *1370mm*
WIDTH: *500mm*

FITTING MATERIAL:
Die Cast Aluminium
LENS:
Clear Tempered Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP: *65* | : *4*

FITTING COLOUR:
BLACK/YELLOW: 6007328391210

ADDITIONAL INFORMATION:
2.5m Electrical Cable
Extendable Telescopic Stand

LAMP SPECIFICATION:
Power: 20W
Luminous Flux: 1600lm
Colour Temperature: 4000K
Lifetime: 25 000 Hours
Beam Angle: 120˚
CRI: >80
Power Factor: 0.5



FS4LED LED **LAMP TYPE:** *Including 2 x 20W Integrated LED*

HEIGHT: *1825mm*
WIDTH: *830mm*

FITTING MATERIAL:
Die Cast Aluminium / Steel
LENS:
Clear Tempered Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP: *65* | : *1*

FITTING COLOUR:
BLACK/YELLOW: 6007328391210

ADDITIONAL INFORMATION:
3m Electrical Cable
Extendable Telescopic Stand

LAMP SPECIFICATION:
Power: 2 x 20W
Luminous Flux: 2 x 1600lm
Colour Temperature: 4000K
Lifetime: 25 000 Hours
Beam Angle: 120˚
CRI: >80
Power Factor: 0.5

FS270 LED **LAMP TYPE:** *Including 92W Integrated SMD LED*

HEIGHT: *1805mm*
DIAMETER: *820mm*

FITTING MATERIAL:
Aluminium & Plastic
LENS:
Clear PVC Diffuser

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP: *54* | : *2* | W: *5 Years*

FAMILY:
Peri
FITTING COLOUR:
GREY/YELLOW: 6939412082639

ADDITIONAL INFORMATION:
2.4m Electrical Cable with plug
Including handle to roll up cable
Extendable Telescopic Stand
Handle to carry fitting
On/Off Switch

LAMP SPECIFICATION:
Power: 92W
Luminous Flux: 7000lm
Colour Temperature: 5000K
Lifetime: 25 000 Hours

FS269 LED **LAMP TYPE:** *Including 35W Integrated SMD LED*

HEIGHT: *1560mm*
DAIMETER: *760mm*

FITTING MATERIAL:
Aluminium & Plastic
LENS:
Clear Plastic Diffuser

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP: *54* | : *2* | W: *5 Years*

FAMILY:
Peri
FITTING COLOUR:
GREY/YELLOW: 6939412082615

ADDITIONAL INFORMATION:
2.4m Electrical Cable with plug
Including handle to roll up cable
Extendable Telescopic Stand
Handle to carry fitting
On/Off Switch

LAMP SPECIFICATION:
Power: 35W
Luminous Flux: 3200lm
Colour Temperature: 5000K
Lifetime: 25 000 Hours



FS1

LAMP TYPE:
Including 1 x R7s max 150W QI Premium J78 230V

HEIGHT: *250mm*
WIDTH: *180mm*
DEPTH: *155mm*

FITTING MATERIAL:
Steel & Aluminium
LENS:
Clear Tempered Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *54* : *12*

FITTING COLOUR:
YELLOW/BLACK: 6007328011972

ADDITIONAL INFORMATION:
Including 1.68m Power Cable & Plug Top
Safety Grid
Including Handle
Spare Glass: X017



FS2

LAMP TYPE:
Including 1 x R7s max 500W QI Premium J118 230V

HEIGHT: *340mm*
WIDTH: *225mm*

FITTING MATERIAL:
Steel & Aluminium
LENS:
Clear Tempered Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *54* : *6*

FITTING COLOUR:
YELLOW/BLACK: 6007328011989

ADDITIONAL INFORMATION:
Including 1.65m Power Cable & Plug Top
Safety Grid
Including Handle
Spare Glass: X020



FS3

LAMP TYPE:
Including 1 x R7s max 500W QI Premium J118 230V

HEIGHT: *1875mm*
WIDTH: *880mm*

FITTING MATERIAL:
Steel & Aluminium
LENS:
Clear Tempered Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *54* : *1*

FITTING COLOUR:
YELLOW/BLACK: 6007328011996

ADDITIONAL INFORMATION:
Including 3m Power Cable & Plug Top
Safety Grid
Extendable Telescopic Stand
Spare Glass: X020

FS4

LAMP TYPE:
Including 2 x R7s max 500W QI Premium J118 230V

HEIGHT: *1890mm*
WIDTH: *710mm*

FITTING MATERIAL:
Steel & Aluminium
LENS:
Clear Tempered Glass

PRIMARY VOLTAGE:
220V - 240V (50/60Hz)

IP : *54* : *1*

FITTING COLOUR:
YELLOW/BLACK: 6007328012009

ADDITIONAL INFORMATION:
Including 3m Power Cable & Plug Top
Safety Grid
Extendable Telescopic Stand
Spare Glass: X020

O590 LED **LAMP TYPE:** *Including 5W Integrated SMD LED*

HEIGHT: *130mm*
WIDTH: *235mm*
DEPTH: *30mm*

FITTING MATERIAL:
ABS & Polycarbonate
LENS:
Clear Plastic

IP : *65* : *18*

DESCRIPTION:
Solar Flood Light
FITTING COLOUR:
BLACK: 6007328396161

ADDITIONAL INFORMATION:
Including Motion Sensor
Including 1 x 3.7V 3000mAh Rechargeable Li-ion Battery
On/Off Switch

LAMP SPECIFICATION:
Power: 5W
Luminous Flux: 590lm
Colour Temperature: 6000K
Lifetime: 35 000 Hours

O591 LED **LAMP TYPE:** *Including 10W Integrated SMD LED*

HEIGHT: *197mm*
WIDTH: *305mm*
DEPTH: *35mm*

FITTING MATERIAL:
ABS & Polycarbonate
LENS:
Clear Plastic

IP : *65* : *8*

DESCRIPTION:
Solar Sensor LED Flood Light
FITTING COLOUR:
BLACK: 6007328396178

ADDITIONAL INFORMATION:
Includes 2 Motion Sensors
Including 1 x 3.7V/7200mAh Rechargeable Li-ion Battery
On/Off Switch

LAMP SPECIFICATION:
Power: 10W
Luminous Flux:1080lm
Colour Temperature: 4000K
Lifetime: 25 000 Hours

O595 LED **LAMP TYPE:** *Including 5W Integrated SMD LED*

HEIGHT: *73mm*
WIDTH: *197mm*
DEPTH: *154mm*

FITTING MATERIAL:
ABS / Polycarbonate / Plastic
LENS:
Frosted Plastic

IP : *65* : *20*

DESCRIPTION:
Solar Sensor Wall Light
FITTING COLOUR:
BLACK: 6007328396215

ADDITIONAL INFORMATION:
Including Motion Sensor
Including 1 x 3.7V 3000mAh Rechargeable Li-ion Battery
500 Lumen
On/Off Switch

LAMP SPECIFICATION:
Power: 5W
Luminous Flux:500lm
Colour Temperature: 6000K
Lifetime: 35 000 Hours

O596 LED **LAMP TYPE:** *Including 7W Integrated SMD LED*

HEIGHT: *225mm*
WIDTH: *191mm*
DEPTH: *105mm*

FITTING MATERIAL:
Plastic
LENS:
Frosted Plastic

IP : *65* : *8*

DESCRIPTION:
Solar Sensor Wall Light
FITTING COLOUR:
BLACK: 6007328396222

ADDITIONAL INFORMATION:
Including Motion Sensor
Includes Remote
Including 1 x 7.4V 5400mAh Rechargeable Li-ion Battery
On/Off Switch

LAMP SPECIFICATION:
Power: 7W
Luminous Flux: 700lm
Colour Temperature: 6000K
Lifetime: 35 000 Hours



O597 LED **LAMP TYPE:** *Including 15W Integrated SMD LED*

HEIGHT: *123mm*
WIDTH: *255mm*
DEPTH: *310mm*

FITTING MATERIAL:
ABS / Polycarbonate
LENS:
Frosted Plastic

IP : *65* : *4*

DESCRIPTION:
Solar Sensor Wall Light
FITTING COLOUR:
BLACK: 6007328396239

ADDITIONAL INFORMATION:
Including Motion Sensor
Includes Remote
Including 1 x 7.4V 1500mAh Rechargeable Li-ion Battery
On/Off Switch

LAMP SPECIFICATION:
Power: 15W
Luminous Flux: 1500lm
Colour Temperature: 6000K
Lifetime: 35 000 Hours



O494 LED **LAMP TYPE:** *Including 10W Integrated SMD LED*

HEIGHT: *60mm*
WIDTH: *92mm*
DEPTH: *90mm*

FITTING MATERIAL:
Plastic & Steel
LENS:
Clear Diffuser

IP : *65* : *40*

DESCRIPTION:
Solar Sensor Wall Light
FITTING COLOUR:
BLACK: 6007328397724

ADDITIONAL INFORMATION:
Including Motion Sensor
Including 1 x 3.6V 2000mAh Rechargeable Li-ion Battery
Press Switch (PIR)

LAMP SPECIFICATION:
Power: 10W
Luminous Flux: 1000lm
Colour Temperature: 4000K
Lifetime: 25 000 Hours



O587 LED **LAMP TYPE:** *Including 10W Integrated SMD LED*

HEIGHT: *165mm*
WIDTH: *240mm*
DEPTH: *35mm*

FITTING MATERIAL:
ABS & PC
LENS:
Clear Plastic

IP: *65* | : *10*

DESCRIPTION:
Solar Sensor Flood Light
FITTING COLOUR:
BLACK: 6007328396116

ADDITIONAL INFORMATION:
Including Motion Sensor
Including 1 x 3.7V 7200mAh Rechargeable Li-ion Battery
On/Off Switch

LAMP SPECIFICATION:
Power: 10W
Luminous Flux: 1100lm
Colour Temperature: 6000K
Lifetime: 25 000 Hours



O421 LED **LAMP TYPE:** *Including 1 x 10W Integrated LED*

HEIGHT: *120mm*
WIDTH: *245mm*
DEPTH: *120mm*

FITTING MATERIAL:
Aluminium
LENS:
Clear Plastic

IP: *65* | : *8*

DESCRIPTION:
Solar Sensor Floodlight
FITTING COLOUR:
BLACK: 6007328377337

ADDITIONAL INFORMATION:
Including Motion Sensor
Solar Panel 5W
Lights turns on automatically when dark
Including 1 x 3.7V 8000mAh Rechargeable Battery
Charge time 7 - 8 hours
On/Off Switch
4.7 meter cable
No Wiring Required

LAMP SPECIFICATION:
Power: 10W
Luminous Flux:1000lm
Colour Temperature: 4000K
Lifetime: 50 000 Hours

O462 LED **LAMP TYPE:**
Including 1 x 3.2W Integrated LED

HEIGHT: *245mm*
WIDTH: *180mm*
DEPTH: *130mm*

SOLAR PANEL:
HEIGHT: *195mm*
WIDTH: *180mm*
DEPTH: *95mm*

FITTING MATERIAL:
Plastic
LENS:
Plastic

IP : *44* | : *4* | W : *5 Years*

DESCRIPTION:
Solar Sensor Floodlight
FITTING COLOUR:
SILVER: 4250294309341

ADDITIONAL INFORMATION:
Including Motion Sensor
150° & up to 15m detection range
Including 1 x 3.7V 2200mAh Rechargeable Li-ion Battery
5 meter cable
On/Off Switch

LAMP SPECIFICATION:
Power: 3.2W
Luminous Flux: 360lm
Colour Temperature: 4000K
Lifetime: 50 000 Hours

PROJECT LIGHTS

PR419 *pg692*

PR425 *pg692*

PR508 *pg692*

PR509 *pg692*


PR414 *pg694*

PR415 *pg694*

PR484 *pg694*

PR485 *pg694*

PR402 *pg695*

PR403 *pg695*

PR404 *pg695*

PR405 *pg695*

PR406 *pg696*

PR407 *pg696*

PR408 *pg696*

PR409 *pg696*

PR505 *pg697*

PR514 *pg697*

PR515 *pg697*

PR516 *pg697*

PR529 *pg698*

PR530 *pg698*

PR504 *pg698*

PR119LED *pg698*

PR120LED *pg699*

PR121LED *pg699*

PR122LED *pg699*

PR123LED *pg699*

PR125LED *pg700*

PR126LED *pg700*

PR202 *pg700*

PR203 *pg700*

PR204 *pg701*

PR337 *pg701*

PR338 *pg701*

PR339 *pg701*

PR345 *pg702*

PR346 *pg702*

PR347 *pg702*

PR348 *pg702*

PR343 *pg703*

PR344 *pg703*

PR374 *pg703*

PR376 *pg703*

PR377 *pg704*

PR378 *pg704*

PR379 *pg704*

PR382 *pg704*

PR383 *pg705*

PR384 *pg705*

PR385 *pg705*

PR386 *pg705*

PR387 *pg706*

PR388 *pg706*

PR389 *pg706*

PR390 *pg706*

PR455 *pg707*

PR456 *pg707*

PR457 *pg707*

PR458 *pg707*

PR459 *pg708*

PR460 *pg708*

PR461 *pg708*

PR462 *pg708*

PR463 *pg709*

PR464 *pg709*

PR465 *pg709*

PR569 *pg709*

PR570 *pg710*

PR571 *pg710*

PR572 *pg710*

PR573 *pg710*

PR587 *pg711*

PR574 *pg711*

PR566 *pg712*

PR567 *pg712*

PR568 *pg712*

PR356 *pg714*

PR356B *pg714*

PR401 *pg714*

PR398 *pg716*

PR399 *pg716*

PR400 *pg716*

PR526/PR527 *pg716*

PR517/PR518 *pg717*

PR357 *pg717*

PR358 *pg717*

PR359 *pg717*

PR360 *pg718*

PR551 *pg718*

PR368 *pg718*

PR369 *pg718*

PR370 *pg719*

PR371 *pg719*

PR372 *pg719*

PR373 *pg719*

PR393/PR394/PR445 *pg720*

PR395/PR448 *pg720*

PR426 *pg720*

PR427 *pg720*

PR429 *pg721*

PR430 *pg721*

PR431 *pg721*

PR432 *pg721*

PR433 *pg722*

PR434 *pg722*

PR435 *pg722*

PR436 *pg722*

PR437 *pg723*

PR438 *pg723*

PR439 *pg723*

PR428 *pg723*

PR523 *pg724*

PR524 *pg724*

PR525/PR440 *pg724*

PR446 *pg724*

PR447 *pg725*

PR704 *pg725*

PR705 *pg725*

PR706 *pg725*

PR707 *pg726*

PR708 *pg726*

PR709 *pg726*

PR713 *pg726*

PR711 *pg727*

PR712 *pg727*

PR733 *pg727*

PR714 *pg727*

PR715 *pg728*

PR716 *pg728*

PR717 *pg728*

PR718 *pg728*

PR719 *pg729*

PR720 *pg729*

PR721 *pg729*

PR722 *pg729*

PR723 *pg730*

PR724 *pg730*

PR725 *pg730*

PR726 *pg730*

PR727 *pg731*

PR728 *pg731*

PR729 *pg731*

PR730 *pg731*

PR731 *pg732*

PR732 *pg732*

PR741 *pg734*

PR742 *pg734*

PR739 *pg734*

PR740 *pg734*

PR743 *pg735*

PR744 *pg735*

PR748 *pg735*

PR749 *pg735*

PR751 *pg736*


PR752 *pg736*

PR753 *pg736*

PR750 *pg736*

PR745 *pg737*

PR746 *pg737*

PR747 *pg737*

PR36L *pg739*

PR37L *pg739*

PR38L *pg739*

PR39L *pg739*

PR40L *pg740*

PR41L *pg740*

PR130L *pg740*

PR129 *pg740*

PR130 *pg741*

PR131 *pg741*

PR132 *pg741*

PR133 *pg741*

PR134 *pg742*

PR135 *pg742*

PR168 *pg742*

PR169 *pg742*

PR172 *pg743*

PR174 *pg743*

PR176 *pg743*

PR186 *pg743*

PR187 *pg744*

PR36 *pg744*

PR37 *pg745*

PR38 *pg745*

PR39 *pg745*

PR40 *pg745*

PR41 *pg746*

PR221 *pg746*

PR144L *pg746*

PR183L *pg746*

PR184L *pg747*

PR144 *pg747*

PR145 *pg747*

PR181 *pg747*

PR182 *pg748*

PR183 *pg748*

PR184 *pg748*

PR212 *pg750*

PR213 *pg750*

PR214 *pg750*

PR215 *pg750*

PR216 *pg751*

PR217 *pg751*

PR218 *pg751*

PR35 *pg751*

PR164 *pg752*

PR32 *pg752*

PR166 *pg752*

PR167 *pg752*

PR52 *pg754*

PR53 *pg754*

PR211 *pg754*

PR220 *pg754*

PR480 *pg755*

PR667 *pg755*

PR668 *pg755*

PR240 *pg755*

PR241 *pg756*

PR669 *pg756*

PR670 *pg756*

PR663 *pg756*

PR575 *pg757*

PR576 *pg757*

PR577 *pg757*

PR578 *pg757*

PR584 *pg758*

PR585 *pg758*

PR586 *pg759*

PR582 *pg759*

PR583 *pg759*

PR111 *pg761*

PR112 *pg761*

PR127 *pg761*

PR115 *pg761*

PR234 *pg762*

PR114 *pg762*

PR219 *pg763*

PR453 *pg763*

PR205 *pg763*

PR562 *pg763*

PR510 *pg765*

PR511 *pg765*

PR545 *pg765*

PR546 *pg765*

PR352 *pg767*

PR353 *pg767*

PR354 *pg767*

PR355 *pg767*

PR416 *pg768*

PR417 *pg768*


PR418 *pg768*

PR481 *pg768*

PR381 *pg769*

PR380 *pg769*

PR361 *pg771*

PR362 *pg771*

PR363 *pg771*

PR364 *pg771*

PR365 *pg772*

PR366 *pg772*

PR367 *pg772*

PR442 *pg772*

PR541 *pg773*

PR543 *pg773*

PR48 *pg774*

PR49 *pg774*

PR441 *pg774*

PR349 *pg776*


PR350 *pg776*

PR351 *pg776*

PR410 *pg776*

PR411 *pg777*

PR180 *pg777*

PR471 *pg777*

PR412 *pg779*

PR413 *pg779*

PR519 *pg779*

PR520 *pg779*

PR467 *pg780*

PR468 *pg780*

PR488ECO *pg780*

PR466 *pg780*

PR420 *pg782*

PR421 *pg782*

PR422 *pg782*

PR486 *pg782*

PR512 *pg783*

PR513 *pg784*

PR242 *pg783*

PR243 *pg783*

PR482 *pg785*

PR423 *pg785*

PR424 *pg785*

PR225 *pg787*

PR226-30 *pg787*

PR226-40 *pg787*

PR235-30/PR235-60
pg787

PR236-30/PR236-60
pg788

PR237-30/PR237-60
pg788

PR238-30/PR238-60
pg788

PR239-30/PR239-60
pg788

PR229 *pg790*

PR230 *pg790*

PR231 *pg790*

PR232 *pg791*

PR233 *pg791*

PR473 *pg791*

PR472 *pg792*

PR474 *pg792*

PR224 *pg792*

PR563 *pg794*

PR564 *pg794*

PR565 *pg794*

PR209 *pg794*

IVELA LED
PF30

PR419

PR419

IVELA LED PF30

Ceiling Light



LAMP TYPE: Including 1 x 26W Integrated LED

Material	Polyester Painted Die Cast						
Fitting Colour	White						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	26W	Lumen	2475	Beam Angle	122˚	CRI	79
Power Factor	0,9770	Colour Temp	3000K	IP	40	Class	1

PR425B/PR425M/PR425W

IVELA LED PN280

Ceiling Light



LAMP TYPE: Including 1 x 18W Integrated LED

Material	Polyester Painted Die Cast						
Fitting Colour	Black/Silver/White						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	18W	Lumen	1804	Beam Angle	84˚	CRI	84
Power Factor	0,5292	Colour Temp	3000K	IP	65	Class	1

PR508/PR508B

IVELA LED PN110T

Ceiling Light



LAMP TYPE: Including 1 x 4.3W Integrated LED

Material	Die Cast Aluminium						
Fitting Colour	White/Black						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	4.3W	Lumen	313	Beam Angle	111˚	CRI	84
Power Factor	0,9700	Colour Temp	3000K	IP	65	Class	1

PR509

IVELA LED PN110Q

Ceiling Light



LAMP TYPE: Including 1 x 4.3W Integrated LED

Material	Die Cast Aluminium						
Fitting Colour	White						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	4.3W	Lumen	322	Beam Angle	111˚	CRI	83
Power Factor	0,9719	Colour Temp	3000K	IP	65	Class	1

PROJECT
DOWNLIGHTS

IVELA LED
Kyclos-IN

PR484

PR414

IVELA LED KYCLOS-IN RECESSED SPOT

Downlight



LAMP TYPE: Including 2 x 51W Integrated LEDs

Material	Polyester Painted Die Cast						
Fitting Colour	Matt White						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	102W	Lumen	8763.1	Beam Angle	26˚	CRI	82
Power Factor	0,9409	Colour Temp	3000K	IP	20	Class	3

ADDITIONAL INFORMATION
Tilt:
355° Horizontal
90° Vertical

PR415

IVELA LED KYCLOS-TL RECESSED SPOT

Downlight



LAMP TYPE: Including 2 x 51W Integrated LEDs

Material	Polyester Painted Die Cast						
Fitting Colour	White						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	102W	Lumen	10978	Beam Angle	25˚	CRI	83
Power Factor	0,9030	Colour Temp	3000K	IP	20	Class	3

ADDITIONAL INFORMATION
Tilt:
355° Horizontal
90° Vertical

PR484

IVELA LED KYCLOS-IN RECESSED SPOT

Downlight



LAMP TYPE: Including 1 x 51W Integrated LED

Material	Die Cast Aluminium						
Fitting Colour	White						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	51W	Lumen	5093	Beam Angle	69˚	CRI	82
Power Factor	0,9457	Colour Temp	3000K	IP	20	Class	3

ADDITIONAL INFORMATION
Tilt: 355° Horizontal, 90° Vertical
Driver is IP20

PR485

IVELA LED KYCLOS-TL RECESSED SPOT

Downlight



LAMP TYPE: Including 1 x 51W Integrated LED

Material	Die Cast Aluminium						
Fitting Colour	White						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	51W	Lumen	5241	Beam Angle	69˚	CRI	82
Power Factor	0,9447	Colour Temp	3000K	IP	20	Class	3

ADDITIONAL INFORMATION
Tilt: 355° Horizontal, 90° Vertical
Driver is IP20

PR402

IVELA LED DIXIT

Downlight



LAMP TYPE: Including 1 x 9.5W Integrated LED

Material	Polyester Painted Die Cast						
Fitting Colour	Matt White						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	9.5W	Lumen	818	Beam Angle	28˚	CRI	84
Power Factor	0,9401	Colour Temp	3000K	IP	65	Class	3

ADDITIONAL INFORMATION
Driver is IP20

PR403

IVELA LED DIXIT

Downlight



LAMP TYPE: Including 1 x 9.5W Integrated LED

Material	Polyester Painted Die Cast						
Fitting Colour	Matt White						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	9.5W	Lumen	864	Beam Angle	27˚	CRI	84
Power Factor	0,9394	Colour Temp	3000K	IP	44	Class	3

ADDITIONAL INFORMATION
Driver is IP20

PR404/PR404S

IVELA LED DIXIT

Downlight



LAMP TYPE: Including 1 x 12W Integrated LED

Material	Polyester Painted Die Cast						
Fitting Colour	Matt White/Silver						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	12W	Lumen	1476	Beam Angle	60˚	CRI	83
Power Factor	0,9553	Colour Temp	3000K	IP	44	Class	3

ADDITIONAL INFORMATION
Driver is IP20

PR405

IVELA LED DIXIT

Downlight



LAMP TYPE: Including 1 x 26W Integrated LED

Material	Polyester Painted Die Cast						
Fitting Colour	Matt White						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	26W	Lumen	2467	Beam Angle	61˚	CRI	82
Power Factor	0,9669	Colour Temp	3000K	IP	44	Class	3

ADDITIONAL INFORMATION
Driver is IP20

PR406

IVELA LED DIXIT

Downlight



LAMP TYPE: Including 1 x 74W Integrated LED

Material	Polyester Painted Die Cast						
Fitting Colour	Matt White						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	74W	Lumen	9782	Beam Angle	103˚	CRI	82
Power Factor	0,9769	Colour Temp	3000K	IP	44	Class	3

ADDITIONAL INFORMATION
Driver is IP20

PR407

IVELA LED DIXIT

Downlight



LAMP TYPE: Including 1 x 18W Integrated LED

Material	Polyester Painted Die Cast						
Fitting Colour	Matt White						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	18W	Lumen	2070	Beam Angle	104˚	CRI	82
Power Factor	0,9112	Colour Temp	3000K	IP	44	Class	3

ADDITIONAL INFORMATION
Driver is IP20

PR408

IVELA LED DIXIT

Downlight



LAMP TYPE: Including 1 x 51W Integrated LED

Material	Polyester Painted Die Cast						
Fitting Colour	Matt White						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	51W	Lumen	4918	Beam Angle	104˚	CRI	80
Power Factor	0,9502	Colour Temp	3000K	IP	44	Class	3

ADDITIONAL INFORMATION
Driver is IP20

PR409

IVELA LED DIXIT

Downlight



LAMP TYPE: Including 1 x 75W Integrated LED

Material	Polyester Painted Die Cast						
Fitting Colour	Matt White						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	75W	Lumen	7915	Beam Angle	104˚	CRI	82
Power Factor	0,9768	Colour Temp	3000K	IP	44	Class	3

ADDITIONAL INFORMATION
Driver is IP20

PR505

IVELA LED RA4L

Downlight



LAMP TYPE: Including 1 x 2W Integrated LED

Material	Die Cast Aluminium						
Fitting Colour	White						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	2W	Lumen	58	Beam Angle	16˚	CRI	84
Power Factor	0,7300	Colour Temp	3000K	IP	44	Class	3

ADDITIONAL INFORMATION
Driver is IP20

PR514

IVELA LED RA4L

Downlight



LAMP TYPE: Including 1 x 2W Integrated LED

Material	Die Cast Aluminium						
Fitting Colour	White						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	2W	Lumen	59	Beam Angle	16˚	CRI	74
Power Factor	0,7282	Colour Temp	3000K	IP	43	Class	3

ADDITIONAL INFORMATION
Driver is IP20

PR515

IVELA LED DIXIT RA11 TILT

Downlight



LAMP TYPE: Including 1 x 21W Integrated LED

Material	Die Cast Aluminium						
Fitting Colour	White						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	21W	Lumen	1968	Beam Angle	61˚	CRI	73
Power Factor	0,8232	Colour Temp	4000K	IP	40	Class	3

ADDITIONAL INFORMATION
Driver is IP20
Tilt: 20°

PR516

IVELA LED DIXIT RA11

Downlight



LAMP TYPE: Including 1 x 21W Integrated LED

Material	Die Cast Aluminium						
Fitting Colour	White						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	21W	Lumen	1747	Beam Angle	61˚	CRI	63
Power Factor	0,8235	Colour Temp	4000K	IP	40	Class	3

ADDITIONAL INFORMATION
Driver is IP20

PR529

IVELA LED DIXIT

Downlight



LAMP TYPE: Including 1 x 6.5W Integrated LED

Material	Die Cast Aluminium						
Fitting Colour	Matt White						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	6.5W	Lumen	496	Beam Angle	42˚	CRI	75
Power Factor	0,9736	Colour Temp	3000K	IP	44	Class	3

ADDITIONAL INFORMATION
Driver is IP20

PR530

IVELA LED DIXIT

Downlight



LAMP TYPE: Including 1 x 6.5W Integrated LED

Material	Die Cast Aluminium						
Fitting Colour	Matt White						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	6.5W	Lumen	496	Beam Angle	43˚	CRI	73
Power Factor	0,9736	Colour Temp	3000K	IP	44	Class	3

ADDITIONAL INFORMATION
Driver is IP20

PR504

LED DIXIT RA11 SOFT

Downlight



LAMP TYPE: Including 1 x 26W Integrated LED

Material	Die Cast Aluminium						
Fitting Colour	White						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	26W	Lumen	2288	Beam Angle	26˚	CRI	82
Power Factor	0,8405	Colour Temp	4000K	IP	43	Class	3

ADDITIONAL INFORMATION
Driver is IP20

PR119LED

RECESSED LED

Downlight



LAMP TYPE: Excluding 2 x G24d 10W LEDs

Material	Epoxy Powder Coated Steel						
Fitting Colour	White						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	20W	Lumen	1933	Beam Angle	145˚	CRI	83
Power Factor	0,9219	Colour Temp	4000K	IP	20	Class	1

ADDITIONAL INFORMATION
Photometry has been done with the lamp indicated.

PR120LED

RECESSED LED

Downlight



LAMP TYPE: Excluding 1 x G24d 10W LED

Material	Epoxy Powder Coated Steel						
Fitting Colour	White						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	10W	Lumen	947	Beam Angle	145˚	CRI	83
Power Factor	0,9219	Colour Temp	4000K	IP	20	Class	1

ADDITIONAL INFORMATION
Photometry has been done with the lamp indicated.

PR121LED

RECESSED LED

Downlight



LAMP TYPE: Excluding 2 x G24d 10W LEDs

Material	Epoxy Powder Coated Steel						
Fitting Colour	White						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	20W	Lumen	1933	Beam Angle	145˚	CRI	83
Power Factor	0,9219	Colour Temp	4000K	IP	20	Class	1

ADDITIONAL INFORMATION
Photometry has been done with the lamp indicated.

PR122LED

RECESSED LED

Downlight



LAMP TYPE: Excluding 1 x G24d 10W LED

Material	Epoxy Powder Coated Steel						
Fitting Colour	White						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	10W	Lumen	947	Beam Angle	145˚	CRI	83
Power Factor	0.9219	Colour Temp	4000K	IP	20	Class	1

ADDITIONAL INFORMATION
Photometry has been done with the lamp indicated.

PR123LED

RECESSED LED

Downlight



LAMP TYPE: Excluding 2 x G24d 10W LEDs

Material	Epoxy Powder Coated Steel						
Fitting Colour	White						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	20W	Lumen	1933	Beam Angle	141˚	CRI	82
Power Factor	0,9500	Colour Temp	4000K	IP	20	Class	1

ADDITIONAL INFORMATION
Photometry has been done with the lamp indicated.

PR125LED

RECESSED LED

Downlight



LAMP TYPE: Excluding 2 x G24d 10W LEDs

Material	Epoxy Powder Coated Steel with Frosted Glass						
Fitting Colour	White						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	20W	Lumen	1139	Beam Angle	139˚	CRI	82
Power Factor	0,9687	Colour Temp	4000K	IP	20	Class	1

ADDITIONAL INFORMATION
Photometry has been done with the lamp indicated.

PR126LED

RECESSED LED

Downlight



LAMP TYPE: Excluding 2 x G24d 10W LEDs

Material	Epoxy Powder Coated Steel with Frosted Glass						
Fitting Colour	White						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	20W	Lumen	1355	Beam Angle	93˚	CRI	80
Power Factor	0,9717	Colour Temp	4000K	IP	20	Class	1

ADDITIONAL INFORMATION
Photometry has been done with the lamp indicated.

PR202

LED

Downlight



LAMP TYPE: Including 1 x 15W Integrated LED

Material	Aluminium & Acrylic Frosted Lens						
Fitting Colour	Ivory White						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	15W	Lumen	1166	Beam Angle	95˚	CRI	84
Power Factor	0,8223	Colour Temp	4000K	IP	20	Class	2

ADDITIONAL INFORMATION
Driver is IP20

PR203

LED

Downlight



LAMP TYPE: Including 1 x 20W Integrated LED

Material	Aluminium & Acrylic Frosted Lens						
Fitting Colour	Ivory White						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	20W	Lumen	1716	Beam Angle	95˚	CRI	84
Power Factor	0,7351	Colour Temp	4000K	IP	20	Class	2

ADDITIONAL INFORMATION
Driver is IP20

PR204

LED

Downlight



LAMP TYPE: Including 6 x 2.5W Integrated LEDs

Material	Aluminium & Plastic Diffused Lens						
Fitting Colour	Ivory White						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	15W	Lumen	1035	Beam Angle	20˚	CRI	83
Power Factor	0,7466	Colour Temp	4000K	IP	22	Class	2

ADDITIONAL INFORMATION

Tilt: ±30°
Driver is IP20

PR337

XIN LED SQUARE

Downlight



LAMP TYPE: Including 1 x 25W Integrated LED

Material	Die Cast Aluminium & Clear Glass Lens						
Fitting Colour	Silver						
Primary Voltage	100V - 240V ~ 50Hz						
Wattage	25W	Lumen	2301	Beam Angle	36˚	CRI	82
Power Factor	0,9523	Colour Temp	4000K	IP	20	Class	1

ADDITIONAL INFORMATION

Tilt: 45° Vertical Inner Ring
45° Vertical Outer Ring
Driver is IP20

PR338

XIN LED RECTANGULAR

Downlight



LAMP TYPE: Including 2 x 25W Integrated LEDs

Material	Die Cast Aluminium & Clear Glass Lens						
Fitting Colour	Silver						
Primary Voltage	100V - 240V ~ 50Hz						
Wattage	50W	Lumen	3949	Beam Angle	35˚	CRI	81
Power Factor	0,9358	Colour Temp	4000K	IP	20	Class	1

ADDITIONAL INFORMATION

Tilt: 45° Vertical Inner Ring, 45° Vertical Outer Ring
Driver is IP20

PR339

XIN LED RECTANGULAR

Downlight



LAMP TYPE: Including 3 x 25W Integrated LEDs

Material	Die Cast Aluminium & Clear Glass Lens						
Fitting Colour	Silver						
Primary Voltage	100V - 240V ~ 50Hz						
Wattage	75W	Lumen	7122	Beam Angle	32˚	CRI	81
Power Factor	0,9531	Colour Temp	4000K	IP	20	Class	1

ADDITIONAL INFORMATION

Tilt: 45° Vertical Inner Ring, 45° Vertical Outer Ring
Driver is IP20

PR345/PR345WW

XIN LED SQUARE

Downlight



LAMP TYPE: Including 1 x 6.5W Integrated LED

Material	Die Cast Aluminium & Clear Glass Lens						
Fitting Colour	Silver						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	6.5W	Lumen	679	Beam Angle	37˚	CRI	81
Power Factor	0,8211	Colour Temp	4000K/ 3000K	IP	20	Class	2

ADDITIONAL INFORMATION
Tilt: 25°
Driver is IP20
Available in either 4000K or 3000K

PR346/PR346WW

XIN LED RECTANGULAR

Downlight



LAMP TYPE: Including 2 x 6.5W Integrated LEDs

Material	Die Cast Aluminium & Clear Glass Lens						
Fitting Colour	Silver						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	13W	Lumen	1045	Beam Angle	32˚	CRI	82
Power Factor	0,5252	Colour Temp	4000K/ 3000K	IP	20	Class	2

ADDITIONAL INFORMATION
Tilt: 25°
Driver is IP20
Available in either 4000K or 3000K

PR347/PR347WW

XIN LED RECTANGULAR

Downlight



LAMP TYPE: Including 3 x 6.5W Integrated LEDs

Material	Die Cast Aluminium & Clear Glass Lens						
Fitting Colour	Silver						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	19.5W	Lumen	1947	Beam Angle	33˚	CRI	82
Power Factor	0,9455	Colour Temp	4000K/ 3000K	IP	20	Class	2

ADDITIONAL INFORMATION
Tilt: 25°
Driver is IP20
Available in either 4000K or 3000K

PR348

XIN LED SQUARE

Downlight



LAMP TYPE: Including 4 x 6.5W Integrated LEDs

Material	Die Cast Aluminium & Clear Glass Lens						
Fitting Colour	Silver						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	26W	Lumen	2582	Beam Angle	34˚	CRI	81
Power Factor	0,9054	Colour Temp	4000K	IP	20	Class	2

ADDITIONAL INFORMATION
Tilt: 25°
Driver is IP20

PR343

XIN LED DOWNLIGHT TILT

Downlight



LAMP TYPE: Including 1 x 35W Integrated LED

Material	Die Cast Aluminium & Clear Glass Lens						
Fitting Colour	White						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	35W	Lumen	3519	Beam Angle	75˚	CRI	80
Power Factor	0,9429	Colour Temp	4000K	IP	40	Class	2

ADDITIONAL INFORMATION
Tilt: 45°
Driver is IP20

PR344

XIN LED DOWNLIGHT ROUND

Downlight



LAMP TYPE: Including 1 x 35W Integrated LED

Material	Die Cast Aluminium & Clear Glass Lens						
Fitting Colour	White						
Primary Voltage	100V - 240V ~ 50Hz						
Wattage	35W	Lumen	3432	Beam Angle	30˚	CRI	85
Power Factor	0,9441	Colour Temp	4000K	IP	40	Class	2

ADDITIONAL INFORMATION
Tilt: 355° Horizontal, 60° Vertical
Driver is IP20

PR374

TONS LED

Downlight



LAMP TYPE: Including 1 x 25W Integrated COB LED

Material	Aluminium & Clear Glass Lens						
Fitting Colour	White						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	25W	Lumen	2395	Beam Angle	31˚	CRI	83
Power Factor	0,9561	Colour Temp	4000K	IP	20	Class	2

ADDITIONAL INFORMATION
Tilt:365° Horizontal, 45° Vertical
Driver is IP20

PR376

TONS LED

Downlight



LAMP TYPE: Including 1 x 13W Integrated COB LED

Material	Aluminium						
Fitting Colour	White						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	13W	Lumen	679	Beam Angle	24˚	CRI	83
Power Factor	0,8744	Colour Temp	4000K	IP	20	Class	3

ADDITIONAL INFORMATION
Tilt: 30°
Driver is IP20

PR377

TONS LED

Downlight



LAMP TYPE: Including 1 x 19.5W Integrated COB LED

Material	Aluminium						
Fitting Colour	White						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	19.5W	Lumen	1211	Beam Angle	18˚	CRI	83
Power Factor	0,9360	Colour Temp	4000K	IP	20	Class	2

ADDITIONAL INFORMATION
Tilt: 30°
Driver is IP20

PR378

TONS LED

Downlight



LAMP TYPE: Including 1 x 13W Integrated COB LED

Material	Aluminium & Frosted Plexiglass Lens						
Fitting Colour	White						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	13W	Lumen	848	Beam Angle	43˚	CRI	84
Power Factor	0,8614	Colour Temp	4000K	IP	20	Class	2

ADDITIONAL INFORMATION
Driver is IP20

PR379

TONS LED

Downlight



LAMP TYPE: Including 1 x 13W Integrated COB LED

Material	Aluminium & Frosted Plexiglass Lens						
Fitting Colour	White						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	13W	Lumen	872	Beam Angle	54˚	CRI	83
Power Factor	0,8808	Colour Temp	4000K	IP	20	Class	2

ADDITIONAL INFORMATION
Driver is IP20

PR382

TONS LED

Downlight



LAMP TYPE: Including 1 x 19.5W Integrated COB LED

Material	Aluminium						
Fitting Colour	White						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	19.5W	Lumen	968	Beam Angle	12˚	CRI	93
Power Factor	0,9348	Colour Temp	6500K	IP	20	Class	2

ADDITIONAL INFORMATION
Tilt: 30°
Driver is IP20
Swivel 355°
Glare Cut Off 30°

PR383

TONS LED

Downlight



LAMP TYPE: Including 1 x 28W Integrated COB LED

Material	Aluminium & Clear Glass Lens						
Fitting Colour	White						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	28W	Lumen	1216	Beam Angle	15˚	CRI	84
Power Factor	0,9686	Colour Temp	6500K	IP	20	Class	2

ADDITIONAL INFORMATION
Tilt: 30º
Swivel 355º
Driver is IP20

PR384

TONS LED

Downlight



LAMP TYPE: Including 1 x 18.5W Integrated COB LED

Material	Aluminium & Frosted Plexiglass Lens						
Fitting Colour	White						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	18.5W	Lumen	1389	Beam Angle	56˚	CRI	81
Power Factor	0,9255	Colour Temp	6500K	IP	20	Class	2

ADDITIONAL INFORMATION
Driver is IP20

PR385

TONS LED

Downlight



LAMP TYPE: Including 1 x 28W Integrated COB LED

Material	Aluminium & Frosted Plexiglass Lens						
Fitting Colour	White						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	28W	Lumen	1748	Beam Angle	54˚	CRI	84
Power Factor	0,9702	Colour Temp	6500K	IP	20	Class	2

ADDITIONAL INFORMATION
Driver is IP20

PR386

TONS LED

Downlight



LAMP TYPE: Including 1 x 28W Integrated COB LED

Material	Aluminium & Frosted Plexiglass Lens						
Fitting Colour	White						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	28W	Lumen	1924	Beam Angle	44˚	CRI	84
Power Factor	0,9634	Colour Temp	6500K	IP	20	Class	2

ADDITIONAL INFORMATION
Driver is IP20

PR387

TONS LED

Downlight



LAMP TYPE: Including 1 x 32W Integrated COB LED

Material	Aluminium & Frosted Plexiglass Lens						
Fitting Colour	White						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	32W	Lumen	2877	Beam Angle	50˚	CRI	84
Power Factor	0,9763	Colour Temp	6500K	IP	20	Class	3

ADDITIONAL INFORMATION
Driver is IP20

PR388

TONS LED CABINET

Downlight



LAMP TYPE: Including 1 x 1.2W Integrated COB LED

Material	Aluminium & Diffused Lens						
Fitting Colour	White						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	1.2W	Lumen	93	Beam Angle	30˚	CRI	86
Power Factor	0,3523	Colour Temp	4000K	IP	20	Class	2

ADDITIONAL INFORMATION
Tilt: 30°
Driver is IP20

PR389

TONS LED CABINET

Downlight



LAMP TYPE: Including 1 x 3W Integrated COB LED

Material	Aluminium & Diffused Lens						
Fitting Colour	White						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	3W	Lumen	156	Beam Angle	30˚	CRI	85
Power Factor	0,4028	Colour Temp	4000K	IP	20	Class	2

ADDITIONAL INFORMATION
Tilt: 30°
Driver is IP20

PR390

TONS LED

Downlight



LAMP TYPE: Including 1 x 14W Integrated COB LED

Material	Aluminium & Acrylic Frosted Lens						
Fitting Colour	White						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	14W	Lumen	1477	Beam Angle	81˚	CRI	87
Power Factor	0,8165	Colour Temp	4000K	IP	44	Class	3

ADDITIONAL INFORMATION
Use Driver ELTLD11 (Excluded)

PR455/PR455WW

LED

Downlight



LAMP TYPE: Including 1 x 7W Integrated LED

Material	Die Cast Aluminium & Clear Glass Lens						
Fitting Colour	White						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	7W	Lumen	522	Beam Angle	23˚	CRI	82
Power Factor	0,4437	Colour Temp	4000K/ 3000K	IP	20	Class	2

ADDITIONAL INFORMATION
Available in either 4000K or 3000K

PR456

LED

Downlight



LAMP TYPE: Including 1 x 12W Integrated LED

Material	Die Cast Aluminium & Clear Glass Lens						
Fitting Colour	White						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	12W	Lumen	942	Beam Angle	25˚	CRI	80
Power Factor	0,4480	Colour Temp	4000K	IP	20	Class	2

ADDITIONAL INFORMATION
Includes Driver

PR457

LED

Downlight



LAMP TYPE: Including 1 x 20W Integrated LED

Material	Die Cast Aluminium & Clear Glass Lens						
Fitting Colour	White						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	20W	Lumen	1618	Beam Angle	37˚	CRI	81
Power Factor	0,8265	Colour Temp	4000K	IP	20	Class	2

ADDITIONAL INFORMATION
Includes Driver

PR458

LED

Downlight



LAMP TYPE: Including 1 x 30W Integrated LED

Material	Die Cast Aluminium & Clear Glass Lens						
Fitting Colour	White						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	30W	Lumen	2184	Beam Angle	40˚	CRI	82
Power Factor	0,5	Colour Temp	4000K	IP	20	Class	2

ADDITIONAL INFORMATION
Includes Driver

PR459

LED

Downlight



LAMP TYPE: Including 1 x 5W Integrated LED

Material	Die Cast Aluminium & Clear Glass Lens						
Fitting Colour	White, Inner Ring Silver						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	5W	Lumen	303	Beam Angle	27˚	CRI	82
Power Factor	0,5	Colour Temp	4000K	IP	20	Class	2

ADDITIONAL INFORMATION
Tilt: 30°
Includes Driver

PR460

LED

Downlight



LAMP TYPE: Including 1 x 7W Integrated LED

Material	Die Cast Aluminium & Clear Glass Lens						
Fitting Colour	White, Inner Ring Silver						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	7W	Lumen	553	Beam Angle	25˚	CRI	84
Power Factor	0,5	Colour Temp	4000K	IP	20	Class	2

ADDITIONAL INFORMATION
Tilt: 30°
Includes Driver

PR461

LED

Downlight



LAMP TYPE: Including 1 x 12W Integrated LED

Material	Die Cast Aluminium & Clear Glass Lens						
Fitting Colour	White, Inner Ring Silver						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	12W	Lumen	848	Beam Angle	24˚	CRI	82
Power Factor	0,8037	Colour Temp	4000K	IP	20	Class	2

ADDITIONAL INFORMATION
Tilt: 30°
Includes Driver

PR462

LED

Downlight



LAMP TYPE: Including 1 x 12W Integrated LED

Material	Die Cast Aluminium & Frosted Plastic Lens						
Fitting Colour	White						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	12W	Lumen	370	Beam Angle	27˚	CRI	82
Power Factor	0,5	Colour Temp	4000K	IP	20	Class	2

ADDITIONAL INFORMATION
Tilt: 30°
Includes Driver

PR463

LED

Downlight



LAMP TYPE: Including 1 x 12W Integrated LED

Material	Die Cast Aluminium & Frosted Plastic Lens						
Fitting Colour	White						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	12W	Lumen	500	Beam Angle	18˚	CRI	84
Power Factor	0,5	Colour Temp	4000K	IP	20	Class	2

ADDITIONAL INFORMATION
Tilt: 30°
Includes Driver

PR464

LED

Downlight



LAMP TYPE: Including 1 x 12W Integrated LED

Material	Die Cast Aluminium & Clear Glass Lens						
Fitting Colour	White						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	12W	Lumen	921	Beam Angle	19˚	CRI	81
Power Factor	0,5	Colour Temp	4000K	IP	20	Class	2

ADDITIONAL INFORMATION
Tilt: 30°
Includes Driver

PR465

LED

Downlight



LAMP TYPE: Including 1 x 12W Integrated LED

Material	Die Cast Aluminium & Clear Glass Lens						
Fitting Colour	White						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	12W	Lumen	831	Beam Angle	19˚	CRI	77
Power Factor	0,5	Colour Temp	4000K	IP	20	Class	2

ADDITIONAL INFORMATION
Tilt: 30°
Includes Driver

PR569WW/PR569CW

LED RECESSED

Downlight



LAMP TYPE: Including 1 x 7W Integrated LED

Material	Aluminium						
Fitting Colour	White						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	7W	Lumen	502	Beam Angle	68˚	CRI	>80
Power Factor	0.9	Colour Temp	4000K/ 3000K	IP	20	Class	2

ADDITIONAL INFORMATION
Available in 4000K or 3000K
Dimmable option available
IES files available on request

PR570WW/PR570CW

LED RECESSED
Downlight



LAMP TYPE: Including 1 x 12W Integrated LED

Material	Aluminium						
Fitting Colour	White						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	12W	Lumen	1000	Beam Angle	30˚	CRI	>80
Power Factor	0.5	Colour Temp	4000K/ 3000K	IP	20	Class	2

ADDITIONAL INFORMATION
Available in 4000K or 3000K
Dimmable option available
IES files available on request

PR571WW/PR571CW

LED RECESSED
Downlight



LAMP TYPE: Including 1 x 15W Integrated LED

Material	Aluminium						
Fitting Colour	White						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	15W	Lumen	1500	Beam Angle	30˚	CRI	>80
Power Factor	0.9	Colour Temp	4000K/ 3000K	IP	20	Class	2

ADDITIONAL INFORMATION
Available in 4000K or 3000K
Dimmable option available
IES files available on request

PR572WW/PR572CW

LED RECESSED
Downlight



LAMP TYPE: Including 1 x 20W Integrated LED

Material	Aluminium						
Fitting Colour	White						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	20W	Lumen	1600	Beam Angle	30˚	CRI	>80
Power Factor	0.9	Colour Temp	4000K/ 3000K	IP	20	Class	2

ADDITIONAL INFORMATION
Available in 4000K or 3000K
Dimmable option available
IES files available on request

PR573WW/PR573CW

LED RECESSED ANTI-GLARE
Downlight



LAMP TYPE: Including 1 X 7W Integrated LED

Material	Aluminium						
Fitting Colour	White						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	7W	Lumen	840	Beam Angle	0.5˚	CRI	>80
Power Factor	0.5	Colour Temp	4000K/ 3000K	IP	20	Class	2

ADDITIONAL INFORMATION
IES files on request

PR587WW/PR587CW

LED SQUARE CABINET RECESSED

Downlight



LAMP TYPE: Including 1 x 3W Integrated COB LED

Material	Aluminium						
Fitting Colour	White						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	3W	Lumen	60	Beam Angle	25˚	CRI	>80
Power Factor	0.5	Colour Temp	4000K/ 3000K	IP	20	Class	2

ADDITIONAL INFORMATION
Available in 4000K or 3000K
Dimmable option available
IES files on request

PR574WW/PR574CW

LED ROUND CABINET RECESSED

Downlight



LAMP TYPE: Including 1 X 3W Integrated COB LED

Material	Aluminium						
Fitting Colour	White						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	3W	Lumen	60	Beam Angle	25˚	CRI	>80
Power Factor	0.5	Colour Temp	4000K/ 3000K	IP	20	Class	2

ADDITIONAL INFORMATION
Available in 4000K or 3000K
Dimmable option available
IES files on request

PR566WW/PR566CW

LED RECESSED

Downlight

LAMP TYPE: Including 1 x 7W Integrated LED

Material	Aluminium & Clear Glass Lens with Frosted Centre						
Fitting Colour	White						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	7W	Lumen	500	Beam Angle	25˚	CRI	>80
Power Factor	0.5	Colour Temp	4000K/ 3000K	IP	20	Class	2

ADDITIONAL INFORMATION
Available in 4000K or 3000K
Dimmable option available
IES files on request

PR567WW/PR567CW

LED RECESSED

Downlight

LAMP TYPE: Including 1 x 12W Integrated LED

Material	Aluminium & Clear Glass Lens with Frosted Centre						
Fitting Colour	White						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	12W	Lumen	1000	Beam Angle	30˚	CRI	>80
Power Factor	0.5	Colour Temp	4000K/ 3000K	IP	20	Class	2

ADDITIONAL INFORMATION
Available in 4000K or 3000K
Dimmable option available

PR568WW/PR568CW

LED RECESSED

Downlight



LAMP TYPE: Including 1 x 15W Integrated LED

Material	Aluminium & Clear Glass Lens with Frosted Centre						
Fitting Colour	White						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	15W	Lumen	1500	Beam Angle	30˚	CRI	>80
Power Factor	0.9	Colour Temp	4000K/ 3000K	IP	20	Class	2

ADDITIONAL INFORMATION
Available in 4000K or 3000K
Dimmable option available
Lens clear glass with frosted centre

PROJECT

SPOTLIGHTS

XIN LED Surface Mounted Spot

PR356

PR356

XIN LED SURFACE MOUNTED

Spotlight



LAMP TYPE: Including 1 x 15W Integrated LED

Material	Die Cast Aluminium & Clear Glass Lens						
Fitting Colour	White						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	15W	Lumen	1352	Beam Angle	22˚	CRI	83
Power Factor	0,9276	Colour Temp	4000K	IP	20	Class	2

ADDITIONAL INFORMATION
Tilt: 30°
Driver is IP20

PR356B

XIN LED SURFACE MOUNTED

Spotlight



LAMP TYPE: Including 1 x 15W Integrated LED

Material	Die Cast Aluminium & Clear Glass Lens						
Fitting Colour	Black						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	15W	Lumen	1352	Beam Angle	22˚	CRI	83
Power Factor	0,9276	Colour Temp	4000K	IP	20	Class	2

ADDITIONAL INFORMATION
Tilt: 30°
Driver is IP20

PR401

IVELA LED MINI KYCLOS SURFACE

Spotlight



LAMP TYPE: Including 1 x 27W Integrated LED

Material	Polyester Painted Die Cast						
Fitting Colour	White						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	27W	Lumen	3014	Beam Angle	68˚	CRI	82
Power Factor	0,8835	Colour Temp	3000K	IP	20	Class	1

ADDITIONAL INFORMATION
Tilt: 30°

PROJECT

TRACK LIGHTS

PR398B/PR398W

IVELA LED KYCLOS

Track Light



LAMP TYPE: Including 1 x 74W Integrated COB LED

Material	Polyester Painted Die Cast						
Fitting Colour	Black/White						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	74W	Lumen	8298	Beam Angle	45˚	CRI	79
Power Factor	0,9796	Colour Temp	3000K	IP	20	Class	1

ADDITIONAL INFORMATION
Tilt: 90°

PR399

IVELA LED KYCLOS

Track Light



LAMP TYPE: Including 1 x 51W Integrated COB LED

Material	Polyester Painted Die Cast						
Fitting Colour	White						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	51W	Lumen	5172	Beam Angle	26˚	CRI	84
Power Factor	0,9549	Colour Temp	3000K	IP	20	Class	1

ADDITIONAL INFORMATION
Tilt: 90°

PR400

IVELA LED KYCLOS

Track Light



LAMP TYPE: Including 1 x 40W Integrated COB LED

Material	Polyester Painted Die Cast						
Fitting Colour	White						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	40W	Lumen	3192	Beam Angle	29˚	CRI	83
Power Factor	0,9346	Colour Temp	3000K	IP	20	Class	1

ADDITIONAL INFORMATION
Tilt: 90°

PR526/PR527

IVELA LED KYCLOS

Track Light



LAMP TYPE: Including 1 x 75W Integrated LED

Material	Polyester Painted Die Cast						
Fitting Colour	Black/White						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	75W	Lumen	6885	Beam Angle	68˚	CRI	83
Power Factor	0,9654	Colour Temp	3000K	IP	20	Class	1

ADDITIONAL INFORMATION
Tilt: 90°

PR517/PR518

IVELA LED PERFETTO 230

Track Light



LAMP TYPE: Including 1 x 19W Integrated COB LED

Material	Die Cast Aluminium						
Fitting Colour	Black/White						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	19W	Lumen	1779	Beam Angle	77˚	CRI	83
Power Factor	0,9945	Colour Temp	4000K	IP	20	Class	1

ADDITIONAL INFORMATION
Tilt: 45°

PR357

XIN LED 3 CIRCUIT

Track Light



LAMP TYPE: Including 1 x 20W Integrated LED

Material	Die Cast Aluminium & Clear Glass Lens						
Fitting Colour	White						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	20W	Lumen	2202	Beam Angle	28˚	CRI	83
Power Factor	0,9486	Colour Temp	4000K	IP	20	Class	1

ADDITIONAL INFORMATION
Tilt: 45°

PR358

XIN LED 3 CIRCUIT

Track Light



LAMP TYPE: Including 1 x 40W Integrated LED

Material	Die Cast Aluminium & Clear Glass Lens						
Fitting Colour	White						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	40W	Lumen	3013	Beam Angle	48˚	CRI	83
Power Factor	0,9523	Colour Temp	4000K	IP	44	Class	1

ADDITIONAL INFORMATION
Tilt: 45°

PR359

XIN LED 3 CIRCUIT

Track Light



LAMP TYPE: Including 1 x 25W Integrated LED

Material	Die Cast Aluminium						
Fitting Colour	White						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	25W	Lumen	2608	Beam Angle	33˚	CRI	79
Power Factor	0,9214	Colour Temp	4000K	IP	36	Class	1

ADDITIONAL INFORMATION
Tilt: 45°

PR360

XIN LED 3 CIRCUIT

Track Light



LAMP TYPE: Including 2 x 25W Integrated LEDs

Material	Die Cast Aluminium						
Fitting Colour	White						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	50W	Lumen	5210	Beam Angle	33˚	CRI	80
Power Factor	0,9317	Colour Temp	4000K	IP	20	Class	1

ADDITIONAL INFORMATION
Tilt: 45°

PR551

XIN LED

Track Light



LAMP TYPE: Including 1 x 25W Integrated LED

Material	Die Cast Aluminium & Clear Glass Lens						
Fitting Colour	Black						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	25W	Lumen	2545	Beam Angle	61˚	CRI	84
Power Factor	0,9536	Colour Temp	4000K	IP	20	Class	1

ADDITIONAL INFORMATION
Tilt: 45°
Includes Driver

PR368

XIN 3 CIRCUIT 1 METRE

Track



Material	Die Cast Aluminium		
Fitting Colour	White		
Primary Voltage	220V - 240V ~ 50Hz		
IP	20	Class	1

PR369/PR369B

XIN 3 CIRCUIT 2 METRE

Track



Material	Die Cast Aluminium		
Fitting Colour	White/Black		
Primary Voltage	220V - 240V ~ 50Hz		
IP	20	Class	1

PR370/PR370B

XIN LED 3 CIRCUIT 3 METRE

Track



Material	Die Cast Aluminium		
Fitting Colour	White/Black		
Primary Voltage	220V - 240V ~ 50Hz		
IP	20	Class	1

PR371

XIN 3 CIRCUIT STRAIGHT CONNECTOR

Track Accessory



Material	Plastic		
Fitting Colour	White		
Primary Voltage	220V - 240V ~ 50Hz		
IP	20	Class	1

PR372

XIN 3 CIRCUIT L CONNECTOR

Track Accessory



Material	Plastic		
Fitting Colour	White		
Primary Voltage	220V - 240V ~ 50Hz		
IP	20	Class	1

PR373

XIN 3 CIRCUIT T CONNECTOR

Track Accessory



Material	Plastic		
Fitting Colour	White		
Primary Voltage	220V - 240V ~ 50Hz		
IP	20	Class	1

PR393/PR394/PR445

1 CIRCUIT

Track



Material	Aluminium		
Fitting Colour	White/Black		
Primary Voltage	220V - 240V ~ 50Hz		
IP	20	Class	1

ADDITIONAL INFORMATION
PR393 = 1 metre White, PR394 = 2 metre White,
PR445 = 3 metre Black

PR395/PR448

1 CIRCUIT STRAIGHT CONNECTOR

Track Accessory



Material	Aluminium/Plastic		
Fitting Colour	White/Black		
Primary Voltage	220V - 240V ~ 50Hz		
IP	20	Class	1

ADDITIONAL INFORMATION
PR395 = Aluminium, PR448 = Plastic

PR426W/PR426B

IVELA LKM TONDO 3 CIRCUIT 1 METRE

Track



Material	Aluminium				
Fitting Colour	White/Black				
Primary Voltage	220V - 240V ~ 50Hz				
IP	20	Class	1	Amp	16

ADDITIONAL INFORMATION
Ivela Track Only

PR427B/PR427W

IVELA LKM TONDO 3 CIRCUIT 2 METRE

Track



Material	Aluminium				
Fitting Colour	Black/White				
Primary Voltage	220V - 240V ~ 50Hz				
IP	20	Class	1	Amp	16

ADDITIONAL INFORMATION
Ivela Track Only

PR429B/PR429W

IVELA LKM 6A ELECTRO/MECHANICAL ADAPTOR

Track Accessory



Material	Aluminium				
Fitting Colour	Black/White				
Primary Voltage	220V - 240V ~ 50Hz				
IP	20	Class	1	Amp	16

ADDITIONAL INFORMATION
Ivela Track Only

PR430B/PR430W

IVELA LKM RIGHT LIVE-END

Track Accessory



Material	Aluminium				
Fitting Colour	Black/White				
Primary Voltage	220V - 240V ~ 50Hz				
IP	20	Class	1	Amp	16

ADDITIONAL INFORMATION
Ivela Track Only

PR431B/PR431W

IVELA LKM LEFT LIVE-END

Track Accessory



Material	Aluminium				
Fitting Colour	Black/White				
Primary Voltage	220V - 240V ~ 50Hz				
IP	20	Class	1	Amp	16

ADDITIONAL INFORMATION
Ivela Track Only

PR432B/PR432W

IVELA LKM CONNECTOR & STRAIGHT JOINT

Track Accessory



Material	Aluminium				
Fitting Colour	Black/White				
Primary Voltage	220V - 240V ~ 50Hz				
IP	20	Class	1	Amp	16

ADDITIONAL INFORMATION
Ivela Track Only

PR433B/PR433W

IVELA LKM INSIDE L JOINT

Track Accessory



Material	Aluminium				
Fitting Colour	Black/White				
Primary Voltage	220V - 240V ~ 50Hz				
IP	20	Class	1	Amp	16

ADDITIONAL INFORMATION
Ivela Track Only

PR434B/PR434W

IVELA LKM OUTSIDE L JOINT

Track Accessory



Material	Aluminium				
Fitting Colour	Black/White				
Primary Voltage	220V - 240V ~ 50Hz				
IP	20	Class	1	Amp	16

ADDITIONAL INFORMATION
Ivela Track Only

PR435B/PR435W

IVELA LKM RIGHT T JOINT

Track Accessory



Material	Aluminium				
Fitting Colour	Black/White				
Primary Voltage	220V - 240V ~ 50Hz				
IP	20	Class	1	Amp	16

ADDITIONAL INFORMATION
Ivela Track Only

PR436B/PR436W

IVELA LKM MECHANICAL STRAIGHT JOINT

Track Accessory



Material	Aluminium				
Fitting Colour	Black/White				
Primary Voltage	220V - 240V ~ 50Hz				
IP	20	Class	1	Amp	16

ADDITIONAL INFORMATION
Ivela Track Only

PR437B/PR437W

IVELA LKM MECHANICAL ADAPTOR

Track Accessory



Material	Aluminium				
Fitting Colour	Black/White				
Primary Voltage	220V - 240V ~ 50Hz				
IP	20	Class	1	Amp	16

ADDITIONAL INFORMATION
Ivela Track Only

PR438B/PR438W

IVELA LKM SUSPENSION KIT

Track Accessory



Material	Aluminium				
Fitting Colour	Black/White				
Primary Voltage	220V - 240V ~ 50Hz				
IP	20	Class	1	Amp	16

ADDITIONAL INFORMATION
Ivela Track Only

PR439B/PR439W

IVELA LKM X JOINT

Track Accessory



Material	Aluminium				
Fitting Colour	Black/White				
Primary Voltage	220V - 240V ~ 50Hz				
IP	20	Class	1	Amp	16

ADDITIONAL INFORMATION
Ivela Track Only

PR428B/PR428W

IVELA LKM TONDO 3 METRE

Track



Material	Aluminium				
Fitting Colour	Black/White				
Primary Voltage	220V - 240V ~ 50Hz				
IP	20	Class	1	Amp	16

ADDITIONAL INFORMATION
Ivela Track Only

PR523

IVELA LKM INCASSO 3 CIRCUIT 3 METRE

Track



Material	Aluminium				
Fitting Colour	Black				
Primary Voltage	220V - 240V ~ 50Hz				
IP	20	Class	1	Amp	16

ADDITIONAL INFORMATION
Ivela Track Only

PR524

IVELA LIVE-END RIGHT

Track Accessory



Material	Aluminium				
Fitting Colour	Black				
Primary Voltage	220V - 240V ~ 50Hz				
IP	20	Class	1	Amp	16

ADDITIONAL INFORMATION
Ivela Track Only

PR525/PR440B/PR440W

IVELA END CAP

Track Accessory



Material	Plastic				
Fitting Colour	Black or White				
Primary Voltage	220V - 240V ~ 50Hz				
IP	20	Class	1	Amp	16

ADDITIONAL INFORMATION
Ivela Track Only
End Cap - PR525 - Black
Dead End - PR440 - Black or White

PR446

TONS 1 CIRCUIT LIVE-END (L/R)

Track Accessory



Material	Plastic		
Fitting Colour	Black		
Primary Voltage	220V - 240V ~ 50Hz		
IP	20	Class	1

PR447

TONS 1 CIRCUIT END COVER

Track Accessory



Material	Plastic		
Fitting Colour	Black		
Primary Voltage	220V - 240V ~ 50Hz		
IP	20	Class	1

PR704

MAGNETIC RECESSED 1 METRE TRIMLESS

Track



Material	Die Cast Aluminium		
Fitting Colour	Black		
Primary Voltage	220V - 240V ~ 50Hz		
IP	20	Class	2

ADDITIONAL INFORMATION
Secondary Voltage DC 24V
Mounting Screws, Plugs, and Plate included
Including Connector Wires

PR705

MAGNETIC RECESSED 2 METRE TRIMLESS

Track



Material	Die Cast Aluminium		
Fitting Colour	Black		
Primary Voltage	220V - 240V ~ 50Hz		
IP	20	Class	2

ADDITIONAL INFORMATION
Secondary Voltage DC 24V
Mounting Screws, Plugs, and Plate included
Including Connector Wires

PR706

MAGNETIC TRACK TRIMLESS FRONT SIDE CONNECTION

Track Accessory



Material	Die Cast Aluminium		
Fitting Colour	Black		
Primary Voltage	220V - 240V ~ 50Hz		
IP	20	Class	2

ADDITIONAL INFORMATION
1 Circuit
Secondary Voltage DC 24V

PR707

MAGNETIC TRACK TRIMLESS PLANE CONNECTION

Track Accessory



Material	Die Cast Aluminium		
Fitting Colour	Black		
Primary Voltage	220V - 240V ~ 50Hz		
IP	20	Class	2

PR708

MAGNETIC TRACK TRIMLESS PLANE CONNECTION

Track Accessory



Material	Die Cast Aluminium		
Fitting Colour	Black		
Primary Voltage	220V - 240V ~ 50Hz		
IP	20	Class	2

ADDITIONAL INFORMATION
Secondary Voltage DC 24V

PR709

MAGNETIC TRACK FRONT SIDE CONNECTION

Track Accessory



Material	Die Cast Aluminium		
Fitting Colour	Black		
Primary Voltage	220V - 240V ~ 50Hz		
IP	20	Class	2

ADDITIONAL INFORMATION
Secondary Voltage DC 24V

PR713

MAGNETIC TRACK PLANE CONNECTION

Track Accessory



Material	Die Cast Aluminium		
Fitting Colour	Black		
Primary Voltage	220V - 240V ~ 50Hz		
IP	20	Class	2

ADDITIONAL INFORMATION
Secondary Voltage DC 24V

PR711

MAGNETIC SURFACE 1 METRE

Track



Material	Die Cast Aluminium
Fitting Colour	Black
Primary Voltage	220V - 240V ~ 50Hz
IP 20	Class 2

ADDITIONAL INFORMATION
Secondary Voltage DC 24V

PR712

MAGNETIC SURFACE 2 METRE

Track



Material	Die Cast Aluminium
Fitting Colour	Black
Primary Voltage	220V - 240V ~ 50Hz
IP 20	Class 2

ADDITIONAL INFORMATION
Secondary Voltage DC 24V

PR733

MAGNETIC TRACK 1 METRE PC COVER

Track Accessory



Material	PC
IP 20	

PR714

MAGNETIC CLOSER ENDS END CAPS

Track Accessory



Material	Die Cast Aluminium
Fitting Colour	Black
IP 20	

PR715

MAGNETIC SMALL

Track Light



LAMP TYPE: Including 1 x 7W Integrated LED

Material	Die Cast Aluminium						
Fitting Colour	White & Black						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	7W	Lumen	840	Beam Angle	10-60˚	CRI	80
Power Factor	0,9317	Colour Temp	3000K	IP	20	Class	2

ADDITIONAL INFORMATION
Secondary Voltage DC 24V
IES files on request

PR716

MAGNETIC MEDIUM

Track Light



LAMP TYPE: Including 1 x 7W Integrated LED

Material	Die Cast Aluminium						
Fitting Colour	White & Black						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	7W	Lumen	840	Beam Angle	10-60˚	CRI	80
Power Factor	0,9317	Colour Temp	3000K	IP	20	Class	2

ADDITIONAL INFORMATION
Secondary Voltage DC 24V
IES files on request

PR717

MAGNETIC LARGE

Track Light



LAMP TYPE: Including 1 x 18W Integrated LED

Material	Die Cast Aluminium						
Fitting Colour	White & Black						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	18W	Lumen	2100	Beam Angle	10-60˚	CRI	80
Power Factor	0,9317	Colour Temp	3000K	IP	20	Class	2

ADDITIONAL INFORMATION
Secondary Voltage DC 24V
IES files on request

PR718

MAGNETIC SMALL SPOT

Track Light



LAMP TYPE: Including 1 x 5W Integrated LED

Material	Die Cast Aluminium						
Fitting Colour	White & Black						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	5W	Lumen	600	Beam Angle	10-60˚	CRI	80
Power Factor	0,9317	Colour Temp	3000K	IP	20	Class	2

ADDITIONAL INFORMATION
Secondary Voltage DC 24V
IES files on request

PR719

MEDIUM MAGNETIC SPOT

Track Light



LAMP TYPE: Including 1 x 12W Integrated LED

Material	Die Cast Aluminium						
Fitting Colour	White & Black						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	12W	Lumen	1440	Beam Angle	15,24,36˚	CRI	80
Power Factor	0.9317	Colour Temp	3000K	IP	20	Class	2

ADDITIONAL INFORMATION
Secondary Voltage DC 24V
IES files on request

PR720

LARGE MAGNETIC SPOT

Track Light



LAMP TYPE: Including 1x 18W Integrated LED

Material	Die Cast Aluminium						
Fitting Colour	White & Black						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	18W	Lumen	2100	Beam Angle	15,24,36˚	CRI	80
Power Factor	0,9317	Colour Temp	3000K	IP	20	Class	2

ADDITIONAL INFORMATION
Secondary Voltage DC 24V
IES files on request

PR721

MAGNETIC SPOTLIGHT

Track Light



LAMP TYPE: Including 6 x 1W Integrated LEDs

Material	Die Cast Aluminium						
Fitting Colour	Black						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	6W	Lumen	720	Beam Angle	15,24,36˚	CRI	80
Power Factor	0.9317	Colour Temp	3000K	IP	20	Class	2

ADDITIONAL INFORMATION
Secondary Voltage DC 24V
IES files on request

PR722

MAGNETIC SPOTLIGHT

Track Light



LAMP TYPE: Including 12 x 1W Integrated LEDs

Material	Die Cast Aluminium						
Fitting Colour	Black						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	12W	Lumen	1440	Beam Angle	15,24,36˚	CRI	80
Power Factor	0,9317	Colour Temp	3000K	IP	20	Class	2

ADDITIONAL INFORMATION
Secondary Voltage DC 24V
IES files on request

PR723

MAGNETIC SPOTLIGHT

Track Light



LAMP TYPE: Including 18 x 1W Integrated LEDs

Material	Die Cast Aluminium						
Fitting Colour	Black						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	18W	Lumen	2100	Beam Angle	15,24,36˚	CRI	80
Power Factor	0.9317	Colour Temp	3000K	IP	20	Class	2

ADDITIONAL INFORMATION
Secondary Voltage DC 24V
IES files on request

PR724

MAGNETIC SPOTLIGHT ADJUSTABLE

Track Light



LAMP TYPE: Including 6 x 1W Integrated LEDs

Material	Die Cast Aluminium						
Fitting Colour	Black						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	6W	Lumen	1440	Beam Angle	15,24,36˚	CRI	80
Power Factor	0,9317	Colour Temp	3000K	IP	20	Class	2

ADDITIONAL INFORMATION
Secondary Voltage DC 24V
IES files on request

PR725

MAGNETIC SPOTLIGHT ADJUSTABLE

Track Light



LAMP TYPE: Including 18 x 1W Integrated LEDs

Material	Die Cast Aluminium						
Fitting Colour	Black						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	18W	Lumen	2100	Beam Angle	15,24,36˚	CRI	80
Power Factor	0.9317	Colour Temp	3000K	IP	20	Class	2

ADDITIONAL INFORMATION
Secondary Voltage DC 24V
IES files on request

PR726

MAGNETIC PENDANT LIGHT ADJUSTABLE

Track Light



LAMP TYPE: Including 1 x 5W Integrated LED

Material	Die Cast Aluminium						
Fitting Colour	White						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	5W	Lumen	750	Beam Angle	15,24,36˚	CRI	80
Power Factor	0,9317	Colour Temp	3000K	IP	20	Class	2

ADDITIONAL INFORMATION
Secondary Voltage DC 24V
IES files on request

PR727

MAGNETIC LED

Track Light



LAMP TYPE: Including 1 x 18W Integrated LED

Material	Die Cast Aluminium						
Fitting Colour	Black & Gold						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	18W	Lumen	1000	Beam Angle	15,24,36˚	CRI	80
Power Factor	0.9317	Colour Temp	3000K	IP	20	Class	2

ADDITIONAL INFORMATION
Secondary Voltage DC 24V
IES files on request

PR728

MAGNETIC LED PENDANT ADJUSTABLE

Track Light



LAMP TYPE: Including 1 x 18W Integrated LED

Material	Die Cast Aluminium						
Fitting Colour	Black & Gold						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	18W	Lumen	1000	Beam Angle	15,24,36˚	CRI	80
Power Factor	0,9317	Colour Temp	3000K	IP	20	Class	2

ADDITIONAL INFORMATION
Secondary Voltage DC 24V
IES files on request

PR729

MAGNETIC SMD LED

Track Light



LAMP TYPE: Including 1 x 20W Integrated LED

Material	Die Cast Aluminium						
Fitting Colour	White & Gold						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	20W	Lumen	2000	Beam Angle	15,24,36˚	CRI	80
Power Factor	0.9317	Colour Temp	3000K	IP	20	Class	2

ADDITIONAL INFORMATION
Secondary Voltage DC 24V
IES files on request

PR730

MAGNETIC LED PENDANT

Track Light



LAMP TYPE: Including 1 x 10W Integrated LED

Material	Die Cast Aluminium						
Fitting Colour	White & Gold						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	10W	Lumen	850	Beam Angle	90˚	CRI	80
Power Factor	0,9317	Colour Temp	3000K	IP	20	Class	2

ADDITIONAL INFORMATION
Secondary Voltage DC 24V
IES files on request

PR731

MAGNETIC DRIVER

Track Accessory



Material	Aluminium & Steel				
Primary Voltage	220V - 240V ~ 50Hz				
IP	20	Class	1	Wattage	100W

ADDITIONAL INFORMATION
Secondary Voltage DC 24V

PR732

MAGNETIC DRIVER

Track Accessory



Material	Aluminium & Steel				
Primary Voltage	220V - 240V ~ 50Hz				
IP	20	Class	1	Wattage	150W

ADDITIONAL INFORMATION
Secondary Voltage DC 24V

PROJECT

STRIP LIGHTS

PR741/PR741WW

LED

Strip Light (Sold per metre)



LAMP TYPE: LED Strip 5W/m

LED Quantity	64pcs/metre	LED Type	SMD 2835
Max Length	5M Reel		
Primary Voltage	220V - 240V ~ 50Hz	Output	DC24V
Wattage	5W/m	Lumen	600L/m	CRI	80
Colour Temp	3000K + 4000K	IP	20	Class	2

ADDITIONAL INFORMATION
Use Driver: PR751
Cut Out Scissor: 125mm (8 LED chips per cut)
Height: 8mm
Depth: 1,2mm

PR742/PR742WW

LED

Strip Light (Sold per metre)



LAMP TYPE: LED Strip 9W/m

LED Quantity	128 pcs/metre	LED Type	SMD 2835
Max Length	5M Reel		
Primary Voltage	220V - 240V ~ 50Hz	Output	DC24V
Wattage	9W/m	Lumen	1100L/m	CRI	80
Colour Temp	3000K + 4000K	IP	20	Class	2

ADDITIONAL INFORMATION
Use Driver: PR751
Cut Out Scissor: 65mm (8 LED chips per cut)
Height: 8mm
Depth: 1,2mm

PR739

LED

Strip Light (Sold per metre)



LAMP TYPE: LED Strip 5W/m

Material	PVC anti-UV	Fitting Colour	Clear
Primary Voltage	220V - 240V ~ 50Hz	Output	DC226V 1.1A Max
Wattage	5W/m	Lumen	200 +- 10%/m	CRI	>80
Colour Temp	3000K	IP	65	Class	2

ADDITIONAL INFORMATION
Use Driver: PR748
Max Length per run: 50 metres
Scissor/Cut Mark: Every 1 metre
LED/Metre: 60pcs
LED Type: SMD 2835

Beam Angle: 120°
Max Length: 50m
Height: 12mm
Depth: 6mm

PR740

LED

Strip Light (Sold per metre)



LAMP TYPE: LED Strip RGB 8W/m

Material	PVC anti-UV	Fitting Colour	Clear
Primary Voltage	220V - 240V ~ 50Hz	Output	AC220
Wattage	8W/m	CRI	>80
Colour Temp	RGB	IP	65	Class	2

ADDITIONAL INFORMATION
Use Driver: PR747
Max Length per run: 50 metres
Scissor/Cut Mark: Every 1 metre
LED/Metre: 60pcs

Max Length: 50m
Height: 18mm
Depth: 8mm

PR743

LED

Strip Light (Sold per metre)



LAMP TYPE: LED Strip 9W/m

Material	Silicone	Fitting Colour	White		
Primary Voltage	220V - 240V ~ 50Hz	Output	DC24V		
Wattage	9W/m	Lumen	600/m	CRI	80
Colour Temp	6500K	IP	65	Class	2

ADDITIONAL INFORMATION

Use Driver: PR751
Cutting unit: 50mm
LED/Metre: 120pcs
MM Bending Diametre: 60mm

Max Length: 5m
Height: 10mm
Depth: 10mm

PR744

LED

Strip Light (Sold per metre)



LAMP TYPE: LED Strip 9W/m

Material	Silicone	Fitting Colour	White		
Primary Voltage	220V - 240V ~ 50Hz	Output	DC24V		
Wattage	9W/m	Lumen	300/m	CRI	80
Colour Temp	6500K	IP	65	Class	2

ADDITIONAL INFORMATION

Use Driver: PR751
Cutting unit: 50mm
LED/Metre: 120pcs

Max Length: 5m
Height: 18mm
Depth: 10mm

PR748

LED DRIVER

Power supply

LED Control Driver

Material	Plastic	Fitting Colour	White				
Primary Voltage	220V - 240V ~ 50Hz	Output	DC226V 1,1A Max				
Type	Constant Voltage	Frequency	50/60Hz				
Wattage	250W	Power Factor	0,9	IP	65	Class	2

ADDITIONAL INFORMATION

Use Driver with: PR739
Efficiency: >91%
Short Circuit Protection
Ta: 35°C
Ta: 85°C

Length: 150m
Height: 45mm
Depth: 35mm

PR749

LED DRIVER

Power supply

LED Control Driver

Material	Plastic	Fitting Colour	White				
Primary Voltage	220V - 240V ~ 50Hz	Output	DC226V 1,6A Max				
Type	Constant Voltage	Frequency	50/60Hz				
Wattage	400W	Power Factor	0,9394	IP	65	Class	2

ADDITIONAL INFORMATION

Use Driver with: PR739
Efficiency: >91%
Short Circuit Protection
Ta: 35°C
Ta: 95°C

Length: 150m
Height: 45mm
Depth: 35mm

PR751
LED DRIVER
Power supply

LED Power Supply

Material	Steel & Aluminium		
Fitting Colour	Silver	Frequency	50/60Hz
Primary Voltage	220V - 240V ~ 50Hz	Output	DC: 24V 2.1A Max
Wattage	50W	IP	20
Class	1		

ADDITIONAL INFORMATION
Use with driver: PR741WW/PR741 - Max 5 metre
PR742WW/PR742 - Max 5 metre
5 Year Warranty

Length: 110m
Height: 80mm
Depth: 40mm

PR752
LED DRIVER
Power supply

LED Power Supply

Material	Steel & Aluminium		
Fitting Colour	Silver	Frequency	50/60Hz
Primary Voltage	220V - 240V ~ 50Hz	Output	DC:24V 6.25A Max
Wattage	150W	IP	20
Class	1		

ADDITIONAL INFORMATION
Use with driver: PR741WW/PR741 - Max 5 metre
PR742WW/PR742 - Max 5 metre
5 Year Warranty

Length: 200m
Height: 100mm
Depth: 45mm

PR753
LED DRIVER
Power supply

LAMP TYPE: LED Power Supply

Material	Steel & Aluminium		
Fitting Colour	Silver	Frequency	50/60Hz
Primary Voltage	220V - 240V ~ 50Hz	Output	DC24V 10.4A Max
Wattage	250W	IP	20
Class	1		

ADDITIONAL INFORMATION
Use with driver: PR741WW/PR741 - Max 5 metre
PR742WW/PR742 - Max 5 metre
5 Year Warranty

Length: 200m
Height: 110mm
Depth: 50mm

PR750
LED STRIP PROFILE
Accessory

LAMP TYPE: OML LED Strip Profile

Material	Profile: Aluminium I Lens: Polycarbonate
Fitting Colour	Profile: Silver I Lens: Opal

ADDITIONAL INFORMATION
Including 2 x End caps & Spring Clips
To be used with: PR741WW/PR741/PR742WW/PR742
Profile:
Length: 1000m
Height: 15mm
Depth: 15mm
Lens:
Length: 1000m
Height: 15mm

PR745
STRIP LIGHT
Accessory

LAMP TYPE: KEEL 596mm Length for PR743

Material	Steel	Fitting Colour	Silver

ADDITIONAL INFORMATION
Use with LED Strip: PR743
Length: 596m
Width: 10mm
Depth: 10mm
One Keel & 12 Screws

PR746
STRIP LIGHT
Accessory

LAMP TYPE: KEEL 625mm Length for PR744

Material	Steel	Fitting Colour	Silver

ADDITIONAL INFORMATION
Use with LED Strip: PR744
Length: 625m
Width: 10mm
Depth: 20mm
One Keel & 10 Screws

PR747
LED RGB DRIVER
Power Supply

RGB Controller, Remote, Pin & End Cap

Material	Plastic	Fitting Colour	White		
Primary Voltage	220V - 240V ~ 50Hz - Out: 220V 1.8A Max				
Wattage	400W	Power Factor	0,9		
Colour Temp	RGB	IP	65	Class	2

ADDITIONAL INFORMATION
Type: Constant Voltage
Frequency: 50/60Hz
RF Frequency: 433.92 Mhz
Short circuit protection
Ta: 45°C
Ta: 95°C
Length: 135m
Height: 35mm
Depth: 35mm
Use with driver
PR740

PROJECT

OPEN CHANNEL

OPEN CHANNEL FLUORESCENT

PR133

PR36L

WIRED FOR LED

Open Channel



LAMP TYPE: Excluding 1 x G13 max 9W T8 LED Tube

Material	Steel						
Fitting Colour	White						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	9W	Lumen	588	Beam Angle	244˚		
Power Factor	0,7225	Colour Temp	4000K	IP	20	Class	1

ADDITIONAL INFORMATION
Includes Fuse Connector
Photometry has been done with the lamp indicated: G967CW

PR37L

WIRED FOR LED

Open Channel



LAMP TYPE: Excluding 1 x G13 max 18W T8 LED Tube

Material	Steel						
Fitting Colour	White						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	18W	Lumen	1758	Beam Angle	244˚		
Power Factor	0,9141	Colour Temp	4000K	IP	20	Class	1

ADDITIONAL INFORMATION
Includes Fuse Connector
Photometry has been done with the lamp indicated: G968CW

PR38L

WIRED FOR LED

Open Channel



LAMP TYPE: Excluding 1 x G13 max 24W T8 LED Tube

Material	Steel						
Fitting Colour	White						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	24W	Lumen	2397	Beam Angle	246˚		
Power Factor	0,9229	Colour Temp	4000K	IP	20	Class	1

ADDITIONAL INFORMATION
Includes Fuse Connector
Photometry has been done with the lamp indicated: G526

PR39L

WIRED FOR LED

Open Channel



LAMP TYPE: Excluding 2 x G13 max 9W T8 LED Tubes

Material	Steel						
Fitting Colour	White						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	18W	Lumen	1594	Beam Angle	220˚		
Power Factor	0,9179	Colour Temp	4000K	IP	20	Class	1

ADDITIONAL INFORMATION
Includes Fuse Connector
Photometry has been done with the lamp indicated: G967

PR40L

WIRED FOR LED

Open Channel



LAMP TYPE: Excluding 2 x G13 max 18W T8 LED Tubes

Material	Steel						
Fitting Colour	White						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	36W	Lumen	3336	Beam Angle	223˚		
Power Factor	0,9162	Colour Temp	4000K	IP	20	Class	1

ADDITIONAL INFORMATION
Includes Fuse Connector
Photometry has been done with the lamp indicated: G968CW

PR41L

WIRED FOR LED

Open Channel



LAMP TYPE: Excluding 2 x G13 max 24W T8 LED Tubes

Material	Steel						
Fitting Colour	White						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	48W	Lumen	2305	Beam Angle	221˚		
Power Factor	0,9276	Colour Temp	6500K	IP	20	Class	1

ADDITIONAL INFORMATION
Includes Fuse Connector
Photometry has been done with the lamp indicated: G969DW

PR130L

WIRED FOR LED

Open Channel





LAMP TYPE: Excluding 1 x G13 max 18W T8 LED Tube

Material	Epoxy Powder Coated Pressed Steel						
Fitting Colour	White						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	18W	Lumen	2207	Beam Angle	188˚		
Power Factor	0,9632	Colour Temp	4000K	IP	20	Class	1

ADDITIONAL INFORMATION
Includes Fuse Connector
Photometry has been done with the lamp indicated: G968CW

PR129

FLUORESCENT WITH WING REFLECTOR

Open Channel



LAMP TYPE: Excluding 2 x G5 max 35W T5 Fluorescent Tubes

Material	Epoxy Powder Coated Steel						
Fitting Colour	White						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	70W	Lumen	4322	Beam Angle	131˚		
Power Factor	0,9462	Colour Temp	4000K	IP	20	Class	1

ADDITIONAL INFORMATION
Includes ECG
Photometry has been done with the lamp indicated: G325

PR130

FLUORESCENT

Open Channel





LAMP TYPE: Excluding 1 x G13 max 18W T8 Fluorescent Tube

Material	Epoxy Powder Coated Pressed Steel						
Fitting Colour	White						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	18W	Lumen	862	Beam Angle	256˚		
Power Factor	0,5330	Colour Temp	4000K	IP	20	Class	1

ADDITIONAL INFORMATION
Includes ECG
Photometry has been done with the lamp indicated: G42

PR131

FLUORESCENT

Open Channel



LAMP TYPE: Excluding 2 x G13 max 18W T8 Fluorescent Tubes

Material	Epoxy Powder Coated Pressed Steel						
Fitting Colour	White						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	36W	Lumen	1707	Beam Angle	130˚		
Power Factor	0,9191	Colour Temp	4000K	IP	20	Class	1

ADDITIONAL INFORMATION
Includes ECG
Photometry has been done with the lamp indicated: G42

PR132

FLUORESCENT

Open Channel





LAMP TYPE: Excluding 1 x G13 max 36W T8 Fluorescent Tube

Material	Epoxy Powder Coated Pressed Steel						
Fitting Colour	White						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	36W	Lumen	1929	Beam Angle	197˚		
Power Factor	0,6254	Colour Temp	4000K	IP	20	Class	1

ADDITIONAL INFORMATION
Includes ECG
Photometry has been done with the lamp indicated: G43

PR133

FLUORESCENT

Open Channel





LAMP TYPE: Excluding 2 x G13 max 36W T8 Fluorescent Tubes

Material	Epoxy Powder Coated Pressed Steel						
Fitting Colour	White						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	72W	Lumen	3094	Beam Angle	360˚		
Power Factor	0,7765	Colour Temp	4000K	IP	20	Class	1

ADDITIONAL INFORMATION
Includes ECG
Photometry has been done with the lamp indicated: G43

PR134

FLUORESCENT

Open Channel



LAMP TYPE: Excluding 1 x G13 max 58W T8 Fluorescent Tube

Material	Epoxy Powder Coated Pressed Steel						
Fitting Colour	White						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	58W	Lumen	2602	Beam Angle	199˚		
Power Factor	0,6185	Colour Temp	6500K	IP	20	Class	1

ADDITIONAL INFORMATION
Includes ECG
Photometry has been done with the lamp indicated: G526

PR135

FLUORESCENT

Open Channel





LAMP TYPE: Excluding 2 x G13 max 58W T8 Fluorescent Tubes

Material	Epoxy Powder Coated Pressed Steel						
Fitting Colour	White						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	116W	Lumen	4462	Beam Angle	133˚		
Power Factor	0,9168	Colour Temp	4000K	IP	20	Class	1

ADDITIONAL INFORMATION
Includes ECG
Photometry has been done with the lamp indicated: G526

PR168

FLUORESCENT

Open Channel



LAMP TYPE: Excluding 1 x G5 max 28W T5 Fluorescent Tube

Material	Epoxy Powder Coated Pressed Steel						
Fitting Colour	White						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	28W	Lumen	2207	Beam Angle	186˚		
Power Factor	0,9632	Colour Temp	4000K	IP	20	Class	1

ADDITIONAL INFORMATION
Includes ECG
Photometry has been done with the lamp indicated: G324

PR169

FLUORESCENT

Open Channel



LAMP TYPE: Excluding 2 x G5 max 28W T5 Fluorescent Tubes

Material	Epoxy Powder Coated Pressed Steel						
Fitting Colour	White						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	56W	Lumen	4787	Beam Angle	174˚		
Power Factor	0,9800	Colour Temp	4000K	IP	20	Class	1

ADDITIONAL INFORMATION
Includes ECG
Photometry has been done with the lamp indicated: G324

PR172
FLUORESCENT
Open Channel



LAMP TYPE: Excluding 1 x G5 max 35W T5 Fluorescent Tube

Material	Epoxy Powder Coated Pressed Steel						
Fitting Colour	White						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	35W	Lumen	2352	Beam Angle	187˚		
Power Factor	0,9830	Colour Temp	4000K	IP	20	Class	1

ADDITIONAL INFORMATION
Includes ECG
Photometry has been done with the lamp indicated: G524

PR174
FLUORESCENT
Open Channel



LAMP TYPE: Excluding 1 x G5 max 49W T5 Fluorescent Tube

Material	Epoxy Powder Coated Pressed Steel						
Fitting Colour	White						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	49W	Lumen	4102	Beam Angle	187˚		
Power Factor	0,9724	Colour Temp	4000K	IP	20	Class	1

ADDITIONAL INFORMATION
Includes ECG
Photometry has been done with the lamp indicated: G326

PR176
FLUORESCENT
Open Channel



LAMP TYPE: Excluding 1 x G5 max 54W T5 Fluorescent Tube

Material	Epoxy Powder Coated Pressed Steel						
Fitting Colour	White						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	54W	Lumen	3434	Beam Angle	238˚		
Power Factor	0,8765	Colour Temp	4000K	IP	20	Class	1

ADDITIONAL INFORMATION
Includes ECG
Photometry has been done with the lamp indicated: G554

PR186
FLUORESCENT
Open Channel



LAMP TYPE: Excluding 1 x G5 max 14W T5 Fluorescent Tube

Material	Epoxy Powder Coated Pressed Steel						
Fitting Colour	White						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	14W	Lumen	844	Beam Angle	87˚		
Power Factor	0,8416	Colour Temp	4000K	IP	20	Class	1

ADDITIONAL INFORMATION
Includes ECG
Photometry has been done with the lamp indicated: G323

PR187

FLUORESCENT

Open Channel



LAMP TYPE: Excluding 2 x G5 max 14W T5 Fluorescent Tubes

Material	Epoxy Powder Coated Pressed Steel						
Fitting Colour	White						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	28W	Lumen	1419	Beam Angle	174˚		
Power Factor	0,9640	Colour Temp	4000K	IP	20	Class	1

ADDITIONAL INFORMATION
Includes ECG
Photometry has been done with the lamp indicated: G323

PR36

FLUORESCENT

Open Channel



LAMP TYPE: Excluding 1 x G13 max 18W T8 Fluorescent Tube

Material	Epoxy Powder Coated Pressed Steel						
Fitting Colour	White						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	18W	Lumen	588	Beam Angle	146˚		
Power Factor	0,7225	Colour Temp	4000K	IP	20	Class	1

ADDITIONAL INFORMATION
Includes ECG
Photometry has been done with the lamp indicated: G42

PR37

FLUORESCENT

Open Channel



LAMP TYPE: Excluding 1 x G13 max 36W T8 Fluorescent Tube

Material	Epoxy Powder Coated Pressed Steel						
Fitting Colour	White						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	36W	Lumen	1491	Beam Angle	199˚		
Power Factor	0,7962	Colour Temp	4000K	IP	20	Class	1

ADDITIONAL INFORMATION
Includes Magnetic Ballast
Photometry has been done with the lamp indicated: G43

PR38

FLUORESCENT

Open Channel



LAMP TYPE: Excluding 1 x G13 max 58W T8 Fluorescent Tube

Material	Epoxy Powder Coated Pressed Steel						
Fitting Colour	White						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	58W	Lumen	2671	Beam Angle	260˚		
Power Factor	0,8699	Colour Temp	4000K	IP	20	Class	1

ADDITIONAL INFORMATION
Includes Magnetic Ballast
Photometry has been done with the lamp indicated: G526

PR39

FLUORESCENT

Open Channel



LAMP TYPE: Excluding 2 x G13 max 18W T8 Fluorescent Tubes

Material	Epoxy Powder Coated Pressed Steel						
Fitting Colour	White						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	36W	Lumen	1437	Beam Angle	160˚		
Power Factor	0,8012	Colour Temp	4000K	IP	20	Class	1

ADDITIONAL INFORMATION
Includes Magnetic Ballast
Photometry has been done with the lamp indicated: G42

PR40

FLUORESCENT

Open Channel



LAMP TYPE: Excluding 2 x G13 max 36W T8 Fluorescent Tubes

Material	Epoxy Powder Coated Pressed Steel						
Fitting Colour	White						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	72W	Lumen	2807	Beam Angle	156˚		
Power Factor	0,9275	Colour Temp	6500K	IP	20	Class	1

ADDITIONAL INFORMATION
Includes Magnetic Ballast
Photometry has been done with the lamp indicated: G43

PR41

FLUORESCENT

Open Channel



LAMP TYPE: Excluding 2 x G13 max 58W T8 Fluorescent Tubes

Material	Epoxy Powder Coated Pressed Steel						
Fitting Colour	White						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	116W	Lumen	5988	Beam Angle	248˚		
Power Factor	0,9235	Colour Temp	4000K	IP	20	Class	1

ADDITIONAL INFORMATION
Includes Magnetic Ballast
Photometry has been done with the lamp indicated: G526

PR221

LED WALL WASHER

Ceiling Light



LAMP TYPE: Including 2 x T5 16W LEDs

Material	Steel						
Fitting Colour	White						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	32W	Lumen	2291	Beam Angle	65˚	CRI	75
Power Factor	0,9300	Colour Temp	4000K	IP	20	Class	1

ADDITIONAL INFORMATION
Recommended Lamp: G45CW

PR144L

LED

Prismatic



LAMP TYPE: Excluding 2 x 24W T8 LED Tubes

Material	Epoxy Powder Coated Pressed Steel						
Fitting Colour	White						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	48W	Lumen	4600	Beam Angle	180˚		
Power Factor	0.5	Colour Temp	4000K	IP	30	Class	1

ADDITIONAL INFORMATION
Includes Fuse Connector
Photometry has been done with the lamp indicated: G969CW

PR183L

LED

Prismatic



LAMP TYPE: Excluding 2 x 9W T8 LED Tubes

Material	Epoxy Powder Coated Pressed Steel						
Fitting Colour	White						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	18W	Lumen	1600	Beam Angle	180˚		
Power Factor	0.5	Colour Temp	4000K	IP	30	Class	1

ADDITIONAL INFORMATION
Includes Fuse Connector
Photometry has been done with the lamp indicated: G967

PR184L

LED

Prismatic



LAMP TYPE: Excluding 2 x G13 max 18W T8 LED Tubes

Material	Epoxy Powder Coated Pressed Steel						
Fitting Colour	White						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	36W	Lumen	2774	Beam Angle	188˚		
Power Factor	0,9369	Colour Temp	4000K	IP	30	Class	1

ADDITIONAL INFORMATION
Includes Fuse Connector
Photometry has been done with the lamp indicated: G968CW

PR144

FLUORESCENT

Prismatic



LAMP TYPE: Excluding 2 x G13 max 58W T8 Fluorescent Tubes

Material	Epoxy Powder Coated Pressed Steel						
Fitting Colour	White						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	116W	Lumen	4598	Beam Angle	126˚		
Power Factor	0,7022	Colour Temp	4000K	IP	30	Class	1

ADDITIONAL INFORMATION
Includes ECG
Photometry has been done with the lamp indicated: G526

PR145

FLUORESCENT

Prismatic



LAMP TYPE: Excluding 1 x G13 max 58W T8 Fluorescent Tube

Material	Epoxy Powder Coated Pressed Steel						
Fitting Colour	White						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	58W	Lumen	2103	Beam Angle	228˚		
Power Factor	0,6071	Colour Temp	4000K	IP	30	Class	1

ADDITIONAL INFORMATION
Includes ECG
Photometry has been done with the lamp indicated: G526

PR181

FLUORESCENT

Prismatic



LAMP TYPE: Excluding 1 x G13 max 18W T8 Fluorescent Tube

Material	Epoxy Powder Coated Pressed Steel						
Fitting Colour	White						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	18W	Lumen	712	Beam Angle	226˚		
Power Factor	0,5317	Colour Temp	4000K	IP	30	Class	1

ADDITIONAL INFORMATION
Includes ECG
Photometry has been done with the lamp indicated: G42

PR182

FLUORESCENT

Prismatic



LAMP TYPE: Excluding 1 x G13 max 36W T8 Fluorescent Tube

Material	Epoxy Powder Coated Pressed Steel						
Fitting Colour	White						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	36W	Lumen	1223	Beam Angle	105˚		
Power Factor	0,8830	Colour Temp	4000K	IP	30	Class	1

ADDITIONAL INFORMATION
Includes ECG
Photometry has been done with the lamp indicated: G43

PR183

FLUORESCENT

Prismatic



LAMP TYPE: Excluding 2 x G13 max 18W T8 Fluorescent Tubes

Material	Epoxy Powder Coated Pressed Steel						
Fitting Colour	White						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	36W	Lumen	1104	Beam Angle	185˚		
Power Factor	0,5424	Colour Temp	4000K	IP	30	Class	1

ADDITIONAL INFORMATION
Includes ECG
Photometry has been done with the lamp indicated: G42

PR184

FLUORESCENT

Prismatic



LAMP TYPE: Excluding 2 x G15 max 36W T8 Fluorescent Tubes

Material	Epoxy Powder Coated Pressed Steel						
Fitting Colour	White						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	72W	Lumen	2774	Beam Angle	188˚		
Power Factor	0,9369	Colour Temp	4000K	IP	30	Class	1

ADDITIONAL INFORMATION
Includes ECG
Photometry has been done with the lamp indicated: G43

PROJECT

VAPOUR PROOF

VAPOUR PROOF FLUORESCENT

PR213

PR212

LED

Vapour Proof



LAMP TYPE: Including 1 x 15W SMD LED

Material	ABS with Opal Polycarbonate Lens						
Fitting Colour	Grey						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	15W	Lumen	1560	Beam Angle	116˚	CRI	79
Power Factor	0,86	Colour Temp	4000K	IP	65	Class	1

PR213

LED

Vapour Proof



LAMP TYPE: Including 1 x 25W SMD LED

Material	ABS with Opal Polycarbonate Lens						
Fitting Colour	Grey						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	25W	Lumen	2466	Beam Angle	106˚	CRI	84
Power Factor	0,9005	Colour Temp	4000K	IP	65	Class	1

PR214

LED

Vapour Proof



LAMP TYPE: Including 1 x 25W SMD LED

Material	ABS with Opal Polycarbonate Lens						
Fitting Colour	Grey						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	25W	Lumen	2316	Beam Angle	121˚	CRI	83
Power Factor	0,8985	Colour Temp	4000K	IP	65	Class	1

PR215

LED

Vapour Proof



LAMP TYPE: Including 1 x 50W SMD LED

Material	ABS with Opal Polycarbonate Lens						
Fitting Colour	Grey						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	50W	Lumen	4895	Beam Angle	110˚	CRI	82
Power Factor	0,9710	Colour Temp	4000K	IP	65	Class	1

PR216
LED
Vapour Proof



LAMP TYPE: Including 1 x 35W SMD LED

Material	ABS with Opal Polycarbonate Lens						
Fitting Colour	Grey						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	35W	Lumen	3149	Beam Angle	123˚	CRI	76
Power Factor	0,9411	Colour Temp	4000K	IP	65	Class	1

PR217
LED
Vapour Proof



LAMP TYPE: Including 1 x 65W SMD LED

Material	ABS with Opal Polycarbonate Lens						
Fitting Colour	Grey						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	65W	Lumen	6180	Beam Angle	119˚	CRI	80
Power Factor	0,9756	Colour Temp	4000K	IP	65	Class	1

PR218
LED
Vapour Proof



LAMP TYPE: Including 1 x 80W SMD LED

Material	ABS with Opal Polycarbonate Lens						
Fitting Colour	Grey						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	80W	Lumen	7430	Beam Angle	120˚	CRI	83
Power Factor	0,9810	Colour Temp	4000K	IP	65	Class	1

PR35
FLUORESCENT
Vapour Proof




LAMP TYPE: Excluding 2 x G5 max 49W T5 Fluorescent Tubes

Material	ABS with Clear Polycarbonate Diffuser						
Fitting Colour	Grey						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	98W	Lumen	5550	Beam Angle	196˚	CRI	82
Power Factor	0.9833	Colour Temp	4000K	IP	65	Class	1

ADDITIONAL INFORMATION
Includes ECG
Photometry has been done with the lamp indicated: G326

PR164
FLUORESCENT
Vapour Proof



LAMP TYPE: Excluding 1 x G5 max 35W T5 Fluorescent Tube

Material	ABS						
Fitting Colour	Grey						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	35W	Lumen	2767	Beam Angle	114˚	CRI	83
Power Factor	0,8717	Colour Temp	4000K	IP	65	Class	1

ADDITIONAL INFORMATION
Includes ECG
Photometry has been done with the lamp indicated: G524

PR32
FLUORESCENT
Vapour Proof



LAMP TYPE: Excluding 1 x G5 max 49W T5 Fluorescent Tube

Material	ABS						
Fitting Colour	Grey						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	49W	Lumen	2929	Beam Angle	206˚	CRI	82
Power Factor	0.935	Colour Temp	4000K	IP	65	Class	1

ADDITIONAL INFORMATION
Includes ECG
Photometry has been done with the lamp indicated: G326

PR166
FLUORESCENT
Vapour Proof



LAMP TYPE: Excluding 2 x G5 max 35W T5 Fluorescent Tubes

Material	ABS						
Fitting Colour	Grey						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	70W	Lumen	4128	Beam Angle	140˚	CRI	84
Power Factor	0,9253	Colour Temp	4000K	IP	65	Class	1

ADDITIONAL INFORMATION
Includes ECG
Photometry has been done with the lamp indicated: G524

PR167
FLUORESCENT
Vapour Proof



LAMP TYPE: Excluding 2 x G5 max 54W T5 Fluorescent Tubes

Material	ABS						
Fitting Colour	White						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	108W	Lumen	4031	Beam Angle	141˚	CRI	84
Power Factor	0,9248	Colour Temp	4000K	IP	65	Class	1

ADDITIONAL INFORMATION
Includes ECG
Photometry has been done with the lamp indicated: G554

PROJECT

LINEAR LIGHTS

IVELA LED BOMA

PR480W

PR52
HANGING
Linear Light



LAMP TYPE: Including 1 x G5 max 21W T5 Fluorescent Tube

Material	Aluminium & Clear Polycarbonate Lens						
Fitting Colour	Silver						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	21W	Lumen	1085	Beam Angle	145˚	CRI	82
Power Factor	0,5807	Colour Temp	4000K	IP	20	Class	1

PR53
HANGING
Linear Light



LAMP TYPE: Including 1 x G5 max 28W T5 Fluorescent Tube

Material	Aluminium & Clear Polycarbonate Lens						
Fitting Colour	Silver						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	28W	Lumen	1257	Beam Angle	166˚	CRI	82
Power Factor	0,5583	Colour Temp	4000K	IP	20	Class	1

PR211
LED
Linear Light



LAMP TYPE: Including 1 x 60W Integrated LED

Material	Aluminium & Opal Plastic Lens						
Fitting Colour	Silver						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	60W	Lumen	6079	Beam Angle	112˚	CRI	82
Power Factor	0,9588	Colour Temp	4000K	IP	65	Class	1

PR220
LED WATER TIGHT
Linear Light



LAMP TYPE: Including 1 X 50W Integrated LED

Material	Aluminium						
Fitting Colour	White						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	50W	Lumen	4650	Beam Angle	120˚	CRI	75
Power Factor	0,9500	Colour Temp	4000K	IP	65	Class	1

PR480S/PR480W

IVELA LED BOMA

Linear Light



LAMP TYPE: Including 1 x 35W Integrated LED

Material	Die Cast Aluminium						
Fitting Colour	Silver/White						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	35W	Lumen	2453	Beam Angle	159˚	CRI	73
Power Factor	0,9613	Colour Temp	3000K	IP	20	Class	2

PR667

RECESSED LED WALL WASHER

Linear Light



LAMP TYPE: Including 1 x 30W SMD LED

Material	Die Cast Aluminium						
Fitting Colour	White						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	30W	Lumen	2379	Beam Angle	101˚	CRI	73
Power Factor	0,9296	Colour Temp	4000K	IP	20	Class	2

ADDITIONAL INFORMATION
Asymmetrical

PR668

RECESSED

Linear Light



LAMP TYPE: Including 1 x 30W SMD LED

Material	Die Cast Aluminium						
Fitting Colour	White						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	30W	Lumen	2450	Beam Angle	101˚	CRI	73
Power Factor	0,9307	Colour Temp	4000K	IP	20	Class	2

PR240

LED HIGH BAY

Linear Light

LAMP TYPE: Including 120W LED

Material	Aluminium						
Fitting Colour	Black						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	120W	Lumen	13500	Beam Angle	107˚	CRI	70
Power Factor	0.95	Colour Temp	3000K-6000K	IP	65	Class	1

PR241

LED HIGH BAY

Linear Light



LAMP TYPE: Including 400W LED

Material	Aluminium						
Fitting Colour	Black						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	400W	Lumen	45298	Beam Angle	120	CRI	70
Power Factor	0.95	Colour Temp	3000K-6000K	IP	65	Class	1

PR669

LED HANGING PANEL

Linear Light



LAMP TYPE: Including 150W Integrated LED

Material	Aluminium Powder Coated						
Fitting Colour	White						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	150W	Lumen	16500	Beam Angle	90˚	CRI	70
Power Factor	0,98	Colour Temp	4000K	IP	65	Class	1

PR670

LED HANGING PANEL

Linear Light



LAMP TYPE: Including 200W Integrated LED

Material	Aluminium Powder Coated						
Fitting Colour	White						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	200W	Lumen	22000	Beam Angle	90˚	CRI	70
Power Factor	0,98	Colour Temp	4000K	IP	65	Class	1

PR663

LED SUSPENSION

Linear Light



LAMP TYPE: Including 25W Integrated LED

Material	Die Cast Aluminium						
Fitting Colour	White						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	25W	Lumen	1719	Beam Angle	80˚	CRI	80
Power Factor	0,9	Colour Temp	4000K	IP	20	Class	1

ADDITIONAL INFORMATION
Includes 2m Suspension Wire
Includes Screws & Plugs

PR575
LINEAR
Track Light



LAMP TYPE: Including 50W Integrated LED

Material	Aluminium with Opal Diffuser						
Fitting Colour	White						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	50W	Lumen	6500	Beam Angle	81˚	CRI	>80
Power Factor	0.9	Colour Temp	4000K	IP	20	Class	1

ADDITIONAL INFORMATION
Dimmable option available
Seamless Connection
Accessories available/Power Feed

PR576
LINEAR
Track Light



LAMP

Material	Aluminium with Line Diffuser						
Fitting Colour	White						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	50W	Lumen	6400	Beam Angle	96˚	CRI	>80
Power Factor	0.9	Colour Temp	4000K	IP	20	Class	1

ADDITIONAL INFORMATION
Dimmable option available
Seamless Connection
Accessories available/Power Feed

PR577
LINEAR
Track Light



LAMP TYPE: Including 50W Integrated LED

Material	Aluminium with Array Difusser						
Fitting Colour	White						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	50W	Lumen	6500	Beam Angle	96˚	CRI	>80
Power Factor	0.9	Colour Temp	4000K	IP	20	Class	1

ADDITIONAL INFORMATION
Dimmable option available
Seamless Connection
Accessories available/Power Feed

PR578
TRACKING RAIL WITH TRUNKING
Linear Track Accessory

Material	Aluminium/Steel		
Fitting Colour	White		
Primary Voltage	220V - 240V		
IP	20	Class	1

ADDITIONAL INFORMATION
For 3 Circuit Track
Seamless Connection

PR584

5 WIRES TERMINAL FEED

Linear Track Accessory



Material	Plastic/Steel		
Fitting Colour	White		
Primary Voltage	220V - 240V		
IP	20	Class	1

PR585

5 WIRE L NODE CONNECTOR

Linear Track Accessory



Material	Plastic/Steel		
Fitting Colour	White		
Primary Voltage	220V - 240V		
IP	20	Class	1

PR586

5 WIRE T NODE CONNECTOR

Linear Track Accessory



Material	Plastic/Steel
Fitting Colour	White
Primary Voltage	220V - 240V
IP 20	Class 1

PR582

2PC WIRE SUSPENSION

Linear Track Accessory

Material	Stainless Steel
Fitting Colour	Chrome

ADDITIONAL INFORMATION
Bracket 60mm x 40mm x 15mm.
Trunk required at every 1.5m

PR583

PC END CAP

Linear Track Accessory



Material	Plastic
Fitting Colour	White

PROJECT

PANEL LIGHTS

PANEL LIGHT

PR562

PR111

RECESSED DOUBLE PARABOLIC FLUO-RESCENT REFLECTOR

Panel Light



LAMP TYPE: Excluding 3 x G5 max 28W T5 Fluorescent Tubes

Material	Epoxy Powder Coated						
Fitting Colour	White						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	84W	Lumen	4838	Beam Angle	125˚	CRI	85
Power Factor	0,9367	Colour Temp	4000K	IP	20	Class	1

ADDITIONAL INFORMATION
Photometry has been done with the lamp indicated

PR112

RECESSED DOUBLE PARABOLIC FLUORESCENT REFLECTOR

Panel Light



LAMP TYPE: Excluding 3 x G5 max 14W T5 Fluorescent Tubes

Material	Epoxy Powder Coated						
Fitting Colour	White						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	42W	Lumen	2031	Beam Angle	86˚	CRI	83
Power Factor	0,1891	Colour Temp	4000K	IP	20	Class	1

ADDITIONAL INFORMATION
Photometry has been done with the lamp indicated

PR127

RECESSED DOUBLE PARABOLIC FLUORESCENT REFLECTOR

Panel Light



LAMP TYPE: Excluding 4 x G5 max 14W T5 Fluorescent Tubes

Material	Epoxy Powder Coated						
Fitting Colour	White						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	56W	Lumen	2736	Beam Angle	90˚	CRI	83
Power Factor	0,9950	Colour Temp	4000K	IP	20	Class	1

ADDITIONAL INFORMATION
Photometry has been done with the lamp indicated

PR115

RECESSED FLUORESCENT WITH OPAL DIFFUSER

Panel Light



LAMP TYPE: Excluding 3 x G5 max 14W T5 Fluorescent Tubes

Material	Epoxy Powder Coated Steel with Opal Diffuser						
Fitting Colour	White						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	42W	Lumen	1376	Beam Angle	162˚	CRI	83
Power Factor	0,7022	Colour Temp	4000K	IP	20	Class	1

ADDITIONAL INFORMATION
Photometry has been done with the lamp indicated

PR234

LED HANGING

Panel Light



LAMP TYPE: Including 40W Integrated SMD LED

Material	Steel						
Fitting Colour	White						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	40W	Lumen	3721	Beam Angle	112˚	CRI	>80
Power Factor	0,9	Colour Temp	4000K	IP	20	Class	2

ADDITIONAL INFORMATION
Includes Suspension Kit

PR114

RECESSED INDIRECT FLUORESCENT LOUVRE

Panel Light



LAMP TYPE: Excluding 2 x 2G11 max 55W Fluorescent Tubes

Material	Epoxy Powder Coated Steel						
Fitting Colour	White						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	110W	Lumen	1460	Beam Angle	158˚	CRI	83
Power Factor	0,9157	Colour Temp	4000K	IP	20	Class	1

ADDITIONAL INFORMATION
Photometry has been done with the lamp indicated

PR219

LED

Panel Light

LAMP TYPE: Including 1 x 40W Integrated LED

Material	Steel & Opal Acrylic Lens						
Fitting Colour	White						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	40W	Lumen	2764	Beam Angle	114˚	CRI	83
Power Factor	0,8042	Colour Temp	4000K	IP	20	Class	2

ADDITIONAL INFORMATION
Includes LED Driver

PR453

LED

Panel Light



LAMP TYPE: Including 1 x 72W Integrated LED

Material	Aluminium & Opal Acrylic Lens						
Fitting Colour	White						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	72W	Lumen	5450	Beam Angle	114˚	CRI	82
Power Factor	0,9642	Colour Temp	4000K	IP	20	Class	2

ADDITIONAL INFORMATION
Includes LED Driver

PR205/PR205WW

LED FLAT SQUARE

Panel Light



LAMP TYPE: Including 1 x 40W Integrated LED

Material	Aluminium & Opal Acrylic Lens						
Fitting Colour	White						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	40W	Lumen	3136	Beam Angle	114˚	CRI	79
Power Factor	0,8470	Colour Temp	4000K/ 3000K	IP	20	Class	2

ADDITIONAL INFORMATION
Available in either 4000K or 3000K
Includes LED Driver

PR562

LED

Panel Light



LAMP TYPE: Including 40W Integrated LED

Material	Steel & Aluminium						
Fitting Colour	White						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	40W	Lumen	3915	Beam Angle	158˚	CRI	83
Power Factor	0,9157	Colour Temp	4000K	IP	20	Class	2

ADDITIONAL INFORMATION
Includes LED Driver

PROJECT

PENDANTS

IVELA LED ICONICA PENDANT

PR510

PR510

IVELA LED ICONICA

Pendant

LAMP TYPE: Including 1 x 19W Integrated LED

Material	Die Cast Aluminium						
Fitting Colour	White						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	19W	Lumen	2000	Beam Angle	60˚	CRI	81
Power Factor	0.5	Colour Temp	3000K	IP	20	Class	1

PR511

IVELA LED ICONICA

Pendant

LAMP TYPE: Including 1 x 9.5W Integrated LED

Material	Die Cast Aluminium						
Fitting Colour	Black						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	9.5W	Lumen	890	Beam Angle	60˚	CRI	73
Power Factor	0.5	Colour Temp	3000K	IP	20	Class	1

PR545

LED LARGE

Pendant

LAMP TYPE: Including 1 x 60W Integrated SMD LED

Material	Steel & Opal Polycarbonate Lens						
Fitting Colour	Grey						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	60W	Lumen	3500	Beam Angle	110˚	CRI	82
Power Factor	0,5	Colour Temp	4000K	IP	20	Class	1

PR546

LED SMALL

Pendant

LAMP TYPE: Including 1 x 25W Integrated SMD LED

Material	Steel & Opal Polycarbonate Lens						
Fitting Colour	Grey						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	25W	Lumen	1698	Beam Angle	110˚	CRI	84
Power Factor	0,5	Colour Temp	4000K	IP	20	Class	1

PROJECT

WALL LIGHTS

XIN LED
TOILET SIGN

PR353

PR352

XIN LED WI-FI SIGN

Wall Light



LAMP TYPE: Including 2 x 4W Integrated LEDs

Material	Die Cast Aluminium, Steel & Frosted Plexi Glass Lens						
Fitting Colour	Grey						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	8W	Lumen	206	Beam Angle	99˚	CRI	82
Power Factor	0,4596	Colour Temp	4000K	IP	40	Class	2

ADDITIONAL INFORMATION
Driver Fixed

PR353

XIN LED TOILET SIGN

Wall Light



LAMP TYPE: Including 2 x 4W Integrated LEDs

Material	Die Cast Aluminium, Steel & Frosted Plexi Glass Lens						
Fitting Colour	Grey						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	8W	Lumen	265	Beam Angle	90˚	CRI	84
Power Factor	0,4605	Colour Temp	4000K	IP	40	Class	2

ADDITIONAL INFORMATION
Driver Fixed

PR354

XIN LED EXIT SIGN

Wall Light



LAMP TYPE: Including 2 x 4W Integrated LEDs

Material	Die Cast Aluminium, Steel & Frosted Plexi Glass Lens						
Fitting Colour	Grey						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	8W	Lumen	177	Beam Angle	90˚	CRI	74
Power Factor	0,8874	Colour Temp	4000K	IP	40	Class	2

ADDITIONAL INFORMATION
Driver Fixed

PR355

XIN LED NO SMOKING SIGN

Wall Light



LAMP TYPE: Including 2 x 4W Integrated LEDs

Material	Die Cast Aluminium, Steel & Frosted Plexi Glass Lens						
Fitting Colour	Grey						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	8W	Lumen	86	Beam Angle	80˚	CRI	73
Power Factor	0,4587	Colour Temp	4000K	IP	40	Class	2

ADDITIONAL INFORMATION
Driver Fixed

PR416

IVELA LED MINI KYCLOS-KP

Wall Light



LAMP TYPE: Including 2 x 18W Integrated LEDs

Material	Polyester Painted Die Cast						
Fitting Colour	White						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	36W	Lumen	4185	Beam Angle	31˚	CRI	75
Power Factor	0,9577	Colour Temp	3000K	IP	20	Class	1

ADDITIONAL INFORMATION
Tilt: 45°/ 90°
Swivel: 250° & 355°

PR417

IVELA LED GIADA

Wall Light



LAMP TYPE: Including 2 x 12W Integrated COB LEDs

Material	Polyester Painted Die Cast						
Fitting Colour	White						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	24W	Lumen	2586	Beam Angle	360˚	CRI	73
Power Factor	0,5146	Colour Temp	3000K	IP	20	Class	1

PR418

IVELA LED TYLE

Wall Light



LAMP TYPE: Including 1 x 20W Integrated COB LED

Material	Polyester Painted Die Cast						
Fitting Colour	White						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	20W	Lumen	1888	Beam Angle	360˚	CRI	81
Power Factor	0,9534	Colour Temp	3000K	IP	20	Class	1

ADDITIONAL INFORMATION
Tilt: 30°/40°

PR481

IVELA LED BALTI 320

Wall Light



LAMP TYPE: Including 2 x 38W Integrated COB LEDs

Material	Die Cast Aluminium						
Fitting Colour	White						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	76W	Lumen	7055	Beam Angle	343˚	CRI	79
Power Factor	0,9708	Colour Temp	3000K	IP	20	Class	2

PR381

TONS LED SQUARE READING

Wall Light





LAMP TYPE: Including 1 x 1.2W Integrated COB LED

Material	Aluminium & Diffused Plastic Lens						
Fitting Colour	Grey						
Primary Voltage	100V - 240V ~ 50Hz						
Wattage	1.2W	Lumen	87	Beam Angle	30˚	CRI	63
Power Factor	0,3513	Colour Temp	3000K	IP	20	Class	2

ADDITIONAL INFORMATION
Tilt: 85°
Swivel: 355°
Includes Driver

PR380

TONS LED ROUND READING

Wall Light



LAMP TYPE: Including 1 x 3W Integrated COB LED

Material	Aluminium & Diffused Plastic Lens						
Fitting Colour	Grey						
Primary Voltage	100V - 240V ~ 50Hz						
Wattage	3W	Lumen	150	Beam Angle	23˚	CRI	63
Power Factor	0,4103	Colour Temp	3000K	IP	20	Class	2

ADDITIONAL INFORMATION
Tilt: 180°
Swivel: 355°
Includes Driver

PROJECT

HIGH BAYS

IVELA LED APLOMB 350

PR442

PR361

XIN LED

High Bay



LAMP TYPE: Including 1 x 100W Integrated LED

Material	Aluminium Clear with Frosted Glass Lens						
Fitting Colour	Silver						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	100W	Lumen	9432	Beam Angle	69˚	CRI	82
Power Factor	0,9709	Colour Temp	4000K	IP	65	Class	1

ADDITIONAL INFORMATION
Includes Driver

PR362

XIN LED

High Bay



LAMP TYPE: Including 1 x 25W Integrated LED

Material	Aluminium Clear with Frosted Glass Lens						
Fitting Colour	Silver						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	25W	Lumen	2137	Beam Angle	44˚	CRI	82
Power Factor	0,9413	Colour Temp	4000K	IP	20	Class	1

ADDITIONAL INFORMATION
Includes Driver

PR363

XIN LED

High Bay



LAMP TYPE: Including 1 x 35W Integrated LED

Material	Aluminium Clear with Frosted Glass Lens						
Fitting Colour	Silver						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	35W	Lumen	3254	Beam Angle	42˚	CRI	84
Power Factor	0,9182	Colour Temp	4000K	IP	20	Class	1

ADDITIONAL INFORMATION
Includes Driver

PR364

XIN LED

High Bay



LAMP TYPE: Including 1 x 50W Integrated LED

Material	Aluminium Clear with Frosted Glass Lens						
Fitting Colour	Silver						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	50W	Lumen	3722	Beam Angle	48˚	CRI	81
Power Factor	0,9624	Colour Temp	4000K	IP	20	Class	1

ADDITIONAL INFORMATION
Includes Driver

PR365

XIN LED

High Bay



LAMP TYPE: Including 1 x 30W Integrated LED

Material	Die Cast Aluminium						
Fitting Colour	Brushed Silver						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	30W	Lumen	2283	Beam Angle	79˚	CRI	80
Power Factor	0,9213	Colour Temp	4000K	IP	20	Class	1

ADDITIONAL INFORMATION
Includes Driver

PR366

XIN LED

High Bay



LAMP TYPE: Including 1 x 25W Integrated LED

Material	Die Cast Aluminium						
Fitting Colour	Brushed Silver						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	25W	Lumen	2262	Beam Angle	45˚	CRI	82
Power Factor	0,9493	Colour Temp	4000K	IP	20	Class	1

ADDITIONAL INFORMATION
Includes Driver

PR367

XIN LED

High Bay



LAMP TYPE: Including 1 x 35W Integrated LED

Material	Die Cast Aluminium						
Fitting Colour	Brushed Silver						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	35W	Lumen	3107	Beam Angle	50˚	CRI	82
Power Factor	0,9079	Colour Temp	4000K	IP	20	Class	1

ADDITIONAL INFORMATION
Includes Driver

PR442

IVELA LED APLOMB

High Bay



LAMP TYPE: Including 1 x 22W Integrated LED

Material	Polyester Painted Die Cast						
Fitting Colour	Silver						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	22W	Lumen	1700	Beam Angle	83˚	CRI	84
Power Factor	0,9221	Colour Temp	3000K	IP	20	Class	1

PR541

UFO LED

High Bay



LAMP TYPE: Including 1 x 150W Integrated LED

Material	Die Cast Aluminium Reflector						
Fitting Colour	Black & Silver						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	150W	Lumen	20000	Beam Angle	120˚	CRI	73
Power Factor	0.9	Colour Temp	6500K	IP	65	Class	1

ADDITIONAL INFORMATION
Aluminium Reflector optional

PR543

UFO LED

High Bay



LAMP TYPE: Including 1 x 200W Integrated LED

Material	Die Cast Aluminium Reflector						
Fitting Colour	Black & Silver						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	200W	Lumen	25129	Beam Angle	90˚	CRI	81
Power Factor	0,9524	Colour Temp	6500K	IP	65	Class	1

ADDITIONAL INFORMATION
Aluminium Reflector optional

PR48

2 METER CHAIN

High Bay



LAMP TYPE: Excluding 1 x E40 max 85W Spiral CFL 230V

Material	Steel with Shiny Aluminium Shade						
Fitting Colour	White						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	85W	Lumen	4034	Beam Angle	128˚	CRI	80
Power Factor	0,5127	Colour Temp	6500K	IP	20	Class	2

ADDITIONAL INFORMATION
Photometry has been done with the lamp indicated G527

PR49

2 METER CHAIN

High Bay



LAMP TYPE: Excluding 1 x E40 max 85W Spiral CFL 230V

Material	Steel with Clear Acrylic Diffuser						
Fitting Colour	White						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	85W	Lumen	4989	Beam Angle	152˚	CRI	80
Power Factor	0,5157	Colour Temp	4000K	IP	20	Class	2

ADDITIONAL INFORMATION
Photometry has been done with the lamp indicated G241 & G527

PR441

IVELA LED FLOOT

High Bay



LAMP TYPE: Including 1 x 33W Integrated LED

Material	Die Cast Aluminium & Clear Polycarbonate Lens						
Fitting Colour	Silver						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	33W	Lumen	2932	Beam Angle	70˚	CRI	82
Power Factor	0,9737	Colour Temp	3000K	IP	20	Class	1

LED DOWN FACING WALL LIGHT

PR349

PR349

XIN LED DOWN FACING WALL LIGHT

Outdoor



LAMP TYPE: Including 1 x 3.3W Integrated LED

Material	Die Cast Aluminium with Clear Glass Lens						
Fitting Colour	Anthracite						
Primary Voltage	100V - 240V ~ 50Hz						
Wattage	3.3W	Lumen	274	Beam Angle	42˚	CRI	75
Power Factor	0,4593	Colour Temp	3000K	IP	65	Class	1

ADDITIONAL INFORMATION
Driver is IP20

PR350

XIN LED DOWN FACING WALL LIGHT

Outdoor



LAMP TYPE: Including 1 x 3.3W Integrated LED

Material	Die Cast Aluminium with Frosted Glass Lens						
Fitting Colour	Anthracite						
Primary Voltage	100V - 240V ~ 50Hz						
Wattage	3.3W	Lumen	195	Beam Angle	88˚	CRI	73
Power Factor	0,4439	Colour Temp	3000K	IP	65	Class	1

ADDITIONAL INFORMATION
Driver is IP20

PR351

XIN LED UP & DOWN FACING WALL LIGHT

Outdoor



LAMP TYPE: Including 2 x 3.3W Integrated LEDs

Material	Die Cast Aluminium with Clear Glass Lens						
Fitting Colour	Anthracite						
Primary Voltage	100V - 240V ~ 50Hz						
Wattage	6.6W	Lumen	431	Beam Angle	360˚	CRI	73
Power Factor	0,4317	Colour Temp	3000K	IP	65	Class	1

ADDITIONAL INFORMATION
Driver is IP20

PR410

IVELA LED BALTI WALL LIGHT

Outdoor



LAMP TYPE: Including 1 x 12W Integrated COB LED

Material	Die Cast Aluminium						
Fitting Colour	White						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	12W	Lumen	1358	Beam Angle	98˚	CRI	84
Power Factor	0,8584	Colour Temp	3000K	IP	66	Class	1

PR411

IVELA LED BALTI WALL LIGHT

Outdoor



LAMP TYPE: Including 1 x 6.5W Integrated COB LED

Material	Die Cast Aluminium						
Fitting Colour	White						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	6.5W	Lumen	486	Beam Angle	96˚	CRI	85
Power Factor	0,5269	Colour Temp	3000K	IP	65	Class	1

PR180

RGB 6 COLOUR LED WALL WASHER

Outdoor



LAMP TYPE: Including 36 x 1.1W Integrated LEDs

Material	Die Cast Aluminium with Clear Glass						
Fitting Colour	Grey						
Primary Voltage	100V - 277V ~ 50Hz						
Wattage	39.6W	Lumen	879	Beam Angle	49˚	CRI	82
Power Factor	0,9792	Colour Temp	RGB	IP	65	Class	1

PR471

LED GARAGE CANOPY LIGHT

Outdoor



LAMP TYPE: Including 48 x 2.1W Integrated LEDs

Material	Steel with Clear Polycarbonate Lens						
Fitting Colour	White						
Primary Voltage	100V - 240V ~ 50Hz						
Wattage	100.8W	Lumen	9012	Beam Angle	120˚	CRI	82
Power Factor	0,9458	Colour Temp	6500K	IP	65	Class	1

ADDITIONAL INFORMATION
Includes Driver

PROJECT

FLOODLIGHTS

IVELA LED LITO FLOODLIGHT

PR520

PR412
IVELA LED LITO
Floodlight



LAMP TYPE: Including 1 x 12W Integrated COB LED

Material	Polyester Painted						
Fitting Colour	Silver						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	12W	Lumen	1404	Beam Angle	31˚	CRI	66
Power Factor	0,5042	Colour Temp	3000K	IP	66	Class	1

ADDITIONAL INFORMATION
Tilt: 30°

PR413
IVELA LED MAXILITO
Floodlight



LAMP TYPE: Including 1 x 51W Integrated COB LED

Material	Polyester Painted						
Fitting Colour	Silver						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	51W	Lumen	4829	Beam Angle	25˚	CRI	81
Power Factor	0,9520	Colour Temp	3000K	IP	66	Class	1

ADDITIONAL INFORMATION
Tilt: 30°
Swivel: 220°

PR519
IVELA LED LITO 230
Floodlight



LAMP TYPE: Including 1 x 19W Integrated LED

Material	Die Cast Aluminium						
Fitting Colour	Silver						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	19W	Lumen	1789	Beam Angle	36˚	CRI	82
Power Factor	0,9941	Colour Temp	3000K	IP	66	Class	1

ADDITIONAL INFORMATION
Tilt: 30°

PR520
IVELA LED LITO 230
Floodlight



LAMP TYPE: Including 1 x 19W Integrated LED

Material	Die Cast Aluminium						
Fitting Colour	Black						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	19W	Lumen	1701	Beam Angle	77˚	CRI	84
Power Factor	0,9940	Colour Temp	3000K	IP	66	Class	1

ADDITIONAL INFORMATION
Tilt: 30°

PR467

LED

Floodlight



LAMP TYPE: Including 48 x 1.25W Integrated LEDs

Material	Aluminium with Clear Polycarbonate Lens						
Fitting Colour	Black						
Primary Voltage	100V - 240V ~ 50Hz						
Wattage	60W	Lumen	6572	Beam Angle	120˚	CRI	83
Power Factor	0,9326	Colour Temp	6500K	IP	66	Class	1

ADDITIONAL INFORMATION
Tilt: 60°
Swivel: 15°
Includes Driver

PR468

LED

Floodlight



LAMP TYPE: Including 72 x 1.25W Integrated LEDs

Material	Aluminium with Clear Polycarbonate Lens						
Fitting Colour	Black						
Primary Voltage	100V - 240V ~ 50Hz						
Wattage	90W	Lumen	10195	Beam Angle	120˚	CRI	83
Power Factor	0,9416	Colour Temp	6500K	IP	66	Class	1

ADDITIONAL INFORMATION
Tilt: 60°
Swivel: 15°
Includes Driver

PR488ECO

LED

Floodlight



LAMP TYPE: Including 1 x 200W Integrated LED

Material	Steel with Clear Polycarbonate Lens						
Fitting Colour	Black						
Primary Voltage	100V - 240V ~ 50Hz						
Wattage	200W	Lumen	22715	Beam Angle	60˚	CRI	82
Power Factor	0,9721	Colour Temp	4000K	IP	65	Class	1

ADDITIONAL INFORMATION
Tilt: 45°
Includes Driver

PR466

LED SURFACE MOUNT

Spotlight



LAMP TYPE: Including 1 x 50W Integrated LED

Material	Die Cast Aluminium & Clear Glass Lens						
Fitting Colour	Anthracite						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	50W	Lumen	4594	Beam Angle	15˚	CRI	83
Power Factor	0,5663	Colour Temp	4000K	IP	65	Class	1

ADDITIONAL INFORMATION
Tilt: 30°

PROJECT

GROUND LIGHTS

LED ACHILLE 320 GROUND LIGHT

PR420

PR420
IVELA LED ACHILLE 320
Ground Light



PR507
Accessory



LAMP TYPE: Including 1 x 27W Integrated LED

Material	Stainless Steel & Tempered Glass						
Fitting Colour	Silver						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	27W	Lumen	2400	Beam Angle	26˚	CRI	75
Power Factor	0,8766	Colour Temp	3000K	IP	67	Class	2

ADDITIONAL INFORMATION
Optional Die Cast Aluminium Recessed Housing Accessory PR507

PR421
IVELA LED WALKER
Ground Light



LAMP TYPE: Including 1 x 6.5W Integrated COB LED

Material	Stainless Steel						
Fitting Colour	Silver						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	6.5W	Lumen	315	Beam Angle	104˚	CRI	73
Power Factor	0,5271	Colour Temp	3000K	IP	67	Class	2

PR422
IVELA LED NAUTO
Ground Light



LAMP TYPE: Including 3 x 3W Integrated SMD LEDs

Material	Stainless Steel, Technopolymer & Opal Polycarbonate Lens						
Fitting Colour	Silver						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	9W	Lumen	130	Beam Angle	96˚	CRI	73
Power Factor	0,7857	Colour Temp	3000K	IP	68	Class	3

PR486
IVELA WALKER
Ground Light



LAMP TYPE: Excluding 1 x max 40W R63 E27

Material	Plastic						
Fitting Colour	Black						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	40W	Lumen	200	Beam Angle	122˚	CRI	84
Power Factor	0,5253	Colour Temp	4000K	IP	68	Class	1

ADDITIONAL INFORMATION
Photometry has been done with the lamp indicated

PR512

IVELA LED NAUTO 230

Ground Light



LAMP TYPE: Including 1 x 4.3W Integrated LED

Material	Stainless Steel						
Fitting Colour	Silver						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	4.3W	Lumen	36	Beam Angle	131˚	CRI	73
Power Factor	0,6586	Colour Temp	3000K	IP	67	Class	1

PR513

IVELA LED ACHILLE 190

Ground Light



LAMP TYPE: Including 1 x 18W Integrated LED

Material	Stainless Steel						
Fitting Colour	Silver						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	18W	Lumen	1693	Beam Angle	87˚	CRI	81
Power Factor	0,7777	Colour Temp	3000K	IP	67	Class	2

PR242

LED

Ground Light



LAMP TYPE: Including 1 x 27W Integrated LED

Material	Plastic & Aluminium with Clear Glass Lens						
Fitting Colour	Black & Silver						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	27W	Lumen	1790	Beam Angle	20.2˚	CRI	70
Power Factor	0.92	Colour Temp	4000K	IP	65 & 67	Class	1

ADDITIONAL INFORMATION
Including Ground Sleeve
Including LED Driver

PR243

LED

Ground Light



LAMP TYPE: Including 1 x 37W Integrated LED

Material	Plastic & Aluminium with Clear Glass Lens						
Fitting Colour	Black & Silver						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	37W	Lumen	2950	Beam Angle	20˚	CRI	≥70
Power Factor	0,94	Colour Temp	4000K	IP	65 & 67	Class	1

ADDITIONAL INFORMATION
Including Ground Sleeve
Including LED Driver

PROJECT

FOOT LIGHTS

IVELA LED
FOOT LIGHT

PR424

PR482

IVELA LED STILLENS

Foot Light



LAMP TYPE: Including 1 x 3.6W Integrated LED

Material	Stainless Steel						
Fitting Colour	Silver						
Primary Voltage	24V						
Wattage	3.6W	Lumen	67	Beam Angle	110˚	CRI	80
Power Factor	0,9000	Colour Temp	3000K	IP	68	Class	3

ADDITIONAL INFORMATION
Driver sold separately ELTLD1

PR423

IVELA LED STILLED FOOT LIGHT

Foot Light



LAMP TYPE: Including 3 x 1W Integrated SMD LEDs

Material	Stainless Steel						
Fitting Colour	Silver						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	3W	Lumen	124	Beam Angle	116˚	CRI	81
Power Factor	0,7981	Colour Temp	3000K	IP	68	Class	3

ADDITIONAL INFORMATION
Driver sold separately ELTLD1

PR424

IVELA LED WALLED FOOT LIGHT

Foot Light



LAMP TYPE: Including 12 x 0.5W Integrated LEDs

Material	Polycarbonate						
Fitting Colour	Silver						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	6W	Lumen	57	Beam Angle	114˚	CRI	80
Power Factor	0,9172	Colour Temp	3000K	IP	65	Class	3

ADDITIONAL INFORMATION
Driver sold separately ELTLD1

PROJECT

SPORT & STADIUM LIGHTS

PR225

LED

Sport Light



LAMP TYPE: Including 1250W Integrated LED

Material	Aluminium with Clear Acrylic Lens						
Fitting Colour	Black & Red						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	1250W	Lumen	110860	Beam Angle	24˚	CRI	72
Power Factor	0,9856	Colour Temp	5000K	IP	66	Class	1

PR226-30

LED

Sport Light



LAMP TYPE: Including 500W Integrated LED

Material	Aluminium with Clear Acrylic Lens						
Fitting Colour	Black & Red						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	500W	Lumen	25695	Beam Angle	30˚	CRI	80
Power Factor	0,9812	Colour Temp	5000K	IP	66	Class	1

PR226-40

LED

Sport Light



LAMP TYPE: Including 500W Integrated LED

Material	Aluminium with Clear Acrylic Lens						
Fitting Colour	Black & Red						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	500W	Lumen	46617	Beam Angle	40˚	CRI	84
Power Factor	0,9811	Colour Temp	5000K	IP	66	Class	1

PR235-30/PR235-60

LED

Sport Light



LAMP TYPE: Including 250W Integrated SMD LED

Material	Aluminium with Clear Acrylic Lens						
Fitting Colour	Black & Blue						
Primary Voltage	100V - 277V ~ 50Hz						
Wattage	250W	Lumen	*	Beam Angle	30/60˚	CRI	80
Power Factor	0.98	Colour Temp	5000K	IP	66	Class	1

ADDITIONAL INFORMATION

* 30° = 27139 60° = 30454

PR236-30/PR236-60

LED

Sport Light



LAMP TYPE: Including Integrated 500W SMD LED

Material	Aluminium with Clear Acrylic Lens						
Fitting Colour	Black & Blue						
Primary Voltage	100V - 277V ~ 50Hz						
Wattage	500W	Lumen	*	Beam Angle	30/60˚	CRI	80
Power Factor	0.98	Colour Temp	5000K	IP	66	Class	1

ADDITIONAL INFORMATION

* 30° = 49795 60° = 58623

PR237-30/PR237-60

LED

Sport Light



LAMP TYPE: Including Integrated 750W SMD LED

Material	Aluminium with Clear Acrylic Lens						
Fitting Colour	Black & Blue						
Primary Voltage	100V - 277V ~ 50Hz						
Wattage	750W	Lumen	*	Beam Angle	30/60˚	CRI	80
Power Factor	0.98	Colour Temp	5000K	IP	66	Class	1

ADDITIONAL INFORMATION

* 30° = 77145 60° = 92883

PR238-30/PR238-60

LED 60°

Sport Light



LAMP TYPE: Including Integrated 1000W SMD LED

Material	Aluminium with Clear Acrylic Lens						
Fitting Colour	Black & Blue						
Primary Voltage	100V - 277V ~ 50Hz						
Wattage	1000W	Lumen	*	Beam Angle	30/60˚	CRI	80
Power Factor	0.98	Colour Temp	5000K	IP	66	Class	1

ADDITIONAL INFORMATION

* 30° = 100997 60° = 121153

PR239-30/PR239-60

LED

Sport Light



LAMP TYPE: Including Integrated 1250W SMD LED

Material	Aluminium with Clear Acrylic Lens						
Fitting Colour	Black & Blue						
Primary Voltage	100V - 277V ~ 50Hz						
Wattage	1250W	Lumen	*	Beam Angle	30˚	CRI	80
Power Factor	0.9	Colour Temp	5000K	IP	66	Class	1

ADDITIONAL INFORMATION

* 30° = 127331 60° = 152850

PROJECT

STREET LIGHTS

PR229

NANO LED

Street Light



LAMP TYPE: Including 30W Integrated LED

Material	Die Cast Aluminium						
Fitting Colour	Grey						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	30W	Lumen	3267	Beam Angle	126˚	CRI	84
Power Factor	0,9685	Colour Temp	6500K	IP	66	Class	1

ADDITIONAL INFORMATION
Excluding pole
IES Files on Request

PR230

GOLD SERIES LED

Street Light



LAMP TYPE: Including 60W Integrated LED

Material	Die Cast Aluminium						
Fitting Colour	Grey						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	60W	Lumen	6401	Beam Angle	142˚	CRI	83
Power Factor	0,9562	Colour Temp	6500K	IP	66	Class	1

ADDITIONAL INFORMATION
Excluding pole
IES Files on Request

PR231

GOLD SERIES LED

Street Light



LAMP TYPE: Including 120W Integrated LED

Material	Die Cast Aluminium						
Fitting Colour	Grey						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	120W	Lumen	12842	Beam Angle	136˚	CRI	83
Power Factor	0,9706	Colour Temp	6500K	IP	66	Class	1

ADDITIONAL INFORMATION
Excluding pole
IES Files on Request

PR232

GOLD SERIES LED

Street Light



LAMP TYPE: Including 200W Integrated LED

Material	Die Cast Aluminium						
Fitting Colour	Grey						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	200W	Lumen	20715	Beam Angle	143˚	CRI	82
Power Factor	0,9521	Colour Temp	6500K	IP	66	Class	1

ADDITIONAL INFORMATION
Excluding pole
IES Files on Request

PR233

OPERA POST TOP LED

Street Light



LAMP TYPE: Including 35W Integrated LED

Material	Die Cast Aluminium						
Fitting Colour	Grey						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	35W	Lumen	3691	Beam Angle	144˚	CRI	82
Power Factor	0,9382	Colour Temp	6500K	IP	66	Class	1

ADDITIONAL INFORMATION
Excluding pole
IES Files on request

PR473

SOLAR PLAZA

Street Light



LAMP TYPE: Including 7W Integrated LED

Material	Die Cast Aluminium						
Fitting Colour	Grey						
Primary Voltage	5.5V						
Wattage	7W	Lumen	288	Beam Angle	107˚	CRI	73
Power Factor	Battery/Solar powered	Colour Temp	6500K	IP	65	Class	Solar

ADDITIONAL INFORMATION
Excluding pole
Toughened Clear Glass

PR472

SOLAR PLAZA

Street Light



Available on request

LAMP TYPE: Including 35W Integrated LED

Material	Die Cast Aluminium & Clear Polycarbonate						
Fitting Colour	Black						
Primary Voltage	30V						
Wattage	35W	Lumen	288	Beam Angle	149˚	CRI	83
Power Factor	Battery/Solar powered	Colour Temp	6500K	IP	65	Class	Solar

ADDITIONAL INFORMATION
Excluding pole

PR474

SOLAR PLAZA

Street Light



Available on request

LAMP TYPE: Including 15.6W Integrated LED

Material	Aluminium Alloy, ABS & Clear Polycarbonate						
Fitting Colour	Black						
Primary Voltage	5.5V						
Wattage	15.6W	Lumen	900	Beam Angle	148˚	CRI	80
Power Factor	Battery/Solar powered	Colour Temp	2700K - 6500K	IP	65	Class	Solar

ADDITIONAL INFORMATION
Excluding pole
Available in 2700K - 6500K

PR224

LED

Street Light



LAMP TYPE: Including 40W Integrated SMD LED

Material	Die Cast Aluminium & Clear Acrylic						
Fitting Colour	Grey						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	40W	Lumen	4300	Beam Angle	104˚	CRI	≥70
Power Factor	0.89	Colour Temp	4300K	IP	66	Class	1

ADDITIONAL INFORMATION
Excluding Pole

PROJECT

SPECIALITY LIGHTS

PR563

LED

Grow Light



LAMP TYPE: Including 100W Integrated LED

Material	Aluminium						
Fitting Colour	Black & Silver						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	100W	Lumen	9460	Beam Angle	120˚		
Power Factor	0.9	µmol/s	151.9	IP	65	Class	1

PR564

LED

Grow Light



LAMP TYPE: Including 150W Integrated LED

Material	Aluminium						
Fitting Colour	Black & Silver						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	150W	Lumen	13978	Beam Angle	120˚		
Power Factor	0.9	µmol/s	223.3	IP	65	Class	1

PR565

LED

Grow Light



LAMP TYPE: Including 200W Integrated LED

Material	Aluminium						
Fitting Colour	Black & Silver						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	200W	Lumen	19762	Beam Angle	120˚		
Power Factor	0.9	µmol/s	317.4	IP	65	Class	1

PR209

LED

Miner's Headlamp

LAMP TYPE: Including 1 x 3W Integrated LED

Material	Plastic & Steel						
Fitting Colour	Black & Yellow						
Primary Voltage	220V - 240V ~ 50Hz						
Wattage	1W*(Dimm)*/3W*(Bright)*	Lumen	360	Beam Angle	30˚		
Lifetime	100 000 Hrs	Colour Temp	6500K	IP	68	Class	2

ADDITIONAL INFORMATION

Including Charger & 95mm Recharge Cable
Rechargeable 3.7V 6.6AH Lithium-ion Battery
Battery Life: up to 16 Hours
Charge Time: 8 Hours

INDEX

B

B1 555
B2 552
B4 552
B5 550
B7 561
B8 553
B9 561
B30 553
B31 550
B38 603
B39 602
B41 558
B42 554
B46 557
B48 562
B50 560
B53 558
B54 550
B55 554
B58 562
B59 560
B62 559
B92 602
B95 543
B96 545
B97 543
B98 545
B102 607
B104 543
B105 545
B107 548
B110 558
B111 562
B115 607
B121 544
B122 557
B123 557
B124 549
B126 543
B127 542
B128 549
B129 549
B130 549
B134 544
B136 555
B137 560
B138 563
B140 557
B141 555
B147 559
B148 535
B158 604
B159 604
B160 604
B162 605
B163 605
B164 605
B165 605
B170 544
B173 563
B174 563
B177 564
B178 564
B179 564
B180 564
B181 551
B190 551
B213 601
B214 601
B215 538
B216 601
B217 538
B218 609
B219 609
B220 608
B221 608
B222 597
B223 600
B224 609
B225 537
B226 537
B227 540
B228 537
B229 541
B230 540
B231 537
B232 541
B233 542
B234 536
B235 540
B236 597
B237 597
B243 539
B244 534, 572
B245 542
B248 547
B249 546
B250 547
B251 546
B252 539
B254 597
B255 539
B266 556
B278 547
B279 547
B280 546
B281 546
B282 548
B283 533
B284 533
B285 532
B286 532
B287 532
B288 532
B289 601
B290 559
B292 602
B293 602
B295 534
B296 534
B297 534
B300 551

C

C8A 87
C9A 87
C10 101
C11 101
C12 101
C48 79
C49 79
C57 73
C58R 73
C59 73
C60BE/R 73
C61R 72
C62R 72
C85 102
C86 102
C89 74
C92 95
C93 88
C94O 88
C95 89
C96O 88
C97F 80
C98 88
C100 95
C101 95
C122 33
C126 49
C130 64
C132 64
C135 51
C143 42
C145 43
C147 49
C153 78
C154 101
C155 100
C158 94
C163 60
C164 63
C167 63
C170 55
C177 57
C178 72
C179 72
C183 51
C184 55
C192 83
C194 83
C202F 80
C210 87
C211 86
C212 87
C231 46
C232 193
C235 94
C244 74
C245 74
C246 74
C247 54
C248 55
C252 33
C253 33
C269 76
C283 82
C284 97
C285 97
C286 97
C296 77
C319 96
C332 77
C339 69
C340 69
C344 42
C351 76
C370 96
C371 97
C372 98
C373 98
C375 99
C376 98
C377 98
C378 100
C379 99
C381 90
C385 90
C393 85
C394 85
C396 81
C397 80
C398 81
C399 81
C400 80
C401 85
C402 83
C403 83
C413 95
C414 44
C415 44
C416 44
C417 44
C421 48
C429 32
C431 32
C434 49
C441B 84
C441PI 84
C454 63
C455 57
C456 57
C462 75
C463 56
C464 62
C465 56
C466 62
C468 62
C469 50
C471 53
C500 39
C526 38
C530 34
C531 34
C532 34
C533 34
C534 35
C535 35
C536 36
C537 36
C540 35
C541 35
C542 65
C543 65
C544 65
C545 58
C546 58
C547 58
C548 59
C549 59
C550 59
C551 68
C552 68
C553 68
C554 66
C555 66
C556 66
C557 64
C558 64
C559 67
C560 67
C563 60
C564 61
C565 42
C568 61
C570 78
C571 78
C573 60
C575 48
C580 39
C581 39
C582 39
C600 93
C601 93
C602 93
C603 93
C604 92
C605 92
C609 46
C610 46
C611 55
C613 63
C614 57
C615 56
C616 62
C617 46
C619 53
C620 53
C622 31
C623 31
C670 70
C671 70
C672 71
C673 71
C674 71
C675 71
C676 40
C677 37
C678 37
C679 40
C680 41
C681 41
C682 47
C683 45
C684 45
C685 31
C686 31
C687 30
C688 52
C689 52
C690 52
C691 52
C695 45
CH1 400
CH2 400
CH3 400
CH4 400
CH36 392
CH37 392
CH105 397
CH108 401
CH109 401
CH110 401
CH113 401
CH128 399
CH166 398
CH191 389
CH192 389
CH209 402
CH215 42
CH216 398
CH225 396
CH226 396
CH233 392
CH238 398
CH239 398
CH240 399
CH242 388
CH244 388
CH245 392
CH246 394
CH247 393
CH248 391
CH249 394
CH250 391
CH263 390
CH264 390
CH265 395
CH266 395
CH271 393
CH272 393
CH273 393
CH278 402
CH279 402
CO153W 91
CO154W 91
CO155W 91
CO156W 91
CO157 91
CO158 91
CO159 91
CO160 91
CO161 91
CO162 91

D

D9 244
D10W 244
D15 244
D18 238
D19 238
D20 238
D22 238
D23 237
D25 235
D26 242
D27 242
D31 234
D32 234
D34 237
D36 243
D39 235
D45 241
D46 241
D48 236
D49 237
D50 244
D52 246
D55 243
D56 236
D59 246
D61 241
D62 241
D63 242
D64 242
D65 237
D66 236
D67 230
D68 231
D69 231
D70 232
D71 231
D72 231
D73 232
D74 233
D75 233
D76 233
D77 233
D92 229
D93 229
D94 229
D98 229
D99 228
D100 228
D101 230
D102 236
D103 228
D104 228
D105 226
D106 226
D108 240
D109 240
D110 222
D112 222
D113 222
D114 222
D116 223
D122 224
D131 232
D147 226
D148 224
D149 224
D150 225
D151 225
D152 225
D153 225
D154 224

F

F3 7
F4 6
F5 21, 502
F6 21, 502
F7 6
F11 9
F12 8
F13 8
F14 7
F15 22
F16 22
F17 13
F19 15, 103
F21 11
F22 12
F23 14
F24 13
F25 11
F26 11
F27 11
F28 13
F30 17
F32LED 15, 103
F33LED 15, 103
F34 13
F35 22
F36 6
F37 6
F38 7
F39 9
F40 8
F42 8
F43 16
F44 16
F45 16
F46 17
F74 5
F75 4
F76 5
F77 5
F78 4
F82 18, 500
F83 19, 500
F84 20, 501
F85 20, 501
F86 20, 501
F87 20, 501
F88 18, 500
F90 15, 103
FL12 464
FL13SC 465
FL14 465
FL21 457
FL21W 453
FL23 461
FL30 465
FL73 453
FL75 459
FL82 452
FL90 464
FL100 459
FL101 459
FL104 453
FL106 463
FL113 459
FL120 457
FL121 454
FL131 454
FL133 455
FL137 451
FL140 462
FL169 464
FL170 465
FL175 453
FL176 458
FL188 462
FL189 461
FL200 460
FL205 456
FL206 457
FL209 451
FL211 451
FL212 460
FL217 460
FL218 461
FL219 455
FL224 461
FL225 458
FL226 458
FL291 450
FL292 464
FL293 457
FL294 460
FL298 456
FL299 456
FL301 450
FL302 456
FL303 463
FS1 677
FS1LED 675
FS2 677
FS2LED 675
FS3 677
FS3LED 676
FS4 678
FS4LED 676
FS8 672
FS9 672
FS13 672
FS18 672
FS32 673
FS50 673
FS171 671
FS172 670
FS173 670
FS178 673
FS203 503, 675
FS204 503, 675
FS205 492
FS206 494
FS207 494
FS208 493
FS209 493
FS210 492
FS211 496
FS212 493
FS213 480, 518
FS214 479, 518
FS220 668
FS221 668
FS222 668
FS226 496
FS227 645
FS247 660
FS248 660
FS249 660
FS250 660
FS251 661
FS252 663
FS253 663
FS254 662
FS255 664
FS256 664
FS259 665
FS260 669
FS260WW 669
FS261 669
FS261WW 669
FS262 670
FS263 670
FS264 665
FS265 665
FS266 674
FS269 676
FS270 676
FS271 664
FS272 668
FS275 496
FS276 492
FS277 492
FS278 665
FS279 666
FS280 667
FS281 667
FS282 667
FS283 667
FS287 666
FS292 663
FS296 663
FS297 510
FS298 495

G

G982 / G983 497
G1066 497

H

H14 478
H22 481, 495
H23 481, 495
H30 476
H35 470
H38 473
H40 475
H41 475
H42 479
H44 485
H45 486
H46 486
H47 486
H50 476
H80SQ 476
H83 473
H91 472
H92 472
H93 472
H94 471
H95 471
H96 471
H99 482
H100 474
H101 474
H121 477
H123 486
H124 487
H125 487
H126 487
H127 485, 497
H136 470
H137 470
H138 484
H147 483
H149 483
H150 477
H151 478
H152 478
H161 478
H164 485
H165 484
H168 480
H170 477
H174 480
H176 477
H184 480, 496
H191 514
H192 510
H193 524
H194 522
H195 522
H196 522
H198 521
H199 527
H200 527
H201 527
H202 522
H209 484
H210 484
H211 482, 495

O

O3 631
O8 634
O9 631
O10 630
O14 632
O15 633
O16 631
O17 632
O18 633
O19 632
O20 633
O21 631
O23 645
O24 632
O26 633
O27 649
O28 649
O29 643
O30 635
O32 636
O35 636
O36 637
O37 637
O40 625
O41 625
O42 625
O50 630
O51 623
O52 623
O53 623
O54 628
O59 622
O60 622
O67 623
O68 630
O70 622
O74 630
O75 637
O76 636
O79 628
O81 637
O84 642
O86 642
O87 583
O88 583
O93 595
O94 594
O112 648
O113 648
O114 641
O115 640
O117 635
O118 629
O119 645
O123 609
O124 610
O132 639
O134 636
O135 239, 575
O136 639
O137 639
O140 624
O141 624
O142 624

O143 624
O144 594
O145 594
O146 594
O150 90
O151 90
O162 520
O163 523
O164 523
O166 524
O167 524
O169 470, 527
O170 523
O172 521
O224 592
O242 575
O243 575
O244 592
O245 239, 608
O246 635
O247 574
O248 574
O249 612
O250 612
O255 593
O256 593
O257 593
O258 621
O259 621
O260 596
O261 596
O262 585
O263 584
O302 239, 574
O303 634
O304 634
O305 634
O307 584
O308 585
O313 587
O314 587
O317 585
O318 586
O319 585
O320 587
O326 582
O329 643
O330 556
O332 559
O342 647
O343 226, 608
O344 610
O345 610
O346 610
O353 606
O355 603
O359 592
O388 627
O391 606
O392 606
O394 626
O396 583
O397 583
O398 619
O404 644
O405 611
O406 544
O407 575
O408 613
O409 613
O410 627
O411 336
O412 645
O413 646
O414 638
O415 638
O416 638
O417 628
O418 628
O419 638
O421 510, 681
O423 514, 651
O424 520, 655
O425 520, 655
O426 520, 654
O443 572
O444 572
O450 646
O452 640
O453 640
O454 640
O455 519
O456 519
O457 519
O458 512, 650
O459 513, 650
O460 512, 651
O461 513, 651
O462 510, 682
O463 591
O464 591
O465 590
O466 590
O467 591
O468 591
O469 620
O470 620
O471 616
O472 616
O473 616
O474 616
O475 617
O476 576
O477 617
O478 617
O479 620
O480 588
O481 579
O482 579
O483 579
O485 614
O486 614
O487 614
O488 614
O489 588
O490 588
O491 588
O494 511, 680
O515 606
O516 626
O517 627
O518 582
O519 626
O520 626
O523 573
O527 618
O528 618
O529 619
O530 646
O531 619
O532 573
O533 619
O534 646
O541 615
O542 615
O544 576
O545 647
O546 641
O555 498
O556 498
O557 498
O558 499
O559 499
O560 499
O561 499
O573 598
O574 577
O575 639
O576 582
O577 582
O580 599
O581 599
O582 599
O583 600
O584 600
O585 600
O586 515, 651
O587 508, 681
O588 511
O589 511
O590 508, 679
O591 508, 679
O592 516, 652
O593 516, 652
O594 516, 652
O595 509, 679
O596 508, 679
O597 509, 680
O598 525
O599 578
O600 578
O601 589
O602 577
O603 589
O604 589
O606 580
O607 590
O609 524
O613 511

P

P3AL 378
P53 377
P55 377
P57 377
P64ABR 332
P108 302
P109 315
P115 302
P125 368
P129 368
P130 368
P131 368
P138 367
P139 367
P142 365
P143 365
P144 365
P147 315
P151 378
P158 382
P160 382
P174 364
P176 364
P180 316
P181 316
P182 370
P184 370
P194 316
P198 318
P199 318
P200 318
P208 316
P235 319
P236 319
P239 315
P260 315
P261 376
P289 379
P299 379
P304 380
P305 380
P308 381
P309 381
P321 378
P338 379
P362 348
P373 383
P389 314
P390 314
P398 314
P399 314
P422 326
P423 326
P424 329
P425 327
P426 327
P427 327
P428 327
P430 326
P431 320
P432 329
P433 329
P434 352
P436 369
P439 342
P440 342
P441 342
P442 345
P443 345
P444 345
P464 373
P465 359
P469 383
P470 275
P470B-L 275
P470W-L 275
P471 332
P472 332
P473 333
P474 333
P475 340
P476 340
P477 340
P478 358
P480 343
P481 345
P482 331
P484 330
P485 330
P486 329
P487 331
P488 330
P489 330
P498 378
P499 320
P500 320
P507 296
P513 344
P518 294
P527 349
P557 331
P559 322
P561 324
P562 323
P562G 324
P563 324
P564 324
P570 303
P572 301
P573 301
P574 303
P575 304
P576 304
P579 376
P580 346
P581 346
P582 346
P583 346
P584 289
P585 289
P586 273
P587 360
P590 331
P591 274
P593 269
P596 360
P597 360
P599 360
P600 358
P601 361
P602 361
P603 361
P604 332
P605 375
P606 375
P607 376
P608 375
P609 337
P610 337
P611 337
P612 337
P613 370
P614 373
P615 369
P616 300
P647 312
P654 335
P655 335
P664 313
P667 297
P668 297
P670 366
P671 366
P672 366
P674 366
P680 312
P681 312
P685 343
P689 356
P690 356
P691 356
P693 333
P694 333
P695 338
P696 338
P700 341
P701 341
P702 344
P703 290
P704 357
P705 334
P707 334
P711 347
P712 347
P717 317
P743 325
P747 371
P748 371
P749 374
P750 372
P751 373
P752 373
P753 374
P754 372
P755 372
P756 372
P768 362
P770 362

P778 356
P780 317
P794 349
P796 270
P797 270
P803 306
P804 305
P805 292
P806 291
P807 348
P808 291
P809 292
P810 292
P811 298
P812 300
P813 300
P814 301
P815 301
P816 299
P817 299
P818 299
P821 339
P823 344
P825 312
P826 344
P827 343
P830 338
P831 338
P854 272
P855 272
P856 272
P871 323
P872 323
P890CP 355
P891CP 355
P892CP 355
P895 266
P899 258
P900 258
P901 258
P902 265
P903 259
P905 265
P906 265
P907 264
P908 264
P909 266
P910 263
P911 263
P912 263
P913 263
P914 265
P915 266
P916 266
P917 261
P918 261
P919 261
P920 279
P926GL 351
P928 272
P929 271
P930 259
P931 271
P933 262
P935 363
P936 363
P937 350
P938 350
P939 351
P940 336
P941 350
P942 350
P943 276
P944 276
P945 276
P946 351
P947 353
P952 336
P953 288
P954 288
P955 288
P956 353
P957 355
P958 287
P960 287
P961 287
P962 286
P963 286
P964 286
P965 288
P966 280
P967 280
P976 275
P977 274
P978 274
P979 274
P980 281
P981 281
P982 281
P1003 371
P1004 383
P1006 371
P1009 369
P1011 269
P1012 322
P1015 361
P1016 311
P1030 261
P1048 295
P1049 295
P1050 295
P1057 305
P1058 262
P1059 308
P1060 308
P1061 308
P1062 370
P1063 313
P1064 313
P1065 313
P1068 359
P1069 278
P1070 278
P1073 278
P1077 294
P1079 269
P1081 323
P1086 307
P1087 307
P1088 277
P1089 277
P1090 277
P1091 277
P1092 289
P1093 289
P1094 308
P1095 309
P1096 290
P1097 310
P1098 310
P1099 309
P1100 309
P1101 293
P1102 293
P1103 260
P1104 269
P1105 267
P1106 267
P1107 260
P1108 260
P1109 259
P1110 258
P1111 321
P1112 268
P1113 268
P1114 268
P1115 294
P1116 311
P1117 273
P1118 273
P1119AM 310
P1119W 310
P1120 279
P1121GY 278
P1122 285
P1123 285
P1124 285
P1125 311
P1128 256
P1129 256
P1130 283
P1131 283
P1132 284
P1133 284
P1134 282
P1135 282
P1136 282
P1137 279
P1138 257
P1139 257
P1140 328
P1141 328
P1142 328
P1143 354
P1144 354
P1145 354
P1146 257
P1147 257
P9001 276
PR32 752
PR35 751
PR36 744
PR36L 739
PR37 745
PR37L 739
PR38 745
PR38L 739
PR39 745
PR39L 739
PR40 745
PR40L 740
PR41 746
PR41L 740
PR48 774
PR49 774
PR52 754
PR53 754
PR111 761
PR112 761
PR114 762
PR115 761
PR119LED 698
PR120LED 699
PR121LED 699
PR122LED 699
PR123LED 699
PR125LED 700
PR126LED 700
PR127 761
PR129 740
PR130 741
PR130L 740
PR131 741
PR132 741
PR133 741
PR134 742
PR135 742
PR144 747
PR144L 746
PR145 747
PR164 752
PR166 752
PR167 752
PR168 742
PR169 742
PR172 743
PR174 743
PR176 743
PR180 777
PR181 747
PR182 748
PR183 748
PR183L 746
PR184 748
PR184L 747
PR186 743
PR187 744
PR199 622
PR202 700
PR203 700
PR204 701
PR205 763
PR205WW 763
PR209 794
PR211 754
PR212 750
PR213 750
PR214 750
PR215 750
PR216 751
PR217 751
PR218 751
PR219 763
PR220 754
PR221 746
PR224 792
PR225 787
PR226-30 787
PR226-40 787
PR229 790
PR230 790
PR231 790
PR232 790
PR233 791
PR234 762
PR235-30 787
PR235-60 787
PR236-30 788
PR236-60 788
PR237-30 788
PR237-60 788
PR238-30 788
PR238-60 788
PR239-30 788
PR239-60 788
PR240 755
PR241 756
PR242 783
PR243 783
PR337 701
PR338 701
PR339 701
PR343 703
PR344 703
PR345 702
PR345WW 702
PR346 702
PR346WW 702
PR347 702
PR347WW 702
PR348 702
PR349 586, 776
PR350 586, 776
PR351 586, 776
PR352 767
PR353 767
PR354 767
PR355 767
PR356 714
PR356B 714
PR357 717
PR358 717
PR359 717
PR360 718
PR361 771
PR362 771
PR363 771
PR364 771
PR365 772
PR366 772
PR367 772
PR368 718
PR369 718
PR369B 718
PR370 719
PR370B 719
PR371 719
PR372 719
PR373 719
PR374 703
PR376 703
PR377 704
PR378 704
PR379 704
PR380 769
PR381 769
PR382 704
PR383 705
PR384 705
PR385 705
PR386 705
PR387 706
PR388 706
PR389 706
PR390 706
PR393 720
PR394 720
PR395 720
PR398B 716
PR398W 716
PR399 716
PR400 716
PR401 714
PR402 695
PR403 695
PR404 695
PR404S 695
PR405 695
PR406 696
PR407 696
PR408 696
PR409 696
PR410 776
PR411 777
PR412 779
PR413 779
PR414 694
PR415 694
PR416 768
PR417 768
PR418 768
PR419 692
PR420 782
PR421 782
PR422 782
PR423 785
PR424 785
PR425B 692
PR425M 692
PR425W 692

PR426B 720
PR426W 720
PR427B 720
PR427W 720
PR428B 723
PR428W 723
PR429B 721
PR429W 721
PR430B 721
PR430W 721
PR431B 721
PR431W 721
PR432B 721
PR432W 721
PR433B 722
PR433W 722
PR434B 722
PR434W 722
PR435B 722
PR435W 722
PR436B 722
PR436W 722
PR437B 723
PR437W 723
PR438B 723
PR438W 723
PR439B 723
PR439W 723
PR440B 724
PR440W 724
PR441 774
PR442 772
PR445 720
PR446 724
PR447 725
PR448 720
PR453 763
PR455 707
PR455WW 707
PR456 707
PR457 707
PR458 707
PR459 708
PR460 708
PR461 708
PR462 708
PR463 709
PR464 709
PR465 709
PR466 780
PR467 780
PR468 780
PR471 777
PR472 517, 653, 792
PR473 516, 652, 791
PR474 517, 653, 792
PR480S 755
PR480W 755
PR481 768
PR482 785
PR484 694
PR485 694
PR486 782
PR488ECO 780
PR504 698
PR505 697
PR507 782
PR508 692
PR508B 692
PR509 692
PR510 765
PR511 765
PR512 783
PR513 783
PR514 697
PR515 697
PR516 697
PR517 717
PR518 717
PR519 779
PR520 779
PR523 724
PR524 724
PR525 724
PR526 716
PR527 716
PR529 698
PR530 698
PR541 773
PR543 773
PR545 765
PR546 765
PR551 718
PR562 763
PR563 794
PR564 794
PR565 794
PR566CW 712
PR566WW 712
PR567CW 712
PR567WW 712
PR568CW 712
PR568WW 712
PR569CW 709
PR569WW 709
PR570CW 710
PR570WW 710
PR571CW 710
PR571WW 710
PR572CW 710
PR572WW 710
PR573CW 710
PR573WW 710
PR574CW 711
PR574WW 711
PR575 757
PR576 757
PR577 757
PR578 757
PR582 759
PR583 759
PR584 758
PR585 758
PR586 759
PR587CW 711
PR587WW 711
PR663 756
PR667 755
PR668 755
PR669 756
PR670 756
PR704 725
PR705 725
PR706 725
PR707 726
PR708 726
PR709 726
PR711 727
PR712 727
PR713 726
PR714 727
PR715 728
PR716 728
PR717 728
PR718 728
PR719 729
PR720 729
PR721 729
PR722 729
PR723 730
PR724 730
PR725 730
PR726 730
PR727 731
PR728 731
PR729 731
PR730 731
PR731 732
PR732 732
PR733 727
PR739 734
PR740 734
PR741 734
PR741WW 734
PR742 734
PR742WW 734
PR743 735
PR744 735
PR745 737
PR746 737
PR747 737
PR748 735
PR749 735
PR750 736
PR751 736
PR752 736
PR753 736

S

S19 209
S20 208
S21 209
S22 210
S23 209
S24 210
S25 209
S26 210
S27 206
S28 206
S29 206
S40 214
S42 214
S43 215
S44 214
S45 215
S50 207
S53 207
S74 211
S75 211
S76 211
S130 201
S131 192
S132 192
S133 192
S134 192
S145 190
S146 190
S147 190
S148 190
S149 191
S150 191
S151 191
S152 191
S154 188
S155 188
S156 188
S160 193
S178 205
S179 205
S180 205
S181 205
S182 204
S183 204
S184 204
S185 204
S216 203
S217 203
S218 203
S219 198
S220 198
S221 198
S222 199
S223 198
S224 199
S239 / S240 214
S241/S242 208
S312 212
S313 212
S314 212
S315 213
S316 212
S361 200
S362 200
S364 201
S365 194
S366 194
S367 194
S369 196
S370 196
S371 195
S372 195
S373 195
S374 195
S413 197
S414 197
S415 197
S416 203
S419 202
S422 202
S425 197
S426 / S427 202
S430 202
S433 182
S434 182
S435 182
S436 182
S437 189
S438 183
S439 183
S440 183
S441 183
S442/S450 187
S443/S451 187
S444/S452 187
S445/S453 187
S446 186
S447 186
S448 186
S449 186
S454 184
S455 184
S456 184
S457 184
S458 185
S459 189
SH1 404
SH2 404
SH3 404
SH4 405
SH5 405
SH6 404

T

T1 441
T9 440
T20 445
T23 442
T24 442
T27 442
T30 442
T63 444
T70 445
T71 419
T72 441
T79 444
T96 422
T97 422
T109 418
T135 444
T137 421
T146 441
T148 411
T157 423
T159 411
T167 434
T198 410
T234 420
T249 415
T254 418
T306 413
T307 444
T308 415
T309 441
T329 423
T367 416
T375 429
T401 421
T418 434
T423 443
T445 424
T473 438
T487 435
T508 437
T510 438
T511 436
T512 436
T513 439
T514 437
T515 443
T517 443
T535 410
T536 425
T537 414
T542 428
T545 428
T547 431
T548 431
T549 430
T550 435
T551 433
T552 416
T553 429
T554 417
T555 432
T556 432
T557 412
T558 431
T559 431
T560 412
T570 424
T572 414
T573 426
T574 429
T577 426
T578 424
T579 418
T590 438
T592 438
T593 418
T595 427
T596 427
T597 427
T598 425
T601 433
T602 427
T603 488

W

W4 174
W34 158
W35 174
W36 158
W55 159
W55A 159
W57 166
W58 158
W93 114
W102 121
W108 133
W109 133
W114 121
W117 121
W129 151
W135 171
W137 167
W140 171
W149 153
W153 157
W154 157
W156 134
W165 157
W166 156
W167 157
W170 151
W172 151
W175 160
W176 160
W177 160
W179 124
W180 124
W182 167
W184 167
W191 166
W200 115
W205 114
W213 161
W220 133
W222 115
W224 174
W280 154
W281 154
W283 154
W286 155
W293 161
W294 161
W295 160
W296 174
W301 135
W321 158
W329 163
W330 581
W331 581
W332 132
W333 131
W349 165
W350 135
W353 134
W356 175
W357 135
W358 114
W363 135
W373 125
W382 149
W383 148
W384 149
W385 148
W386 148
W387 148
W388 150
W390 150
W391 145
W392 143
W393 143
W394 144
W395 144
W396 142
W397 146
W398 147
W399 146
W400 146
W401 150
W402 146
W403 147
W404 150
W405 147
W406 147
W420 164
W422 171
W423 151
W433 165
W435 154
W439 164
W452 153
W456 138
W457 138
W458 138
W459 138
W460 139
W461 139
W462 139
W463 139
W464 173
W465 125
W466 125
W467 125
W468 152
W469 142
W470 142
W471 142
W472 152
W473 152
W477 155
W483 167
W484 164
W486 164
W492 53
W493 172
W494 172
W495 173
W496 162
W497 162
W498 163
W499 163
W523 131
W524 141
W525 141
W527 140
W528 140
W529 140
W530 141
W531 141
W544 123
W545 122
W546 122
W547 123
W548 117
W549 116
W550 116
W551 116
W552 598
W554 175
W560 170
W561 170
W562 119
W563 118
W564 118
W566 118
W567 118
W568 119
W569 119
W570 119
W573 120
W575 124
W576 171
W577 170
W578 170
W579 131
W580 165
W581 165
W582 121
W583 116
W594 112
W595 112
W596 112
W597 113
W598 113
W599 113
W600 117
W601 114
W602W 131
W603 129
W604B 128
W604W 128
W605B 127
W605W 127
W607 136
W608 136
W609 136
W611 136
W613 129
W614 130
W615 130
W616 130
W617 130
W618 132
W619 132
W620B 129
W620W 129
W621 128
W622 128
W623W 134
W624 134
W625 113
W626 126
W627 126
W628 126
W629W 132
W630BG 117
W630W 117
W631 168
W633 168
W634 169
W635 169
W636 169

Notes

Notes

Notes